906

Section **A** for the entry of Daily

AIR MINISTRY.—M

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGISTE

31.

—

906

OXLEY GRANGE

1931 ONLY

480205

Kept at Oxhey Grange

in the County of Hertford

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

2 '32.

THE MORNING MEASUREM … **AY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·01	–	·16	–	–	·07	–	·04	–	–	–	1
2	·14	·06	–	·40	–	·11	–	·05	·71	–	–	·70	2
3	·03	tr	·07	·25	·36	–	–	·24	·53	–	·04	·33	3
4	–	tr	–	·04	·02	–	·08	·42	·31	·04	–	·02	4
5	–	–	–	·14	·11	·47	·03	·12	·02	–	–	·29	5
6		·10	–	·13	·02	–	–	–	–	·34	·45	–	6
7	–	–	–	·07	·06	·07	–	·66	–	·	·19	·05	7
8	–	·07	·09	–	–	·12	–	·21	–	·03	·15	·02	8
9		·01	·04	·02	–	tr	–	–	–	–	·41	·01	9
10	·02	·13	·04	–	–	·04	·06	·23	–	–	·45	–	10
11	·10	·30	–	–	–	–	–	–	·03	–	·19	–	11
12	–	02	–	–	–	–	·06	·06	·40	–	–	–	12
13	·	–	–	–	–	–	·10	·03	–	–	–	–	13
14	·02	·09	–	–	–	–	·99	·84	–	–	–	–	14
15	·03	·06	–	·06	·16	–	·20	·23	–	–	–	·04	15
16	–	08	–	·10	·29	·03	·03	·21	·15	–	–	–	16
17	tr	–	–	·20	·09	–	{ –	} –	·01	–	–	–	17
18	·03	·04	–	·24	–	·17	{·14}	·69	–	–	·65	–	18
19	·01	–	–	·31	–	·16	·08	·03	·02	–	·02	–	19
20	–	·05		·16	–	–	·07	·24	–	–	–	–	20
21	·02	–	–	–	·44	–	–	07	–	–	–	–	21
22	·24	–	–	–	–	–	–	–	·02	–	·02	–	22
23	·26	–	–	·03	·47	·04	–	–	–	–	·19	·01	23
24	–	–	–	·34	–	·02	·10	–	·03	–	·05	·02	24
25	·09	–	–	·42	·21	–	·29	–	–	–	–	–	25
26	–	·03	–	13	–	–	·58	–	–	–	·16	–	26
27	·19	·42	–	·01	·29	–	·10	–	–	–	·09	–	27
28	·10	19	–	·05	–	–	–	–	–	–	·01	·30	28
29	·01	–	–	–	·10	–	·16	–	–	·27	·07	–	29
30	·02	×	–	–	·01	–	·04	·	–	–	–	–	30
31	·24	×	–	×	·02	×	–	·14	×	–	×	–	31 26.03
TOTAL	1·56	1·66	·18	3.40 ~~3·36~~	2·65	1·23 ~~1·33~~	3.12 ~~3·07~~	4·41 ~~4·35~~	2·27	·68	3·08	1·79	YEAR'S TOTAL ~~26·28~~
*Days with ·01 in. or more.	18	16	4	20	15	10	19	17	12	4	18	11	164
*Days with ·04 in. or more.	8	12	3	16	11	8	15	13	6	3	12	6	113

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Alexander P. D Penrose

P.T.O.

906

Section **A** for the entry of Daily Observations. **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Oxhey Grange Watford
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ..... ft. 7½ in.
,, Ground ,, Sea Level 290 ft.

Corr for arith
Circ D 2 sent 12.2.32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·01	-	·16	-	-	·01	-	·04	-	-	-	1
2	·14	·06	-	·40	-	·11	-	·05	·71	-	-	·70	2
3	·03	tr	·01	·25	·36	-	-	·24	·53	-	·04	·33	3
4	-	tr	-	·04	·02	-	·08	·42	·31	·04	-	·02	4
5	-	-	-	·14	·11	·47	·03	·12	·02	-	-	·29	5
6		·10	-	·13	·02	-	-	-	-	·34	·45	-	6
7	-	-	-	·01	·06	·07	-	·66	-	·	·19	·05	7
8	-	07	·09	-	-	·12	-	21	-	·03	·15	·02	8
9		·01	·04	·02	-	tr	-	-	-	-	·41	·01	9
10	·02	·13	·04	-	-	·04	·06	·23	-	-	·45	-	10
11	·10	·30	-	-	-	-	-	-	·03	-	·19	-	11
12	-	02	-	-	-	-	·06	·06	·40	-	-	-	12
13	·	-	-	-	-	-	·10	·03	-	-	-	-	13
14	·02	·09	-	-	-	-	·99	·84	-	-	-	-	14
15	·03	·06	-	·06	·16	-	·20	·23	-	-	-	·04	15
16	-	08	-	·10	·29	·03	·03	·21	·15	-	-	-	16
17	tr	-	-	·20	·09	-	-	-	·01	-	-	-	17
18	·03	·04	-	·24	-	·17	{·14}	·69	-	-	·65	-	18
19	·01	-	-	·51	-	·16	·08	·03	·02	-	·02	-	19
20	-	·05		·16	-	-	·07	·24	-	-	-	-	20
21	·02	-	-	-	·44	-	-	01	-	-	-	-	21
22	·24	-	-	-	-	-	-	-	·02	-	·02	-	22
23	·26	-	-	·03	·47	·04	-	-	-	-	·19	·01	23
24	-	-	-	·34	-	·02	·10	-	·03	-	·05	·02	24
25	·09	-	-	·42	·21	-	·29	-	-	-	-	-	25
26	-	·03	-	13	-	-	·58	-	-	-	·16	-	26
27	·19	·42	-	·01	·29	-	·10	-	-	-	·09	-	27
28	·10	19	-	·05	-	-	-	-	-	-	·01	·30	28
29	·01	-	-	-	·10	-	·16	-	-	·27	·01	-	29
30	·02	×	-	-	·01	-	·04	·	-	-	-	-	30
31	·24	×	-	×	·02	×	-	·14	×	-	×	-	31 26.03
TOTAL	1·56	1·66	·18	3.40 ~~3·36~~	2·65	1·23 ~~1·33~~	3.12 ~~3·04~~	4·41 ~~4·35~~	2·27	·68	3·08	1·79	YEAR'S TOTAL ~~26·28~~
*Days with ·01 in. or more.	18	16	4	20	15	10	19	17	12	4	18	11	164
*Days with ·04 in. or more.	8	12	3	16	11	8	15	13	6	3	12	6	113

40-9999

(Signed) Alexander P. Oppenheimer P.T.O.

*See Instruction 2 (*f*) on other side.

907

Section **A** for the entry of
AIR MINISTRY

COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

FORM 1090.

REGIST

1931 .

907 — 277604

WATFORD - ALDENHAM RD. W.W.

1931 - 1940

780205

Kept at The Colne Valley

in the County of Hertf

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.01	Snow Trace	.13	-	.08	Trace	.01	.05	-	-	-	1
2	.11	.03	Trace	.39	-	-	-	Trace	.70	.02	Trace	.10	2
3	.02	-	.01	.28	.35	-	-	.20	.48	-	.02	.25	3
4	Trace	Snow Trace	-	.09	.01	-	.03	.31	.61	Trace	.04	-	4
5	Trace	-	-	.12	.10	.42	.06	.09	.01	Trace	-	.29	5
6	Trace	Snow .11	-	.10	-	-	-	-	.01	.30	.42	-	6
7	Trace	Trace	-	.01	.04	.09	Trace	.58	Trace	.07	.16	.04	7
8	Snow .01	.07	Snow .08	Trace	-	.10	-	.21	-	.01	.13	Trace	8
9	Trace	.07	Snow .05	.01	-	-	.01	Trace	-	Trace	.40	.01	9
10	.07	.03	Snow .01	Trace	-	.05	.01	.21	-	-	.30	-	10
11	.10	.30	-	-	-	-	-	-	.03	.01	.16	-	11
12	Trace	Snow .02	-	-	-	-	Trace	.06	.36	Trace	-	-	12
13	-	-	-	-	-	-	.12	.05	-	Trace	-	-	13
14	Snow .01	Snow .07	-	-	.01	-	.92	.73	-	-	Trace	-	14
15	.01	.11	-	.07	.11	-	.15	.20	Trace	-	Trace	.02	15
16	-	Snow .07	-	.08	.26	.02	.02	.27	.12	-	Trace	-	16
17	.01	-	-	Snow .26	.07	-	.12	-	.05	.01	-	-	17
18	.03	Snow .06	-	.29	-	.20	Trace	.56	-	-	.60	.01	18
19	Trace	Trace	-	.48	-	.24	.08	.02	.01	-	Trace	-	19
20	Trace	.02	Trace	.10	-	-	.09	.21	-	Trace	Trace	-	20
21	.01	-	-	-	.45	-	-	.01	Trace	Trace	Trace	-	21
22	.22	-	-	-	-	-	-	-	.01	-	.01	-	22
23	.25	.01	-	.02	.47	.04	-	-	Trace	-	.19	.02	23
24	-	-	-	.26	.11	.02	.06	-	Trace	-	-	-	24
25	.07	-	-	.48	.11	-	.31	-	-	Trace	.04	.01	25
26	Trace	.02	Trace	.10	-	-	.54	-	-	Trace	.16	-	26
27	.16	.40	-	Trace	.26	-	.06	-	-	Trace	.10	-	27
28	.07	Snow .21	-	.04	-	-	-	-	-	Trace	.01	Snow .30	28
29	.05	X	-	-	.09	-	.09	-	-	.25	.01	.01	29
30	Snow .06	X	-	-	.01	-	Trace	.12	.01	Trace	Trace	-	30
31	.21	X	-	X	.01	X	-	.01	X	-	X	.02	31
TOTAL	1.48	1.61	.15	3.31	2.46	1.26	2.67	3.85	2.45	.67	2.75	1.08	YEAR'S TOTAL 23.74
*Days with ·01 in. or more.	19	17	4	19	16	10	16	18	13	7	16	12	167
*Days with ·04 in. or more.	11	10	2	16	12	8	12	14	7	3	12	5	112

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. P. Sinclair

P.T.O.

907

Section **A** for the entry of
AIR MINISTRY

COPY FOR OFFICIAL USE.
RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Colne Valley Water Works, Watford.
in the County of Hertfordshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 2 in.
,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.01	Snow Trace	.13	-	.08	Trace	.01	.05	-	-	-	1
2	.11	.03	Trace	.39	-	-	-	Trace	.70	.02	Trace	.10	2
3	.02	-	.01	.28	.35	-	-	.20	.48	-	.02	.25	3
4	Trace	Snow Trace	-	.09	.01	-	.03	.31	.61	Trace	.04	-	4
5	Trace	-	-	.12	.10	.42	.06	.09	.01	Trace	-	.29	5
6	Trace	Snow .11	-	.10	-	-	-	-	.01	.30	.42	-	6
7	Trace	Trace	-	.01	.04	.09	Trace	.58	Trace	.07	.16	.04	7
8	Snow .01	.07	Snow .08	Trace	-	.10	-	.21	-	.01	.13	Trace	8
9	Trace	.07	Snow .05	.01	-	-	.01	Trace	-	Trace	.40	.01	9
10	.07	.03	Snow .01	Trace	-	.05	.01	.21	-	-	.30	-	10
11	.10	.30	-	-	-	-	-	-	.03	.01	.16	-	11
12	Trace	Snow .02	-	-	-	-	Trace	.06	.36	Trace	-	-	12
13	-	-	-	-	-	-	.12	.05	-	Trace	-	-	13
14	Snow .01	Snow .07	-	-	.01	-	.92	.73	-	-	Trace	-	14
15	.01	.11	-	.07	.11	-	.15	.20	Trace	-	Trace	.02	15
16	-	Snow .07	-	.08	.26	.02	.02	.27	.12	-	Trace	-	16
17	.01	-	-	Snow .26	.07	-	.12	-	.05	.01	-	-	17
18	.03	Snow .06	-	.29	-	.20	Trace	.56	-	-	.60	.01	18
19	Trace	Trace	-	.48	-	.24	.08	.02	.01	-	Trace	-	19
20	Trace	.02	Trace	.10	-	-	.09	.21	-	Trace	Trace	-	20
21	.01	-	-	-	.45	-	-	.01	Trace	Trace	Trace	-	21
22	.22	-	-	-	-	-	-	-	.01	-	.01	-	22
23	.25	.01	-	.02	.47	.04	-	-	Trace	-	.19	.02	23
24	-	-	-	.26	.11	.02	.06	-	Trace	-	-	-	24
25	.07	-	-	.48	.11	-	.31	-	-	Trace	.04	.01	25
26	Trace	.02	Trace	.10	-	-	.54	-	-	Trace	.16	-	26
27	.16	.40	-	Trace	.26	-	.06	-	-	Trace	.10	-	27
28	.07	Snow .21	-	.04	-	-	-	-	-	Trace	.01	Snow .30	28
29	.05	X	-	-	.09	-	.09	-	-	.25	.01	.01	29
30	Snow .06	X	-	-	.01	-	Trace	.12	.01	Trace	Trace	-	30
31	.21	X	-	X	.01	X	-	.01	X	-	X	.02	31
TOTAL	1.48	1.61	.15	3.31	2.46	1.26	2.67	3.85	2.45	.67	2.75	1.08	YEAR'S TOTAL 23.74
*Days with ·01 in. or more.	19	17	4	19	16	10	16	18	13	7	16	12	167
*Days with ·04 in. or more.	11	10	2	16	12	8	12	14	7	3	12	5	112

40-9999

(Signed) C. P. Sinclair

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 907

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 2.

Kept at COLNE VALLEY WATER WORKS.
in the County of Hertfordshire.
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 3 ft 2 in.
,, Ground ,, Sea Level 200' 0" ~~ft.~~

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	-	Trace	.26	.47	.05	.06	.03	.03	.13	.03	.01	1
2	.04	-	Trace	.14	.06	-	-	Trace	.50	.05	.04	.15	2
3	-	Trace	-	.08	.15	-	-	-	.49	Trace	-	-	3
4	Trace	Trace	-	-	-	.09	-	-	-	-	.08	Trace	4
5	.26	-	.02	-	.01	-	.19	-	.08	-	-	-	5
6	.40	-	Trace	.11	.03	-	-	-	.08	-	-	.01	6
7	-	Trace	.12	.05	-	-	.01	Trace	.08	.01	-	-	7
8	Trace	-	.02	.13	.17	-	-	-	.10	.28	-	-	8
9	.15	Snow Trace	.03	.07	.72	-	-	-	-	.01	Trace	-	9
10	.36	Snow Trace	Trace	.23	.09	.01	-	-	.01	.12	.07	-	10
11	Trace	Snow .01	.01	.02	.02	-	.99	.79	Trace	.15	.05	Trace	11
12	.08	-	-	Trace	.06	-	-	.05	.03	.15	.01	Trace	12
13	.05	Trace	Trace	.20	.01	-	-	-	-	.08	.03	.02	13
14	.15	.01	-	.11	-	-	-	-	-	.01	.02	-	14
15	-	.01	Trace	.06	.41	-	-	-	Trace	.08	Trace	-	15
16	.22	-	-	.21	.12	-	-	Trace	-	-	-	-	16
17	-	Trace	-	Trace	-	-	.04	Trace	-	.05	-	-	17
18	-	Trace	Trace	-	-	-	.01	-	.28	-	.13	-	18
19	-	-	-	-	-	-	-	-	Trace	.29	.01	-	19
20	Trace	-	-	.13	.01	-	-	.88	.10	.73	.13	Trace	20
21	.01	Trace	.02	.12	.79	-	.05	.26	-	.25	Trace	.04	21
22	Trace	Trace	.34	Trace	Trace	-	.26	-	.20	.29	.37	-	22
23	Trace	.05	.01	Trace	.51	-	-	-	.06	.70	Trace	.13	23
24	Trace	Trace	-	-	-	-	.25	-	.03	.04	.06	Trace	24
25	-	-	-	Trace	-	-	.29	-	.03	.44	.01	.01	25
26	-	-	.08	.14	.06	-	Trace	-	-	.02	-	Trace	26
27	-	-	.30	.24	.40	.01	.07	-	Trace	.42	.15	.01	27
28	-	-	.15	Trace	.07	.02	.20	-	-	.20	Trace	.01	28
29	Trace	-	.40	.03	.21	.04	-	.12	.05	.35	.06	Trace	29
30	Trace	X	.26	Trace	Trace	.85	-	Trace	.20	.01	.28	.15	30
31	Trace	X	.01	X	.01	X	.07	-	X	Trace	X	.06	31
TOTAL	1.76	.08	1.77	2.33	4.38	1.07	2.49	2.13	2.35	4.86	1.53	.60	YEAR'S TOTAL 2535
*Days with ·01 in. or more.	11	4	14	18	21	7	13	6	17	24	17	11	163
*Days with .04 in. or more.	10	1	7	16	15	4	11	5	1[illegible]	[illegible]9	11	5	116

FOR THE [illegible] VALLEY WATER CO

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. Sinclair

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 907

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at COLNE VALLEY WATER WORKS.

in the County of Hertfordshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft 2 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.15	.13	-	.05	-	-	-	-	Trace	.02	-	1
2	.35	-	.32	-	.13	-	-	-	-	-	Trace	-	2
3	-	.15	.15	-	.16	-	-	-	-	-	.01	-	3
4	.27	Trace	.03	-	.20	-	-	-	-	Trace	.05	-	4
5	.01	Trace	.22	-	.12	-	-	-	-	-	Trace	Trace	5
6	Trace	.06	.02	-	.33	-	-	-	-	.06	.05	.01	6
7	.13	.11	.03	-	Trace	-	-	-	-	.07	Trace	Trace	7
8	.04	-	.01	-	.04	-	.06	-	-	.02	-	-	8
9	Trace	-	-	-	.07	-	.17	-	-	.08	.08	Trace	9
10	-	.12	-	-	.01	.03	.20	-	-	.26	Trace	Trace	10
11	.10	-	Trace	-	.01	Trace	.02	.04	Trace	-	.01	-	11
12	Trace	-	Trace	-	Trace	.06	.01	-	.51	-	Trace	Snow Trace	12
13	.04	Trace	-	-	.15	-	.23	-	.05	-	.10	-	13
14	Trace	-	-	-	.02	-	Trace	-	-	.05	.57	.01	14
15	.50	-	.10	-	-	.57	.04	.04	-	Trace	.07	-	15
16	Trace	Trace	.75	-	-	.14	.38	-	.01	.04	.03	-	16
17	Snow .01	Snow .01	.33	-	-	.01	.03	Trace	.06	Trace	Trace	-	17
18	.10	Snow .08	.16	-	-	.07	-	-	-	-	Trace	-	18
19	-	Snow .01	.16	Snow Trace	-	.09	-	-	.39	-	.01	.05	19
20	Trace	Snow .01	.05	Pt. Snow .18	-	.12	-	-	-	-	.01	-	20
21	-	Snow .02	-	-	-	.04	-	.10	.24	Trace	Trace	-	21
22	Trace	-	-	-	.01	.03	-	.16	-	.15	.04	-	22
23	-	Snow Trace	-	.17	-	-	-	-	.30	Trace	Trace	-	23
24	-	Pt. Snow .25	-	.11	.01	.06	-	-	.24	-	.02	-	24
25	-	Pt. Snow .54	-	.28	-	-	Trace	-	.05	-	.04	.07	25
26	-	.32	-	.07	-	-	-	-	.22	.10	Trace	.13	26
27	-	-	-	-	.15	-	-	-	Trace	.12	Trace	.10	27
28	-	Trace	-	-	.05	-	-	-	.01	.35	-	.01	28
29	.09	×	Trace	.16	-	-	.10	-	-	.09	-	-	29
30	.11	×	.12	-	-	-	.01	-	Trace	-	-	.13	30
31	.17	×	-	×	-	×	-	.14	×	.02	×	Trace	31
TOTAL	1.98	1.83	2.58	.97	1.51	1.22	1.25	.48	2.08	1.41	1.11	.51	YEAR'S TOTAL 16.93
*Days with ·01 in. or more.	14	13	15	6	16	11	11	5	11	13	15	8	138
*Days with .04 in. or more.	12	9	11	6	11	8	7	5	[illegible]	11	8	5	102

FOR THE COLNE VALLEY WATER Coy.

40-9999

*See Instruction 2 (*f*) on other side,

D

(*Signed*) C. P. Sinclair

SECRETARY.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 907

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Colne Valley Water Co.,

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 2 in.

„ Ground „ Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	-	-	Trace	-	-	.21	.04	.01	-	.49		1
2	.05	Trace	.08	-	.11	-	-	Trace	.76	.12	-	.18		2
3	.01	.03	-	.11	-	-	-	-	-	.23	-	Trace		3
4	.10	-	.06	.02	Trace	-	-	-	-	.26	.08	.36		4
5	.01	-	.02	-	.02	-	-	.05	-	Trace	Trace	.37		5
6	Trace	-	.20	(Snow (Trace	.35	.02	-	.08	-	.14	-	.54		6
7	.02	Trace	Trace	Trace	-	.01	-	.09	-	.11	Trace	.23		7
8	.01	Trace	Trace	-	.10	-	-	.04	.11	-	.33	.01		8
9	Trace	-	.04	Trace	-	-	-	-	-	-	.80	.30		9
10	.05	Trace	.14	.10	-	-	-	Trace	Trace	-	.17	.01		10
11	.26	Trace	.36	.05	-	-	.01	.02	-	Trace	Trace	.14		11
12	.02	Trace	.07	Trace	-	-	.08	.24	-	-	Trace	.06		12
13	.38	Trace	.01	Trace	-	-	.01	.03	-	Trace	.03	.23		13
14	.06	-	.33	-	Trace	-	-	-	-	.01	.16	.35		14
15	.04	Trace	.03	-	.07	-	-	-	.08	Trace	.05	.30		15
16	.19	Trace	.16	-	-	-	-	-	-	.12	Trace	Trace		16
17	.02	Trace	-	.03	-	-	-	-	.01	.09	.01	.15		17
18	.07	Trace	.01	.20	-	-	.26	-	.01	-	Trace	.09		18
19	-	Trace	.21	-	-	.03	-	-	.06	.01	.01	.06		19
20	Trace	-	.37	.05	-	-	.14	.01	.01	-	.01	Trace		20
21	Trace	Trace	Trace	.08	-	.06	-	.04	-	.03	Trace	Trace		21
22	Trace	Trace	Trace	-	-	-	.01	.27	.31	-	Trace	.05		22
23	Trace	Trace	Trace	.30	-	.26	-	.05	Trace	-	Trace	.07		23
24	-	.01	.06	.17	-	.09	.48	.01	.22	-	Trace	Trace		24
25	.14	.04	Trace	.11	.01	.59	-	-	-	.02	-	.39		25
26	.01	-	-	.17	-	.05	-	-	.02	Trace	-	.20		26
27	.01	{Snow .10	-	.05	-	.09	-	-	-	.05	-	.41		27
28	-	{Snow .13	-	.38	-	.15	.02	.92	-	-	.03	.31		28
29	Trace	×	Trace	-	-	-	-	-	.16	Trace	Trace	.02		29
30	.02	×	Trace	-	-	-	.01	.03	.01	Trace	-	.11		30
31	.03	×	-	×	-	×	-	-	×	(Pt. Snow (.19	×	.03		31
TOTAL	1.51	.31	2.15	1.82	.66	1.35	1.02	2.09	1.80	1.39	1.68	5.46	Year's Total. 21.24	
* Days with .01 in. or more.	21	5	16	14	6	10	9	15	13	14	11	26	160	
* Days with .04 in. or more.	10	3	12	12	4	7	4	10	8	9	6	22	107	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Sinclair

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 907

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Colne Valley Water Co.,

in the County of Hertfordshire.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 3' ft. 2 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.03	-	.03	.01	.08	.17	-	.02	.14	.17	-		1
2	Trace	-	-	.02	-	Trace	-	-	.06	.17	.02	Trace		2
3	-	.07	.07	pt.snow .05	-	.23	-	Trace	.13	.40	.20	Trace		3
4	-	-	Trace	pt.snow .10	-	.18	-	-	.13	.06	Trace	pt.snow .15		4
5	-	.35	.02	pt snow .07	-	.07	-	-	.42	Trace	.03	.01		5
6	.02	Trace	Trace	.35	-	.53	-	-	-	.10	.01	.01		6
7	Trace	-	Trace	.55	-	.07	-	-	-	.09	1.12	.11		7
8	Trace	Trace	snow Trace	.24	Trace	-	-	-	-	.27	.19	.08		8
9	Trace	-	-	.21	Trace	.50	-	-	-	.73	.16	.03		9
10	Trace	-	-	.06	-	-	-	-	-	-	.05	.04		10
11	pt.snow .29	-	Trace	-	-	.09	.14	-	-	Trace	.19	Trace		11
12	-	.01	-	Trace	-	.18	-	.07	.01	-	.59	-		12
13	.11	.17	-	.23	.14	-	-	-	Trace	Trace	Trace	-		13
14	-	Trace	-	.02	pt snow .15	.07	-	-	-	-	.10	pt.snow .11		14
15	-	.27	-	.45	Trace	1.05	-	-	.28	-	.32	pt.snow .08		15
16	-	.17	.04	Trace	Trace	.36	-	-	.16	-	.43	.04		16
17	-	-	Trace	.01	-	.21	Trace	-	.01	-	.34	Trace		17
18	-	-	-	.28	.16	.09	.22	-	.52	.03	.15	.02		18
19	-	Trace	-	.05	.14	.03	.07	-	.14	Trace	.13	snow .10		19
20	Trace	.22	-	.07	.88	.08	.17	-	.16	Trace	.10	-		20
21	Trace	.25	.01	.08	-	-	-	-	.01	.02	.03	Trace		21
22	-	.06	.06	.01	-	-	-	.37	.34	Trace	Trace	Trace		22
23	Trace	.01	.24	-	-	-	-	.34	.05	.06	.01	pt.snow .20		23
24	.05	.44	.01	-	-	-	-	.02	.65	Trace	Trace	.27		24
25	pt.snow .07	.15	-	.28	-	.31	-	Trace	Trace	Trace	Trace	.15		25
26	snow .09	pt.snow .11	-	-	-	-	-	.20	.08	-	Trace	.29		26
27	snow .02	pt.snow .33	Trace	-	.01	-	-	Trace	.17	Trace	.16	.30		27
28	Trace	.03	-	-	Trace	-	-	.02	.10	.05	Trace	.10		28
29	Trace	✕	-	-	-	-	-	-	.72	Trace	Trace	.18		29
30	.02	✕	-	.09	.05	-	-	.62	.04	.20	.33	.35		30
31	-	✕	-	✕	.01	✕	-	-	✕	.38	✕	.26		31
TOTAL	.76	2.67	.45	3.25	1.55	4.13	.77	1.64	4.20	2.70	4.83	2.88	Year's Total 29.83	
* Days with .01 in. or more.	9	16	7	21	9	17	5	7	21	14	22	21	169	
* Days with .04 in. or more.	6	12	4	16	6	16	5	5	17	12	17	17	133	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) P. Sinclair

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 907

AIR MINISTRY.—METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at The Colne Valley Water Company

in the County of Hertfordshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 2 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.38	.20	pt.snow .05	.23	-	.09	.18	.01	-	-	.05	.04		1
2	.05	.09	Trace	.01	-	.61	.80	.06	-	Trace	.08	-		2
3	Trace	Trace	Trace	.06	Trace	.07	.01	Trace	.22	-	.28	.01		3
4	.01	-	.13	-	-	.17	-	-	.44	-	.06	.04		4
5	.28	-	.01	-	-	-	-	.02	.19	Trace	.02	pt.snow .18		5
6	.23	-	-	-	Trace	.15	-	.11	.10	.02	.09	pt.snow .05		6
7	.20	-	.04	-	-	.08	.46	-	.01	-	.07	.03		7
8	.27	-	.07	-	Trace	-	.20	-	.01	.01	.50	.13		8
9	.32	-	.06	-	-	-	.34	-	.15	.05	-	Trace		9
10	.10	-	Trace	-	-	Trace	.13	.05	.07	.01	Trace	Trace		10
11	-	Trace	-	pt.snow .04	Trace	-	.05	Trace	-	-	.88	-		11
12	-	Trace	-	pt.snow .09	-	.45	.31	Trace	.15	-	.56	.11		12
13	-	Trace	-	.01	-	.35	-	-	-	.01	.07	.15		13
14	Trace	.11	-	-	-	.07	.40	Trace	.02	.06	.08	.26		14
15	Trace	.03	-	-	-	Trace	-	-	.06	Trace	.01	.06		15
16	Snow .22	.10	-	-	-	-	.05	-	.03	-	.38	-		16
17	Snow .14	.49	-	-	.09	Trace	-	-	-	.02	.15	.10		17
18	Trace	.11	-	-	-	.46	.17	Trace	-	.09	.01	.16		18
19	.34	.06	.01	.01	-	.26	Trace	.11	Trace	.06	-	-		19
20	.12	.03	.01	.23	-	-	.01	-	.76	-	Trace	-		20
21	Trace	Trace	Trace	pt.snow .18	.01	.29	-	-	.12	Trace	Trace	-		21
22	pt.snow .14	.40	.04	Trace	.40	.05	.16	-	Trace	-	Trace	.16		22
23	.01	Trace	.02	.08	Trace	-	.10	-	-	.09	Trace	Trace		23
24	.13	.10	-	-	-	-	-	-	.11	.31	Trace	Trace		24
25	.05	Trace	.14	.17	-	.30	.09	-	.21	.10	.04	.03		25
26	Trace	.15	.20	.14	Trace	.18	.01	-	Trace	.13	Trace	.02		26
27	.14	.06	.02	-	-	-	Trace	Trace	.15	.09	Trace	Trace		27
28	.81	Trace	.07	-	-	Trace	.37	Trace	Trace	Trace	Trace	.06		28
29	.16	pt.snow .06	.11	-	-	.20	.07	-	-	.01	.17	.01		29
30	.11	×	.08	-	.19	.17	.05	-	-	.36	-	Trace		30
31	.39	×	.24	×	Trace	×	.12	-	×	.45	×	.32		31
TOTAL	4.60	1.99	1.30	1.25	.69	3.95	4.08	.36	2.80	1.87	3.50	1.92	Year's Total 28.31	
* Days with .01 in. or more.	22	14	17	12	4	17	21	6	17	17	18	19	184	
* Days with .04 in. or more.	20	12	12	9	3	17	18	4	13	11	15	14	148	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

FOR THE COLNE VALLEY WATER Cº

(*Signed*)

SECRETARY.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 907

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Colne Valley Water Company

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 2 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.19	-	~~Trace~~	.01	-	-	-	-	.04	~~Trace~~	.47	.66		1
2	~~Trace~~	.23	~~Trace~~	.59	-	-	-	~~Trace~~	.06	-	~~Trace~~	.64		2
3	~~Trace~~	.17	.01	~~Trace~~	-	-	-	-	-	-	~~Trace~~	.10		3
4	.07	.43	~~Trace~~	~~Trace~~	.02	-	-	-	-	-	~~Trace~~	Snow .40		4
5	.23	.03	Pt.snow .19	-	-	-	.03	-	~~Trace~~	~~Trace~~	~~Trace~~	~~Trace~~		5
6	.01	~~Trace~~	Snow .49	~~Trace~~	.17	-	.17	-	-	.07	.03	-		6
7	~~Trace~~	.80	Snow .04	.13	-	-	-	-	.05	~~Trace~~	~~Trace~~	-		7
8	~~Trace~~	.07	-	~~Trace~~	.08	.05	-	-	-	-	.05	Snow .43		8
9	-	.02	~~Trace~~	.30	.16	~~Trace~~	.11	-	.30	~~Trace~~	-	Snow .10		9
10	-	-	Pt.Snow .62	.04	.13	.34	.08	.01	-	-	-	.27		10
11	-	~~Trace~~	.18	-	.62	~~Trace~~	.01	-	-	-	-	.03		11
12	.25	.31	.14	-	.24	.94	~~Trace~~	~~Trace~~	.05	-	~~Trace~~	.10		12
13	.13	.05	Pt.Snow .39	.01	~~Trace~~	.30	-	.63	.35	-	~~Trace~~	.80		13
14	.01	.03	Pt.Snow .31	.15	-	-	-	.88	.10	-	~~Trace~~	~~Trace~~		14
15	.17	.16	-	.17	-	.01	.30	-	.13	~~Trace~~	~~Trace~~	~~Trace~~		15
16	.05	.18	.31	.60	-	.05	-	.13	.39	-	-	.02		16
17	.32	~~Trace~~	.15	.13	-	~~Trace~~	-	-	.37	~~Trace~~	.01	.01		17
18	.22	.10	.02	-	.11	.28	-	-	.18	~~Trace~~	.15	Snow .08		18
19	.10	.08	.13	.17	~~Trace~~	.13	.28	-	.10	~~Trace~~	~~Trace~~	Snow .05		19
20	.35	~~Trace~~	.01	.46	.70	.23	-	-	.01	.01	~~Trace~~	~~Trace~~		20
21	.28	.38	Pt.Snow .04	.06	.01	-	.05	.01	-	.01	~~Trace~~	.02		21
22	.35	.01	Snow ~~Trace~~	-	.04	.62	.04	-	~~Trace~~	.64	.29	.02		22
23	.22	~~Trace~~	Snow .01	-	.31	-	.06	-	~~Trace~~	.48	~~Trace~~	.02		23
24	.38	.44	~~Trace~~	-	.02	~~Trace~~	-	-	.17	.15	~~Trace~~	.01		24
25	.01	.44	.15	-	.51	-	-	-	.05	.21	~~Trace~~	.01		25
26	~~Trace~~	.27	Snow .06	-	.24	-	-	~~Trace~~	~~Trace~~	.05	~~Trace~~	~~Trace~~		26
27	.05	Pt.Snow .13	~~Trace~~	.12	-	-	-	-	~~Trace~~	.72	~~Trace~~	-		27
28	Snow .01	Snow .07	-	.01	-	~~Trace~~	-	-	~~Trace~~	.08	~~Trace~~	.02		28
29	Snow .01	X	-	-	-	~~Trace~~	-	~~Trace~~	~~Trace~~	.06	.04	.03		29
30	.30	X	-	-	-	-	-	~~Trace~~	~~Trace~~	~~Trace~~	.14	~~Trace~~		30
31	.29	X	~~Trace~~	X	-	X	-	-	X	.28	X	.02		31
TOTAL	4.00	4.40	3.25	2.95	3.36	2.95	1.13	1.66	2.35	2.76	1.18	3.84	Year's Total 33.83	✓
* Days with .01 in. or more.	23	21	18	15	15	10	10	5	15	12	8	22	174	✓ ✓
* Days with .04 in. or more.	18	17	14	12	12	9	8	3	14	10	6	11	134	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) for THE COLNE VALLEY WATER Co.

C. P. Sinclair

SECRETARY.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 907

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Colne Valley Water Company,

in the County of Hertfordshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 2 in.

,, Ground ,, Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	-	-	-	Trace	.09	.02	-	.07	.01	Trace	Trace		1
2	.08	.03	Trace	.02	.05	-	-	-	-	.26	.02	.01		2
3	Trace	-	Trace	Trace	.20	.01	-	-	.04	.78	.04	Trace		3
4	.05	-	Trace	-	-	-	.10	-	-	.20	-	.12		4
5	Trace	Trace	Trace	Trace	-	.01	.33	Trace	Trace	.15	Trace	Trace		5
6	.03	-	Trace	-	-	-	.05	-	.01	.07	Trace	Trace		6
7	Trace	-	Trace	-	-	-	.05	0.60	.03	.46	-	.02		7
8	.15	-	-	Trace	-	-	.07	-	.03	.31	Trace	.01		8
9	.07	.01	-	-	-	Trace	.08	0.17	-	Trace	-	.67		9
10	Pt.Snow .23	.05	Trace	Trace	-	.06	.02	0.18	-	Trace	Trace	.04		10
11	.27	-	-	Trace	-	-	Trace	Trace	-	Trace	.24	.03		11
12	.31	.02	Trace	Trace	.02	-	Trace	0.12	Trace	.27	.01	Trace		12
13	.06	Snow .03	Trace	-	-	-	-	-	-	.02	.26	.13		13
14	.34	-	Trace	-	.06	-	.05	Trace	.08	-	.01	.02		14
15	.08	.01	-	-	-	-	.11	-	-	.23	Trace	.30		15
16	.55	Trace	.04	-	-	-	.06	0.02	-	.03	.02	.27		16
17	Trace	Snow .08	-	-	.06	-	.01	-	.01	.11	Trace	-		17
18	.06	-	-	-	.08	-	-	0.01	.08	.02	.26	Snow Trace		18
19	-	Trace	-	Trace	-	-	Trace	0.11	.03	Trace	.19	Snow Trace		19
20	-	Trace	-	-	-	-	-	.26	.02	Trace	.51	Snow .05		20
21	.02	-	Trace	-	-	-	-	.02	.04	Trace	.04	Snow .48		21
22	Trace	-	Trace	-	-	.02	-	.03	-	Trace	.28	Snow .25		22
23	Trace	-	Trace	.05	-	-	-	-	.03	Trace	.08	Trace		23
24	-	Trace	.19	-	Trace	-	-	Trace	.35	Trace	.04	Trace		24
25	.08	.03	.08	.06	.12	-	.02	.05	.02	.03	.83	Snow .20		25
26	.30	.18	.10	.01	-	-	-	-	.22	.15	Trace	.06		26
27	.08	.04	Trace	Trace	.01	.18	.24	.02	.50	.07	.31	Trace		27
28	.21	.02	-	Trace	.92	.07	-	.40	.03	-	Trace	.07		28
29	.29	X	-	.01	.18	-	-	Trace	.02	.01	.17	.20		29
30	.02	X	-	.06	Trace	.06	-	-	.03	.03	.34	Trace		30
31	.17	X	-	X	.10	X	-	-	X	.19	X	.32		31
TOTAL	3.51	0.50	0.41	0.21	1.80	0.50	1.21	1.99	1.64	3.40	3.65	3.25	Year's Total 22.07	
* Days with .01 in. or more.	22	11	4	6	11	8	14	13	19	20	18	19	165	
* Days with .04 in. or more.	19	4	4	3	9	5	10	8	8	13	14	14	111	

† Spare column, no entries required.

(*Signed*) WK Sinclair [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 907

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at The Colne Valley Water Company, Aldenham Road, Watford,
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 2 in.
" Ground " Sea Level 200 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	.01	.42	.46	-	.02	.04	.44	~~Trace~~	-	.01		1
2	~~Pt.Snow~~ .02	~~Trace~~	-	.04	.02	-	-	.42	.25	~~Trace~~	.05	.02		2
3	~~Pt.Snow~~ .38	-	-	.22	-	-	-	.33	-	.04	.30	.19		3
4	.01	-	.25	.20	-	-	.04	.32	-	.24	.02	.01		4
5	~~Trace~~	~~Trace~~	~~Trace~~	.66	.12	-	-	.29	-	.15	.37	.10		5
6	~~Pt.Snow~~ .55	~~Trace~~	-	.01	~~Trace~~	-	.46	.06	~~Trace~~	-	.44	.09		6
7	.07	.08	-	-	-	-	-	.01	-	~~Trace~~	.11	.16		7
8	.01	.13	.14	-	-	-	.09	.12	~~Trace~~	.46	.15	.47		8
9	.02	.10	~~Trace~~	-	-	-	-	.02	-	.25	.01	.18		9
10	.17	-	~~Trace~~	-	-	.52	-	.15	.01	.18	~~Trace~~	-		10
11	~~Trace~~	-	.21	-	~~Trace~~	.20	-	-	~~Trace~~	.35	.01	.01		11
12	~~Trace~~	~~Trace~~	~~Trace~~	-	~~Trace~~	.02	-	-	.02	~~Trace~~	-	-		12
13	~~Trace~~	~~Trece~~	~~Trace~~	.03	-	-	~~Trace~~	-	.04	.92	~~Trace~~	-		13
14	.45	-	.01	.04	.15	.06	.04	-	~~Trace~~	.21	.34	.01		14
15	.21	-	~~Trace~~	~~Trace~~	.65	.29	-	-	.04	1.11	.04	.01		15
16	.33	~~Trace~~	.08	.04	.05	.15	~~Trace~~	-	.01	-	.42	-		16
17	.21	.02	.04	.01	.07	-	.09	~~Trace~~	-	-	.03	-		17
18	.28	.01	.04	-	-	.13	.16	-	-	.05	.31	-		18
19	.23	~~Trace~~	.02	-	-	-	.09	-	-	.12	-	-		19
20	.17	~~Trace~~	~~Trace~~	-	-	.38	.52	~~Trace~~	-	-	-	.02		20
21	.06	.01	.35	-	-	.01	.75	.47	.02	.01	-	~~Trace~~		21
22	.17	.19	.25	~~Trace~~	-	-	.01	~~Trace~~	.01	~~Trace~~	.11	-		22
23	.04	~~Trace~~	.02	.03	-	~~Trace~~	.03	.01	~~Trace~~	.03	.83	.01		23
24	~~Snow~~ .34	-	~~Pt.Snow~~ .06	.04	-	-	.08	-	~~Trace~~	.13	-	~~Trace~~		24
25	~~Snow~~ 1.10	.12	~~Pt.Snow~~ .05	~~Trace~~	~~Trace~~	-	~~Trace~~	.01	-	~~Trace~~	.61	~~Trace~~		25
26	~~Pt.Snow~~ .23	.01	~~Pt.Snow~~ .02	~~Trace~~	-	-	-	.02	~~Trace~~	.27	.32	.03		26
27	~~Trace~~	.03	.11	.03	-	~~Trace~~	~~Trace~~	.01	-	.06	.16	-		27
28	.01	.19	.07	.04	-	.03	.17	-	-	.06	.19	~~Snow~~ .09		28
29	~~Trace~~	✕	-	.31	-	-	.06	-	-	.22	.12	~~Trace~~		29
30	-	✕	-	1.40	-	.14	-	-	-	-	.16	~~Snow~~ .02		30
31	-	✕	~~Trace~~	✕	-	✕	.05	~~Trace~~	✕	.01	✕	.01		31
TOTAL	5.08	0.89	1.73	3.52	1.52	1.93	2.66	2.28	0.84	4.87	5.10	1.44	Year's Total 31.86	
* Days with .01 in. or more.	23	11	17	16	7	11	16	15	9	20	22	18	185	
* Days with .04 in. or more.	17	6	12	11	6	8	13	9	4	17	18	7	128	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 907

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 193 1940

Kept at The Colne Valley Water Co.,
Aldenham Road,
in the County of Watford, Herts.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
,, Ground ,, Sea Level 203.81 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	Trace	Snow .01	-	Trace	Trace	-	-	-	-	-	.10	Trace		1
2	.01	Pt.Snow .04	-	.21	-	-	.15	-	-	.10	.77	-		2
3	-	.19	-	.15	-	-	-	-	-	.11	.94	.05		3
4	-	.10	-	.07	-	-	Trace	-	-	.23	.10	.02		4
5	Trace	Trace	-	-	-	-	Trace	-	-	.12	.34	.17		5
6	.13	.13	Trace	-	.06	-	.46	-	-	.30	.20	-		6
7	.24	.06	Trace	Trace	.06	-	.25	-	.01	-	.01	Trace		7
8	-	-	Trace	.03	-	-	Trace	-	Trace	.21	.01	.30		8
9	Trace	-	-	-	-	.06	-	-	.04	.13	.08	.03		9
10	Trace	-	Trace	-	-	Trace	.70	Trace	-	.03	.15	.05		10
11	Trace	-	-	.02	-	.09	-	-	-	Trace	.97	.01		11
12	Trace	Snow .01	.06	-	-	.04	.14	-	.08	-	Trace	-		12
13	Trace	Snow Trace	Pt.Snow .57	.01	-	.03	.03	-	.06	-	Pt.Snow 1.13	-		13
14	.01	-	Snow .10	.05	.05	-	-	Trace	.01	.04	.01	.30		14
15	-	Trace	.06	Trace	.10	-	.15	-	Trace	Trace	.30	Trace		15
16	Snow .03	Snow .03	.24	Trace	-	Trace	.60	-	.21	.70	.75	Trace		16
17	Trace	-	.44	-	-	-	.04	-	-	Trace	.65	Trace		17
18	Snow Trace	Pt.Snow .48	.19	.19	-	-	-	-	Trace	.15	.22	.11		18
19	Trace	.15	-	.10	-	-	.06	-	.31	.01	.18	Trace		19
20	-	Trace	.01	.03	-	Trace	.02	Trace	Trace	.01	.05	-		20
21	Snow .03	Trace	-	-	.30	-	.05	-	Trace	.04	.45	-		21
22	Snow Trace	-	.04	Trace	.40	.41	-	-	.07	Trace	Trace	-		22
23	Trace	.03	.07	.14	.26	.07	-	.01	Trace	-	.01	Trace		23
24	-	-	-	.11	-	-	.20	-	-	Trace	Trace	Pt.Snow .01		24
25	-	Trace	.42	-	.02	-	.20	-	-	-	Trace	Trace		25
26	Pt.Snow 1.02	.09	.40	.02	.60	.10	-	-	Trace	-	-	-		26
27	Pt.Snow .37	.15	-	.01	.04	-	.01	-	-	Trace	-	Trace		27
28	Pt.Snow .17	.02	-	.78	.02	-	-	-	-	-	-	Trace		28
29	Snow Trace	.08	.15	-	.05	-	-	-	-	-	Trace	.25		29
30	Pt.Snow .07	X	-	.23	-	-	-	-	-	.12	Trace	.02		30
31	.01	X	-	X	-	X	-	-	X	.60	X	Trace		31
TOTAL	2.09	1.57	2.75	2.15	1.96	0.80	3.06	0.01	0.79	2.90	7.42	1.32	Year's Total 26.82	
* Days with .01 in. or more.	11	15	13	16	12	7	15	1	8	16	21	12	147	
* Days with .04 in. or more.	6	10	12	10	10	6	12	Nil	6	13	17	7	109	

* See Instruction 3.(f) on other side.

† Spare column, no entries required.

(*Signed*) W K Sinclair [P.T.O.

908

Section **A** for the entry of D

COPY FOR OFFICIAL USE.

AIR MINISTRY.- NFALL ORGANIZATION.

FORM 1090.

REGIST 931.

908

WATFORD.

1931 - 40

48 02 05

Kept at WATFORD.

in the County of HERTF

Diameter of Funnel of Gauge 6

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·05	-	·13	·34	-	-	·02	·05	-	-	-	1
2	·13	-	-	·39	-	-	·05	-	·66	·02	-	-	2
3	-	-	-	·25	-	-	-	·21	·56	-	·04	·36	3
4	-	-	-	-	-	-	·03	·33	·63	-	-	-	4
5	-	-	-	·20	·16	·43	·06	·09	·03	-	-	-	5
6	-	·12	-	·16	-	-	·01	-	-	·30	·48	·03	6
7	-	-	-	·04	·03	·09	·01	·56	-	-	·14	-	7
8	-	·05	-	·06	-	-	-	·23	-	-	·18	·02	8
9	-	-	-	-	-	·10	-	-	-	·09	·42	-	9
10	-	·13	-	-	--	·05	·03	·24	-	-	·32	-	10
11	·14	·27	·06	-	-	-	-	-	·03	-	·18	-	11
12	-	·04	-	-	-	-	-	·13	·38	-	-	-	12
13	-	·09	-	-	-	-	·25	·05	-	-	-	-	13
14	-	-	-	-	-	-	·75	·76	-	-	-	-	14
15	·03	-	-	·06	·12	·03	·30	·19	-	-	-	-	15
16	-	·18	-	·09	·27	-	·02	·33	·02	-	-	-	16
17	-	-	-	·08	·08	-	·13	-	·18	-	-	-	17
18	·03	·08	-	·45	-	·14	-	·44	-	-	·62	-	18
19	-	-	-	·43	-	·30	·09	·13	-	-	-	-	19
20	-	-	-	·11	·46	-	·07	·23	-	-	-	-	20
21	-	-	-	-	-	-	-	·03	-	-	-	-	21
22	·26	-	·11	-	-	-	-	-	·02	-	·03	-	22
23	·22	·03	-	·02	·51	-	-	-	-	-	·19	·07	23
24	-	-	-	·26	·12	-	-	-	-	-	-	-	24
25	·08	-	-	·51	·13	-	·37	-	-	-	·05	-	25
26	-	-	-	·18	-	-	·50	-	-	-	·18	-	26
27	·15	·50	-	-	·27	-	·06	-	-	-	·11	-	27
28	·09	·19	-	-	-	-	-	-	-	-	-	·28	28
29	·07	×	-	·06	-	-	·14	-	-	·27	-	-	29
30	·03	×	-	-	·09	-	·02	·10	·03	-	-	-	30
31	·23	×	-	×	·07	×	-	-	×	-	×	-	31
TOTAL	1·46	1·73	0·17	3·48	2·65	1·14	2·89	4·07	2·59	0·68	2·94	0·76	YEAR'S TOTAL 24·56
*Days with ·01 in. or more.	~~12~~	~~12~~	~~2~~	~~18~~	~~13~~	~~7~~	~~18~~	~~17~~	~~11~~	~~4~~	~~13~~	~~5~~	~~132~~
*Days with ·04 in. or more.	9	11	2	17	12	6	12	15	6	3	12	3	108

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. W. Newman

Borough Engineer & Surveyor.

P.T.O.

6|7|8|4|26. 908

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at WATFORD.

in the County of HERTFORD.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·05	-	·13	·34	-	-	·02	·05	-	-	-	1
2	·13	-	-	·39	-	-	·05	-	·66	·02	-	-	2
3	-	-	-	·25	-	-	-	·21	·56	-	·04	·36	3
4	-	-	-	-	-	-	·03	·33	·63	-	-	-	4
5	-	-	-	·20	·16	·43	·06	·09	·03	-	-	-	5
6	-	·12	-	·16	-	-	·01	-	-	·30	·48	·03	6
7	-	-	-	·04	·03	·09	·01	·56	-	-	·14	-	7
8	-	·05	-	·06	-	-	-	·23	-	-	·18	·02	8
9	-	-	-	-	-	·10	-	-	-	·09	·42	-	9
10	-	·13	-	-	--	·05	·03	·24	-	-	·32	-	10
11	·14	·27	·06	-	-	-	-	-	·03	-	·18	-	11
12	-	·04	-	-	-	-	-	·13	·38	-	-	-	12
13	-	·09	-	-	-	-	·25	·05	-	-	-	-	13
14	-	-	-	-	-	-	·75	·76	-	-	-	-	14
15	·03	-	-	·06	·12	·03	·30	·19	-	-	-	-	15
16	-	·18	-	·09	·27	-	·02	·33	·02	-	-	-	16
17	-	-	-	·08	·08	-	·13	-	·18	-	-	-	17
18	·03	·08	-	·45	-	·14	-	·44	-	-	·62	-	18
19	-	-	-	·43	-	·30	·09	·13	-	-	-	-	19
20	-	-	-	·11	·46	-	·07	·23	-	-	-	-	20
21	-	-	-	-	-	-	-	·03	-	-	-	-	21
22	·26	-	·11	-	-	-	-	-	·02	-	·03	-	22
23	·22	·03	-	·02	·51	-	-	-	-	-	·19	·07	23
24	-	-	-	·26	·12	-	-	-	-	-	-	-	24
25	·08	-	-	·51	·13	-	·37	-	-	-	·05	-	25
26	-	-	-	·18	-	-	·50	-	-	-	·18	-	26
27	·15	·50	-	-	·27	-	·06	-	-	-	·11	-	27
28	·09	·19	-	-	-	-	-	-	-	-	-	·28	28
29	·07	×	-	·06	-	-	·14	-	-	·27	-	-	29
30	·03	×	-	-	·09	-	·02	·10	·03	-	-	-	30
31	·23	×	-	×	·07	×	-	-	×	-	×	-	31 d
TOTAL	1·46	1·73	0·17	3·48	2·65	1·14	2·89	4·07	2·59	0·68	2·94	0·76	YEAR'S TOTAL 24·56
*Days with ·01 in. or more.	~~12~~	~~12~~	~~2~~	~~18~~	~~13~~	~~7~~	~~18~~	~~17~~	~~11~~	~~4~~	~~13~~	~~5~~	~~132~~
*Days with ·04 in. or more.	9	11	2	17	12	6	12	15	6	3	12	3	108

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. W. Newman P.T.O.

Borough Engineer & Surveyor.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 908

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Watford

in the County of Hertford

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	-	-	·25	·56	·07	·08	·07	·03	-	·02	-	1
2	·06	-	-	·13	·06	-	-	-	·30	·16	·05	-	2
3	-	-	-	·08	·12	-	-	-	·69	-	-	-	3
4	-	-	-	-	-	·09	-	-	-	-	·09	-	4
5	·28	-	·01	-	-	-	·02	-	·06	-	-	-	5
6	·42	-	-	·10	·03	-	-	-	·09	-	-	-	6
7	-	-	·12	·04	-	-	·20	-	·09	-	-	-	7
8	-	-	·03	·14	-	-	-	-	·08	·27	-	-	8
9	·11	-	·02	·05	·98	-	-	-	-	-	-	-	9
10	·40	-	-	·20	·09	-	-	-	·02	·08	·09	-	10
11	-	-	-	·02	·08	-	1·20	·93	-	·20	·05	·02	11
12	·07	-	-	-	·07	-	-	·05	-	·16	-	-	12
13	·04	-	-	·21	-	-	-	-	·04	·05	·04	-	13
14	·25	·03	-	·12	-	-	-	-	-	·04	-	·21	14
15	-	-	-	·04	·48	-	-	-	-	·08	-	-	15
16	·21	-	-	·23	·14	-	-	-	-	-	-	-	16
17	-	-	-	-	-	-	·05	-	-	·06	-	-	17
18	-	-	-	-	-	-	-	-	·30	-	·13	-	18
19	-	-	-	-	-	-	-	-	-	·29	·02	-	19
20	-	-	-	·16	-	-	-	·89	·10	·74	·14	-	20
21	-	-	-	·12	·78	-	·08	·34	-	·26	-	·04	21
22	-	trace	-	-	-	-	·23	·03	·22	·28	·37	-	22
23	-	·06	·37	-	·46	-	-	-	·05	·68	-	·12	23
24	-	-	trace	-	-	-	·30	-	·02	·02	·08	-	24
25	-	-	-	-	-	-	·31	-	-	·43	·03	-	25
26	-	-	·07	·14	·02	-	-	-	-	·02	-	·01	26
27	-	-	·28	·27	·47	·01	·05	-	-	·42	-	·02	27
28	-	-	·14	-	·08	·02	·20	-	-	·20	-	·02	28
29	-	-	·44	·05	·27	-	-	·15	·07	·36	·20	-	29
30	-	×	·27	·02	·01	·80	-	-	·22	·02	·26	·15	30
31	-	×	-	×	-	×	·08	-	×	-	×	·05	31
													YEAR'S TOTAL
TOTAL	1·98	0·09	1·75	2·37	4·70	0·99	2·80	2·46	2·38	4·82	1·57	0·64	26·55
*Days with ·01 in. or more.	~~70~~	~~2~~	~~10~~	~~19~~	~~17~~	~~5~~	~~12~~	~~7~~	~~16~~	~~21~~	~~14~~	~~9~~	~~142~~
*Days with .04 in. or more.	10	1	7	17	14	3	11	6	13	18	11	5	116

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. W. Newman

Borough Engineer and Surveyor.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 908

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at WATFORD.

in the County of HERTFORD.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·22	-	-	·07	-	-	-	-	-	·04	-		1
2	·29	-	·47	-	·15	-	-	-	-	-	-	-		2
3	-	·17	·12	-	-	-	-	-	-	-	-	-		3
4	·31	-	·08	-	·31	-	-	-	-	-	-	-		4
5	trace	·03	·13	-	-	-	-	-	-	-	-	-		5
6	-	·07	·12	-	·46	-	-	-	-	·07	·11	-		6
7	·12	·13	-	-	·02	-	-	-	-	·06	-	-		7
8	·06	-	·06	-	·04	-	·07	-	-	-	-	-		8
9	-	-	-	-	·09	-	·16	-	-	·07	·09	-		9
10	-	·16	-	-	-	·03	·18	-	-	·27	-	-		10
11	·11	-	-	-	·03	-	·02	·03	-	-	-	-		11
12	-	-	-	-	-	·06	-	-	·49	-	-	-		12
13	·05	-	-	-	·16	-	·23	-	·06	-	·12	-		13
14	-	-	-	-	·02	-	-	-	-	·04	·55	-		14
15	·46	-	·04	-	-	·46	·03	·02	-	-	·11	-		15
16	·02	-	·76	-	-	·15	·39	-	-	·02	·03	-		16
17	·01	-	·35	-	-	-	·03	-	·07	-	-	-		17
18	·11	-	·14	-	-	·07	-	-	-	-	-	-		18
19	-	-	·17	-	-	·09	-	-	·34	-	-	·05		19
20	-	-	·06	·17	-	·11	-	--	-	-	-	-		20
21	-	-	-	-	-	·05	-	·12	·23	-	·02	-		21
22	-	-	-	-	-	·05	-	·15	-	·16	·03	-		22
23	-	-	-	·16	-	-	-	-	·29	-	-	-		23
24	-	·31	-	·13	·02	·09	-	-	·26	-	·02	-		24
25	-	·50	-	·28	-	-	-	-	·03	-	-	·05		25
26	-	·30	-	·05	-	-	-	-	·21	-	-	·23		26
27	-	-	-	·02	·13	-	-	-	-	·25	-	·09		27
28	-	-	-	-	·03	-	-	-	-	·33	-	-		28
29	·10	X	-	·17	-	-	·12	-	-	·10	-	-		29
30	·13	X	·13	-	-	-	-	-	-	-	-	·12		30
31	·12	X	-	X	-	X	-	·15	X	-	X	-		31
TOTAL	1·95	1·89	2·63	0·98	1·53	1·16	1·23	0·47	1·98	1·37	1·12	0·54	Year's Total 16·85	
*Days with ·01 in. or more.	14	9	13	7	13	10	9	5	9	10	10	5	114	
*Days with ·04 in. or more.	12	8	13	6	8	9	6	3	8	9	6	5	93	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Newman

Borough Engineer and Surveyor.

[P.T.O.

908

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 908

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at WATFORD

in the County of HERTFORD

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	·21	·03	-	-	·37		1
2	-	-	-	-	.09	-	-	-	.69	.14	-	.26		2
3	.07	-	-	.05	-	-	-	.02	-	.25	-	-		3
4	.10	-	.12	.09	-	-	-	-	-	.27	.08	.35		4
5	-	-	.02	-	.02	-	-	.05	-	-	-	.31		5
6	-	-	.20	-	.38	.02	-	-	-	.13	-	.57		6
7	.02	-	-	-	-	.01	-	.19	-	.11	-	.22		7
8	-	-	-	-	.09	-	-	.02	.10	-	.30	-		8
9	-	-	.03	-	-	-	-	-	-	-	.75	.27		9
10	.06	-	.13	.09	-	-	-	-	-	-	.18	-		10
11	.22	-	.36	.05	-	-	.01	-	-	-	-	.10		11
12	-	-	.04	-	-	-	.09	.24	-	-	-	.09		12
13	.36	-	.01	-	-	-	.02	.01	-	-	.01	.20		13
14	.05	-	.30	-	-	-	-	-	-	.02	.16	.34		14
15	.04	-	.02	-	.05	-	-	-	.07	-	.02	.24		15
16	.18	-	.15	-	-	-	-	-	-	.12	-	-		16
17	.02	-	-	-	-	-	-	-	-	.08	.01	.13		17
18	.08	-	-	.20	-	-	.26	-	-	-	-	.09		18
19	-	-	.19	-	-	.03	-	-	.06	-	-	.06		19
20	-	-	.38	-	-	-	.11	.01	-	-	-	-		20
21	-	-	-	.13	-	.07	.03	.02	-	.03	-	-		21
22	-	-	-	-	-	-	.01	.23	.33	-	-	-		22
23	-	-	-	.29	-	.24	-	.04	-	-	-	.11		23
24	-	.02	.05	.15	-	.08	.47	.02	.20	-	-	-		24
25	.08	.04	-	.10	-	.33	-	-	-	-	-	.38		25
26	.07	-	-	.16	-	.05	-	-	-	.01	-	.18		26
27	-	-	-	.09	-	.08	-	-	-	.04	-	.27		27
28	-	.22	-	.36	-	.19	.01	.88	-	-	.04	.39		28
29	-	X	-	-	-	0	-	-	.15	-	-	.01		29
30	-	X	-	-	-	-	.02	.03	.01	-	-	.10		30
31	.01	X	-	X	-	X	-	-	X	.20	X	.02		31
TOTAL	1.36	0.28	2.00	1.76	0.63	1.10	1.03	1.97	1.64	1.40	1.55	5.06	Year's Total. 19.78	
* Days with .01 in. or more.	14	3	14	12	5	10	10	14	9	12	9	23	~~135~~	
* Days with .04 in. or more.	11	2	10	12	4	7	4	7	7	9	6	21	100	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. W. Newman

Borough Engineer & Surveyor.

P.T.O.

908

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 908

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WATFORD.

in the County of HERTFORD.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft 9 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·09	-	·04	·01	·09	·11	-	-	·15	·23	-		1
2	-	-	-	·02	-	-	-	-	-	·15	·05	-		2
3	-	·03	-	·01	-	·22	-	-	·16	·40	·21	-		3
4	-	-	-	·11	-	·03	-	-	·16	·06	-	·16		4
5	-	·33	-	·05	-	·24	-	-	·41	-	-	-		5
6	·02	-	-	·33	-	·46	-	-	-	·12	·02	-		6
7	-	-	-	·54	-	·11	-	-	-	-	1·04	·12		7
8	-	-	-	·25	-	-	-	-	-	·34	·18	·09		8
9	-	-	-	·20	-	·48	-	-	-	·72	·13	·01		9
10	-	-	-	·02	-	-	-	-	-	-	·04	·02		10
11	·28	-	-	·05	-	·07	·12	-	-	-	·18	-		11
12	·01	-	-	-	-	·17	-	·05	-	-	·57	-		12
13	·13	·17	-	·23	·15	-	-	-	-	-	-	-		13
14	-	-	-	·02	·15	·05	-	-	-	-	·09	·11		14
15	-	·32	-	·44	-	1·06	-	-	·25	-	·36	·03		15
16	-	·16	-	-	-	·36	-	-	·15	-	·46	-		16
17	-	-	-	·01	-	·20	·02	-	·01	-	·33	-		17
18	-	-	-	·25	·16	·06	·19	-	·50	·03	·16	-		18
19	-	-	-	·04	·13	·02	·05	-	·15	-	·12	·16		19
20	-	·21	-	·07	·95	·08	·18	-	·18	-	·11	-		20
21	-	·22	·11	·03	-	-	-	-	-	-	·03	-		21
22	-	·07	·06	-	-	-	-	·35	·38	-	-	-		22
23	-	-	·23	·01	-	-	-	·29	·02	·09	-	-		23
24	·04	·40	·01	-	-	-	-	·13	·68	-	-	·50		24
25	-	·17	-	·27	-	·30	-	-	-	-	-	·10		25
26	·07	·39	-	-	-	-	-	·20	·08	-	-	·35		26
27	-	-	-	-	-	-	-	-	·12	-	·15	·25		27
28	-	·07	-	-	-	-	-	·02	·07	-	-	·09		28
29	-	X	-	-	-	-	-	-	·62	-	-	-		29
30	-	X	-	·09	-	-	-	·60	·19	·24	·35	·46		30
31	-	X	-	X	·02	X	-	-	X	·35	X	·26		31
TOTAL	0·67	2·63	0·41	3·08	1·57	4·00	0·67	1·64	4·13	2.65	4·81	2·71	Year's Total. 28·97	
* Days with .01 in. or more.	7	13	4	22	7	17	6	7	17	11	20	15	~~146~~	
* Days with .04 in. or more.	5	12	3	15	5	15	5	6	15	10	18	12	121	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W. W. Newman

Borough Engineer & Surveyor.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 908

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at WATFORD

in the County of HERTFORD.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·35	·58	·03	·20	–	·07	·18	·01	–	–	·04	·04		1
2	·06	·08	–	·01	–	·54	·75	·07	–	–	·02	–		2
3	–	–	–	·06	–	·09	·02	–	·14	–	·31	·02		3
4	–	–	·13	–	–	·16	–	–	·47	–	–	–		4
5	·07	–	·01	–	–	–	–	·02	·22	–	·08	·19		5
6	·07	–	–	–	–	·09	–	·11	·09	–	·09	–		6
7	·43	–	·03	–	–	·13	·81	–	·01	–	·09	–		7
8	·25	–	·06	–	–	–	·14	–	–	·01	·48	·24		8
9	·28	–	·03	–	–	–	·32	–	·17	·06	·02	–		9
10	·10	–	–	·02	–	–	·14	·02	·09	–	–	–		10
11	–	–	–	·08	–	–	·04	·01	–	–	·81	–		11
12	–	–	–	–	–	·46	·30	–	·17	–	·62	·12		12
13	–	–	–	–	–	·37	–	–	–	–	–	·16		13
14	–	·10	–	–	–	·06	·35	–	·02	·07	·13	·27		14
15	–	·07	–	–	–	–	–	–	·03	–	–	·04		15
16	–	·08	–	–	–	–	·03	–	·05	–	·39	–		16
17	–	·46	–	–	·08	–	·01	–	–	–	·14	·10		17
18	·35	·05	–	–	–	·41	·17	–	–	·03	·02	·15		18
19	·43	–	·02	–	–	·29	–	·09	–	·15	–	–		19
20	·11	·15	·01	·22	–	–	·02	–	·68	–	–	–		20
21	–	–	–	·18	–	·28	–	–	·12	–	–	–		21
22	–	·41	·02	–	·37	·04	·15	–	–	–	–	·15		22
23	·16	–	·01	·08	·08	–	·10	–	–	·09	–	–		23
24	·15	·08	–	–	–	–	–	–	·10	·31	–	–		24
25	–	–	·11	·17	·17	·27	·04	–	·17	·02	·04	·02		25
26	–	·15	·25	·15	·15	·22	–	–	·01	·21	–	–		26
27	·14	·03	–	–	–	–	–	–	·14	·09	–	–		27
28	·80	–	·04	–	–	–	·34	–	–	–	–	·05		28
29	·12	·05	·14	–	–	·20	·08	–	–	–	·18	·01		29
30	·10	✕	·06	–	·16	·13	–	–	–	·13	–	–		30
31	–	✕	·24	✕	–	✕	·17	–	✕	·63	✕	·28		31
TOTAL	3·97	2·29	1·19	1·17	1·01	3·81	4·16	0·33	2·68	1·80	3·46	1·84	Year's Total 27·71 ✓	
* Days with .01 in. or more.	17	13	16	10	6	17	20	7	17	12	16	15	166 ✓	
* Days with .04 in. or more.	17	12	8	8	6	17	16	3	13	9	13	12	134 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. W. Newman [P.T.O.

Borough Engineer & Surveyor.

STATIONERY OFFICE

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 908

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at WATFORD
in the County of HERTFORD
Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 9 in.
,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	.02	–	–	–	–	–	.03	–	.45	.61		1
2	–	.24	–	.62	–	–	–	–	.06	–	–	.69		2
3	–	.12	.02	–	–	–	–	–	–	–	–	.09		3
4	.06	.43	–	–	–	–	–	–	–	–	–	.40		4
5	.23	–	.21	–	–	–	.03	–	–	–	–	–		5
6	.02	.02	.34	–	.16	–	.18	–	–	.06	.03	–		6
7	–	.80	.09	.10	–	–	.12	–	.04	–	–	–		7
8	–	.06	–	–	–	.04	–	–	–	–	.09	–		8
9	–	.02	–	.30	.23	–	–	–	.29	–	–	.49		9
10	–	–	.64	.02	.37	.32	.12	–	–	–	–	.25		10
11	–	–	–	–	.35	–	–	–	–	–	–	–		11
12	.03	.32	.26	–	.19	1.38	–	–	.04	–	–	.13		12
13	.30	.05	.36	–	–	.20	–	.61	.61	–	–	.86		13
14	–	.02	.33	.11	–	–	–	.88	.09	–	–	–		14
15	.20	.17	–	.16	–	.02	.30	–	.11	–	–	–		15
16	.03	.16	.28	.65	–	.06	–	.12	.47	–	–	–		16
17	.27	–	.17	.17	–	–	–	–	.38	–	–	–		17
18	.26	.07	.03	–	.09	.30	–	–	.16	–	.02	–		18
19	.02	.08	.11	.14	.01	.13	.24	–	.10	–	.17	.13		19
20	.34	.01	.01	.47	.68	.18	–	–	.01	–	–	–		20
21	.25	.37	.04	.05	.02	–	.04	–	–	–	–	–		21
22	.33	.02	–	–	.02	.61	.01	–	–	.56	.29	.02		22
23	.23	–	–	–	.32	–	.07	–	–	.44	–	–		23
24	.36	.43	.02	–	.02	–	–	–	.17	.15	–	–		24
25	.02	.45	.12	–	.47	–	–	–	.04	.19	–	–		25
26	–	.28	.04	–	.20	–	–	–	–	.05	–	–		26
27	–✗	.06	–	.12	–	–	–	–	–	.71	–	–		27
28	–✓	.09	–	.01	–	–	–	–	–	.08	–	–		28
29	–✓	X	–	–	–	–	–	–	–	.05	.05	.03		29
30	.35✗	✕	–	–	–	–	–	–	–	–	.14	–		30
31	.29	✕	–	✕	–	✕	–	–	✕	.31	✕	–	d	31
TOTAL	3.59	4.27	3.09	2.92	3.13	3.24	1.11	1.61	2.60	2.60	1.24	3.70	Year's Total 33.10	✓
* Days with .01 in. or more.	~~18~~ 21	~~22~~	~~18~~	~~13~~	~~14~~	~~10~~	~~9~~	~~3~~	~~15~~	~~10~~	~~8~~	~~11~~	~~154~~ ~~151~~	✓
* Days with .04 in. or more.	1~~3~~4	17	13	11	10	9	7	3	13	10	6	9	12~~1~~2	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*)
Borough Engineer & Surveyor.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 908

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at WATFORD

in the County of HERTFORD

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	–	–	–	–	.06	.06	–	.09	.02	–	–		1
2	.12	.03	–	–	.01	–	–	–	–	.26	–	.01		2
3	.03	–	–	–	.23	–	–	–	.03	.71	.05	–		3
4	–	–	–	–	–	–	.17	–	–	.20	–	.10		4
5	–	–	–	–	–	–	.30	–	–	.14	–	–		5
6	.03	–	–	–	–	–	.04	–	.01	–	–	–		6
7	–	–	–	–	–	–	.05	.52	.02	.47	–	.01		7
8	.15	–	–	–	–	–	.11	.15	.02	.29	–	–		8
9	–	–	–	–	–	–	.07	.17	–	–	–	.61		9
10	.22	.05	–	–	–	.04	.02	.21	–	–	–	.02		10
11	.25	–	–	–	–	–	–	–	–	–	.22	–		11
12	.34	.02	–	–	.01	–	–	.07	–	.24	–	.04		12
13	.05	–	–	–	–	–	–	–	.07	.03	.24	.12		13
14	.30	–	–	–	–	–	.03	–	–	–	–	–		14
15	.02	.01	–	–	–	–	.10	–	–	.22	–	.29		15
16	.55	–	.03	–	–	–	.04	–	–	.02	.03	.25		16
17	–	–	–	–	.05	–	.01	–	.01	.10	–	–		17
18	–	.11	–	–	.06	–	–	–	.07	.01	.24	–		18
19	–	–	–	–	–	–	–	.11	.02	–	.18	–		19
20	–	–	–	–	–	–	–	.20	.01	–	.45	–		20
21	.06	–	–	–	–	–	–	.02	–	–	.03	–		21
22	–	–	–	–	–	–	–	.10	.03	–	.25	–		22
23	–	–	–	.03	–	–	–	–	–	–	–	–		23
24	–	–	.18	–	–	–	–	–	.36	–	.12	–		24
25	.08	–	.06	.03	.14	–	.01	.03	–	.02	.83	–		25
26	.26	.20	.09	–	–	–	–	–	.23	.06	–	–		26
27	.07	.03	–	–	–	–	.20	–	.47	.16	.29	.98		27
28	.17	–	–	–	1.03	.18	–	.35	.02	–	–	.04		28
29	.33	✕	–	–	.17	.05	–	–	–	–	–	.24		29
30	.02	✕	–	–	–	–	–	–	–	.03	.49	–		30
31	.17	✕	–	✕	.09	✕	–	–	✕	.17	✕	.33		31
TOTAL	3.24	0.45	0.36	0.06	1.79	0.33	1.21	1.93	1.46	3.15	3.42	3.04	Year's Total 20.44	✓
* Days with .01 in. or more.	20	7	4	2	9	4	14	11	15	18	13	~~13~~ 17	~~130~~	134
* Days with .04 in. or more.	15	3	3	–	7	4	10	9	6	12	11	~~10~~ 14	~~90~~	✓ 94

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. W. Newman

Borough Engineer & Surveyor.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 908

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at WATFORD

in the County of HERTFORD

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 175 ft.

Entries in April & May corr'd for W.D.

other entries adjusted to increase number of days printed

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	–	·04	–	·48 .02	–	.04	.03	.47	–	–	.01		1
2	·02	–	–	.40	–	–	–	.38	.29	–	.05	·01		2
3	·36 ~~.40~~	–	–	.02	–	–	–	.31	–	–	.30	18		3
4	–	–	·24 ~~.25~~	.22	.01	–	.04	.43	–	.19	.02	·01		4
5	–	–	–	.18	–	–	–	.13	–	.29	.35	·09 ~~.29~~		5
6	.56	–	–	.57	–	–	.43	.03	–	–	.52	.09		6
7	–	.08	–	–	–	–	–	·01	–	–	.09	.06		7
8	.03	.11	.13	–	–	–	.09	·12	–	.42	.17	·40 ~~.67~~		8
9	·02	.110	–	–	–	–	–	·02 ~~.13~~	–	.27	·01	·20		9
10	·15 ~~.17~~	–	–	–	–	.50	–	.14	.01	.09	–	–		10
11	–	–	.20	–	–	.25	–	–	–	.33	·01	·01		11
12	–	–	–	–	–	.02	–	–	·01	–	–	–		12
13	–	–	–	.02	–	–	.01	–	·03	.90	–	–		13
14	.45	–	.02	–	.05	.04	.02	–	–	.11	·33 ~~.35~~	–		14
15	.18	–	–	–	.23	.25	–	–	·04 ~~.08~~	1.08	·04	–		15
16	.34	–	.07	–	.03	.07	.02	–	–	–	·40 ~~.44~~	–		16
17	.13	·01	.04	·02	–	–	.09	–	–	–	.05	–		17
18	.29	–	.03	–	–	.16	.15	–	–	·05	.30	–		18
19	.25	–	–	–	–	–	.07	–	–	·12 ~~.17~~	–	–		19
20	.20	–	–	–	–	.45	.42	–	–	–	–	.02		20
21	.01	·02	.33	–	–	.01	1.14	.59	–	–	–	–		21
22	.11	·17 ~~.20~~	.22	·04 ~~.06~~	–	–	–	–	.02	–	.09	–		22
23	.05	–	–	.05	–	·01	.02	–	–	.02	.80	–		23
24	.12	–	.02	–	–	–	.32	–	–	.14	–	–		24
25	.75	.11	.04	–	–	–	–	–	–	–	.59	–		25
26	.92	–	.02	.03	–	–	–	.02	–	.28	.31	(·02)		26
27	–	.04	.11	.04	–	–	–	.04	–	.04	.16	–		27
28	–	.17	.07	.23	–	·03 ~~.04~~	.17	–	–	.05	.19	(·08)		28
29	–	X	–	1.30	–	–	.05	–	–	·18 ~~.20~~	.12	–		29
30	–	X	–	~~.48~~	–	.16	–	–	–	·01	.16	(·02)		30
31	–	X	–	X	–	X	.06	–	X	·01	X	–		31
TOTAL	4.96	0.81	1.55	3.[illegible]2 ~~3.60~~	.82 ~~0.34~~	1.95	3.14	2.25	0.87	4.58	5.06	1.26 ~~1.14~~	Year's Total 30.~~25~~ 37	
* Days with .01 in. or more.	20 ~~17~~	9	15 ~~14~~	13	6 ~~5~~	12 ~~11~~	17	13 ~~11~~	7 ~~5~~	~~16~~ 19	~~19~~ 22	~~6~~ 14	167 ~~141~~	
* Days with .04 in. or more.	15	7	10	~~10~~ 9	3 ~~2~~	8 ~~9~~	13	8	3	~~15~~ 16	~~18~~ 19	~~4~~ 7	118 ~~114~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Borough Engineer

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 908

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at WATFORD

in the County of HERTFORD

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 9 in.

,, Ground ,, Sea Level 175 ft.

Jan & Feb apportioned

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	·23	-	-	-	-	-	·09	-		1
2	-	-	-	-	-	-	·09	-	-	-	·75	-		2
3	-	~~·87~~ (·27)	-	·37	-	-	-	-	-	·20	·92	-		3
4	-	·11	-	·09	-	-	-	-	-	·21	·04	-		4
5	-	-	-	-	-	-	-	-	-	·11	·32	·20		5
6	-	·16	-	-	·08	-	·23	-	-	·31	·21	-		6
7	·56	·08	-	-	·02	-	·51	-	·01	-	-	-		7
8	-	-	-	-	-	-	-	-	-	·20	-	·30		8
9	-	-	-	-	-	·06	-	-	·02	·02	-	-		9
10	-	-	-	-	-	-	·48	-	-	·10	·21	·03		10
11	-	-	-	-	-	-	-	-	-	-	·95	-		11
12	-	-	-	-	-	·15	·15	-	·07	-	-	-		12
13	-	-	·64	-	-	·03	·01	-	-	·01	1·15	-		13
14	-	-	·12	·06	-	-	-	-	·07	-	-	·29		14
15	-	-	-	-	·12	-	·15	-	-	-	·31	-		15
16	-	-	·43	-	-	-	·45	-	·21	·68	·72	-		16
17	-	-	·30	-	-	-	·01	-	-	-	·59	-		17
18	-	·42	·20	·20	-	-	-	-	-	-	·20	·11		18
19	-	·22	-	·09	-	-	·06	-	·31	-	·17	-		19
20	·07	-	-	-	-	-	·02	-	-	-	-	-		20
21	-	-	-	-	-	-	·06	-	·05	·21	·55	-		21
22	-	-	·04	·02	·73	·41	-	-	-	-	-	-		22
23	-	-	-	·15	·21	·05	-	-	-	-	-	-		23
24	-	-	-	·12	-	-	·23	-	-	-	-	-		24
25	-	-	·41	-	-	-	·22	-	-	-	-	-		25
26	1·00	·11	·39	·02	·51	·10	-	-	-	-	-	-		26
27	- x	·15	-	-	·02	-	-	-	-	-	-	-		27
28	- (·60) x	-	-	·94	·05	-	-	-	-	-	-	-		28
29	- x	·10	-	-	-	-	-	-	-	-	-	·26		29
30	- x	✕	-	-	·02	-	-	-	-	·13	-	-		30
31	- x	✕	-	✕	-	✕	-	-	✕	·57	✕	-		31
TOTAL	~~1·63~~ 2·23	~~2·22~~ 1·62	2·53	2·06	1·99	0·80	2·67	-	0·74	2·75	7·18	1·19	Year's Total 25·76	
* Days with .01 in. or more.	3	9	8	10	10	6	14	-	7	12	15	6	~~100~~	
* Days with .04 in. or more.	3	9	8	8	7	5	11	-	5	10	15	5	86	"d"

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*)

Borough Engineer & Surveyor

P.T.O.

909

909

WATFORD

1931- 1939

Section **A** for the entr
AIR MINI
H RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REG
N 193/

Kept at 19 Cassiobu

in the County of W

with Kodak record at
located by surrounding stations
rate
Nov & Dec

J Sturch 22/2/32.

Diameter of Funnel of Gauge.

Height of top of Gauge above G

,, Ground ,, S

THE MORNING ME
REVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·10	—	·09 a	—		·07	—	Oct 25th to Dec 8th 3·65" (inaccurate)		1
2	—	·30	—	·42	—	—	—	·69	·58	·02			2
3	·12	·05	·02	·22	·40	—	—		·53	—			3
4	—	—	—	·33	—	—	·02	·05	·42	—			4
5	—	·01	—		·19	·38	·06	—	·02	—		·40	5
6	—	·09	—	—	—		—	·52	—	·28			6
7	—	·03	—	—	·03		·04	·21	—	—			7
8	—	·06	·07	—	·02		—	—	—	·09			8
9	—	·03	—	·04	—	·30	—	·24	—	—		·02	9
10	·03	—	·10	—	—		·01	—	—	—		—	10
11	·11	·41	—	—	—		—	·10	—	—		—	11
12	—	·01	—	—	—		·07	·04	·46	—		—	12
13	—	·02	—	—	—		·91	·87	—	—		—	13
14	—	—	—	—	—	—	·21	·57	—	—		—	14
15	·05	·09	—	·07	·12	—	·01	·27	—			—	15
16	—	·18	—	·10	·29	·02	·14	—	—			—	16
17	·01	·03	—	·22	·08	—	—	·37	·19			—	17
18	·02	·09	—	·28	·07	·16	~~—~~	·27	—			—	18
19	·01	—	—	·41	—	·27	·12	·24	·01			—	19
20	—	·03	—	·19	—	—	·06	·01	—			—	20
21	·01	—	—	—	·44	—	—	—	—			—	21
22	·12	—	—	—		—	—	—	·02			—	22
23	·36	—	—	·01	·73	·01	—	—	—			—	23
24	—	—	—	·31		·07	·02	—	·01			·06	24
25	·09	—	—	·46		—	·34	—	—			—	25
26	—	·03	—	·1~~0~~6	—	—	·56	—	—			—	26
27	·17	·40	—	—	—	—	·05	—	—			—	27
28	·10	—	—	—	·26	—	—	—	—			·22	28
29	·06	—	—	—	·06	—	·16	·08	—			·10	29
30	—	×	—	—	·01	—	·01	—	·02	·25	(300)	—	30
31	—	×	—	×	·01	×	—	—	×		×	—	31
TOTAL	1·26	1·86	·19	3·32	2·65	1·30	2·84	4·47	1·33	(·64) ~~·39~~	(3·00) ~~3·65~~	(·80) ~~·40~~	YEAR'S TOTAL 24·66
*Days with ·01 in. or more.	14 ~~16~~	19	3	15					11				
*Days with ·04 in. or more.	9	9	2	14					6				

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E A Robins

[P.T.O.

909

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931

Kept at 19 Cassiobury Park Avenue

in the County of Watford Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level ft.

Says agrees with Kodak record at

Oct. Nov Dec allocated by surrounding stations

Allocate Nov Dec

J Stuck 22/2/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·10	—	·09	—		·07	—			1
2	—	·30	—	·42	—	—	—	·69	·58	·02			2
3	·12	·05	·02	·22	·40	—	—		·53	—			3
4	—	—	—	·33	—	—	·02	·05	·42	—			4
5	—	·01	—		·19	·38	·06	—	·02	—		·40	5
6	—	·09	—	—	—		—	·52	—	·28			6
7	—	·03	—	—	·03		·04	·21	—	—			7
8	—	·06	·07	—	·02		—	—	—	·09			8
9	—	·03	—	·04	—	·30	—	·24	—	—		·02	9
10	·03	—	·10	—	—		·01	—	—	—		—	10
11	·11	·41	—	—	—		—	·10	—	—		—	11
12	—	·01	—	—	—		·07	·04	·46	—		—	12
13	—	·02	—	—	—		·91	·87	—	—		—	13
14	—	—	—	—	—	—	·21	·57	—	—		—	14
15	·05	·09	—	·07	·12	—	·01	·27	—			—	15
16	—	·18	—	·10	·29	·02	·14	—	—			—	16
17	·01	·03	—	·22	·08	—	—	·37	·19			—	17
18	·02	·09	—	·28	·07	·16	~~[illegible]~~	·27	—			—	18
19	·01	—	—	·41	—	·27	·12	·24	·07			—	19
20	—	·03	—	·19	—	—	·06	·01	—			—	20
21	·01	—	—	—	·44	—	—	—	—			—	21
22	·12	—	—	—		—	—	—	·02			—	22
23	·36	—	—	·01	·73	·01	—	—	—			—	23
24	—	—	—	·31		·07	·02	—	·01			·06	24
25	·09	—	—	·46		—	·34	—	—			—	25
26	—	·03	—	·16	—	—	·56	—	—			—	26
27	·17	·40	—	—	—	—	·05	—	—			—	27
28	·10	—	—	—	·26	—	—	—	—			·22	28
29	·06	—	—	—	·06	—	·16	·08	—			·10	29
30	—	×	—	—	·01	—	·01	—	·02	·25	(3·00)	—	30
31	—	×	—	×	·01	×	—	—	×		×	—	31
TOTAL	1·26	1·86	·19	3·32	2·65	1·30	2·84	4·47	2·33	(·64) ~~·[illegible]~~	(3·00) ~~3·65~~	(·80) ~~·40~~	YEAR'S TOTAL 24·66
*Days with ·01 in. or more.	~~6~~ 14	17	3	15					11				
*Days with ·04 in. or more.	9	9	2	14					6				

Oct 25th to Dec 8th 3·65" (~~[illegible]~~ inaccurate)

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) E A Robins

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 909

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 19 Cassiobury Park Avenue Watford

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	—	—	·18	·54	·04	·05	·09	·03	·12	·03	—	1
2	·06	—	—	·14	·02	—	—	·02	·07	·04	·05	·21	2
3	—	—	—	·11	·15	·10	—	—	·84	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	4
5	·26	·01	—	—	·04	—	·28	—	·07	—	—	—	5
6	·40	—	·03	·12	·01	—	—	—	·08	—	—	—	6
7	—	—	·05	·07	—	—	·02	—	—	·02	—	—	7
8	—	—	·01	·12	·01	—	—	—	—	—	—	—	8
9	·13	—	—	·11	·90	—	—	—	·18	—	—	—	9
10	·43	—	—	·22	·07	—	—	—	—	·28	—	—	10
11	—	—	—	·02	·07	—	1·33	~~1·33~~ (·33)	—	·17	·25	—	11
12	·08	·01	—	—	·08	—	—	·08	—	·20	·02	—	12
13	·05	—	—	·14	—	—	—	—	·04	—	·04	·02	13
14	·17	·02	—	·13	·65	—		—	—	·09	·02	—	14
15	—	·01	—	·03		—		—	—	·08	—	—	15
16	·17	—	—	·23		—		—	—	—	—	—	16
17	—	—	—	—	—	—	·28	—	—	·08	—	—	17
18	—	—	—	—	—	—		—	·22	—	·12	—	18
19	—	—	—	—	—	—		—	—	·30	·01	—	19
20	—	—	—	·09	·02	—		·85	1·02	·75	·13	—	20
21	—	—	—	—	·86	—		·21	—	·27	—	·04	21
22	·01	·01	·47	·12	—	—		·06	·27	·21	·38	—	22
23	—	·06	·05	—	·35	—		—	·05	·72	·01	—	23
24	—	—	—	—	—	—	·30	—	·04	·04	·08		24
25	—	·03	—	—	—	—	·23	—	—	·51	·02	·19	25
26	—	—		·19	—	—	·03	—	·01	·02	—		26
27	—	—	·58	·24	·47	—	·39	—	—	·40	·15	—	27
28	—	—		·01	·09	·05	·20	—	—	·20	—	—	28
29	—		·39	·05	·31	—	·01	·11	·05	·41	—	·01	29
30	—	×	·34	·03	—	·73	—	—	·16	·02	·34	·13	30
31		×		×	·01	×	·08		×	—	×	·06	31
TOTAL	1·87	·15	1·92	2·35	4·65	·92	3·20	2·75	2·21	4·93	1·65	·66	YEAR'S TOTAL 27·26
*Days with ·01 in. or more.	~~10~~ 11	7	~~8~~ 10	20	20	4	15	8	15	21	15	10	156
*Days with .04 in. or more.	10	1	~~6~~ 8	16	14	4	11	7	13	18	9	5	116

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) E a Robins

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 909

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 19 Cassiobury Park Av
in the County of Watford Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft ..... in.
,, Ground ,, Sea Level ..... ft.

July + Aug. adjusted by neighbouring stations
Days estimated J.W.O.

Days Jan approx. 1st ~~?~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·35	·15	—	·11	—	—		—	·01	·02	—		1
2	·31	—	·37	—	·15	—	—		—	—	·01	—		2
3	·01	·16	·15	—	·17	—	—		—	—	—	—		3
4	·28	·01	·10	—	·03	—	—		—	—	—	—		4
5	·01	·01	·12	—	·32	—	—		—	—	·09	—		5
6	—	·08	·18	—	—	—	—		—	·01	—	—		6
7	·14	·13	·03	—	·32	—	—		—	·05	·01	·01		7
8	·05	—	—	—	·06	—	·20	—	—	·03	·0	—		8
9	—	—	—	—	·09	—	·05	—	—	·05	·08	—		9
10	—	·18	—	—	·07	·03	·41	—	—	·22	·01	—		10
11	—	—	—	—	·01	—	·02	·04	—	·10	·01	—		11
12	—	—	—	—	—	—	—	—	·47	—	—	·01		12
13	·06	—	—	—	—	·07	·29	—	·13	—	·12	—		13
14	—	—	·03	—	·16	·01		—	—	·04	·37	·02		14
15	—	—	·04	—	—	—		·07	—	—	·32	—		15
16	·01	—	·77	—	—	·47		—	·01	·08	—	—		16
17	·01	—	·33	—	—	·01		—	·06	—	·03	—		17
18	·01	·13	·18	—	—	·09		—	—	—	·01	—		18
19	—	—	·17	·13	—	·10		—	·13	—	·01	·03		19
20	—	·02	—	—	—	·11		—	·18	—	—	—		20
21	—	·05	—	—	—	·04		·10	·22	·01	—	—		21
22	—	—	—	—	—	·08	(0·48)	·15	—	·20	·02	—		22
23	—	—	—	·16	—	—	Total for 8	·01	·31	·01	—	—		23
24	—	·24	—	·17	·01	·05		—	·25	—	·07	—		24
25	—	·53	—	—	—	—		—	·06	—	—	·06		25
26	—	·33	—	·35	—	—		—	·25	·02	—	·14		26
27	—	—	—	·03	—	—		—	·01	·20	—	·09		27
28	—	—	—	—	·15	—	Away	—	—	·31	·01	·01		28
29	·05	—	·07	·10	—	—		—	—	·03	—	—		29
30	·14	×	·10	—	—	—		—	—	—	—	·12		30
31	—	×	·01	×		×	(1·45)	·13 (0·50)	×	·09	×			31
TOTAL	1·13	~~2·23~~ 2·22	2·80	·94	1·59	1·06	~~·97~~	~~·98~~	2·08	1·51	1·20	·49	Year's Total 16·9~~8~~7	
*Days with ·01 in. or more.	13 ~~14~~	~~13~~	~~16~~	~~6~~	~~13~~	~~11~~	~~(10)~~	~~(5)~~	~~12~~	~~17~~	~~16~~	~~9~~	~~147~~	
*Days with ·04 in. or more.	~~8~~	~~10~~	~~13~~	~~5~~	~~9~~	~~8~~	~~(7)~~	~~(4)~~	~~10~~	~~10~~	~~6~~	~~4~~	~~94~~	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E. A. Robins

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 909

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 19 Cassiobury Park Av

in the County of Watford Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. in.

,, Ground [illegible] Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	–	–	–	–	–	–	·24	–	–	·07	·52		1
2	·06	–	·09	–	·06	–	–	·02	·81	·15	–	·19		2
3	·01	·05	–	·07	–	–	–	–	–	·32	–	–		3
4	·11	–	·05	·10	–	–	–	–	–	·23	·08	·39		4
5	–	–	·04	–	–	–	–	x ·32	–	–	–	·33		5
6	·01	–	–	–	·43	·04	–	x	–	–	–	·65		6
7	·02	–		·01	–	·01	–	x	·02	·22	–	·27		7
8	–	–		–	·10	–	–	·02	x	–	·34	·01		8
9	–	–	✓	–	–	–	–	·02		–	·83	·29		9
10	–	–	·70 x	·08	–	–	–	·01		–	·18	–		10
11	·38	–	x	·08	–	–	–	·01		–	–	·13		11
12	·03	–	x	–	–	–	·11	·25		–	–	·07		12
13	·38	–	✓	·02	–	–	·05	·03		–	·02	·21		13
14	·06	–	x	–	–	–	–	–		·02	·17	·32		14
15	·05	–	·50 ✓	–	·05	–	–	–	x	·10	·04	·22		15
16	·19	–	·18	–	·02	–	–	–		·12	·01	–		16
17	·03	–	–	–	–	–	–	–		~~·01~~ ·10	·01	·19		17
18	·09	–	–	·27	–	–	·11	–		–	–	·09		18
19	–	–	·22	–	–	–	–	–	x ·78	·01	–	·07		19
20	–	–	·37	–	–	–	·14	–	✓	–	–	–		20
21	–	–	–	·14	–	·10	–	·06		·14	·02	–		21
22	–	–	–	–	–	–	·04	·25	x	–	–	–		22
23	–	–	–	·28	–	·26	–	·01		–	·01	·10		23
24	–	–	·08	·15	–	·08	·54	·03	x	–	–	–		24
25	–	–	–	·17	–	·37	–	–		·03	–	·37		25
26	·14	–	–	·20	–	·02	–	–	✓	–	–	·14		26
27	·02	·06	–	·02	–	·09	–	–		·04	–	·27		27
28	–	·19	–	–	–	·33	–	·86	–	=	·03	·43		28
29	–	–	–	·40	–	–	·06	–	·14	–	–	·02		29
30	·04	×	–	–	–	–	–	·05	·01	–	–	·12		30
31	·02	×	–	×	–	×	·04	–	×	·20	×	·04		31
TOTAL	1·66	·30	2·23	1·99	·66	1·28	1·09	2·18	1·76	1·68	1·82	5·36	Year's Total. 21·99 ✓	
* Days with .01 in. or more.	16	3	~~9~~ 14	14	5	9	8	~~13~~ 14	+11	13	13	24	149	
* Days with .04 in. or more.	10	3	~~9~~ 11	11	4	7	8	~~7~~ 9	+4	10	7	22	109	

40-9999

† Spare column, no entries required.

(*Signed*) E A Robins

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 909

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WATFORD

in the County of HERTS

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 240 ft.

Acc. dup

NOTIFY

obser notified

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·14	·04	–	·04	–	·10		–		·07	·35	–		1
2	·01	–	–	–	–	–		–		·15	·08	·01		2
3	–	·05	·09	–	–	·14		–		·40	·19	–		3
4	–	–	–	·14	–	·02	·06	–		·11	–	·12		4
5	–	·33	–	·09	–	·20		–		–	·01	–		5
6	·02	·02	–	–	–	·34		–		·03	–	–		6
7	–	–	–	·93	–	·09	–	–		–	1·05	·18		7
8	–	–	–	·23	–	–	–	–	1·28	·36	·23	·10		8
9	–	–	–	·16	–	·58	–	–		·65	·13	·02		9
10	–	–	–	·10	–		–	–		·11	·06	·03		10
11	·28	–	–	·09	–		·06	–		–	·22	–		11
12	–	–	–	–	–	·17	–	·07		–	·43	–		12
13	·14	·18	–	·28	·13	·01	–	–		–	·05	–		13
14	–	–	–	–	·22	·06	–	–		–	·13	·13		14
15	–	·27	–	·48	–	1·11	–	–		·01	·35	·07		15
16	–	·15	·07	·01	–	–	–	–		–	·69	–		16
17	–	–	–	·02	·19	·16	·02	–		–	·39	·01		17
18	–	–	–	·31	·14	·07	·23	–	·56	·02	·17	–		18
19	–	–	–		1·08	·04	·08	–	·03	–	·13	·20		19
20	–	·21	–	·25	–	·09	·15	–	·29	–	·11	–		20
21	–	·24	·02		–	–	–	–	·01	·02	·04	–		21
22	–	–	·08		–	–	–	·05	·33	–	–	–		22
23	–	–	·24	–	–	–	–	·63	·01	·08	–	·20		23
24	·07	·42	–	–	–	–	–	·14	·75	–	–	·22		24
25	·07	·20	–	·27	–	·60	–	–	–	–	–	·17		25
26	·11	–	–	–	–	–	–	·18	·09	–	–	·60		26
27	·03	·50	–	–	·01	–	–	–	·15	–	·18	–		27
28	–	·06	–	–	–	–		·13		·07	·01	·08		28
29	·11	–	–	–	–	–	·05	–	·97	–	–	·20		29
30	–	×	–	·07	·04	–		·67		·17	·33	·27	"d"	30
31	–	×	–	×	–	×	–	–	×	·43	×	·35	31·48	31
TOTAL	·98	2·67	·50	3·47	1·81	3·98	·65	1·87	7 4·49	2·69	5 4·33	3·06	Year's Total. ~~30·50~~	
* Days with .01 in. or more.	10	13	5	..	7	..	..	7	..	15	22	18	..	
* Days with .04 in. or more.	7	12	4	..	6	..	..	7	..	11	20	14	..	

40-9999 † Spare column, no entries required.

* See Instruction 2 (f) on other side. (*Signed*) E A Robins [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 909

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at 19 Cassiobury Park Avenue

in the County of Watford Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .37

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.27	.21	.50	—	—	.15		.01		—	.02	.04		1
2	—	.12	—	.33	—	.42		.07		—	.01	.01		2
3	—	—	—	.06	—	.09	.92	—		—	.34	.01		3
4	.06	—	—	—	—	.18		—		—	—	.01		4
5	.10	—	.14	—	—	—		.02		—	—	.29		5
6	.22	—	—	—	—	.22	—	.16		.02	.21	—		6
7	.27	—	.06	—	—	—	1.09	—	1.47	—	.06	—		7
8	.28	—	.07	—	—	—	.06	—		—	.57	—		8
9	.31	—	.03	—	—	—	.35	—		.15	.02	.18		9
10	.14	—	—	—	—	—	.17	.02		—	—	—		10
11	—	—	—	—	—	—	.09	—		—	.81	—		11
12	—	—	—	—	—	.33	.37	.04		.01	.68	—		12
13	—	—	—	.10	—	.55	.01	—	—	—	.01	.28		13
14	—	.12	—	—	—	.07	.16	—	.05	.07	.13	.34		14
15	—	.07	—	—	—	—	.23	—	.04	—	—	.01		15
16	.23	.10	—	—	—	—	.06	—	.04	—	.40	.06		16
17	.15	.51	—	—	.10	—	.03	—	—	.02	.18	.11		17
18	.03	—	—	—	—	.33	.16	—	—	.01	.02	.10		18
19	.33	.17	.03	.03	—	.31	.01	.12	—	.14	—	—		19
20	.05	.09	.06	.20	—	—	.02		—	—	—	—		20
21	—	.01	—	.20	—	.33	—	—	.70	—	—	—		21
22	—	.42	.03	—	.37	.04	.13	—	—	—	—	.17		22
23	.14	—	.04	.09	.02	—	.16	—	—	.40	—	—		23
24	.17	.01	—	—	—	—	.05	—	.17	.30	—	—		24
25	.04	.13	.12	.17	—	.37	.12		.21	.03	.05	.04		25
26	—	—	.23	.19	—	.27	—	—	.02	.22	—	.01		26
27	.14	—	.02	—	—	—	.02	—	.22	.10	—	—		27
28	.83	—	.15	—	—	—	.28		—	—	—	.07		28
29	.10	.10	.04	—	—	—	.21	—	—	.02	.17	.04		29
30	.14	✕	.03	—	—	—	—	—	.43	.37	—	—		30
31	.35	✕	.13	✕	—	✕	.19	—	✕		✕	.16		31
TOTAL	4.35	2.06	1.68	~~1.05~~ 1.37	.49	3.66	~~4.40~~ 4.89	.44	3.35	1.56	3.62	1.93	Year's Total ~~29.39~~ 29.40 ✓	
* Days with .01 in. or more.	~~21~~	~~13~~	~~16~~	~~9~~	~~3~~	~~14~~	~~—~~	~~7~~	~~—~~	~~14~~	~~16~~	~~18~~		
* Days with .04 in. or more.	~~20~~	~~11~~	~~11~~	~~8~~	~~2~~	~~14~~	~~—~~	~~4~~	~~—~~	~~8~~	~~11~~	~~13~~		

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E A Roberts

[P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 909

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Station No 909

Kept at 19 Cassiobury Park Av.

in the County of Watford Herts

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in. [illegible]

„ Ground „ Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37		—	—	—	—	—	—	·04	—	·32	·47	1
2	·01		·01	·59	—	—	—	—	·12	—	·44	·67	2
3	—		—	—	—	—	—	—	—	—	—	·11	3
4	·10		—	·01	—	—	—	—	—	—	—	·41	4
5	·21	1·77	·21	—	·01		·02	—	—	—	—	—	5
6	·06		·42	—	·15		·20	—	—	—	—	—	6
7	—		·02	·12	—		—	—	·05	·05	—	—	7
8	—		—	—	·09	1·83	—	—	—	—	—	·20	8
9	—	—	—	·23	·16		·14	—	·31	—	·12	·14	9
10	—	—	·43	·14	·14		—	·02	—	—	—	·27	10
11	—	—	·23	—	·61			—	—	—	—	—	11
12	·24		·13	—	·14			—	·05	—	—	·06	12
13	·11	·41	·34	—	—	·34		·70	·13	—	—	·76	13
14	·06		·37	·14	—	—		1·54	·10	—	—	—	14
15	·05	·17	—	·20	—	·04		—	·12	—	—	—	15
16	·20	·13	·30	·83	—	·07	1·05	·13	·53	—	—	·04	16
17	·35	—	·14	·21	—	·01		—	·39	—	—	—	17
18	·37	·10	—	—	·14	·21		—	—	—	·03	—	18
19	·10	·11	·10	·16	—	·14		—	·50	—	·20	·13	19
20	·40	·01	·01	·47	·69	·12		—	—	—	—	—	20
21	·29	·34	·02	·07	·02	—		—	—	—	—	·07	21
22	·28	·08	·01	—	·04	·67		—	—	·49	—	·03	22
23	·32	·01	—	—	·30	—		—	—	·45	·24		23
24	·39	·36	·06	—	·02	—	—	—	·14	·16	—		24
25	—	·40	—	—	·41	—		—	·11	·17	—	·04	25
26	·07	·37	—	—	·09	—	—	—	—	·04	—		26
27	—	·20	—	·13	—	—	—	—	·01	·70	—		27
28	—	·03	·18	·01	—	·01	—	—	—	·09	—		28
29	—		—	—	—	—	—	—	—	·04	·05	·03	29
30	·37	×	—	—	—	—	—	—	—	—	·15	—	30
31	·29	×	—	×	—	×	—	—	×	—	×	·04	31
TOTAL	4·64	4·49	2·98	3·31	3·01	3·44	1·41	2·39	2·60	2·~~7~~19	1·55	3·63	YEAR'S TOTAL 35·84
*Days with ·01 in. or more.	21		17	14	15			4	14	9	8		
*Days with ·04 in. or more.	20		12	12	12			3	13	9	7		

40-9999

(*Signed*) E a Robins [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 909

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Watford

in the County of Herts

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground above Sea Level .... ft.

notified 2/3/39 WG F.

corr. for Dec. 19-26 snow.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	–	–	–	–	·07	·08	–	·06	·03	·07	–		1
2	·08	·03	–	·02	·04	–	–	–	–	·23	–	·02		2
3	–	–	–	–	✓	–	–	–	·04	·88	·06	–		3
4	·05	–	–	–	–	–	·27	–	–	·22	–	·10		4
5	–	–	–	–	·24	·03	·32	–	–	·18	–	·03		5
6	·04	–	–	–		–	·08	–	·02	–	–	–		6
7	·01	–	–	–		–	·23	·47	·03	·51	–	·02		7
8	·16	–	–	–	–	–	·14	·13	·02	·31	–	–		8
9	·09	·01	–	–	–	–	·09	·15	–	–	–	·70		9
10	·21	·07	–	–	–	–	–	·32	–	–	–	·04		10
11	·28	–	–	–	–	–	–	–	–	–	·19	·05		11
12	·38	·02	–	–	·01	–	–	·05	–	·29	·08	–		12
13	·07	–	–	–	–	–	–	–	–	·05	·17	·09		13
14	·32	·03	–	–	·08	–	✓ ·25	–	–	–	·01	–		14
15	·12	–	–	–	–	–	×	–	·05	–	–	·32		15
16	·49	·04	·03	–	–	–	×	·02	–	·26	–	–		16
17	–	·08	–	–	·05	–	✓	–	–	·09	·26	–		17
18	·08	–	–	–	·07	–	–	–	·08	·03	·21	–		18
19	–	–	–	–	·01	–	–	–	·03	–	·45	–		19
20	–	–	–	–	–	–	–	–	·04	–	·05	– ×		20
21	–	–		–	–	×	–	·26	·05	–	–	– ×		21
22	·03	–	–	–	–	·10	–	·06	–	–	·22	×		22
23	–	–	–	·04	–	–	–	–	–	–	·10	(1·00)		23
24	–	–	·14	–	–	–	–	–	·32	–	·05	~~1·75~~		24
25	·11	·03	·10	·02	·14		·02	·03	·02	·03	·89	×		25
26	·30	·20	·11	–	–	–	–	–	·23	·17	–	×		26
27	·08	·05	–	·04	·02	·16	·25	·02	·45	·03	·28	–		27
28	·24	·03	–	–	·75	·08	–	·35	·04	–	–	·07		28
29	·34		–	·02	·21	–	–	·04	–	–	·15	·24		29
30	·02	×	–	–	–	–	–	–	·01	·04	·37	–		30
31	·22	×	–	×	·10	×	–	–	×	·12	×	·33		31
TOTAL	3·73	·59	·38	·14	1·72	·46	1·73	1·90	1·49	3·47	3·61	(3·01) ~~3·76~~	Year's Total ~~22·98~~	23·23
*Days with ·01 in. or more.	23	11	4	5	12	5	13	12	16	17	17	17	152	
*Days with ·04 in. or more.	19	5	3	2	9	4	10	9	10	13	16	14	114	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Ea Robins

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 909

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

f 745783/27

Jne

Kept at Watford

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·02	·46	·51									1
2	·03	–	–	–	·02									2
3	–	–	–	·21	–									3
4	·45	–	·26	·20	–									4
5	–	–	–	·43	15									5
6	·60	–	–	·10	–									6
7	·07	·18	–	–	–									7
8	–	·12	·13	–	–									8
9	·03	·11	–	–	–									9
10	·20	–	–	–	–									10
11	–	–	·20	–	–									11
12	–	–	–	–	–									12
13	–	–	·03	·03	–									13
14	·46	–	·02	·01	·16									14
15	·17	–	·01	–	·88									15
16	·83	–	·10	·03	·06									16
17	·16	·02	·02	·04	·10									17
18	·29	·01	–	–	–									18
19	·25	–	·07	–	–									19
20	·17	–	–	–	–									20
21	–	·01	·39	–	–									21
22	·22	·22	·26	–	–									22
23	·03	–	·08	·04	–									23
24	–	–	·05	–	–									24
25	1·75	·12	·01	–	–									25
26		·01	–	–	–									26
27	–	·06	·12	·07	–									27
28	–	·03	·08	·03	–									28
29	–		–	–	–									29
30		✕	–	1·61	–									30
31		✕	–	✕	–	✕			✕		✕			31
TOTAL	5·21	·89	1·85	3·26	1·58								Year's Total	
* Days with .01 in. or more.	17	11	17	13	7									
* Days with .04 in. or more.	14	6	11	9	6									

Removed to [illegible] see list. f 745783/27

n.p. imp

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E A Robins

[P.T.O.

910 —
WATFORD
(PARK RD)
1931 - 1937
78 02 05

910

Section **A** **for the entry of Daily Obser**

FOR OFFICIAL USE.

AIR MINISTRY.—ME … LL ORGANIZATION.

FORM 1090.

REGISTE … 1921. 1931

Kept at 41 Park Road W

in the County of Hertford

…naled by surrounding stns.

Diameter of Funnel of Gauge…

…ated to Jan 1st–13th 1932.

Height of top of Gauge above Ground…

…x 31/3/32.

" Ground " Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·23		·12		·07	·01	·01	·05				1
2				·39					·64	·02			2
3	·12		·01	·20	·37			·30	·50				3
4				·08			·08	·28	·35				4
5		·17		·13	·18	·37	·02	·05	·02				5
6				·12					·02	·30			6
7				·01	·05	·12	·01	·55		·08			7
8	·01	·08		·02		·09		·22		·01			8
9		·12	·15 snow	·02		·05				·01			9
10		·01	·02 snow			·03	·03	·23					10
11	·12	·31							·03				11
12		·02						·07	·40				12
13							·06	·05					13
14	·03	·08					·87	·75					14
15	—			·07	·12		·19	·37					15
16		·09		·11	·28	·04	·02	·18	·18				16
17		·01		·24	·18		·12		·01				17
18	·04			·25		·17	·01	·60					18
19		·07		·46		·28	·10	·09					19
20		·03		·07			·09	·23					20
21					·47		·01	·02	·02				21
22									·02				22
23	·47	·02		·01	·46	·07							23
24				·47	·13	·01	·13						24
25				·27	·18		·27						25
26		·02		·13			·59						26
27	·23	·38			·25		·05						27
28		·23 snow		·08									28
29					·07		·19		·03	(·20)			29
30	·20	×											30
31		×		×		×	·09		×		×		31
TOTAL	1·22	1·87	·18	3·25	2·74	1·30	2·92	4·00	2·27	(·62)	(3·00)	(1·00)	YEAR'S TOTAL (24·37)
Days with ·01 in. or more.	8	16	3	20	12	11							
Days with ·04 in. or more.													

October 9 1931 – January 13 1932 = 5·55

40-12-1-27
144w)

(Signed) Lucy McSlemm

[P.T.O.

910

Section **A** **for the entry of Daily Observations.**

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

1931

Kept at 41 Park Road Watford

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level B.M. 257 ft.

Oct 10th – 31st } estimated by surrounding stas.
Nov. }
Decr }

1.35 ins allocated to Jan 1st – 13th 1932.

Observer informed 31/3/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·23		·12		·07	·01	·01	·05				1
2				·39					·64	·02			2
3	·12		·01	·20	·37			·30	·50				3
4				·08			·08	·28	·35				4
5		·17		·13	·18	·37	·02	·05	·02				5
6				·12					·02	·30			6
7				·01	·05	·12	·01	·55		·08			7
8	·01	·08		·02		·09		·22		·01			8
9		·12	·15 } snow	·02		·05				·01			9
10		·01	·02 } snow			·03	·03	·23					10
11	·12	·31							·03				11
12		·02						·07	·40				12
13							·06	·05					13
14	·03	·08					·87	·75					14
15	—			·07	·12		·19	·37					15
16		·09		·11	·28	·04	·02	·18	·18				16
17		·01		·24	·18		·12		·01				17
18	·04			·25		·17	·01	·60					18
19		·07		·46		·28	·10	·09					19
20		·03		·07			·09	·23					20
21					·47		·01	·02	·02				21
22									·02				22
23	·47	·02		·01	·46	·07							23
24				·47	·13	·01	·13						24
25				·27	·18		·27						25
26		·02		·13			·59						26
27	·23	·38			·25		·05						27
28		·23 } snow		·08									28
29					·07		·19		·03	(·20)			29
30	·20	×											30
31		×		×		×	·09		×		×		31
TOTAL	1·22	1·87	·18	3·25	2·74	1·30	2·92	4·00	2·27	(·62)	(3.00)	(1.00)	YEAR'S TOTAL (24·37)
Days with ·01 in. or more.	~~8~~	16	3	20	12	11							
Days with ·04 in. or more.													

October 9 1931 — January 13 1932 = 5·55

40-12-1-27
144w)

(Signed) Lucy M. Slim

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 910

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Pollicott Stratford Road

in the County of Watford Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level B.M. 257 ft.

Continuation for Watford (Pk Rd)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·18	·44	·06	·12	·02	·03	·18	·04		1
2				·15	·07	·01		·03	·57	·05	·05	·19	2
3				·11	·13				·30				3
4					·02	·08					·11		4
5					·01		·25		·12				5
6				·11	·02				·04				6
7				·04		·01			·05	·04			7
8				·12						·23			8
9				·11	·97				·10	·03			9
10				·22					·03	·10	·10		10
11			(·20)	·03	·03		1·16	1·20		·16	·05	·02	11
12					·08			·09	·05	·19	·02		12
13	1·35			·22	·01					·11	·06	·01	13
14				·05	·01						·01		14
15				·05	·51					·10			15
16				·20	·13		·01						16
17							·03			·09			17
18							·01		·21				18
19									·01	·29			19
20				·14				·79	·09	·77			20
21	·50		~~·80~~	·09	·84		·01			·28		·05	21
22			·34	·02			·17		·26	·20			22
23					·32				·07	·67		·12	23
24							·33		·05	·07			24
25							·27		·01		·73		25
26			·09	·17	·13		·05			·06	·04		26
27			·27	·24	·37		·39			·33	·15	·03	27
28			·21		·09	·11	·27			·20		·01	28
29			·42	·05	·26	·05		·12	·07	·41	·07		29
30		×	·31		·01	·66			·17	·03	·26	·15	30
31		×	·02	×	·01	×	·09		×		×	·06	31
TOTAL	(1·85)	(·10)	(1·86)	2·30	4·46	·98	3·16	2·25	2·23 [illegible]	4·59 4·59	1·69	·64	YEAR'S TOTAL (26·11) ~~22·69~~
*Days with ·01 in. or more.				19	21	7	14	6	18	22	?	9	?
*Days with ·04 in. or more.													

26·11

(d)

40-9999

*See Instruction 2 (*f*) on other side.

Jan: 1 — 13 = 1·35
Jan 13 — March 21 = ·80
Nov 18 — Nov 25 = ·73

(*Signed*) Lucy M. Sleigh

P.T.O.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193.....

At ....

In the County of ....

Rain Gauge
- Diameter of Funnel .... in.
- *Height of Top above Ground ..... ft. ..... in.*
- *Height of Ground above Sea Level .... ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date.	*	*
JAN.					

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

....

....

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

Nearest Railway Stn Walford Junction Distance ¼ mile Direction from Gauge East

,, Parish Church S. Andrews ,, ⅛ mile ,, East

Diameter of Funnel of Gauge 5 inch Height of top of Gauge above ground 1 ft 6 in

Height of ground above Sea Level Bm 257 ft Pattern of Gauge L Casella ?

Nature of Objects nearest to Gauge Paths & grass

Height of Objects Lavender bush 1 ft 6 in, 3 ft away – Sundial 4½ ft

Distance from Gauge 20 ft away – Birds' feeding tray on pole 7 ft 20 ft away –

Direction ,, ,, E – N E – 30 ft from the house –

(*2507) Wt. 27196—7732 125 3/31 T.S. 118

Total					

Signature ....

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1 FEB. 1933

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

COPY FOR OFFICIAL USE.

910

Section **A** for the entry of Daily Observations. Station No. ~~910~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Pollicott Stratford Road

in the County of Hertford Watford.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level BM 257 ft.

J.W.O. 24/1/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·14	·15		·21						·02		1
2	·30		·35										2
3		·17	·25		·12								3
4	·27	·01	·01		·25								4
5	·03		·25		·08						·04		5
6		·10	·04		·30					·06			6
7	·15	·13	·07							·05	·05	snow ·01	7
8	·04		·02		·06		·08			·02			8
9			·		·07		·18			·04	·09		9
10		thunder + hail – ·21				·05	·40			·29			10
11	·13				·03	·01	·02	·05	·01	·02	·01		11
12					·06	·06	·09		·50			snow ·01	12
13	·07				·15		·24		·08		·13		13
14					·02		·01	·01		·03	·64	snow ·01	14
15	·47		·20			storm ·28	·02	·07			·05		15
16		·01	·57			·16	·17		·01	·08	·03		16
17	·03	snow ·03	·38			·06	·04		·05		·01		17
18	·09	snow ·10	·20			·07							18
19		snow ·01	·15			·13			·29		·02	·03	19
20			·05	·12		·13					·01		20
21		·05				·07		·11	·20	·01			21
22						·12		·17		·15	·04		22
23				·20					·28	·01			23
24		snow ·23		·14	·02	·09			·27		·08		24
25		·48		·30					·03		·01	·05	25
26		·33		·07					·24	·17		·13	26
27		·01			·20					·07		·06	27
28									·02	·33		·04	28
29	·16		·01	·09			·10			·11			29
30	·07	×	·10				·03					·12	30
31	·18	×	·01	×		×		·15	×	·02	×		31
TOTAL	2·04	2·01	2·81	·92	1·57	1·23	1·38	·56	1·98	1·46	1·23	·46	YEAR'S TOTAL 17·65
*Days with ·01 in. or more.	14	15	17	6	14	12	12	6	12	16	15	9	148
*Days with .04 in. or more.	12	10	13	6	11	11	8	5	8	10	8	5	117

40-9999

*See Instruction 2 (*f*) on other side.

D

(Signed) Lucy M Slessor

P.T.O.

910

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No ~~910~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Pollicott Stratford Road Watford

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level Bm/ 257 ft.

N.B. June 20th ·88 deleted due to gardener watering garden no rain shewn at 907 908 + 911 from 906 sent 22/1/35.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03							·23	storm ·15	·01		·46	1
2	·07		·08		·07			·02	·63	·15		·19	2
3	·01	·03		·10				·05		·31		·06	3
4	·11		·04	·07	·01					·27	·08	·31	4
5			·02		·03			·06				·39	5
6			·19	·01	·38	·05		·10		·13		·56	6
7	·02					·03		·12		·08		·25	7
8					·10			·04	·10		·33	·01	8
9	·01		·03		·01						·80	·27	9
10	·03		·13	·09				·02			·15	·01	10
11	·36		·35	·06				·01				·16	11
12	·03		·10	·01			·08	·35				·06	12
13	·35		·03				·08	·03			·04	thunder ·18	13
14	·07		·33		·01					snow ·01	·15	·32	14
15	·05		·03		·08				storm ·06	·01	·04	·19	15
16	·17		·14		·01					·13		·01	16
17	·02			·07					·01	·09	·01	·21	17
18	·08		·02	·18			·11		·01			·09	18
19			·22		~~[illegible]~~	·04			·07	·01	·01	·07	19
20			·34	·03		~~·88~~	·16	·01	·02		·01	·01	20
21			·01	·11				·04		·04			21
22						·23	·01	·22	·27			·05	22
23				·26		·09					·01	·04	23
24		·02	·06	·18		·33	storm ·46	·02	·22				24
25	·13	·05		·15		·03				·03		·37	25
26	·02			·18		·08			·02	·01		·14	26
27		snow ·11		·04		·40				·03		·43	27
28	·01	snow ·10		·46			·01	·85			·03	·24	28
29							·03	·02	·14	·02	·01	·02	29
30	·04	×						·05	·02			·14	30
31	·04	×		×		×	·03		×	snow + sleet ·24	×	·04	31
TOTAL	1·65	·31	2·15	2·—	·70	1·28. ~~2·16~~	·97	2·24	1·72	1·57	1·67	5·28	YEAR'S TOTAL 21·54 ~~22·42~~
*Days with ·01 in. or more.	20	5	17	16	9	~~10~~ 9	9	18	13	17	13	29	176
*Days with ·04 in. or more.	11	3	11	12	4	7	5	11	8	9	7	24	112

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Lucy M. Skinner

P.T.O.

910

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 910

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Pollicott Stratford Road Watford

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level B.m. 257 ft.

wet days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·03		·04	·01	·10	·08			·04	·33			1
2	·01			·02					·14	·16	·02			2
3		·07	·09	·05		·13			·15	·45	·19	·02		3
4				·09		·17			·40	·10		·13		4
5		·28	·02	·07		·06					·01			5
6	·02			·33		·58				·14				6
7				·55							·99	·12		7
8				·21						·20	·23	·09		8
9				·24		·47				·71	·12	·02		9
10	·01			·12							·05	·03		10
11	snow ·28					·09	·07				·20			11
12		·03				·17		·07	·02		·45			12
13	·12	·16		·23	·13				·01		·01			13
14				·05	·17	·06			·28		·12	·11		14
15		·27		·49		·73			·20		·35	·10		15
16		·07	·04	·01		·25	·10		·02		·59	·04		16
17				·03		·16	·21				·56			17
18				·27	·18	·07	·08		·50		·16	snow ·03		18
19				·05	·16	·06	·12		·15	·02	·13	snow ·11		19
20		·19		·07	·95	·08			·14		·10			20
21	·01	·18	·01	·03					·01	·02	·04			21
22		·03	·07	·05				·41	·31					22
23		·01	·23					·31	·07	·06		snow ·28		23
24	·04	·39	·01					·02	·69			·23		24
25	·08	·07		·25		·44						·17		25
26	snow ·09	·15						·16	·08			·30		26
27	snow ·03	·30			·01			·01	·16		·16	·25		27
28		·07						·19	·10	·05	·02	·08		28
29								·67	·70			·18		29
30	·03	×		·11	·08				·03	·16	·34	·36		30
31		×		×	·01	×			×	·50	×	·21		31
TOTAL	·83	2·30	·47	3·36	1·70	3·62	·66	1·84	4·16	2·61	5·17	2·86	Year's Total. 29·58	
* Days with .01 in. or more.	12 ✓	16 ✓	7 ✓	22 ✓	9 ✓	16 ✓	6 ✓	8 ✓	20 ✓	13 ✓	22 ✓	20 ✓	171 ✓	
* Days with .04 in. or more.	6	12	4	18	6	16	6	6	15	11	18	16	134	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. M. Slinn

[P.T.O.

COPY FOR ~~OFFICIAL~~ USE.

Section **A** for the entry of Daily Observations. Station No. 910

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. File No. 746849/27

Kept at Pollicott Stratford Road Watford

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level B.M. 257 ft.

Dafgo

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·15	·05	·22		·09		·07			·05	·04		1
2	·07	·11		·01		·43	·53				·05			2
3				·05		·04	·02		·32		·31	·01		3
4			·13			·18			·22		·09	·04		4
5	·15		·01					·02	·31			snow ·15		5
6	·27					·19		·12	·11		·11	·05		6
7	·12		·03			·01	1·15		·02		·05	·04		7
8	·26		·07						·03	·03	·49	·12		8
9	·29						·43		·18	·10		·01		9
10	·09						·15	·05	·10	·02				10
11				snow ·02			·07				·67			11
12				·10		·43	·33	·01	·16		·78	·12		12
13						·41				·03	·08	·16		13
14						·08	·34		·06	·06	·08	·30		14
15		·17					·01		·03		·01	·07		15
16	snow ·22	·08					·08		·05		·38	·03		16
17	snow ·16	·49			·11					·01	·17	·08		17
18		·12				·33	·14			·08	·02	·08		18
19	·34	·04	·02	·01		·29		·11		·06				19
20	·04	·09	·04	·21			·02		·66					20
21		·01		·18	·02	·31			·07					21
22	snow ·12	·40	·04		·31	·03	·14					·15		22
23			·03	·08			·11			·10				23
24	·17	·11					·12		·15	·29				24
25	·04		·15	·16		·18	·13		·23	·09	·03			25
26	·02	·12		·24		·21			·01	·14		·04		26
27	·12	·03	·01				·01		·21	·11				27
28	·81		·05				·90					·07		28
29	·10	·07	·12			·14	·08			·02	·18	·04		29
30	·08	✕	·01		·09	·15	·06			·30				30
31	·43	✕	·24	✕		✕	·11		✕	·37	✕	·33		31
TOTAL	4·15	1·99	1·00	1·28	·53	3·50	4·93	·38	2·92	1·81	3·55	1·93	Year's Total 27·97	✓
* Days with .01 in. or more.	21	14	15	11	4	17	21	6	18	16	17	20	180	✓
* Days with .04 in. or more.	20	12	9	8	3	15	17	4	14	11	14	17	144	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Lucy M Slinn [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 910

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at POLLICOTT Stratford Road WATFORD

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" Ground " Sea Level BM 257 ft.

Copy

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15		·01	·02					·03		·44	·56		1
2		·24		·50					·13			·50		2
3		·18										·11		3
4	·07	·40	·02	·01	·01							·41		4
5	·22	·03	snow ·20				·03							5
6	·02	·03	snow ·15		·16		·20			·04	·05			6
7		·79	snow ·30	·12			·01							7
8		·03			·12	·08			·05		·09	snow ·18		8
9				·32	·14		·14		·32			snow ·31		9
10			·57	·03	·24	·29	·05	·03				·25		10
11			·10		·49		·01							11
12	·22	·30	·11		·15	1·58		·01	·05			·20		12
13	·14	·05	·34	·01		·18		storm ·88	·03			·57		13
14	·02	·03	snow ·38	·12		·01		storm 1·93	·09					14
15	·09	·17		·22		·10	storm ·51		·12			·02		15
16	·01	·12	·31	·78		·01		·12	·59			·02		16
17	·35		·12	·17					·32		·02	·02		17
18	·31	·10			·10	·23			·31		·21			18
19	·11	·09	·10	·14	·02	·14	Storm ·19		·12			snow 13		19
20	·38		·02	·50	·70	·15			·01			·02		20
21	·27	·37	snow ·03	·07			·04	·01				·03		21
22	·35	·01	snow ·02		·04	storm ·77	·03			·60	·23	·05		22
23	·24	·01	snow ·03		storm ·31		·10			·34				23
24	·37	·39	·01						·15	·14		·01		24
25	·03	·46	·11		storm ·43				·05	·18		·01		25
26		·21			·09					·05				26
27	·04			·13					·01	·62				27
28	snow ·02	snow ·20		·01						·09		·01		28
29	snow ·01					·01				·05	·05	·02		29
30	·31	✕									·14	·01		30
31	·29	✕		✕		✕			✕	·27	✕	·03		31
													Year's Total	
TOTAL	4·02	4·21	2·93	3·15	3·00	3·55	1·31	2·98	2·38	2·36	1·23	3·47	34·61	✓
* Days with .01 in. or more.	23	21	19	16	14	12	11	6	16	10	8	2~~1~~2	17~~7~~8	✓
* Days with .04 in. or more.	17	15	12	11	12	9	7	3	12	10	7	11	126	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Lucy M. Slinn

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 910

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Copy

Kept at POLLICOTT. Stratford Road WATFORD.

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level BM. 257 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15		·01	·02					·03		·44	·56		1
2		·24		·50					·13			·50		2
3		·18										·11		3
4	·07	·40	·02	·01	·01							·41		4
5	·22	·03	snow ·20				·03							5
6	·02	·03	snow ·15		·16		·20			·04	·05			6
7		·79	snow ·30	·12			·01							7
8		·03			·12	·08			·05		·09	snow ·18		8
9				·32	·14		·14		·32			snow ·31		9
10			·57	·03	·24	·29	·05	·03				·25		10
11			·10		·49		·01							11
12	·22	·30	·11		·15	1·58		·01	·05			·20		12
13	·14	·05	·34	·01		·18		storm ·88	·03			·57		13
14	·02	·03	snow ·38	·12		·01		storm 1·93	·09					14
15	·09	·17		·22		·10	storm ·51		·12			·02		15
16	·01	·12	·31	·78		·01		·12	·59			·02		16
17	·35		·12	·17					·32		·02	·02		17
18	·31	·10			·10	·23			·31		·21			18
19	·11	·09	·10	·14	·02	·14	Storm ·19		·12			snow 13		19
20	·38		·02	·50	·70	·15			·01			·02		20
21	·27	·37	snow ·03	·07			·04	·01				·03		21
22	·35	·01	snow ·02		·04	storm ·77	·03			·60	·23	·05		22
23	·24	·01	snow ·03		storm ·31		·10			·34				23
24	·37	·39	·01						·15	·14		·01		24
25	·03	·46	·11		storm ·43				·05	·18		·01		25
26		·21			·09					·05				26
27	·04			·13					·01	·62				27
28	snow ·02	snow ·20		·01						·09		·01		28
29	snow ·01					·01				·05	·05	·02		29
30	·31	✕									·14	·01		30
31	·29	✕		✕		✕			✕	·27	✕	·03		31
													Year's Total	
TOTAL	4·02	4·21	2·93	3·15	3·00	3·55	1·31	2·98	2·38	2·36	1·23	3·47	34·61	✓
* Days with .01 in. or more.	23	21	19	16	14	12	11	6	16	10	8	2~~1~~2	17~~7~~8	
* Days with .04 in. or more.	17	15	12	11	12	9	7	3	12	10	7	11	126	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Lucy M. Slinn [P.T.O.

911

Section **A** for the entry of Daily Observat

AIR MINISTRY.—METEOROL

FOR OFFICIAL USE.

RGANIZATION.

FORM 1090.

REGISTER OF

911

WATERFIELD

1931 - 1940

780205

Kept at Waterfield, Herousg

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

,, Ground ,, Sea Level 390

2/32

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule should insert the reading made on January ng year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	.05	.01	.06	tr	.15	tr	.03	.10	.02	tr	tr	1
2	·11	.10	tr	.52	—	.02	—	—	·63	·03	·01	·10	2
3	·03	·01	·03	.12	·51	tr	.02	.22	·59	—	·11	·31	3
4	tr	tr	—	·04	·02	—	.11	·53	·11	·04	·10	·02	4
5	—	·02	tr	·23	.11	·42	.05	·11	.06	tr	.09	·41	5
6	—	.15	—	.18	·02	·01	·02	·55	tr	·31	·32	—	6
7	—	·02	—	·01	·10	.03	·40	.03	—	·08	·22	·11	7
8	·03	.11	·02	.03	.02	·21	tr	·30	—	·03	·21	.02	8
9	—	·09	·08	·04	—	·02	—	.13	—	tr	.51	·01	9
10	·02	·10	·04	·01	tr	·05	·03	·21	—	—	·43	·03	10
11	·11	·39	—	—	—	—	—	·23	.05	·01	·11	—	11
12	tr	.05	tr	—	—	—	—	·11	.51	—	.02	tr	12
13	—	·01	—	—	—	—	.05	·03	.01	—	·01	—	13
14	·05	.11	—	—	tr	—	1.47	1.21	tr	—	tr	tr	14
15	·02	·06	—	.11	·23	—	.12	·90	—	—	—	·08	15
16	—	·17	—	.20	·32	.09	.05	·23	.20	—	—	—	16
17	.03	tr	—	·53(s)	·11	—	.18	tr	.01	.01	—	tr	17
18	·05	.10	.06	·32	.02	.11	·03	.80	—	—	62	—	18
19	·02	—	tr	·43	—	·50	·24	·03	·03	—	·02	·02	19
20	.02	·09	.02	·09	tr	.03	·38	·31	—	—	·03	·03	20
21	·04	tr	.01	tr	·41	tr	tr	.02	tr	—	tr	—	21
22	·33	tr	—	.02	.02	—	—	·01	.03	—	.02	—	22
23	.36	.02	tr	.04	·48	.05	—	—	.04	—	·31	.05	23
24	.03	—	—	·42	.21	·11	.31	—	—	tr	·01	·02	24
25	·12	—	—	·48	·11	—	·40	—	tr	—	.08	·01	25
26	·02	tr	tr	.10	·03	—	.71	—	—	—	.33	tr	26
27	·25	.51	—	.02	·38	—	.11	tr	—	·01	.40	—	27
28	.15	·16	—	.08	·03	—	.03	—	—	·03	.02	·41	28
29	·11	✕	—	.02	·02	—	·21	—	—	·33	.03	·03	29
30	·05	✕	—	—	tr	—	·05	.08	·01	.02	—	tr	30
31	·34	✕	—	✕	.01	✕	.02	—	✕	tr	✕	·02	31
TOTAL	2·31	2·32	·22	4.10	3.16	1.80	4.99	6.07	2.38	·92	4.01	1.68	YEAR'S TOTAL 33.96
*Days with ·01 in. or more.	23	20	8	24	20	14	22	21	14	12	23	17	218
*Days with ·04 in. or more.	13	15	2	18	11	9	16	15	9	4	14	7	133

40-9999

(Signed) A. J. Richardson

P.T.O.

*See Instruction 2 (*f*) on other side.

911

Section **A** for the entry of Daily Observa FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Waterfield, Heronsgate
in the County of Hertford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 390 ft.

wants examining
J.C.E. 5/2/32
letter sent 22/2/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.05	.01	.06	tr	.15	tr	.03	.10	.02	tr	tr	1
2	.11	.10	tr	.52	—	.02	—	—	.63	.03	.01	.10	2
3	.03	.01	.03	.12	.51	tr	.02	.22	.59	—	.11	.31	3
4	tr	tr	—	.04	.02	—	.11	.53	.11	.04	.10	.02	4
5	—	.02	tr	.23	.11	.42	.05	.11	.06	tr	.09	.41	5
6	—	.15	—	.18	.02	.01	.02	.55	tr	.31	.32	—	6
7	—	.02	—	.01	.10	.03	.40	.03	—	.08	.22	.11	7
8	.03	.11	.02	.03	.02	.21	tr	.30	—	.03	.21	.02	8
9	—	.09	.08	.04	—	.02	—	.13	—	tr	.51	.01	9
10	.02	.10	.04	.01	tr	.05	.03	.21	—	—	.43	.03	10
11	.11	.39	—	—	—	—	—	.23	.05	.01	.11	—	11
12	tr	.05	tr	—	—	—	—	.11	.51	—	.02	tr	12
13	—	.01	—	—	—	—	.05	.03	.01	—	.01	—	13
14	.05	.11	—	—	tr	—	1.47	1.21	tr	—	tr	tr	14
15	.02	.06	—	.11	.23	—	.12	.90	—	—	—	.08	15
16	—	.17	—	.20	.32	.09	.05	.23	.20	—	—	—	16
17	.03	tr	—	.53(s)	.11	—	.18	tr	.01	.01	—	tr	17
18	.05	.10	.06	.32	.02	.11	.03	.80	—	—	62	—	18
19	.02	—	tr	.43	—	.50	.24	.03	.03	—	.02	.02	19
20	.02	.09	.02	.09	tr	.03	.38	.31	—	—	.03	.03	20
21	.04	tr	.01	tr	.41	tr	tr	.02	tr	—	tr	—	21
22	.33	tr	—	.02	.02	—	—	.01	.03	—	.02	—	22
23	.36	.02	tr	.04	.48	.05	—	—	.04	—	.31	.05	23
24	.03	—	—	.42	.21	.11	.31	—	—	tr	.01	.02	24
25	.12	—	—	.48	.11	—	.40	—	tr	—	.08	.01	25
26	.02	tr	tr	.10	.03	—	.71	—	—	—	.33	tr	26
27	.25	.51	—	.02	.38	—	.11	tr	—	.01	.40	—	27
28	.15	.16	—	.08	.03	—	.03	—	—	.03	.02	.41	28
29	.11	×	—	.02	.02	—	.21	—	—	.33	.03	.03	29
30	.05	×	—	—	tr	—	.05	.08	.01	.02	—	tr	30
31	.34	×	—	×	.01	×	.02	—	×	tr	×	.02	31
TOTAL	2.31	2.32	.22	4.10	3.16	1.80	4.99	6.07	2.38	.92	4.01	1.68	YEAR'S TOTAL 33.96
*Days with ·01 in. or more.	23	20	8	24	20	14	22	21	14	12	23	17	218
*Days with ·04 in. or more.	13	15	2	18	11	9	16	15	9	4	14	7	133

40-9999

(Signed) A. J. Richardson

P.T.O.

*See Instruction 2 (*f*) on other side.

X HERONSGATE (WATERFIELD HO.) X 753068/27.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 911

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Herts/2

Kept at Waterfields Heronsgate

in the County of Hertford

1931 Big rep.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.01	—	.21	.56	.06	.06	.05	–	.09	.03	tr	1
2	.09	tr	—	.20	.03	–	tr	.01	.83	.03	.02	.22	2
3	.02	–	—	.15	.10	–	–	tr	.21	.04	–	.01	3
4	.01	.02	—	.01	.02	.10	–	–	–	tr	.21	tr	4
5	.42	.01	.01	–	.01	–	.21	–	.13	–	tr	.02	5
6	.50	–	tr	.11	tr	–	.01	–	.10	–	–	–	6
7	tr	–	.11	.06	.02	–	.03	–	.08	.02	–	–	7
8	–	–	.05	.09	.11	–	tr	–	.23	.21	tr	tr	8
9	.23	tr	—	.05	.52		–	–	.02	.03	–	–	9
10	.52	.02	.02	.23	.10	.01	–	–	.01	.10	.20	–	10
11	.01	–	tr	.03	.02	–	.98	.71	.02	.09	.08	.02	11
12	.11	–	–	–	.09	–	–	.02	tr	.12	.05	tr	12
13	tr	tr	–	.21	.01	–	.02	tr	.05	.11	.03	.03	13
14	.23	–	tr	.08	.02	–	–	.05	–	.01	.02	.01	14
15	.02	tr	–	.05	.81	–	–	–	tr	.06	.01	tr	15
16	.03	.02	–	.20	.03	–	–	–	–	.03	tr	tr	16
17	.01	–	–	.01	.01	–	.05	–	–	.09	–	–	17
18	tr	–	–	–	tr	–	tr	–	.21	–	.21	.01	18
19	–	tr	–	–	–	–	–	–	.01	.33	.02	.02	19
20	tr	tr	–	–	.09	–	–	.90	.12	.74	.10	tr	20
21	.03	.01	.02	.35	1.38	–	.21	.30	–	.30	tr	.05	21
22	.02	–	.32	.01	.02	–	.18	–	.35	.14	.51	.01	22
23	–	.04	.02	.02	.21	–	.01	–	.06	.71	.03	.15	23
24	–	.03	–	–	tr	–	.31	–	.10	.01	.12	.02	24
25	tr	.01	–	tr	–	–	.23	tr	.08	.48	.04	.01	25
26	–	–	.05	.21	.10	–	.04	–	tr	.04	.02	tr	26
27	–	–	.33	.29	.38	–	.31	–	–	.19	.21	.02	27
28	–	–	.21	.03	.11	.02	.23	tr	–	.17	.01	–	28
29	.01	–	.40	.11	.30	.05	.02	.03	.10	.40	.10	.03	29
30	tr	×	.31	.15	.23	.56	.01	.02	.20	.02	.31	.21	30
31	–	×	.02	×	–	×	.10	–	×	–	×	.09	31
TOTAL	2.37	.17	1.87	2.86	5.28	.80	3.01	2.09	2.91	4.56	2.33	.93	YEAR'S TOTAL 29.18
*Days with ·01 in. or more.	17	9	13	23	25	6	18	9	19	26	21	17	203
*Days with .04 in. or more.	8	1	8	17	15	4	12	5	15	19	13	5	122

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) X A. J. Richardson Esq. X

X A.J.RICHARDSON ESQ. X

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 911

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Waterfield, Heronsgate

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 390 ft.

May rejected as about ·40? inch High 906 (sent 1/6/34 suggesting ·10 for 2/5. Observer confirms original entry. Confirmed by Chalfont St. Giles. "Local thunderstorm".

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.23	.15	Tr	.03	Tr	—	—	.02	Tr.	.03	Tr		1
2	.33	tr	.51	—	.60	—	—	—	—	—	.02	—		2
3	.02	.21	.25	Tr.	.04	—	—	—	—	—	.01	—		3
4	.31	.03	.04	—	.40	—	—	—	—	—	.12	—		4
5	.03	.02	.38	—	.02	—	—	—	—	Tr.	.02	—		5
6	.02	.12	.05	—	.31	—	—	—	—	.04	.08	.01		6
7	.21	.15	.11	—	.02	—	—	—	—	.04	.02	—		7
8	.10	tr	.03	—	.05	—	.05	—	—	.02	—	—		8
9	—	.01	.01	—	.04	—	.21	—	—	.03	(.12) .12	—		9
10	tr	.10	—	—	.01	.02	.41	—	—	.31	.03	—		10
11	.21	tr	—	—	tr	.03	.04	.10	.03	.02	.02	—		11
12	.03	—	—	—	—	.08	.09	tr	.56	Tr.	—	.02		12
13	.02	—	—	—	.21	tr	.24	—	.04	—	.13	—		13
14	.01	—	—	—	.03	—	—	—	—	.05	.61	.03		14
15	.51	—	.21	—	tr	.02	.06	.08	—	.02	.11	—		15
16	.02	.02	.71	—	—	.21	.05	—	.01	.06	.03	Tr		16
17	.03	.01	.51	—	—	.02	.02	—	.06	.01	.02	—		17
18	.12	.03	.21	—	—	.11	—	—	—	Tr.	.01	—		18
19	.02	.05	.33	.02	—	.10	.02	—	.35	—	.02	Tr		19
20	tr	—	.10	.11	tr	.18	—	.01	Tr.	—	.01	—		20
21	—	.02	—	Tr.	—	.09	—	.12	.17	.02	Tr.	—		21
22	—	—	—	—	.01	.03	—	.21	Tr	.31	.04	—		22
23	—	tr	—	.23	tr	—	—	—	.48	.01	.01	—		23
24	—	.32	Tr	.17	.03	.27	—	—	.35	Tr.	.05	—		24
25	—	.61	—	.29	—	.02	—	—	.04	.01	.02	.11		25
26	—	.33	—	.11	—	—	—	—	.21	.11	.01	.10		26
27	—	.02	—	Tr.	.11	—	—	—	.01	.21	tr	.07		27
28	—	.01	—	—	.05	—	—	—	Tr.	.42	—	.03		28
29	.21	×	—	.14	tr	—	.02	—	.02	.12	tr	.02		29
30	.12	×	.21	.01	—	—	.03	—	.01	.03	—	.21		30
31	.23	×	.02	×	—	×	—	.20	×	.02	×	—		31
TOTAL	2.65	2.29	3.83	1.08	1.96	1.18	1.24	.72	2.36	1.86	1.54	.60	Year's Total 21.31	
*Days with ·01 in. or more.	~~20~~	~~18~~	~~17~~	~~8~~	~~16~~	~~13~~	~~12~~	~~6~~	~~15~~	~~20~~	~~23~~	~~9~~	~~177~~	
*Days with .04 in. or more.	11	9	14	6	9	7	8	5	9	10	8	4	100	

40-9999

*See Instruction 2 (*f*) on other side.

b

† Spare column, no entries required.

(*Signed*) A. J. Richardson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 911

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Waterfield - Heronsgate

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	.01	.02	—	Tr.	—	—	.31	.31	.01	.02	.52		1
2	.11	Tr:	.10	—	.05	—	—	.03	.72	.21	.01	.31		2
3	.03	.03	.01	.03	—	—	—	.01	Tr:	.31	—	.03		3
4	.12	.01	.08	.12	.02	—	—	Tr:	—	.20	.05	.59		4
5	Tr.	Tr:	.03	.02	.06	—	—	.09	—	.01	Tr:	.45		5
6	.04	—	.21	.01	.31	.01	—	.22	—	.18	.01	.71		6
7	.02	—	.01	Tr.	.02	Tr:	—	.14	—	.11	—	.33		7
8	—	—	Tr:	—	.11	—	—	.02	.7	Tr.	.38	.02		8
9	.02	Tr.	.02	—	.01	—	—	.01	Tr:	—	.84	.42		9
10	.10	—	.19	.13	Tr.	—	—	.03	—	—	.21	.03		10
11	.31	—	.51	.10	—	—	—	.02	—	—	.02	.21		11
12	.02	.02	.32	.02	—	Tr.	.10	.23	—	—	.03	.12		12
13	.33	—	.12	.01	—	—	.17	.10	—	.01	.02	.39		13
14	.11	Tr.	.42	Tr.	.03	Tr.	Tr:	Tr.	—	.03	.01	.41		14
15	.04	—	.10	—	.10	—	—	.02	.04	.01	.04	.31		15
16	.21	.01	.21	—	.02	—	—	—	—	.14	.01	.02		16
17	.05	—	.02	—	—	—	—	—	—	.10	Tr.	.29		17
18	.04	.02	.01	.32	—	—	.09	—	.06	Tr:	—	.20		18
19	.01	Tr:	.23	.02	—	.01	Tr:	Tr.	.09	.03	.01	.21		19
20	—	—	.33	.08	Tr:	Tr:	.17	—	.03	Tr.	Tr	.01		20
21	Tr:	—	.02	.11	—	.10	Tr:	.09	—	.08	.01	—		21
22	—	Tr:	Tr:	.02	.01	—	—	.21	.37	.01	—	.03		22
23	—	—	—	.32	—	.31	—	.01	.02	Tr:	Tr:	.08		23
24	.01	.03	.12	.12	—	.17	.82	—	.20	—	—	.01		24
25	.15	snow .11	.02	.15	—	.41	.02	Tr:	—	.05	—	.40		25
26	.04	.02	—	.21	Tr:	.08	.01	—	.03	.02	—	.23		26
27	.03	.01	—	.03	—	.10	—	—	Tr:	.11	—	.36		27
28	.02	.04	—	.62	—	.07	.10	.81	—	Tr:	.02 fog	.37		28
29	Tr.		—	.01	—	.01	.02	.02	.12	—	.03 "	.03		29
30	.03	×	—	Tr.	—	—	Tr:	.04	.05	—	Tr.	.17		30
31	.10	×	—	×	—	×	—	Tr:	×	.33 (3)	×	.04	Year's Total	31
TOTAL	1.96	.31	3.11	2.45	.74	1.27	1.50	2.41	2.21	1.95	1.72	7.30	26.93 ✓	
*Days with ·01 in. or more.	24	11	22	20	11	10	9	19	13	19	17	30	205	
*Days with .04 in. or more.	15	2	13	11	5	7	6	10	10	11	5	23	118	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required. x·.33

(*Signed*) A. J. Richardson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 911

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Waterfield, Heronsgate nr. Rickmansworth

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.02	.01	.02	.05	.05	.14	–	.01	.06	.38	Tr.		1
2	.03	Tr.	Tr.	.01	–	–	–	Tr.	.10	.25	.05	.02		2
3	Tr.	.09	.09	.06	–	.09	–	–	.37	.58	.24	.03		3
4	–	.02	.02	.11	–	.03	–	–	.07	.13	–	.15		4
5	–	.33	.01	.10	–	.17	–	–	.42	–	.01	Tr.		5
6	.01	.01	Tr.	.38	–	.69	–	–	–	–	–	Tr.		6
7	–	Tr	–	.60	–	.11	–	–	–	.08	1.03	.11		7
8	–	–	Tr.	.25	–	–	–	.02	–	.37	.10	.19		8
9	Tr.	–	–	.28	–	.58	–	–	–	.83	.10	Tr.		9
10	.01	–	–	.12	–	–	–	–	–	–	.10	.02		10
11	.31	–	–	–	–	.09	.05	–	–	–	.23	–		11
12	Tr.	.05	–	–	–	.22	–	.03	.02	–	.45	–		12
13	.11	.13	Tr.	.28	.14	–	–	–	–	Tr.	Tr.	–		13
14	.02	.02	–	.09	.24	–	–	–	–	–	.18	.11		14
15	Tr.	.31	Tr	.48	–	.50	–	–	.27	–	.33	.12		15
16	–	.22	.05	.03	–	.46	–	–	.24	–	.55	.05		16
17	–	.01	.92	.01	–	.20	.05	–	.03	–	.31	.01		17
18	–	Tr.	Tr.	.39	.10	.03	.15	–	.56	.01	.06	Tr.		18
19	–	–	–	.01	.15	.07	.11	–	.25	–	.15	.19		19
20	.02	.12	–	.13	.48	.08	.08	–	.07	–	.19	–		20
21	.21	.31	.02	–	–	–	–	–	.02	.04	.02	–		21
22	Tr.	.05	.15	–	–	–	–	.34	.40	–	Tr.	–		22
23	–	.06	.25	–	–	–	–	.53	.07	.13	–	Tr.		23
24	.05	.51	.02	–	–	–	–	.05	.70	–	–	.36		24
25	.03	.11	–	.25	–	.84	–	–	Tr	–	–	.15		25
26	.02	.17	–	–	–	–	–	.25	.10	–	–	.39		26
27	.01	.31	–	–	–	–	–	–	.27	–	.19	.33		27
28	Tr.	.11	–	–	–	–	–	.03	.20	.06	.02	.10		28
29	.92	×	–	–	–	–	–	–	.72	–	–	.28		29
30	.03	×	–	.08	.07	–	–	.65	.94	.17	.38	.40		30
31	.01	×	–	×	.04	×	–	–	×	.44	×	.28		31
													Year's Total.	
TOTAL	.89	2.96	.64	3.68	1.27	4.21	.58	1.90	4.93	3.15	5.07	3.29	32.57	
* Days with .01 in. or more.	16	20	10	20	8	16	6	8	21	13	21	19	178	
* Days with .04 in. or more.	4	15	4	15	8	14	6	5	17	12	18	15	133	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) A. J. Richardson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 911

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Waterfield - Heronsgate

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25 4	.15	.03	.25	–	.07	.20	.03	–	–	.07	.04		1
2	.05	.13	–	.01	–	.41	.20	.08	Tr	–	.04	Tr.		2
3	–	–	–	.05	–	.07	.02	Tr	.30	–	.26	.02		3
4	–	–	.18	–	–	.21	–	–	.18	–	.08	.05		4
5	.21	–	.01	–	–	–	–	.04	.19	–	.01	.21(S)		5
6	.29	–	–	–	–	.25	–	.21	.14	Tr.	.23	.12		6
7	.18	–	.05	–	–	.05	.57	Tr	.02	–	.08	.03		7
8	.31	–	.08	–	–	–	.08	–	.03	.01	.60	.12		8
9	.33	–	.06	–	–	–	.35	–	.29	.03	Tr.	–		9
10	.07	–	Tr.	–	–	Tr.	.30	.03	–	.10	–	Tr.		10
11	–	–	–	.05(S)	–	–	.10	–	.02	Tr.	1.25	–		11
12	–	–	–	.13(S)	–	.51	.40	–	.19	–	.70	.12		12
13	–	–	–	.01	–	.37	–	–	–	.01	.11	.23		13
14	–	.11	–	–	–	.08	.45	–	.30	.10	.02	.39		14
15	–	.06	–	–	–	–	–	–	.07	Tr.	.01	.08		15
16	.23(S)	.19	–	–	–	–	.07	–	.05	–	.51	.02		16
17	.17(S)	.55	–	–	.10	.10	–	–	–	.02	.20	.17		17
18	–	.08	–	–	–	.23	.19	–	–	.10	Tr.	.10		18
19	.36	.10	.02	.03	–	.48	Tr.	.15	–	.04	–	–		19
20	.10	.06	.03	.24	–	Tr.	.02	–	1.10	–	–	–		20
21	–	–	Tr.	.18(S)	.04	.50	–	–	.06	–	–	–		21
22	.10	.49	.03	–	.41	.01	.23	–	Tr	–	–	.14		22
23	.02	–	–	.08	Tr.	–	.12	–	–	.12	–	–		23
24	.15	.08	.01	Tr.	–	–	.11	–	.16	.30	–	–		24
25	.12	–	.16	.16	–	.80	.07	–	.25	.13	.03	.03		25
26	Tr	.13	.20	.15	–	.10	Tr	–	.03	.15	–	Tr.		26
27	.13	.02	–	–	–	.01	.01	–	.15	.07	–	–		27
28	.76	–	.10	–	–	–	.78	–	–	–	–	.08		28
29	.18	.09(S)	.10	–	–	.45	.02	–	–	.02	.15	.07		29
30	.14	✕	.02	–	.07	.27	.07	–	–	.30	–	.01		30
31	.55	✕	.23	✕	–	✕	.12	Tr.	✕	.30	✕	.30		31
													Year's Total	
TOTAL	4.69	2.15	1.31	1.34	.62	4.97	4.48	.54	3.53	1.80	4.35	2.33	32.11	
* Days with .01 in. or more.	21	14	16	12	4	19	22	6	18	16	17	20	185	
* Days with .04 in. or more.	20	13	9	9	4	17	18	4	14	11	13	15	147	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column; no entries required.

(*Signed*) A. J. Richardson [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 911

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Waterfield. Heronsgate w. Rickmansworth

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.21	Tr.	—	.02	—	—	—	—	.04	—	.41	.57		1
2	Tr	.28	.01	.56	—	—	Tr.	—	.15	—	Tr	.65		2
3	Tr.	.16	.01	Tr.	Tr.	—	.01	—	.01	—	Tr	.06		3
4	.08	.41	—	Tr.	.02	—	—	—	—	—	—	.41(S)		4
5	.26	.01	.21(S)	—	—	Tr.	.04	—	—	—	.01	—		5
6	.03	.01	.53(S)	Tr.	.17	—	.27	—	—	.04	.03	—		6
7	—	.85	.02(S)	.16	Tr.	—	—	—	.05	Tr.	Tr	—		7
8	Tr.	.04	Tr.	Tr.	.10	.04	—	—	Tr	—	.10	.34(S)		8
9	—	.03	—	.25	.16	.02	.15	—	.30	—	Tr.	.11(S)		9
10	—	—	.43	.06	.26	.32	.09	.04	—	—	Tr.	.27(S)		10
11	Tr.	—	.25	—	.35	Tr	.01	—	Tr.	—	—	.04		11
12	.28	.31(S)	.10	—	.12	.96	.03	.03	.07	—	Tr.	.11		12
13	.15	.09	.30	—	.01	.21	—	.20	.40	—	—	.58		13
14	.02	.03	.42	.12	—	Tr.	—	1.41	.10	—	—	Tr.		14
15	.21	.18	—	.24	—	.02	.51	—	.06	—	—	.02		15
16	.02	.12	.35	.62	—	.05	Tr	.12	.30	—	—	.04		16
17	.38	Tr	.25	.17	—	Tr.	—	.01	.20	—	.01	Tr		17
18	.33	.14	.05	Tr.	.13	.27	—	—	.17	Tr	.22	.10(S)		18
19	—	.06	.07	.17	.03	.11	.25	—	.09	Tr.	.02	.01(S)		19
20	.58	.03	.01	.51	.65	Tr.	—	Tr.	Tr	Tr.	—	.07(S)		20
21	.32	.45	.02	.06	Tr.	Tr.	.05	—	—	Tr	Tr.	.05		21
22	.40	Tr	.04	Tr.	.10	.22	.07	—	—	.66	.22	.05		22
23	.20	Tr	.05	—	.32	—	.07	—	—	.38	.03	.03		23
24	.40	.51	.04	—	.03	—	—	—	.14	.21	—	Tr		24
25	.07	.40	.08	—	.66	—	—	—	.07	.50	—	Tr		25
26	.01	.31	.07	—	.21	—	—	—	—	.08	—	—		26
27	.01	.20(S)	.02	.15	—	Tr.	—	—	Tr	.65	—	—		27
28	Tr.	.12(S)	—	—	Tr	.01	—	—	—	.07	—	.04		28
29	Tr	✕	—	—	—	—	—	—	—	.05	.05	.03		29
30	.35	✕	—	—	—	—	—	Tr	—	Tr.	.22	Tr		30
31	.30	✕	—	✕	—	✕	—	—	✕	.18	✕	.04		31
TOTAL	4.61	4.74	3.33	309	3.32	2.23	1.55	1.81	2.15	2.82	1.32	3.62	Year's Total. 34.59	✓ ✓
* Days with .01 in. or more.	21	22	22	13	16	11	12	6 ~~7~~	15	10	11	21	180	✓ ✓
* Days with .04 in. or more.	16	17	16	12	12	8	9	4	14	10	6	17	141	✓ ✓

40-9999

† Spare column, no entries required.

(*Signed*) A. J. Richardson [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 911

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Waterfield

in the County of ~~Kent~~ Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 390 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the **Notes** and **Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	.06	.18	—	.06	.01	Tr:	.03		1
2	.06	—	—	.03	.04	—	—	—	.01	.31	.02	.04		2
3	.01	—	—	—	.21	—	—	—	.04	.74	.04	—		3
4	.02	—	—	Tr	—	.04	.21	Tr	—	.09	Tr	.15		4
5	Tr:	—	—	—	—	.03	.37	—	—	.14	Tr	Tr		5
6	.05	—	—	—	—	—	.10	—	.03	.08	.01	Tr		6
7	Tr:	—	—	—	—	—	.33	.82	.08	.50	Tr	.05		7
8	.11	—	—	—	—	Tr.	.16	.16	.08	.41	—	.01		8
9	.12	.02	—	—	—	.04	.12	.25	—	Tr	—	.75		9
10	.20	.05	—	—	—	—	.05	.20	Tr	Tr	—	.97		10
11	.31	—	—	—	.04	Tr	—	Tr	Tr	—	.22	.94		11
12	.36	.04	—	—	—	—	.02	.08	—	.31	—	.02		12
13	.08	.02	—	—	Tr	—	—	Tr.	—	.02	.14	.15		13
14	.27	—	—	—	.10	—	.06	—	.10	Tr.	.01	—		14
15	.05	.01	—	—	Tr	—	.13	—	—	.27	.01	.26		15
16	.60	.01	.03	—	—	—	.04	.03	—	.05	.15	—		16
17	—	.06	—	—	—	—	Tr	—	.03	.04	Tr	—		17
18	.09	—	—	—	.06	—	—	.03	.05	.03	.24	—		18
19	Tr.	Tr	—	—	Tr	—	.20	.08	.06	Tr.	.19	Tr		19
20	—	—	—	—	—	—	—	.35	.04	—	.50	.05 S.		20
21	.02	—	—	—	—	—	—	.04	—	—	.03	.52 S		21
22	—	—	—	Tr	—	.94	—	.14	—	—	.29	.30 S		22
23	—	—	—	.02	Tr.	—	—	—	.02	—	.05	—		23
24	—	—	.17	Tr	.02	—	—	—	.20	—	.04	—		24
25	.10	.08	.06	—	.23	—	.02	.05	.02	.03	1.10	.15 S		25
26	.31	.22	.09	—	Tr:	—	—	—	.20	.19	—	.16 S		26
27	.10	.06	—	.07	.02	.19	.25	.03	.30	.04	.30	Tr		27
28	.26	.03	—	—	.69	.09	Tr	.55	.05	—	.03	.09		28
29	.41	X	—	.01	.23	—	—	Tr.	.06	Tr.	.15	.21		29
30	.06	✕	—	Tr	.01	.07	—	Tr	.03	.03	.42	.02		30
31	.22	✕	—	✕	.14	✕	—	—	✕	.19	✕	.39		31
TOTAL	3.81	.60	.35	.13	1.79	.56	2.24	2.81	1.46	3.48	3.94	3.46	Year's Total 24.63	✓
* Days with .01 in. or more.	22	11	4	4	12	8	15	14	19	19	20	20	168	✓
* Days with .04 in. or more.	19	6	3	1	9	7	13	11	13	14	14	17	127	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. J. Richardson [P.T.O.

COPY FOR OFFICIAL USE .

Section **A** for the entry of Daily Observations

Station No. 911

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Waterfield - Heronsgate

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	.02	.53	.41	—	—	.14	.21	—	Tr.	.06		1
2	.03	—	—	.01	.02	—	Tr	.54	1.61	.02	.04	.03		2
3	.36 'S'	—	—	.17	—	—	—	.22	Tr	.02	.06	.26		3
4	.01	—	.26	.22	Tr	—	.05	.21	—	.39	[illegible]	.03		4
5	—	—	.02	.41	.14	—	.07	.32	—	.12	.32 ~~.50~~	.21		5
6	.52	—	—	Tr	Tr	—	.36	.03	—	—	.27	Tr.		6
7	.07	.11	—	—	—	—	.02	.01	—	Tr	.16	.20		7
8	.02	.15	.16	—	—	—	.12	.10	—	.55	.23	.46		8
9	.03	.14	—	—	—	—	—	.05	—	.22	.01	.22		9
10	.20	Tr.	—	—	—	.47	Tr	.13	.03	.10	Tr	Tr		10
11	Tr.	—	.21	—	.02	.16	—	.02	—	.16	.02	.01		11
12	.02	.03	.02	—	.02	.03	—	—	—	.02	—	—		12
13	—	—	Tr.	.03	—	—	.04	—	.06	.93	—	—		13
14	.53	—	.02	.03	.10	.06	.06	—	—	.19	.39	Tr		14
15	.12	—	.06	Tr	.51	.47	Tr	—	.08	.76	.15	—		15
16	.33	—	.09	Tr	.11	.16	.09	—	—	.04	.40	—		16
17	.27	.03	.02	.05	.15	Tr.	.47	—	—	.01	.03	—		17
18	.21	—	.09	Tr	—	.17	.15	—	—	.09	.35	—		18
19	.21	Tr	.01	—	Tr	Tr	.23	—	—	.09	Tr	—		19
20	.24	—	Tr	—	—	.11	.55	.05	—	Tr	—	.03		20
21	.06	.05	.41	—	—	.03	1.25	.54	.03	—	—	—		21
22	.19	.30	.22	.02	—	Tr	.03	Tr.	.05	—	.11	—		22
23	.03	—	—	.05	—	.02	.02	—	—	.03	.95	—		23
24	.34 'S'	—	.03	.08	—	.01	.01	—	—	—	—	—		24
25	1.08 'S'	.11	.05	Tr	—	—	.15	Tr.	—	.05	.63	.02		25
26	.18 'S'	.03	.04	.05	—	—	Tr	.07	—	.25	.31	.03		26
27	Tr.	.04	.06	.12	—	Tr	Tr	—	—	.06	.16	—		27
28	.02	.17	.05	Tr	—	.03	.09	—	—	.05	.23	.07 'S'		28
29	Tr.	✕	—	.25	—	—	.15	—	—	.22	.18	—		29
30	Tr.	✕	—	1.33	—	.07	Tr.	—	—	.02	.24	.03 'S'		30
31	—	✕		✕		✕	.04	.01	✕	.01	✕	—		31
TOTAL	5.09	1.16	1.8~~8~~4	3.35	1.48	1.79	3.95	2.44	2.07	4.40	5.74	1.66	Year's Total 34.9~~8~~7	✓
* Days with .01 in. or more.	24	11	19	15	9	13	20	15	7	24	22	14	1~~8~~93	✓
* Days with .04 in. or more.	16	8	12	11	6	8	16	11	5	16	19	7	135	✓

† Spare column, no entries required.

(*Signed*) A. J. Richardson

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 753068/27

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

911

Kept at Waterfield

in the County of ~~Harrogate~~ Herts

Diameter of Funnel of Gauge 5 inches ~~5 inches~~

Height of top of Gauge above Ground 1 ft. ~~ft.~~ in.

,, Ground ~~1 ft~~ 350 450 Sea Level — ft.

Avg Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.03	.01	.01	.02	—	—	—	—	—	.10	—		1
2	—	.01	—	.21	—	Tr	.11	—	—	.09	.80	.01		2
3	—	.31	—	.13	—	—	—	—	—	.12	1.03	.05		3
4	—	.14	—	.06	—	—	.03	—	—	.30	.06	.03		4
5	—	.01	—	Tr	.02	—	.01	—	—	.17	.48	.48		5
6	.21	.18	—	—	.06	—	.38	—	—	.25	.14	.01		6
7	.20	.21	—	—	.06	—	.03	—	.03	Tr	.01	—		7
8	Tr	Tr	—	.05	Tr	—	.04	—	—	.21	Tr	.34		8
9	—	—	—	.01	—	.54	.01	—	.03	.08	.08	.03		9
10	—	—	Tr.	—	—	—	.15	—	Tr	.03	.17	.02		10
11	—	—	—	.03	—	—	.02	—	—	—	1.05	.01		11
12	—	.045	—	.01	Tr.	.03	.14	—	.11	Tr	.03	Tr		12
13	—	.035	.535	Tr	—	.21	Tr	—	.10	Tr	1.10	—		13
14	—	—	.115	.07	.04	Tr	—	—	.03	.12	—	.34		14
15	Tr.	—	.05	Tr	.08	Tr	.14	—	.05	.10	.21	.01		15
16	.03	.085	.29	—	Tr	.04	.33	—	.24	.89 ~~.89~~	.66	Tr		16
17	—	—	.50	—	—	—	.05	—	.02	Tr	.50	—		17
18	.02	.525	.30	.24	—	—	.03	—	—	.15	.33	—		18
19	—	.16	.01	.10	—	—	.09	—	.44 x	.01	.22	Tr		19
20	—	.01	.02 ~~.04~~	.03	—	—	.03	.01	Tr	.06	.04	—		20
21	.03	Tr	Tr	Tr	.46	—	.06	—	—	.04	.60	—		21
22	—	—	.07	.02	.32	.59	Tr	—	.20	.01	Tr.	—		22
23	—	.03	.09	.16	.13	.03	—	—	Tr	.01	.02	.01		23
24	—	—	Tr	.14	—	.01	.34	—	—	—	Tr	—		24
25	Tr	—	.34	Tr.	.03	—	.16	—	—	—	—	—		25
26	1.26	.16	.14	.03	.28	.13	.04	—	—	—	Tr	—		26
27	.45	.24	Tr.	.01	.20	—	—	—	—	.03	—	—		27
28	.29	.05	Tr.	Tr.	.07	—	—	—	—	—	—	—		28
29	.06	.19	.19	.01	.41	.02	—	—	.02	—	—	.50		29
30	.07	✕	.01	.28	Tr	—	—	—	Tr	.19	—	.02		30
31	.13	✕	.08	✕	—	✕	—	—	✕	.56	✕	—		31
TOTAL	2.75	2.30	2.68	1.60	2.18	1.60	2.19	.01	1.27	3.42	7.63	1.56	Year's Total 29.19	
* Days with .01 in. or more.	11	18	16	19	~~13~~ 14	9	20	1	11	20	20	14	173	
* Days with .04 in. or more.	8	12	12	10	11	5	13	—	6	15	17	5	114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. J. Richardson [P.T.O.

912

Section **A** for the entry of Daily

AIR MINISTRY.—MET

COPY FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGISTER

912

MICKLEFIELD GREEN

1931-1940

780205

31.

Kept at Micklefield Green

in the County of Herts

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREME **DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1		10					6				1
2	9	5		5		3			64				2
3	6		3	10	52			27	54		7	32	3
4				1			5	31	7		8		4
5				20	13	45	9	3	3		7	37	5
6		10		16		5	6	43	2	27	30		6
7		3				15		7			13	5	7
8		8	4	7				37		10	15		8
9		3									36		9
10	2	13	8			5	7	31			37		10
11	16	35							5		6		11
12		2						15	43				12
13							16	3					13
14	2	8					80	84					14
15	4			9	24		28	55					15
16		23		10	25	8		31				3	16
17	2	5		34			13				54		17
18		7		25		16		45					18
19				47		52	13	17	3				19
20		4	1	9			14	27					20
21	2		3					3					21
22	16				55				2				22
23	38				42						28	2	23
24				32	13	10	4						24
25	1	3		50	9		48				7		25
26		45		9	2		70				18		26
27	21	25			3		3				28		27
28	7			3	30							25	28
29	7						17			32			29
30	3	×			3			6					30
31	28	×		×		×			×		×		31
TOTAL	1.64	2.00	·19	2.97	2.71	1.57	3.33	4.65	1.89	.69	2.94	1.04	YEAR'S TOTAL 25.62
*Days with ·01 in. or more.	16	17	5	17	12	9	15	17	10	3	14	6	141
*Days with ·04 in. or more.	10	12	2	15	9	8	14	14	6	3	14	4	111

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. O. Hickman

[P.T.O.

912

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Micklefield Green

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 380 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1		10					6				1
2	9	5		5		3			64				2
3	6		3	10	52			27	54		7	32	3
4				1			5	31	7		8		4
5				20	13	45	9	3	3		7	37	5
6		10		16		5	6	43	2	27	30		6
7		3				15		7			13	5	7
8		8	4	7				37		10	15		8
9		3									36		9
10	2	13	8			5	7	31			37		10
11	16	35							5		6		11
12		2						15	43				12
13							16	3					13
14	2	8					80	84					14
15	4			9	24		28	55					15
16		23		10	25	6		31				3	16
17	2	5		34			13				54		17
18		7		25		16		45					18
19				47		52	13	17	3				19
20		4	1	9			14	27					20
21	2		3					3					21
22	16				55				2				22
23	38				42						28	2	23
24				32	13	10	4						24
25	1	3		50	9		48				7		25
26		45		9	2		70				18		26
27	21	25			3		3				28		27
28	7			3	30							25	28
29	7						17			32			29
30	3	×			3			6					30
31	28	×		×		×			×		×		31
TOTAL	1.64	2.00	·19	2·97	2.71	1.57	3.33	4.65	1.89	·69	2·94	1.04	YEAR'S TOTAL 25.62
*Days with ·01 in. or more.	16	17	5	17	12	9	15	17	10	3	14	6	141
*Days with ·04 in. or more.	10	12	2	15	9	8	14	14	6	3	14	4	111

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) T. O. Hickman [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 912

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Micklefield Green

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft 2 in.

,, Ground ,, Sea Level 380 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15			16	50	7		9	3	7	3		1
2	7			18	5		5		15	5	5	26	2
3				13	11				70	8			3
4						9					19		4
5	38		5		2		23		9				5
6	40			10	2				13				6
7				8					10				7
8	18		11	18					18	26			8
9	46			13	68								9
10			2	21	10					5	16		10
11				3	7	15	68	1.30	3	28	6		11
12	11				11					14	3		12
13		9		21					5	9	6	5	13
14	16			11						6			14
15				4	1.20		5			9			15
16	11			25	9								16
17										8			17
18									15		16		18
19										35			19
20				14	6			2.09	11	74	10		20
21				28	1.07		8	87		32		8	21
22		3	42	2			20		30	15	45		22
23		9	9		23				5	70		15	23
24		4					27		8	3	9		24
25							25			58	4		25
26			17	15			7			3	7		26
27			33	25	48		17			21	13		27
28			16		9	10	31		8	15	12		28
29			41	7	36			7	15	47			29
30		×	30	18	5	65				4	26	18	30
31		×		×		×			×		×	9	31 d
TOTAL	2.02	·25	2.06	2.90	5.29	1.06	2.36	4.42	2.38	5.02	2.00	·81	YEAR'S TOTAL 30.57
*Days with ·01 in. or more.	~~9~~	~~4~~	~~10~~	~~20~~	~~18~~	~~5~~	~~11~~	~~5~~	~~16~~	~~23~~	~~16~~	~~6~~	[illegible]
*Days with .04 in. or more.	9	3	9	18	16	5	11	5	14	21	14	6	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 912

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rickmansworth Micklefield Green.

in the County of Herts

g.w.v. 24/1/34

bap

Diameter of Funnel of Gauge 6 ~~2~~ in.

Height of top of Gauge above Ground ~~10~~ ft ~~1~~ 3 in.

" Ground " Sea Level 380 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		17	12		3						3			1
2	35		40		15						2			2
3		19	30		18									3
4	24				33						13			4
5	2		39		5									5
6		12	5		30					5	7			6
7	15	16	4							8				7
8	6		4		7		9			2				8
9					8		19			8	10			9
10		12				~~25~~ 3	25			30	5			10
11	18					7	8	10		2				11
12						4	2		57			4		12
13	5				17		42		12		10			13
14					2		1			6	45	2		14
15	56		18			5	6	11			23			15
16	5		70			20	5			8				16
17	7		38						5		2			17
18			25			14					3			18
19			45	3		11			24		3			19
20			7	8		32			6					20
21						9		16	20					21
22						6		18		25	5			22
23				17					40					23
24		48		23					30	3	7			24
25		71		28		5			5	4	3	7		25
26		34		8					5	22		11		26
27					13				2	33 ~~x~~	~~xx~~	8		27
28										6		2		28
29	15			30			14							29
30	16	X	15				4	14				14		30
31	23	X		X		X			X	8	X			31
TOTAL	2.27	2.29	3.52	1.17	1.51	1.16	1.35	.69	2.06	1.70	1.41	.48	Year's Total 19.61	
*Days with ·01 in. or more.	~~13~~	~~8~~	~~14~~	~~7~~	~~11~~	~~11~~	~~11~~	~~5~~	~~11~~	~~15~~	~~15~~	~~7~~	~~128~~	
*Days with ·04 in. or more.	12	8	14	6	9	10	9	5	10	10	12	5	110	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed) I. O. Stickrome

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 912

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~4~~.

~~Totals~~

Kept at Micklefield Green

in the County of Herts

Diameter of Funnel of Gauge 6in. in.

Height of top of Gauge above Ground ft. 2 in.

,, Ground ,, Sea Level 380 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	2							28	21	2		42		1
2	8		9		8			8	75	14		30		2
3	2	6		10				2		38		2		3
4	10		7	15						11	5	45		4
5		5	3		4			9				46		5
6	2		19		25	6				15		67		6
7	3					7		23		8		33		7
8					10			3	12		32			8
9		5									85	37		9
10	9		17	13	25			6			16			10
11	28		40	7			2	2				17		11
12	2		7	2	10		6	35				10		12
13	39		6		45		14	10		2	6	37		13
14	7		40		25					2	17	35		14
15	7		11		9				10			23		15
16	20		18		5					18	2			16
17	2								13	9	2	23		17
18	7			28			25		.2			12		18
19			24	2		3			7	2		11		19
20			33	3			16	2	2					20
21				10		8	3	6		8				21
22							6	20	36			2		22
23				33		32						5		23
24		4	9	23		6	52		26					24
25	12	6		12		62				5		40		25
26	11			15		2			4			22		26
27	4					12						30		27
28		10		38		32	2	86			3	47		28
29							2		11	2		3		29
30	2	×						2	2			20		30
31	5	×		×		×			×	32	×	3		31
TOTAL	~~1.93~~ 1.82	~~.26~~ .31	2.4~~8~~3	2.11	1.66	1.70	1.28	2.38	2.21	1.68	1.~~70~~68	6.42	Year's Total ~~26.11~~ 25·68	
*Days with ·01 in. or more.	20	5	14	14	10	10	10	15	13	15	9	25	~~160~~	
*Days with .04 in. or more.	13	5	13	11	10	8	6	9	10	10	6	21	122	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) T. O. Hickman

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 912

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~3~~5.

Kept at ~~Mickl~~efield Green

in the County of Herts

Diameter of Funnel of Gauge 5 ins in.

Height of top of Gauge above Ground 5 ft 6 in.

,, Ground ,, Sea Level 380 ft.

daup

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	I5			2	5	9			2	6	35			1
2						I			I6	22	9			2
3		4	I0	5		8			30	54	20			3
4				II		4		5	31	I5		20		4
5		35		7		I5			44		2			5
6	2	2		35		80	4			4	4			6
7				60		I5					I.03	II		7
8				25				8		43	9	II		8
9				28		63				97	I2			9
10				I5		2					8	3		10
11	30			4		I0				3	27			11
12						24		I0	3		47			12
13	I5	20		25	I2									13
14				7	28	I7					20	I0		14
15		27		46		50			37		26	4		15
16		5	6	2		I8			3I		6I	8		16
17			II	4		5	I2		2		30			17
18				35	I2	5	I8		5I	3	I5	2		18
19				I0	I4	6	I0	I0	5		I5	6		19
20		I5		I2	I3	9	2I		25		I4			20
21		23	2						2	3	5			21
22		3	I0					I0	53					22
23		4	2I					65	2	I4		8		23
24	5	50	I					6	80			40		24
25	7	I5		25		89						I5		25
26	2	3						28	I0			35		26
27		36			2				25			40		27
28		5						5	II	9	2I	I0		28
29								67	78		2	28		29
30	4	×		6	28			I.98	I2	7	30	34		30
31		×		×		×			×	55	×	34		31
TOTAL	.80	2.47	.6I	3.64	I.24	4.30	.65	4.02	5.50	3.35	5.I5	3.I9	Year's Total. 34.92	
* Days with .01 in. or more.	8	15	7	20	8	19	5	10	21	14	22	18	167	
* Days with .04 in. or more.	6	12	5	18	7	17	5	10	16	11	20	16	143	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. O. Hickman

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

912 Station No. 912

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 6

Kept at Mickfield Green
in the County of Herts
Diameter of Funnel of Gauge 5 ins in.
Height of top of Gauge above Ground ft. 3 8 in.
,, Ground ,, Sea Level 370 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	26	19	6	35		8	15	3	5		7	3		1
2	4	16				42	37	8			2			2
3				7		3	3		10		33	2		3
4						25			45			4		4
5	17							3	30		8	10		5
6	25		14			12		12	14	3	17	7		6
7	22		5			11	80		2		7	3		7
8	33		8				5		4	3	63	15		8
9	35		5				35		11	3				9
10	2						25	1	15	9				10
11				9			10				1.20			11
12				12		40	40		18		64	13		12
13						51				2	4	25		13
14		14				7	25		41	6	9	41		14
15		6					15		13			6		15
16	9	10					5		4		45	7		16
17	20	58			13		3		~~25~~	2	18-	17		17
18		10				30	20	~~13~~		2 ~~12~~		6		18
19	57	12	2	~~[illegible]~~xx		30	~~3~~	13		12				19
20	13	13	2	20			3		95					20
21				18	5	85			25					21
22	7	51	6		36	4	15					9		22
23	4			9			20			11				23
24	15	14					32		15	39				24
25	4		12	15		42	9		30	7	8	5		25
26		14	22	11		28	2			21				26
27	12		2				1		20	10				27
28	82		4				67			3		12		28
29	15	~~x2~~ 9	20			30	20				20	10		29
30	16	X			7	24	2			20				30
31	50	X	16	X		X	18		X	42	X	18		31
TOTAL	~~4.65~~ 4.68	2.46	1.24	1.36	.61	4.72	~~5.10~~ 5.07	.40	3.97	1.95	4.25	2.13	Year's Total 32.84	✓ ✓
* Days with .01 in. or more.	~~22~~ 21	13	15	9	4	17	25	6	18	17	15	19	~~[illegible]~~	✓ 179.
* Days with .04 in. or more.	20	13	11	9	4	16	19	3	17	10	14	16	152	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. O. Hick

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 912

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Micklefield Green

Kept at Rickmansworth

in the County of Herts

Diameter of Funnel of Gauge 5ins in.

Height of top of Gauge above Ground ft. 4ins

,, Ground ,, Sea Level 363 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	32								5		46	53		1
2	2	30		46					15			56		2
3		15			3							5		3
4	7	44			3							45		4
5	22	3	18				6							5
6	4				16		22			7	6			6
7		83	45	17					5					7
8		5			13	8					15	15		8
9		2		25	20	1	11		35			20		9
10			57	15	20	30	12	5				25		10
11			25		56							2		11
12	30	35	11		10	94	2	1	5			4		12
13	12	7				16		6~~4~~2	58			61		13
14	4	2	52	15				1.73	11					14
15	10	17		22		7	43		19			2		15
16	13	10	35	45		4		13	77			2		16
17	40	2	25	24					35		5			17
18	35	10	5		13	20			25		22			18
19	8	10		17	2	23	52		9					19
20	51			48	60				2					20
21	35	36	3	7	4		5	2				15		21
22	40	4	3		10	52	2			42	19	5		22
23	27		2		25		15			54				23
24	40	48			2				15	20				24
25	5	41	10		60				8	30				25
26		36	4		35					5				26
27	2	9		15						74				27
28		14								8		4		28
29	36									3	6	4		29
30		✗								18	20			30
31	31	✗		✗		✗			✗		✗	4		31
TOTAL	4.86	4.63	2.95	2.96	3.52	2.55	1.70	2.56	3.24	2.61	1.39	3.22	Year's Total 36.19	✓
* Days with .01 in. or more.	22	22	14	12	17	10	10	6	15	10	8	17	163	✓
* Days with .04 in. or more.	20	18	11	12	13	9	8	4	14	9	8	14	140	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 912

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938 8

Totals ✓ Snow

notified 2/3/39

corr. for Dec. 19-26 snow.

Kept at Micklefield Green

in the County of Herts

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ... ft. 3 in.

,, Ground ,, Sea Level 360 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	7	2				5	10		7	2	8	2		1
2	7	2			4					30		2		2
3					25				4	80	6			3
4	5			2		2	6			7		16		4
5				2			12			12				5
6	6					2	7		3					6
7	2						23	50	6	56		4		7
8	12						12	16	7	44				8
9	12	2					11	30				82		9
10	21	4				11	4	25				6		10
11	27						2				19	6		11
12	35	2			7			4		28	6			12
13	10	2								6	10	15		13
14	32				10		3		7			4		14
15	4						14			21		23		15
16	55		2					2		10	6	25		16
17		9			2		2		4	11				17
18	10				7				6	3	28			18
19								14	7		20			19
20								5	5		50	4		20
21	3							3	5		4	4		21
22				4		5		8			30	4		22
23				3					2		3	(1·10)		23
24			15		5				20		6			24
25	10	3	6		18		2	5	3	3	1.02	4		25
26	26	21	10						23	21		~~35~~ 4		26
27	9	5		9		20	27	2	42	6	40			27
28	15	3			62	10		47	4		3	15		28
29	32			2	25				5	2	12	23		29
30	2	X			2	7			2	3	32			30
31	19	X		X	13	X			X	16	X	50		31
TOTAL	3.54	.53	.33	.20	1.80	.62	1.35	2.11	1.62	3.61	3.85	~~3.08~~ (3·83)	Year's Total ~~22.9~~ 23·39	✓✓
* Days with .01 in. or more.	22	10	4	5	12	8	14	13	19	19	18	~~15~~ 19	~~159~~	163 ✓
* Days with .04 in. or more.	19	4	3	2	10	6	10	10	15	14	16	~~13~~ 17	~~122~~ 126	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

85 3497/28 912

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. xxxxx92

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Micklefield Green

in the County of Herts

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ... ft. 2 in.

,, Ground ,, Sea Level 385 ft.

previous 6 inches

[illegible] 31/5/40 1938. 3"

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	3		3	47				6				3		1
2	7			5				37	1.50	~~5~~6	6	2		2
3				20			3	45		3	20	24		3
4	38		28	41			4	20		25	16	3		4
5				42	16		1	28		25	37	15		5
6	57			10			43	5			40			6
7	12	11						6			15	16		7
8		15	10				7	22		42	22	48		8
9	2	13						6		45	7	24		9
10	21					69		15	6	10				10
11			17			28		4		11	2			11
12					4									12
13				3			3		6	68				13
14	67			3	17	6	6			31	36			14
15	15		5		47	30			6	75	2	5		15
16	35		12	2	15	29	24				55			16
17	30		2	7	20		13				6			17
18	25		9			15	15				32			18
19	23						26			20				19
20	14		37			20	55					3		20
21	13	10					38	22	2					21
22	17	25	15			4	2		5		11			22
23	8		2	7			2			3	95			23
24										12				24
25		13	7								63	2		25
26		2	3					6		32	23			26
27		5	9	20						10	24			27
28	185	16	7	5		10	8			12	23			28
29				25			14			20	10			29
30		X		1.20		9	6				24			30
31		X		X		X			X		X			31
TOTAL	5.72	1.10	1.66	3.57	1.19	2.20	2.70	2.22	1.75	4.50	5.69	1.45	Year's Total 33.75	✓
* Days with .01 in. or more.	18	9	15	15	6	10	18	13	6	18	22	11	161	✓
* Days with .04 in. or more.	16	8	11	12	6	10	13	13	5	16	20	6	136	✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) T. O. [illegible]

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. ~~9~~ 912

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at Micklefield Green

in the County of Herts

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ft. 2 in.

,, Ground ,, Sea Level 380 ft.

Jan 27th–28th est'd for snow

Totals – Jan.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				2							8			1
2				I5			I5			3	78			2
3		38		23						23	80	8		3
4		I2		8			4			34	I6	3		4
5										I5	38	I5		5
6	40	20			II		4I			I7	36	3		6
7	23	2I			7				4			34		7
8				6			5			23		3		8
9						35				4	I0	-		9
10						4	25		5 ~~4~~	7	I8			10
11				4							I.02			11
12			I0	2		5	I2		20		6			12
13			57	2		I6			23		I.I0			13
14			I7	5	4		I5	5	3	I0		45		14
15			9		II~~4~~		48			8	23			15
16			25						30	90	70	3		16
17			40						3		54			17
18		~~5~~52	24	23					5I	I6	27	I5		18
19		I6	6	I3			I2				20			19
20		5		5			3	4			I0	4		20
21					28		5			8	65			21
22			9		45	50			26					22
23		3	I0	9	I7	25		4			3	2		23
24				2I			25							24
25			25		3		I8							25
26	82	I2	27		32	22								26
27	x (·90)	I6	2		8		4							27
28	x			I0	8									28
29	x	8	I8			2			I4			30		29
30	x	X		32	I5					23		2		30
31	·40	X		X		X			X	63	X			31
TOTAL	~~I.49~~ 2.75	2.03	2.79	I.80	I.89	I.59	2,32	.I3	I.79	3.44	7.74	I.67	Year's Total ~~28.68~~	29.94 ~~29.58~~
* Days with .01 in. or more.	48	II	I4	I6	I2	8	I4	3	I0	I5	I9	I3	143	
* Days with .04 in. or more.	48	I0	I3	I2	I0	6	I3	3	8	I5	I8	8	124	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Section **A** for the entry o

AIR MINISTR

913

RAINFALL ORGANIZATION.

FORM 1090.

FOR OFFICIAL USE.

913

SHENLEY GRANGE

1931- 1937

780205

REGIS N 1931.

Kept at Shenley Gr

in the County of He

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS VIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03		.17		.05			.08				1
2	.12	.05		.43		.02	.03		.59	.04	.01	.10	2
3	.03			.37	.36			.26	.65		.04	.19	3
4				.03	.02			.45	.25		.06		4
5				.20	.13	.58	.10	.15	.03			.25	5
6		.14		.08		~~.09~~				.30	.47		6
7					.03	.09	.10	.69		.03	.24	.05	7
8		.06	.05			.11		.37		.04	.08		8
9		.07	.05	.02		.02			.05		.37	.02	9
10		.10				.06	.03	.19			.36		10
11	.15	.28							.03		.20		11
12								.03	.35			.02	12
13		.07					.10	.02					13
14	.04	.11					.75	.78					14
15	.02	.02		.07	.11		.26	.17			.06	.03	15
16		.05		.10	.26	.02		.18					16
17		.03		.24	.11		.13		.28	.03			17
18	.05	.08		.22		.13		.47			.60		18
19	.02			.43		.22	.05	.13	.09		.02		19
20		.03		.17			.15	.19		.02	.03		20
21	.03				.60								21
22	.23			.04							.02		22
23	.29	.02		.03	.49				.10		.20	.04	23
24				.28	.09		.05		.02				24
25	.05			.50	.09	.14	.47				.05	.02	25
26		.04		.25			.56				.16		26
27	.09	.36			.20		.02				.24		27
28	.08	.22		.10						.03		.09	28
29		×			.06		.15			.33		.13	29
30	.15	×			.02								30
31	.23	×		×	.04	×	.03	.18	×		×	.07	31
TOTAL	1.58	1.76	.10	3.73	2.61	1.44	2.98	4.26	2.52	.82	3.21	1.01	YEAR'S TOTAL 26.02
Days with ·01 in. or more.	15	18	2	19	15	11	16	15	12	8	18	12	161
Days with ·04 in. or more.	11	13	2	16	12	8	12	13	9	4	14	8	122

40-9999

(Signed) John Charrington

P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE. 913

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Shenley Grange
in the County of Hertford

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft 9 in.
,, Ground ,, Sea Level 430' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·17		·05			·08				1
2	·12	·05		·43		·02	·03		·59	·04	·01	·10	2
3	·03			·37	·36			·26	·65		·04	·19	3
4				·03	·02			·45	·25		·06		4
5				·20	·13	·58	·10	·15	·03			·25	5
6		·14		·08		~~·09~~				·30	·47		6
7					·03	·09	·10	·69		·03	·24	·05	7
8		·06	·05			·11		·37		·04	·08		8
9		·07	·05	·02		·02			·05		·37	·02	9
10		·10				·06	·03	·19			·36		10
11	·15	·28							·03		·20		11
12								·03	·35			·02	12
13		·07					·10	·02					13
14	·04	·11					·75	·78					14
15	·02	·02		·07	·11		·26	·17			·06	·03	15
16		·05		·10	·26	·02		·18					16
17		·03		·24	·11		·13		·28	·03			17
18	·05	·08		·22		·13		·47			·60		18
19	·02			·43		·22	·05	·13	·09		·02		19
20		·03		·17			·15	·19		·02	·03		20
21	·03				·60								21
22	·23			·04							·02		22
23	·29	·02		·03	·49				·10		·20	·04	23
24				·28	·09		·05		·02				24
25	·05			·50	·09	·14	·47				·05	·02	25
26		·04		·25			·56				·16		26
27	·09	·36			·20		·02				·24		27
28	·08	·22		·10						·03		·09	28
29		X			·06		·15			·33		·13	29
30	·15	X			·02								30
31	·23	X		X	·04	X	·03	·18	X		X	·07	31
													YEAR'S TOTAL
TOTAL	1.58	1.76	·10	3.73	2.61	1.44	2.98	4.26	2.52	.82	3.21	1.01	26.02
Days with ·01 in. or more.	15	18	2	19	15	11	16	15	12	8	18	12	161
Days with ·04 in. or more.	11	13	2	16	12	8	12	13	9	4	14	8	122

40-9999

(Signed) John Carrington

P.T.O.

913

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Shenley Grange

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07		~~·15~~	·15	·54	·08	·09	·04	·03	·78	·06	·02	1
2	·04			·16	·05			·02	·35	·03	·08	·12	2
3				·20	·20				·40				3
4	·01	·02		·10		·04					·10		4
5	·20	·01	·07		·05		·15		·07				5
6	·35				·09				·08				6
7			·15	·02			·14			·03			7
8			·04	·05	·06				·19	·15			8
9	·12			·05	·80					·08			9
10	·33		·03 } Snow }	·21	·09	·03			·04	·12	·03		10
11	·02		·04 } Snow }	·04	·03		·15	·79	·02	·22	·09		11
12	·08	·04 } Snow }		·03	·07			·03		·18	·03		12
13	·04			·20			·03		·04	·08	·07	·04	13
14	·17			·07						·02	·02		14
15		·02		·08	·46					·10			15
16	·19			·24	·27								16
17				·01			·09			·09			17
18									·28	·50	·19		18
19										·23	·02		19
20	·03			·15	·03			·35	·11	·77	·16		20
21	·02			·12	·64			·38		·28		·05	21
22			·36		·03		·18	·04	·25	·25	·29		22
23		·08		·03					·10	·65	·02	·12	23
24		·01					·24		·05	·07	·08		24
25		·02					·38		·02		·02	·03	25
26			·07	·24	·10		·04			·05			26
27			·26	·22	·49	·01	·50			·34	·14	·02	27
28			·16	·01	·04	·26	·24			·19		·01	28
29			·35	·05	·24	·03		·33	·03	·37	·04	·01	29
30	·02	✕	·27	·02		·90			·17	·05	·25	·15	30
31		✕	·03	✕		✕	·05		✕		✕	·05	31
TOTAL	1·69	·20	1·83	2.45	4·28	1.35	2·28	1.98	2.23	5·03	1.69	·62	YEAR'S TOTAL 25.63
*Days with ·01 in. or more.	15	7	12	23	19	7	13	8	17	24	18	11	174
*Days with ·04 in. or more.	10	2	10	17	16	4	12	6	13	21	12	6	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) John Carrington

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 913

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Shenley Grange

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·15	·14		·07					·03	·02		1
2	·30		·34		·08								2
3		·19	·17		·11						·03		3
4	·29	·01	·07		·16						·04		4
5	·03		·28		·19					·05	·02		5
6		·09	·06		·54						·07		6
7	·15	·10	·03							·07	·02	·03	7
8	·04		·02		·07		·04			·02			8
9					·18		·15			·10	·10		9
10		·13			·03		·24			·23			10
11	·10			·02		·18	·04	·05			·03		11
12					·04	·06			·45				12
13	·07				·12		·25		·08		·13		13
14					·04					·03	·56	·03	14
15	·51		·10			·24		·08			·14		15
16	·04	·02	·77		·02	·19	·11			·06	·03		16
17	·03		·28			·14	·03		·09		·02		17
18	·06	·05	·13			·13					·02		18
19		·08	·16			·18			·47		·02	·10	19
20		·03	·04	·24		·35					·03		20
21		·02			·02	·03		·07	·30	·02			21
22						·12		·20		·18	·03		22
23				·19					·49				23
24		·15		·15	·04	·12			·37		·04		24
25		·04		·29					·07		·25	·08	25
26		·67		·07		·21			·18	·10		·07	26
27		·02		~~37~~	·37		·02		·02	·11		·08	27
28					·07					·27		·03	28
29	·11	✕	·02	·30			·13			·11			29
30	·03	✕	·15				·02			·02		·09	30
31	·16	✕	·03	✕		✕		·16	✕	·03	✕		31
TOTAL	1.98	1.75	2.79	1.26	2.15	1.95	1.03	·56	2.52	1.43	1.40	·51	YEAR'S TOTAL 19.33
*Days with ·01 in. or more.	15	15	17	7	17	12	10	5	10	16	19	8	151
*Days with .04 in. or more.	12	10	13	6	14	11	7	5	9	10	8	5	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) John Charrington

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 913

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Shenley Grange

in the County of Herts.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03							·28	·09	·02		·35		1
2	·10		·09		·07			·01	·77	·15		·15		2
3	·02	·04		·17						·25				3
4	·13		·04	·04						·22	·11	·40		4
5			·03		·05			·04				·37		5
6	·02		·19		·38	·15		·05		·15		·54		6
7	·02	·03				·07		·13		·11		·19		7
8					·09			·04	·08		·31	·02		8
9	·02		·03								1·08	·38		9
10	·03		·13	·14				·06		·03	·28	·02		10
11	·30		·28	·08				·02				·12		11
12	·04	·03	·11				·06	·75			·02	·05		12
13	·36		·04	·03			·07	·03		·01	·08	·06		13
14	·05		·27							·02	·21	·37		14
15	·06		·03		·08				·32	·02	·06	·30		15
16	·14	·02	·17							·16				16
17	·02									·07	·02	·12		17
18	·08			·24			·27		·03	·01		·08		18
19			·22			·11					·02	·13		19
20			·42	·03			·23	·03	·02	[illegible]				20
21			·02	·07		·12		·05		·04				21
22								·25	·27			·08		22
23		·02		·22		·26					·02	·09		23
24		·01	·06	·18		·04	·43		·19					24
25	·14	·04		·08		·03				·04		·40		25
26	·02			·13		·05			·03			·25		26
27		·13		·02		·08				·03		·39		27
28		·09		·35		·09		·90			·05	·30		28
29							·02	·02	·13		·02	·06		29
30	·05	X						·02	·01			·10		30
31	·03	X		X		X	·03		X	Snow ·21	X	·06		31
TOTAL	1·66	·41	2·13	1·78	·67	1·00	1·11	2·68	1·94	1·54	2·28	5·38	Year's Total 22·58 ✓	
*Days with ·01 in. or more.	20	9	16	14	5	10	7	16	11	17	13	26	164	
*Days with ·04 in. or more.	11	4	12	11	5	9	5	10	7	10	8	24	116	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) John Charrington

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 913

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Shenley Grange

in the County of Hertford

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.12	.03		.03		.18	.52			.02	.10	.03		1
2	.02			.07					.09	.22	.05			2
3		.10	.13	.11		.16		.01	.14	.65	.13			3
4	.04			.15		.18			.14	.13		.08		4
5		.37	.07	.08		.20	.02		.45		.03			5
6		.03		.35		.50								6
7				.53		.10				.03	1.20	.13		7
8				.23						.37	.12	.10		8
9	.01			.15		.70				.71	.15	.06		9
10				.08		.02					.08	.06		10
11	.39					.08					.22	.02		11
12						.13			.02		.47			12
13	.12	.18		.21	.16	.02								13
14					.23	.06					.08	.07		14
15		.28		.45		.44			.16	.01	.22	.08		15
16		.09		.02		.19			.19		.52	.06		16
17			.04			.14	.16		.04		.48			17
18				.25	.25	.08	.26		.41	.03	.16			18
19				.05	.09	.07	.07		.15		.17	.06		19
20	.03	.21		.07	.88	.10	.06		.17		.10	.03		20
21	.02	.28	.02						.03	.03	.11 ~~.03~~	~~.11~~		21
22			.05					.30	.48					22
23			.23					.40	.07	.03		.18		23
24	.07	.48	.02					.04	.59			.30		24
25	.06	.18		.30		.56						.11		25
26	.10							.23	.06	.01		.36		26
27	.09	.35			.03				.18		.14	.32		27
28		.02			.03			.03	.23	.06	.02	.13		28
29									.63		.02	.18		29
30	.08	×		.07	.38			.61	.03	.18	.31	.32		30
31		×		×	.02	×			×	.38	×	.29	Year's Total	31
TOTAL	1.15	2.60	.56	3.20	2.07	3.91	1.09	1.62	4.26	2.86	4.90	2.97	31.19	
*Days with ·01 in. or more.	13	13	7	18	9	19	6	7	20	15	22	21	170	
*Days with .04 in. or more.	9	10	5	16	6	17	5	5	17	8	19	18	135	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) John Charrington

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 913

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Shenley Grange

in the County of Hertford

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.49	.25	.05	.23		.17	.18	.02				.07		1
2	.07	.05	.06	.03	.03	.45	.48	.06			.13			2
3				.08		.02	.02		.14		.37	.03		3
4	.02		.09			.28			.40	.01	.08	.05		4
5	.11		.03					.04	.08	.02	.05	.04		5
6	.28				.04	.22		.12	.12	.04	.08			6
7	.24		.05				.22		.03		.04	.01		7
8	.29		.06				.10			.12	.53	.14		8
9	.25		.09		.02		.43		.20	.05				9
10	.03				.01		.16	.08	.13					10
11				.14			.11	.02			.71			11
12				.11		.40	.30	.03	.11		.59	.13		12
13				.02		.30	.02				.10	.12		13
14		.10				.09	.47		.06	.07	.08	.19		14
15		.06					.03		.13		.02	.06		15
16		.07					.04		.06		.33	.01		16
17	.30	.48			.21					.02	.31	.08		17
18		.13				.40	.18			.09	.01	.07		18
19	.31	.07	.02			.12		.07		.08		.05		19
20	.12	.08	.06	.20		.05	.04		.62					20
21				.21	.06	2.45			.15					21
22	.15	.46	.05	.06	.19	.03	.15			.01		.19		22
23			.02	.08			.10		.02	.10				23
24	.12	.10					.02		.11	.32				24
25	.05		.18	.17		.30	.09		.33	.10	.07			25
26		.11	.28	.04		.10	.02		.02	.12	.02	.03		26
27	.13		.03	.02			.03		.25	.11				27
28	.80	.05	.15			.05	.60					.05		28
29	.10	.13	.07			.08	.06			.02	.14	.02		29
30	.11	×	.05		.10	.23	.07			.36				30
31	.39	×	.22	×	.02	×	.11		×	.65	×	.32		31
TOTAL	4.36	2.14	1.56	1.39	.68	5.74	4.03	.44	2.96	2.29	3.66	1.66	Year's Total. 30.91	
* Days with .01 in. or more.	20	14	18	13	9	18	25	8	18	18	18	19	198	
* Days with .04 in. or more.	18	14	14	10	5	16	19	5	15	13	15	14	158	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) John Charrington

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 913

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Shenley Grange

in the County of Hertford

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 430 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20		.03	.04					.06		.50	.58		1
2	.02	.18	.02	.50					.09		.02	.47		2
3		.20										.11		3
4	.07	.35										.49		4
5	.24	.05	.15		.02		.03			.03	.02			5
6	.02		.20		.13		.14			.05	.04			6
7		.80	.23	.13			.03		.06					7
8		.10			.10	.09					.09	.37		8
9				.30	.16	.02	.13		.31			.05		9
10			.50		.27	.32	.10	.03				.29		10
11			.21		.49		.03					.05		11
12	.23	.33	.12		.20	.69			.07			.12		12
13	.14	.05	.35		.02	.10		.51				.95		13
14	.03	.04	.30	.23		.03		.80	.10					14
15	.15	.15		.20		.28	.37	.17	.18			.03		15
16	.08	.14	.32	.95		.13			.46			.04		16
17	.32		.12	.14					.28		.04			17
18	.20	.09	.02		.19	.15			.35		.15			18
19	.10	.10	.10	.09	.03	.17	.66		.11					19
20	.35	.03		.62	.76	.06			.08					20
21	.25	.40	.10	.06	.03		.05			.04		snow .15		21
22	.34				.08	.40	.05			.60	.34	.03		22
23	.26		.04		.19		.13			.55	.02			23
24	.38	.43	.02		.02				.19	.19				24
25	.03	.33	.10		.30				.07	.34		.02		25
26		.35	.08	.02	.26					.10				26
27	.04	.10		.10						.52	.02			27
28	.36	.02								.10		.05		28
29		X								.11	.05	.03		29
30	.35	✕									.11	.02		30
31	.30	✕		✕		✕			✕	.25	✕			31
													Year's Total	
TOTAL	4.46	4.24	3.01	3.38	3.25	2.44	1.72	1.51	2.41	2.88	1.40	3.85	34.55	✓
* Days with .01 in. or more.	23	20	19	13	17	12	11	4	14	12	12	18	175	✓
* Days with .04 in. or more.	19	18	15	12	12	10	8	3	14	11	8	13	143	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) John Carrington

[P.T.O.

WATFORD (CALLOWLAND) COPY

Section **A** for the entry of Daily Obse

AIR MINISTRY.—METE

FORM 1090

REGISTER

913/5

WATFORD

(CALLOWLAND)

1939 - 1940

780205

Station No. 913/5

L ORGANIZATION

Nov. 23rd ext'd

5~~Feb~~3/39

Kept at Callowland Holder Station

in the County of HERTFORD.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

" Ground " Sea Level 25

THE MORNING MEASUREMENT SH ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				.40	.45	–	–	.07	.67	–	–	.02		1
2				.03	.01	–	–	.40	.33	–	.10	.02		2
3				.17	–	–	.07	.33	–	.02	.21	.17		3
4				.25	–	–	.02	.21	–	.25	–	.01		4
5				.70	.05	–	.11	.17	–	.15	.31	.16		5
6				.01	–	–	.21	.06	–	–	.16	–		6
7				–	–	–	.01	–	–	–	.30	.20		7
8				–	–	–	.04	.24	–	.43	.10	.30		8
9				–	–		–	.03	–	.23	.22	.18		9
10				–	–	(.65)	–	.13	.03	.06	–	–		10
11				–	–	.16	–	.03	–	.10	–	–		11
12				–	.01	.03	–	–	.02	–	–	–		12
13				–	–	–	.01	–	.04	.75	–	–		13
14				–	.13	.03	.01	–	–	.18	.33	.02		14
15				04	.52	.30	–	–	.04	.92	.04	–		15
16				[illegible]	.06	.11	.20	–	–	–	.41	–		16
17				.01	.11	–	.11	–	–	–	.04	–		17
18				–	–	.23	.14	–	–	–	.25	–		18
19				–	–	–	.05	–	–	.20	.25	–		19
20				–	–	.22	.75	.01	–	–	–	.02		20
21				–	–	.02	.33	.27	–	–	–	–		21
22				–	–	–	.03	–	–	–	–	–		22
23				.03	–	.01	.01	–	–	.03	.10 (.95)	–		23
24				.03	–	–	.05	–	.02	.25	–	–		24
25				–	–	–	–	.02	–	–	.60	–		25
26				–	–	–	–	.14	–	.26	.40	.04		26
27				.04	–	–	–	–	–	.90	.13	–		27
28				01	–	–	.11	–	–	.18	.18	.03		28
29				.34	–	–	.04	–	–	.04	.14	–		29
30		✕		1.13	–	–	–	–	–	–	.19	–		30
31		✕		✕	–	✕	.04	–	✕	–	✕	–		31
TOTAL				3.21	1.34	~~1.16~~ 1.76	2.34	2.11	1.15	4.95	~~4.46~~ 5.41	1.17	Year's Total ~~21.89~~	
* Days with .01 in. or more.				15	8	10	20	14	7	17	21	12	~~[illegible]~~	
* Days with .04 in. or more.				8	6	6	14	10	4	15	21	6	~~[illegible]~~	

WH

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

X K.C. REES ESQ X

(Signed) ....

[P.T.O.

WATFORD (CALLOWLAND) COPY

Section A for the entry of Daily Observations

Station No. 913/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Callowland Holder Station.

in the County of HERTFORD.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 250 ft.

Entries on June 10th and Nov. 23rd est'd from nearby station

8785 13/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.40	.45	–	–	.07	.67	–	–	.02		1
2				.03	.01	–	–	.40	.33	–	.10	.02		2
3				.17	–	–	.07	.33	–	.02	.21	.17		3
4				.25	–	–	.02	.21	–	.25	–	.01		4
5				.70	.05	–	.11	.17	–	.15	.31	.16		5
6				.01	–	–	.21	.06	–	–	.16	–		6
7				–	–	–	.01	–	–	–	.30	.20		7
8				–	–	–	.04	.24	–	.43	.10	.30		8
9				–	–		–	.03	–	.23	.22	.18		9
10				–	–	(65) ~~[illegible]~~	–	.13	.03	.06	–	–		10
11				–	–	.16	–	.03	–	.10	–	–		11
12				–	.01	.03	–	–	.02	–	–	–		12
13				–	–	–	.01	–	.04	.75	–	–		13
14				–	.13	.03	.01	–	–	.18	.33	.02		14
15				.04	.52	.30	–	–	.04	.92	.04	–		15
16				.02	.06	.11	.20	–	–	–	.41	–		16
17				.01	.11	–	.11	–	–	–	.04	–		17
18				–	–	.23	.14	–	–	–	.25	–		18
19				–	–	–	.05	–	–	.20	.25	–		19
20				–	–	.22	.75	.01	–	–	–	.02		20
21				–	–	.02	.33	.27	–	–	–	–		21
22				–	–	–	.03	–	–	–	–	–		22
23				.03	–	.01	.01	–	–	.03	.10 (.95)	–		23
24				.03	–	–	.05	–	.02	.25	–	–		24
25				–	–	–	–	.02	–	–	.60	–		25
26				–	–	–	–	.14	–	.26	.40	.04		26
27				.04	–	–	–	–	–	.90	.13	–		27
28				.01	–	–	.11	–	–	.18	.18	.03		28
29				.34	–	–	.04	–	–	.04	.14	–		29
30		✕		1.13	–	–	–	–	–	–	.19	–		30
31		✕		✕	–	✕	.04	–	✕	–	✕	–		31
TOTAL				3.21	1.34	~~1.16~~ 1.76	2.34	2.11	1.15	4.95	~~4.46~~ 5.41	1.17	Year's Total ~~21.89~~	
* Days with .01 in. or more.				15	8	10	20	14	7	17	21	12	~~[illegible]~~	
* Days with .04 in. or more.				8	6	6	14	10	4	15	21	6	~~[illegible]~~	

WH

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

X K.C. REES ESQX

~~WATFORD (CALLOWLAND)~~ ~~COPY~~ FOR OFFICIAL USE

Section **A** ~~for~~ the entry of Daily Observations

Station No. 913/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at Callowland Holder Station.

in the County of HERTFORD.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 250 ft.

Feb 29, Oct 31 & Nov 13 est'd from nearby stns. Observer notified & letter

Imp 1939

87851/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	NIL	.12	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.09	NIL		1
2	NIL	NIL	NIL	.11	NIL	NIL	.10	NIL	NIL	.10	.75	NIL		2
3	NIL	.20	NIL	.14	NIL	NIL	NIL	NIL	NIL	.12	.80	.05		3
4	NIL	.13	NIL	.11	NIL	NIL	NIL	NIL	NIL	.23	.05	NIL		4
5	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.13	.45	.19		5
6	.20	.14	NIL	NIL	.06	NIL	.42	NIL	NIL	.25	.17	NIL		6
7	.25	.13	NIL	NIL	.07	NIL	.44	NIL	NIL	.10	NIL	NIL		7
8	NIL	NIL	NIL	.04	NIL	NIL	NIL	NIL	NIL	.10	NIL	.30		8
9	NIL	NIL	NIL	NIL	NIL	.07	NIL	NIL	.03	.08	.10	.02		9
10	NIL	NIL	NIL	NIL	NIL	NIL	.58	NIL	NIL	.10	.50	.04		10
11	NIL	NIL	NIL	NIL	NIL	.10	NIL	NIL	NIL	NIL	.48	NIL		11
12	NIL	NIL	NIL	.02	NIL	.02	NIL	NIL	.12	NIL	.10	NIL		12
13	NIL	NIL	.40	NIL	NIL	NIL	NIL	NIL	.21	NIL	~~.15~~ (1.05)	NIL		13
14	NIL	NIL	.44	.03	.03	NIL	NIL	NIL	.01	.02	.45	.29		14
15	NIL	NIL	NIL	.03	.12	NIL	.14	NIL	NIL	NIL	.25	.01		15
16	NIL	NIL	.45	NIL	NIL	NIL	.50	NIL	.22	.70	.44	.005		16
17	NIL	NIL	.24	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.61	.01		17
18	NIL	.51	.17	.01	NIL	NIL	NIL	NIL	NIL	.13	.22	.12		18
19	NIL	.18	NIL	.02	NIL	NIL	NIL	NIL	.38	NIL	.21	.02		19
20	NIL	.02	.04	.02	NIL	.01	.02	NIL	NIL	.05	.05	NIL		20
21	.05	.01	NIL	NIL	.46	NIL	.08	NIL	NIL	.07	NIL	NIL		21
22	NIL	NIL	.04	NIL	.25	.39	NIL	NIL	.12	NIL	.04	NIL		22
23	NIL	.02	.06	.15	.31	.05	NIL	NIL	NIL	NIL	.55	NIL		23
24	NIL	NIL	NIL	NIL	NIL	NIL	.22	NIL	NIL	NIL	NIL	NIL		24
25	NIL	NIL	.43	NIL	.15	NIL	.18	NIL	NIL	NIL	NIL	NIL		25
26	.30	.12	.24	NIL	.33	.04	NIL	NIL	NIL	NIL	NIL	NIL		26
27	.45	.18	NIL	.15	.18	NIL	NIL	NIL	NIL	NIL	NIL	NIL		27
28	.50	.06	NIL	NIL	.07	NIL	NIL	NIL	NIL	NIL	NIL	NIL		28
29	.10	(.08) ~~.80~~	.13	NIL	.25	NIL	NIL	NIL	NIL	NIL	NIL	.25		29
30	NIL	✕	NIL	.29	NIL	NIL	NIL	NIL	NIL	.14	NIL	.03		30
31	.12	✕	NIL	✕	NIL	✕	NIL	NIL	✕	(.62) ~~.02~~	✕	NIL		31
TOTAL	1.97	~~2.62~~ 1.90	2.64	1.12	2.28	.68	2.68	NIL	1.09	~~2.54~~ 2.94	~~6.46~~ 7.36	1.335	~~25.915~~	25.99
* Days with .01 in. or more.	8	14	11	13	12	7	10	–	7	16	20	12	130	
* Days with .04 in. or more.	8	11	11	7	11	5	9	–	5	~~14~~ 15	20	7	~~108~~ 109	

† Spare column, no entries required.

* See Instruction 3 (f) on other side. ~~K. C. REES, ESQ.~~ (Signed) .... [P.T.O.

914

Section **A** for the entry of Daily

AIR MINISTRY.—M

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REGISTER

931 .

914

SHENLEY KITWELLS

1931-1940

780205

Kept at Kitwells, Shen

in the County of Herts

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level

THE MORNING MEASUREME DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following . .8

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	. .	. .3	. .2	. 12	. .	. .7	. .	. .	. .4	. .	. .	. .	1
2	. .	. .8	. .	. 44	. .	. .	. .	. .	. 74	. .4	. .	. 11	2
3	. 12	. .	. .2	. 35	. 33	. .	. .	. 23	. 74	. .	. .4	. 25	3
4	. .3	. .1	. .	. .3	. .2	. .	. .2	. 44	. 22	. .	. .7	. .	4
5	. .	. .	. .	. .	. 15	. 60	. .9	. 15	. .2	. .	. .	. 29	5
6	. .	. 13	. .	. .9	. .	. .	. .1	. .	. .	. 33	. 48	. .5	6
7	. .	. .	. .	. .	. .3	. .6	. .6	. 69	. .	. .6	. 22	. .	7
8	. .	. .8	. .9	. .	. .	. 12	. .	. 38	. .	. .4	. 11	. .1	8
9	. .3	. .8	. .4	. .	. .	. .2	. .1	. .1	. .5	. .1	. 41	. .	9
10	. .	. .8	. .	. .	. .	. .6	. .3	. 19	. .	. .	. 37	. .	10
11	. .	. 37	. .	. .	. .	. .	. .	. .	. .2	. .	. 15	. .	11
12	. 14	. .8	. .	. .	. .	. .	. .	. .5	. 34	. .	. .	. .	12
13	. .	. .3	. .	. .	. .	. .	. .3	. .7	. .1	. .	. .	. .	13
14	. .4	. 11	. .	. .	. .1	. .	. 87	. 85	. .	. .	. .2	. .	14
15	. .	. .3	. .	. .8	. 10	. .	. 21	. 13	. .	. .	. .4	. .4	15
16	. .	. .6	. .	. 12	. 27	. .2	. .	. 18	. .7	. .	. .	. .	16
17	. .3	. .	. .	. 22	. 12	. .6	. 12	. .	. 24	. .	. .	. .	17
18	. .5	. .8	. .	. 21	. 39	. 20	. .	. 50	. .	. .	. 62	. .	18
19	. .2	. .	. .	. 41	. .	. 29	. .5	. 11	. .6	. .	. .	. .	19
20	. .1	. .3	. .	. .9	. .	. .	. .9	. 24	. .1	. .5	. .	. .	20
21	. .2	. .	. .	. .	. 60	. .	. .	. .	. .	. .	. .	. .	21
22	. 27	. .	. .	. .4	. .	. .	. .	. .	. .3	. .	. .4	. .	22
23	. 30	. .2	. .	. .4	. 50	. .5	. .	. .	. .8	. .	. 22	. .4	23
24	. .	. .	. .	. 36	. .9	. .6	. 10	. .	. .2	. .	. .	. .	24
25	. .6	. .	. .	. 52	. .	. .	. 47	. .	. .	. .	. .6	. .2	25
26	. .	. .5	. .	. 24	. .	. .	. 58	. .	. .	. .	. 18	. .	26
27	. 14	. 38	. .	. .1	. .9	. .	. .1	. .	. .	. .	. 20	. .	27
28	. .9	. 30	. .	. 11	. .	. .	. .	. .	. .	. .	. .	. 20	28
29	. .8		. .	. .1	. .6	. .	. 17	. .	. .	. 32	. .2	. .1	29
30	. .5	×	. .	. .	. .	. .	. .	. 15	. .	. .	. .	. .	30
31	. 30	×	. .	×	. .5	×	. .	. .2	×	. .	×	. .	31
TOTAL	1.78	2.03	.17	3.49	2.81	1.61	2.92	4.39	2.69	.85	3.25	1.02	YEAR'S TOTAL 27.01
*Days with ·01 in. or more.	18	19	4	19	15	12	17	17	16	7	17	10	171
*Days with ·04 in. or more.	12	13	2	16	12	10	11	15	10	6	15	7	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) T. H.

[P.T.O.

914

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Kitwells, Shenley.
in the County of Herts.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 420 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
..8

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..	..3	..2	.12	..	..7	..	..	..4	..	..	..	1
2	..	..8	..	.44	..	..	..	..	.74	..4	..	.11	2
3	.12	..	..2	.35	.33	..	..	.23	.74	..	..4	.25	3
4	..3	..1	..	..3	..2	..	..2	.44	.22	..	..7	..	4
5	..	..	..	..	.15	.60	..9	.15	..2	..	..	.29	5
6	..	.13	..	..9	..	..	..1	..	..	.33	.48	..5	6
7	..	..	..	..	..3	..6	..6	.69	..	..6	.22	..	7
8	..	..8	..9	..	..	.12	..	.38	..	..4	.11	..1	8
9	..3	..8	..4	..	..	..2	..1	..1	..5	..1	.41	..	9
10	..	..8	..	..	..	..6	..3	.19	..	..	.37	..	10
11	..	.37	..	..	..	..	..	..	..2	..	.15	..	11
12	.14	..8	..	..	..	..	..	..5	.34	..	..	..	12
13	..	..3	..	..	..	..	..3	..7	..1	..	..	..	13
14	..4	.11	..	..	..1	..	.87	.85	..	..	..2	..	14
15	..	..3	..	..8	.10	..	.21	.13	..	..	..4	..4	15
16	..	..6	..	.12	.27	..2	..	.18	..7	..	..	..	16
17	..3	..	..	.22	.12	..6	.12	..	.24	..	..	..	17
18	..5	..8	..	.21	.39	.20	..	.50	..	..	.62	..	18
19	..2	..	..	.41	..	.29	..5	.11	..6	..	..	..	19
20	..1	..3	..	..9	..	..	..9	.24	..1	..5	..	..	20
21	..2	..	..	..	.60	..	..	..	..	..	..	..	21
22	.27	..	..	..4	..	..	..	..	..3	..	..4	..	22
23	.30	..2	..	..4	.50	..5	..	..	..8	..	.22	..4	23
24	..	..	..	.36	..9	..6	.10	..	..2	..	..	..	24
25	..6	..	..	.52	..	..	.47	..	..	..	..6	..2	25
26	..	..5	..	.24	..	..	.58	..	..	..	.18	..	26
27	.14	.38	..	..1	..9	..	..1	..	..	..	.20	..	27
28	..9	.30	..	.11	..	..	..	..	..	..	..	.20	28
29	..8		..	..1	..6	..	.17	..	..	.32	..2	..1	29
30	..5	×	..	..	..	..	..	.15	..	..	..	..	30
31	.30	×	..	×	..5	×	..	..2	×	..	×	..	31
TOTAL	1.78	2.03	.17	3.49	2.81	1.61	2.92	4.39	2.69	.85	3.25	1.02	YEAR'S TOTAL 27.01
*Days with ·01 in. or more.	18	19	4	19	15	13	17	17	16	7	17	10	171
*Days with ·04 in. or more.	12	13	2	16	12	10	11	15	10	6	15	7	129

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) T.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Kitwells, Shenley.
in the County of Herts
Diameter of Funnel of Gauge 5. in.
Height of top of Gauge above Ground 1 ft ... in.
,, Ground ,, Sea Level 470 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	
1	.8	..	..	.16	.49	..6	..5	..4	..4	.17	..7	..	1
2	.5	..	..	.14	..5	..	..	..2	.44	..2	..8	.19	2
3	..	..	..	.18	.19	..	..	..	.40	..	..	..	3
4	..1	..	..	..	..	..	..	..	..	..	.10	..	4
5	..5	..3	..	.14	..4	..	.15	..	..8	..	..	..	5
6	..	..	.10	..	..8	..	..	..	.12	..	..	..	6
7	..	..	..	..3	..	..	..6	..	..6	..	..	..	7
8	..	..	.15	..6	.10	..	..	..	.12	.18	..	..	8
9	..9	..	..3	..8	.74	..	..	..	..3	..7	..	..	9
10	.39	..	..3	.22	.10	..4	..	..	..3	.13	..3	..	10
11	..	..2	..6	..5	..4	..	.16	.90	..3	.20	..8	..5	11
12	.11	..	..	..3	..8	..	..	..4	..3	.19	..2	..	12
13	..5	..	..	.24	..2	..	..7	..	..	..8	..7	..3	13
14	.13	..1	..	.11	..	..	..	..	..	..2	..2	..	14
15	..	..2	..	..7	.40	..	..	..	..	..8	..	..	15
16	.21	..	..	.21	.33	..	..	..	..	..	..	..	16
17	..	..	..	..1	..	..	.10	..	..	.10	..	..	17
18	..1	..	..	..	..	..	..1	..	.23	..	.20	..	18
19	..	..	..	.16	..	..	..	..	..	.28	..	..	19
20	..4	..	..	.14	..3	..	..	.28	..9	.79	.13	..	20
21	..2	..	..	..1	.65	..	..	.43	..	.28	..	..5	21
22	..	..	.37	..	..3	..	.17	..1	.22	.23	.33	..	22
23	..	..8	..	..2	..	..	..	..	..9	.68	.24	.12	23
24	..	..	..	..	..	..	.25	..	..4	..6	..9	..	24
25	..	..	..	..	..	..	.40	..	..3	.48	..2	..	25
26	..	..	..6	.23	.10	..	..3	..	..	..6	..	..	26
27	..	..	.32	.25	.50	..	.44	..	..	.39	.13	..4	27
28	..	..	.15	..	.33	.27	.26	..	..	.17	..	..	28
29	..	..	.41	..6	..2	..3	..	.41	..4	.39	..7	..2	29
30	..	×	.32	..	..	.97	..	..	.20	..5	.32	.15	30
31	..	×	..5	×	..6	×	..7	..	×	..1	×	..5	31
TOTAL	1.24	.16	2.05	2.60	4.38	1.37	2.22	2.13	2.32	5.11	2.00	.70	YEAR'S TOTAL 26.28
*Days with ·01 in. or more.	13	5	12	22	21	5	14	8	19	24	17	9	169
*Days with .04 in. or more.	10	1	10	17	17	4	12	6	14	21	13	7	132

40-9999
*See Instruction 2 (*f*) on other side.

(*Signed*) W. Crowill

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Kitwells, Shenley.

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 470 ft.

J.W.D. 24/1/34

Damp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
" "

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	6	12	13		8					1	1			1
2	38		37		7									2
3		21	23		10									3
4	26	1	4		19						6			4
5	3		27		16						2			5
6		11	5		48					5	7			6
7	14	11	1		4					7	1			7
8	6				6		4			1				8
9					19		18			13	11			9
10		11			2	1	28			37				10
11	9					14	6	5			2			11
12				2		7			42			3		12
13	6				12		25		7		13			13
14					4		5			4	59			14
15	53		14			24		10			12	2		15
16	3		80			22	9				3			16
17	4	6	30			10	4		9		3			17
18	5	7	19			11								18
19		2	23	7		20			48		1	9		19
20		2	4	25		32					1			20
21		1			1			9	29					21
22						14		21		20	4			22
23				20					51					23
24		27		16	3	10			35		4			24
25		28		30					5		5	5		25
26		48		6		12			17	18		6		26
27				1	31					11		7		27
28					6					24	1	3		28
29	12		2	31			15		1	9				29
30	11	×	16				3			1		10		30
31	18	×	2	×		×		17	×	6	×			31
TOTAL	2.14	1.88	3..	1.38	1.96	1.77	1.17 ~~1.7~~	.62	2.44	1.57	1.36	.45	Year's Total [illegible] 19.74	
*Days with ·01 in. or more.	15	14	16	9	16	12	16	5	10	14	18	8	147	
*Days with .04 in. or more.	13	10	13	7	13	11	9	5	9	11	9	5	115	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) W. Atwill.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kitwells, Shenley

in the County of Herts.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 420 ft.

~~Days~~

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

.14

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.2	..	..	..	..	..	..	.29	.12	.2	..	.32		1
2	.10	..	.17	..	.9	..	..	..	.81	.15	..	.20		2
3	.2	.4	..	.15	..	..	..	..	..	.26	..	.1		3
4	.13	..	.5	.3	.1	..	..	..	.1	.28	.10	.42		4
5	..	..	.5	..	.4	..	..	.4	..	..	.1	.40		5
6	.2	..	.20	..	.42	.14	..	.6	..	.15	..	.59		6
7	.2	.3	..	..	..	.6	..	.12	..	.11	..	.22		7
8	..	..	..	..	.10	..	..	.5	.8	..	.31	.2		8
9	..	..	.5	..	..	..	..	..	..	..	1.5	.42		9
10	.9	..	.12	.13	..	..	..	.4	..	..	.28	.2		10
11	.32	..	.29	.7	..	..	..	.1	..	.3	..	.13		11
12	..	..	.8	.1	..	..	.6	.68	..	..	..	.4		12
13	.47	..	.5	.2	..	..	.8	.2	..	.1	.7	.6		13
14	.6	..	.32	..	.3	..	..	..	..	.1	.16	.41		14
15	.5	..	.3	..	.8	..	..	..	.39	.1	.5	.27		15
16	.18	..	.19	..	..	..	..	..	..	.16	..	.1		16
17	.3	..	..	..	..	..	..	..	..	.7	.2	.14		17
18	.9	..	..	.27	..	..	.31	..	.3	..	..	.9		18
19	..	..	.24	..	..	.11	..	..	.7	..	..	.17		19
20	..	..	.42	.6	..	..	.22	.4	.1	..	..	..		20
21	..	..	.1	.6	..	.15	..	.3	..	.5	..	.1		21
22	..	..	..	..	..	..	..	.27	.26	.1	..	.4		22
23	..	..	..	.24	..	.22	..	..	.1	..	..	.14		23
24	..	.6	.6	.27	..	.3	.50	..	.19	..	..	..		24
25	.16	.4	..	.10	..	.4	..	..	..	.4	..	.42		25
26	.2	..	..	.14	..	.6	..	..	.4	.1	..	.28		26
27	..	.10	..	.2	..	.8	..	..	..	.3	..	.39		27
28	..	.10	..	.37	..	.10	..	.92	..	..	.6	.31		28
29	..	..	..	..	..	..	.4	..	.14	.1	.2	.4		29
30	.5	×	..	..	..	..	..	.4	.1	..	..	.13		30
31	.3	×	..	×	..	×	.4	..	×	.21	×	.4		31
TOTAL	1.86	.37	2.28	1.94	.77	.99	1.25	2.61	2.17	1.62	2.13	5.74	Year's Total. 23.73 ✓	
* Days with .01 in. or more.	18	6	16	15	7	10	7	14	14	19	11	29	166	
* Days with .04 in. or more.	11	5	14	11	5	9	7	11	9	10	8	24	124	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W. Ahmill

P.T.O.

COPY FOR OFFICIAL USE ✓

Section **A** for the entry of Daily Observations. Station No. 914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Kitwells Shenley.

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 420 ft.

Shenley Grange ·12 in
Sennett ·17 in
W. D.

Corr. for pt. W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

see note overleaf

Jan. 1, following (·35) ~~32~~

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	(·10)	3		2		1				03	34	30		1
2	1			7		15	63			2	13	2		2
3		10	13	12					10	21	8			3
4				16		12			13	63	13			4
5		41	8	9		10			12	14		4		5
6	5	1		35		27	2		44		2			6
7				53		54								7
8				25		8					1·14	11		8
9				21						40	12	10		9
10				9		70				77	15	4		10
11	42					1					7	4		11
12		1				9					20			12
13	13	19		21		12		8	1		51			13
14				3	15	1								14
15		31		48	19	5					6	8		15
16		7	4	1	1	46			18		24	9		16
17			2	3		14			23		50			17
18				27		14			4		51			18
19				7	23	6	25		51	3	16	5		19
20	1	24		5	8	6	8		16		16			20
21	2	31	2		88	10			14		9			21
22		3	6						8	3	7			22
23		1	26					27	46					23
24	7	57	2					38	1	2		13		24
25		14		30				2	70			43		25
26	13	9				43						16		26
27	4	35						27	6			37		27
28					2				18		15	32		28
29	1				2			2	8	6	2	15		29
30	8	×		8					75			20		30
31		×		×	35 ·01	×		66	·03 ×	19	·30 ×	32 (·35)		31
TOTAL	~~·97~~ 1·07	2·87	1·61	3·42	1·9~~5~~4	3·6~~8~~3	·98	1·7~~7~~0	~~4·37~~ 4·41	~~2·84~~ 2·84 ·34	4·81	3·00	Year's Total. ~~31·41~~	31·28
* Days with .01 in. or more.	~~11~~ 12	16	8	20	10 ~~9~~	19 ~~20~~	4	7	20 ~~19~~	12	21	18	~~155~~	167
* Days with .04 in. or more.	~~7~~ 8	11	5	16	6	17	3	5	17	8 ~~7~~	19	17	~~130~~	132

7.2.36

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) P. S. Thresher

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Kitwells Shenley

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ― in.

,, Ground ,, Sea Level 420 ft.

Dec. Corrected for arithmetic. K.J. 23/2/37

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .24

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.47	.24	.4	.25	..	.15	.13	.1	..	..	.4	.7		1
2	.6	.4	.3	.2	..	.43	.51	.7	..	..	.14	..		2
3	..	..	..	.6	.6	.1	.1	..	.11	..	.38	.2		3
4	..	..	.9	..	..	.25	..	..	.41	..	.5	.4		4
5	.21	..	.2	..	..	..	..	.3	.33	..	.3	.5		5
6	.23	..	..	..	.2	.15	..	.14	.11	..	.7	.2		6
7	.25	..	.5	..	..	.8	.23	..	.1	..	.3	..		7
8	.28	..	.4	..	..	..	.14	..	..	.6	.55	.16		8
9	.30	..	.9	..	..	..	.45	..	.22	.4	.3	.2		9
10	.6	..	.1	..	..	..	.10	.7	.14	..	..	..		10
11	..	..	..	.12	..	..	.11	.1	..	..	.78	..		11
12	..	..	..	.10	..	.38	.30	..	.10	..	.58	.11		12
13	..	..	..	..	..	.28	..	..	..	.2	.8	.15		13
14	..	.10	..	..	..	.8	.43	..	.4	.4	.7	.27		14
15	..	.4	..	..	..	..	.4	..	.15	..	.1	.6		15
16	.24	.7	..	..	..	..	.3	..	.5	..	.35	.1		16
17	.9	.54	..	..	.21	..	..	..	..	..	.26	.10		17
18	..	.15	..	..	..	.35	.19	..	..	.8	.2	.7		18
19	.35	.7	.1	..	..	.10	..	.7	..	.6	..	..		19
20	.9	.7	.5	.14	..	..	.2	..	.62	..	..	..		20
21	..	..	..	.13	.4	2.20	..	..	.15	..	..	..		21
22	.15	.41	.4	.5	.18	..	.16	..	..	..	..	.16		22
23	..	..	..	.6	..	.2	.10	..	..	.8	..	.2		23
24	.11	.9	..	..	..	..	..	..	.10	.38	..	..		24
25	.5	..	.16	.19	..	.24	.8	..	.33	.6	.5	.4		25
26	..	.11	.33	..	..	.8	..	..	.1	.15	..	.2		26
27	.14	.4	.2	.2	..	..	.2	..	.25	.13	..	..		27
28	.82	.1	.10	..	..	.5	.54	..	..	..	..	.5		28
29	.8	.10	.12	..	..	.5	.4	..	..	.2	.15	.1		29
30	.12	×	.4	..	.5	.20	.5	..	..	.30	..	..		30
31	.37	×	.20	×	.1	×	.11	..	×	.57	×	.24		31
TOTAL	4.47	2.08	1.43	1.14	.54	5.13	3.49	.40	3.13	1.99	3.64	~~1.45~~ 1.69	Year's Total ~~29.25~~	29.49.
* Days with .01 in. or more.	20	15	14	11	7	18	22	7	17	14	19	21	188	
* Days with .04 in. or more.	20	14	13	9	5	16	18	4	15	12	14	14	154	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) P. S. Thresher [P.T.O.

Y. H. Riches Esq

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Kitwells, Shenley St. Albans

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ✓ in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·5

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	—	·1	·3	—	—	—	—	—	—	·26	·12		1
2	—	·22	—	·51	—	—	—	—	·5	—	·55	·58		2
3	—	·18	·2	—	—	—	—	—	·7	—	—	·46		3
4	·6	·41	—	—	—	—	—	—	—	—	—	·7		4
5	·26	·4	·15	—	—	—	—	—	—	—	—	·57		5
6	·1	—	·22	—	—	—	·2	—	—	·1	·1	—		6
7	—	·81	·24	·15	·14	—	·12	—	—	·6	·4	—		7
8	—	·4	—	—	—	—	·1	—	·6	—	—	·1		8
9	—	·4	—	·30	·10	·9	—	—	—	—	·8	·37		9
10	—	—	·55	·2	·14	·1	·12	—	·31	—	—	·10		10
11	—	—	·19	—	·13	·32	·9	·3	—	—	—	·27		11
12	·25	·33	·10	—	·62	—	·1	—	—	—	—	·2		12
13	·13	·4	·18	—	·19	·65	—	—	·4	—	—	·8		13
14	·2	·5	·35	—	—	·11	—	·53	—	—	—	·98		14
15	·15	·16	·31	—	—	·2	—	·50	·8	—	—	·1		15
16	·9	·17	·16	·2	—	·32	·36	—	·18	—	—	—		16
17	·35	—	—	·98	—	·15	—	·15	·49	—	—	·4		17
18	·22	·9	·2	·19	·18	—	—	—	·25	—	·4	—		18
19	·9	·8	·8	—	·3	·19	—	—	·33	·1	·16	·8		19
20	·39	·2	—	·9	—	·14	·41	—	·12	·1	—	·7		20
21	·29	·38	·8	·57	·77	·10	—	—	·8	—	—	—		21
22	·33	·3	·1	·6	·1	—	·4	—	—	·1	·2	—		22
23	·26	—	·3	—	·6	·37	·3	—	—	·59	·31	·4		23
24	·39	·41	·1	—	·18	—	·11	—	—	·58	—	—		24
25	·2	·35	·8	—	·1	—	—	—	·17	·19	—	·1		25
26	—	·29	·6	—	·28	—	—	—	·6	·32	·1	·1		26
27	·2	·7	—	—	·27	—	—	—	—	·5	·1	—		27
28	—	·10	—	·10	—	—	—	—	—	·59	·2	—		28
29	·2		—	·1	—	—	—	—	—	·9	—	·2		29
30	·32	✕	—	—	—	—	—	—	—	·10	·5	·4		30
31	·28	✕	—	✕		✕	—	—	✕	—	✕	·1		31
TOTAL	4.21	4·31	2·85	3·03	3·11	2·47	1·32	1·21	2·29	2·61	1·56	3·96	Year's Total 32·93	✓ ✓
* Days with .01 in. or more.	22	22	20	13	15	12	11	4	14	13	13	22	181	✓ ✓
* Days with .04 in. or more.	17	20	14	9	12	10	7	3	14	9	8	15	138	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Katharine A. Riches.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

(File number 558200/36)

Kept at Kitwells Shenley St. Albans

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 420 ft.

Annual total corrected for Auth. H.H.H.S. return amended. 19/2/39 CKR.

This is unclear!

3/5/48

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·35

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·3	·18	·4	· ·	·5	·10	·6	· ·	· ·	·4	·18	·31		1
2	·5	· ·	· ·	· ·	· ·	·9	·6	· ·	·4	·3	· ·	·1		2
3	·10	·2	· ·	·3	·6	· ·	· ·	· ·	· ·	·17	·8	·1		3
4	· ·	· ·	· ·	· ·	·22	· ·	· ·	· ·	·4	·85	·3	· ·		4
5	·5	· ·	· ·	· ·	· ·	· ·	·9	· ·	· ·	·19	· ·	·3		5
6	· ·	· ·	· ·	· ·	· ·	· ·	·28	· ·	· ·	·14	· ·	· ·		6
7	·3	· ·	· ·	· ·	· ·	· ·	·5	· ·	·5	·5	· ·	· ·		7
8	·3	· ·	· ·	· ·	· ·	· ·	·3	·49	·4	·52	· ·	·3		8
9	·14	· ·	·1	· ·	· ·	· ·	·5	· ·	·1	·27	· ·	·1		9
10	·5	· ·	· ·	· ·	· ·	·1	·4	·18	· ·	· ·	· ·	·69		10
11	·15	·4	· ·	· ·	· ·	·2	·2	·13	· ·	· ·	· ·	·2		11
12	·27	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	·1	·22	·5		12
13	·32	·3	· ·	· ·	·1	· ·	·1	·98	· ·	·26	·3	· ·		13
14	·9	·1	·1	· ·	· ·	· ·	· ·	· ·	· ·	·2	·33	·15		14
15	·34	·3	· ·	· ·	·6	· ·	·1	· ·	·6	· ·	·1	·4		15
16	·17	· ·	· ·	· ·	· ·	· ·	·14	· ·	· ·	·25	· ·	·36		16
17	·37	·2	·3	· ·	· ·	· ·	·4	· ·	· ·	·4	·1	·34		17
18	· ·	·8	· ·	· ·	·4	· ·	· ·	· ·	·1	·11	· ·	· ·		18
19	·6	· ·	· ·	· ·	·8	· ·	· ·	· ·	·4	·3	·26	· ·		19
20	· ·	· ·	· ·	· ·	· ·	· ·	· ·	·10	·2	· ·	·21	· ·		20
21	· ·	·1	· ·	· ·	· ·	· ·	· ·	· ·	·2	· ·	·53	· ·		21
22	·2	· ·	· ·	· ·	· ·	· ·	· ·	·3	·3	·1	·1	·47		22
23	· ·	· ·	· ·	· ·	· ·	·6	· ·	·5	· ·	· ·	·25	·30		23
24	· ·	· ·	· ·	·4	· ·	· ·	· ·	· ·	· ·	· ·	·6	· ·		24
25	· ·	· ·	·19	· ·	· ·	· ·	· ·	· ·	·42	· ·	·5	· ·		25
26	·12	·2	·6	·6	·13	· ·	· ·	·4	·1	·5	·94	·17		26
27	·27	·17	·8	· ·	· ·	· ·	·1	· ·	·22	·17	·1	·15		27
28	·11	·5	· ·	·2	·2	·16	·27	·1	·69	·20	·32	· ·		28
29	·23		· ·	· ·	·83	·7	· ·	·27	·1	· ·	· ·	·6		29
30	·32	✕	· ·	· ·	·20	· ·	· ·	· ·	·5	· ·	·18	·23		30
31	·1	✕	· ·	✕	·8	✕	· ·	· ·	✕	·6	✕	·1		31
TOTAL	3.33	·66	·42	·15	1.78	·51	1.16	2·28	1.76	3.47	3.71	3.44	Year's Total ~~22·47~~	✓ 22.67
* Days with .01 in. or more.	23	12	7	4	12	7	15	10	17	21	19	20	167	✓
* Days with .04 in. or more.	18	5	4	2	10	5	10	8	10	16	13	13	114	✓

† Spare column, no entries required.

(*Signed*) K. A. Riches

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

FILE NUMBER
558200/36

Kept at Kitwells Shenley St. Albans
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: .0

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.35	. .	.18	. .	1.22	. .	.8	.4	. .	. .	. .	.16		1
2	.1	. .	.2	.50	.49	. .	.1	.3	.60	. .	. .	.1		2
3	.1	. .	. .	. .	.3	. .	. .	.47	.88	. .	.5	.1		3
4	.1	. .	. .	.20	. .	. .	. .	.46	. .	.4	.30	.20		4
5	.42	. .	.29	.8	. .	. .	.3	.77	. .	.33	.3	.1		5
6	. .	. .	. .	.69	.9	. .	.1	.17	. .	.31	.34	.10		6
7	.59	.2	. .	.2	. .	. .	.39	.4	. .	. .	.44	.9		7
8	.7	.7	. .	. .	. .	. .	. .	. .	. .	. .	.11	.16		8
9	.1	.9	.12	. .	. .	. .	.4	.74	. .	.42	.13	.46		9
10	.4	.7	. .	. .	. .	. .	. .	.3	. .	.38	.1	.26		10
11	.23	. .	. .	. .	. .	.60	. .	.17	.3	.4	. .	. .		11
12	. .	. .	.24	. .	.1	.21	. .	. .	.1	.27	.1	.1		12
13	. .	. .	. .	. .	. .	.1	. .	. .	.1	.1	. .	. .		13
14	. .	.1	.1	.2	. .	. .	.2	. .	.8	.86	. .	. .		14
15	.45	. .	.1	.4	.21	.2	.5	. .	.4	.26	.37	. .		15
16	.30	. .	. .	. .	.80	.29	.9	. .	.3	1.31	.3	.2		16
17	.36	. .	.10	.4	.9	.16	.6	. .	.1	. .	.40	. .		17
18	.21	.3	.3	.2	.8	. .	.27	. .	. .	. .	.4	. .		18
19	.36	. .	.4	. .	. .	.14	.13	. .	. .	.9	.33	. .		19
20	.21	. .	.1	. .	. .	. .	.14	. .	. .	.20	. .	. .		20
21	.20	.1	. .	. .	. .	.5	.60	.4	. .	. .	. .	.1		21
22	.6	. .	.34	. .	. .	.2	.26	.76	.4	.1	. .	. .		22
23	.17	.28	.12	. .	. .	. .	.4	. .	.3	. .	.10	. .		23
24	.7	. .	. .	.3	. .	. .	.2	. .	. .	.4	.73	.1		24
25	.26	. .	.3	.5	. .	. .	.10	.1	. .	.10	. .	.1		25
26	1.37	.12	.7	.1	. .	. .	. .	.23	. .	. .	.65	. .		26
27	.24	.2	.2	.6	. .	. .	. .	.1	. .	.32	.29	.3		27
28	. .	.4	.16	.5	. .	. .	. .	.21	. .	.11	.26	. .		28
29	.2		.7	.2	. .	.4	.15	. .	. .	.30	.16	.10		29
30	. .	✕	. .	.39	. .	. .	.7	. .	. .	.9	.19	. .		30
31	. .	✕	. .	✕	. .	✕	. .	. .	✕	. .	✕	.3		31
TOTAL	6.02	.76	1.86	2.22	3.02	1.54	2.56	4.18	1.76	5.49	4.97	1.68	Year's Total 36.06	✓
* Days with .01 in. or more.	24	11	18	16	9	10	20	16	11	20	21	18	194	✓
* Days with .04 in. or more.	19	6	11	10	7	7	15	12	5	18	17	8	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) K. F. Rikes

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 914

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

FILE NUMBER
558200/36

Kept at Kitwells Shenley St. Albans

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
.0

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.04	.8	—	.16	—	—	—	—	—	.68	—		1
2	—	.2	—	—	.3	—	—	—	—	—	.12	—		2
3	—	.5	—	.22	—	—	.11	—	—	.26	.80	—		3
4	—	.23	—	.14	—	—	.5	—	—	.13	.79	.7		4
5	—	.10	—	.8	—	—	—	—	—	.22	.7	.3		5
6	—	.3	—	—	—	—	—	—	—	.8	.42	.19		6
7	.16	.13	—	—	.5	—	.74	—	—	.28	.23	—		7
8	.23	.8	—	—	.11	—	.9	—	.9	—	—	—		8
9	—	—	—	.2	—	.1	.3	—	—	.19	.1	.23		9
10	—	—	—	—	—	.9	—	—	.1	.16	.13	.3		10
11	—	—	—	—	—	—	.20	—	—	.5	.18	.3		11
12	—	—	—	.2	—	.2	—	—	—	—	1.01	—		12
13	—	.3	.10	—	—	—	.10	—	.9	—	—	—		13
14	—	—	.64	—	—	—	.7	—	.17	—	1.20	—		14
15	—	—	.18	.8	.5	—	—	—	.1	—	—	.28		15
16	—	—	.4	—	.30	—	.16	—	.2	—	.15	—		16
17	.4	.8	.32	—	—	.3	.56	—	.16	1.26	.76	—		17
18	—	—	.36	—	—	—	—	—	—	.1	.65	.2		18
19	.1	.46	.17	.31	—	—	—	—	—	.13	.27	.15		19
20	—	.14	.1	.10	—	—	.3	—	.39	.1	.22	.2		20
21	—	.1	.1	.2	—	.2	.6	.2	—	.1	.1	—		21
22	.6	—	—	—	.17	—	.12	—	—	.4	.36	—		22
23	—	—	.3	—	.41	.41	—	—	—	—	—	—		23
24	—	.7	.6	.4	.8	.2	—	—	—	—	.3	—		24
25	—	—	—	.28	—	—	.21	—	—	—	—	—		25
26	—	—	.49	—	.3	—	.27	—	—	—	.1	.1		26
27	1.02	.13	.50	—	.29	.19	—	—	—	—	—	—		27
28	.40	.15	—	.22	.15	—	.10	—	—	—	—	—		28
29	.24	.6	—	—	.3	—	—	—	—	—	—	—		29
30	.5	X	.15	—	.2	—	—	—	—	—	—	—		30
31	.8	X	—	X	—	X	—	—	X	.13	X	.2		31
TOTAL	.04 ~~2.29~~	.04 ~~1.48~~ ~~1.81~~ 1.85	~~3.14~~ 3.06	.16 1.69 ~~1.53~~	1.72 ~~1.88~~	.79	2.90	.2	.94	.68 3.64 ~~2.96~~	7.42 ~~7.56~~ ~~8.10~~	1.08	Year's Total ~~26.90~~	~~27.44~~ 26.90 ~~27.62~~
* Days with .01 in. or more.	2.33 10	17	15	12	14	8	16	.1	8	15	21	12	149	
* Days with .04 in. or more.	9	13	12	9	10	3	14	0	5	12	17	5	109	
	2.33	1.85	3.06	1.69	1.72	.79	2.90	.02	.94	3.64	~~7.42~~ 6.88	1.08		

[P.T.O.

915

Section **A** for the entry of Daily … COPY FOR OFFICIAL USE.

AIR MINISTRY.—ME… …FALL ORGANIZATION.

FORM 1090.

REGISTER … …31.

915

GOLDINGTONS

SARRATT

1931- 1940

780205

Kept at Goldingtons … 30 N.

in the County of Herts … 25 W.

Dup

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground 1

,, Ground ,, Sea Level …

THE MORNING MEASUREME… …DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0·03	—	0·12	—	0·03	—	—	0·08	—	—	—	1
2	0·10	0·05	—	0·46	—	—	0·02	—	0·61	0·07	—	0·06	2
3	—	—	0·01	0·13	0·55	—	—	0·26	0·59	—	0·13	0·28	3
4	0·06	—	—	0·02	—	—	0·08	0·42	0·10	—	0·07	—	4
5	—	—	—	0·18	0·10	0·45	0·10	0·04	0·03	0·30	—	0·39	5
6	—	0·09	—	0·18	—	—	—	—	—	—	0·38	—	6
7	—	—	—	—	0·03	0·06	0·03	0·47	—	0·07	0·18	0·04	7
8	—	0·11	—	—	—	0·14	—	0·25	—	0·04	0·17	—	8
9	—	0·07	0·03	0·06	—	0·06	—	—	—	0·02	0·40	—	9
10	0·01	—	0·08	—	—	—	0·09	0·29	—	—	0·35	—	10
11	0·17	0·40	—	—	—	—	—	—	0·04	—	0·08	—	11
12	—	0·08	—	—	—	—	—	0·13	—	—	—	—	12
13	—	—	—	—	—	—	0·18	0·04	0·42	—	—	—	13
14	—	0·09	—	—	—	—	1·01	0·87	—	—	—	—	14
15	0·02	0·10	—	0·10	0·16	—	0·22	0·69	—	—	—	0·04	15
16	—	0·15	—	0·12	0·27	0·08	—	0·20	0·11	—	—	—	16
17	0·01	—	—	0·41	0·11	—	0·15	—	0·07	—	—	—	17
18	0·02	0·07	0·01	0·30	—	0·17	—	0·51	—	—	0·58	—	18
19	—	—	—	0·49	—	0·38	0·14	0·07	0·03	—	—	—	19
20	—	0·03	—	0·07	—	—	0·18	0·31	—	—	0·02	—	20
21	0·25	—	0·04	—	—	—	—	0·03	—	—	—	—	21
22	0·26	—	—	0·02	0·42	—	—	—	0·01	—	—	—	22
23	—	—	—	—	0·40	0·04	—	—	—	—	0·29	0·02	23
24	—	—	—	0·29	0·13	0·04	0·10	—	—	—	—	—	24
25	0·13	—	—	0·43	0·09	—	0·44	—	—	—	0·09	0·01	25
26	—	0·02	—	0·12	0·33	—	0·76	—	—	—	0·23	—	26
27	0·18	0·41	—	—	—	—	0·02	—	—	—	0·27	—	27
28	0·07	0·25	—	0·04	0·04	—	—	—	—	0·05	—	0·28	28
29	0·07	×	—	—	—	—	0·18	0·07	—	0·29	0·02	0·07	29
30	0·05	×	—	—	—	—	—	—	—	—	—	—	30
31	0·29	×	—	×	0·01	×	—	—	×	—	×	—	31
TOTAL	1·69	1·90	0·17	3·54	2·64	1·45	3·70	4·65	2·09	0·84	3·26	1·19	YEAR'S TOTAL 27·12
*Days with ·01 in. or more.	15	15	5	18	13	10	16	16	11	7	15	9	150
*Days with ·04 in. or more.	11	11	2	16	11	9	13	15	8	6	13	7	122

40-9999

(Signed) Clutterbuck

[P.T.O.

*See Instruction 2 (*f*) on other side.

915

Section **A** for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Goldingtons
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 384 ft.

Lat. 51·30 N.
Long. 0·25 W.

Copy

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0·03	—	0·12	—	0·03	—	—	0·08	—	—	—	1
2	0·10	0·05	—	0·46	—	—	0·02	—	0·61	0·07	—	0·06	2
3	—	—	0·01	0·13	0·55	—	—	0·26	0·59	—	0·13	0·28	3
4	0·06	—	—	0·02	—	—	0·08	0·42	0·10	—	0·07	—	4
5	—	—	—	0·18	0·10	0·45	0·10	0·04	0·03	0·30	—	0·39	5
6	—	0·09	—	0·18	—	—	—	—	—	—	0·38	—	6
7	—	—	—	—	0·03	0·06	0·03	0·47	—	0·07	0·18	0·04	7
8	—	0·11	—	—	—	0·14	—	0·25	—	0·04	0·17	—	8
9	—	0·07	0·03	0·06	—	0·06	—	—	—	0·02	0·40	—	9
10	0·01	—	0·08	—	—	—	0·09	0·29	—	—	0·35	—	10
11	0·17	0·40	—	—	—	—	—	—	0·04	—	0·08	—	11
12	—	0·03	—	—	—	—	—	0·13	—	—	—	—	12
13	—	—	—	—	—	—	0·18	0·04	0·42	—	—	—	13
14	—	0·09	—	—	—	—	1·01	0·87	—	—	—	—	14
15	0·02	0·10	—	0·10	0·16	—	0·22	0·69	—	—	—	0·04	15
16	—	0·15	—	0·12	0·27	0·08	—	0·20	0·11	—	—	—	16
17	0·01	—	—	0·41	0·11	—	0·15	—	0·07	—	—	—	17
18	0·02	0·07	0·01	0·30	—	0·17	—	0·51	—	—	0·58	—	18
19	—	—	—	0·49	—	0·38	0·14	0·07	0·03	—	—	—	19
20	—	0·03	—	0·07	—	—	0·18	0·31	—	—	0·02	—	20
21	0·25	—	0·04	—	—	—	—	0·03	—	—	—	—	21
22	0·26	—	—	0·02	0·42	—	—	—	0·01	—	—	—	22
23	—	—	—	—	0·40	0·04	—	—	—	—	0·29	0·02	23
24	—	—	—	0·29	0·13	0·04	0·10	—	—	—	—	—	24
25	0·13	—	—	0·43	0·09	—	0·44	—	—	—	0·09	0·01	25
26	—	0·02	—	0·12	0·33	—	0·76	—	—	—	0·23	—	26
27	0·18	0·41	—	—	—	—	0·02	—	—	—	0·27	—	27
28	0·07	0·25	—	0·04	0·04	—	—	—	—	0·05	—	0·28	28
29	0·07	×	—	—	—	—	0·18	0·07	—	0·29	0·02	0·07	29
30	0·05	×	—	—	—	—	—	—	—	—	—	—	30
31	0·29	×	—	×	0·01	×	—	—	×	—	×	—	31
TOTAL	1·69	1·90	0·17	3·54	2·64	1·45	3·70	4·65	2·09	0·84	3·26	1·19	YEAR'S TOTAL 27·12
*Days with ·01 in. or more.	15	15	5	18	13	10	16	16	11	7	15	9	150
*Days with ·04 in. or more.	11	11	2	16	11	9	13	15	8	6	13	7	122

40-9999

(Signed) L Clutterbuck

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Sarratt ([illegible])
in the County of Herts.
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

april ½" high. Seems O.K. See 917
Total for days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·11	—	—	0·18	0·50	0·07	0·04	0·11	0·03	0·07	0·04	—	1
2	0·06	—	—	0·18	0·02	—	—	0·02	0·40	0·05	0·05	0·23	2
3	—	—	—	0·13	0·14	—	—	—	0·44	0·10	—	—	3
4	—	—	—	—	—	0·08	—	—	—	—	0·18	—	4
5	0·37	—	0·02	—	0·03	—	0·15	—	0·11	—	—	—	5
6	0·37	—	—	0·12	0·03	—	—	—	0·15	—	—	—	6
7	—	—	0·14	0·11	—	—	—	—	0·08	0·02	—	—	7
8	—	—	0·08	0·25	0·10	—	—	—	0·29	0·21	—	—	8
9	0·18	0·02	—	0·09	0·58	—	—	—	—	—	—	—	9
10	0·43	—	—	0·22	0·12	—	—	—	0·02	0·13	0·14	—	10
11	—	—	—	0·06	0·05	0·03	0·77	1·18	—	0·21	0·07	—	11
12	0·09	—	—	—	0·11	—	—	0·03	—	0·19	0·02	—	12
13	0·20	—	—	0·24	—	—	—	—	0·06	0·10	0·07	0·02	13
14	—	—	—	0·11	0·01	—	—	0·01	—	0·05	—	—	14
15	—	—	—	0·06	0·92	—	0·09	—	—	0·09	—	—	15
16	0·12	—	—	0·20	0·08	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	0·02	—	—	0·09	—	—	17
18	—	—	—	—	—	—	—	—	—	—	0·15	—	18
19	—	—	—	—	—	—	—	—	0·18	0·33	—	—	19
20	—	—	—	0·15	0·05	—	—	1·74	0·10	0·70	0·10	—	20
21	0·02	—	—	0·30	1·18	—	0·08	0·74	—	0·30	—	0·06	21
22	—	0·01	0·38	—	—	—	0·20	—	0·37	0·11	0·43	—	22
23	—	0·09	0·05	—	0·35	—	—	—	0·05	0·62	—	0·16	23
24	—	0·03	—	—	—	—	0·30	—	0·05	0·04	0·09	—	24
25	—	—	—	—	—	—	0·26	—	0·09	0·56	0·04	—	25
26	—	—	0·06	0·15	0·06	—	0·05	—	—	0·02	0·04	—	26
27	—	—	0·31	0·26	0·40	—	0·19	—	—	0·21	0·14	—	27
28	—	—	0·16	0·01	0·08	0·04	0·31	—	0·01	0·20	—	—	28
29	—	—	0·42	0·11	0·23	—	—	0·04	0·08	0·47	0·09	0·03	29
30	—	×	0·28	0·18	0·04	0·59	—	—	0·15	0·03	0·28	0·18	30
31	—	×	0·03	×	0·01	×	0·10	—	×	—	×	0·09	31
TOTAL	1·95	0·15	1·93	3·11	5·09	0·81	2·56	3·87	2·66	4·~~8~~90	1·98	0·77	YEAR'S TOTAL 29·78
*Days with ·01 in. or more.	10	4	11	20	22	5	13	8	18	24	16	7	158
*Days with .04 in. or more.	9	1	9	19	17	4	12	6	15	21	15	5	133

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) P. Clutterbuck

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Sarratt, Goldingtons
in the County of Herts.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 384 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	·18	·13		·04						·04			1
2	·36		·39		·17									2
3		·17	·23		·21						·01			3
4	·21		·02		·30						·15			4
5	·03	·02	·28		·10									5
6		·10	·03		·32					·06	·07			6
7	·15	·14	·05							·07	·02			7
8	·06		·04		·07		·09			·05				8
9					·05		·22			·10	·11			9
10		·10				·02	·36			~~[illegible]~~ ·33	·05			10
11	·19				·03	·06	·10	·09	·06					11
12						·05	·02		·55					12
13	·07				·16		·45		·10		·11			13
14										·06	·56	·03		14
15	·58		·23			·04	·19	·12		·01	·13			15
16			·66			·20	·15		·07	·08	·02			16
17	·11		·40			·05					·01			17
18		·10	·27			·11			·30		·01			18
19		·04	·50	·02		·14					·03			19
20			·12	·08		·21	·02							20
21		·06				·24		·16	·20					21
22						·05		·19		·26	·06			22
23				·20					·47	·01				23
24		·36		·19	·01	·07			·30		·07			24
25		·73		·29					·05	·01	·03	·09		25
26		·32		·10	·02				·18	·10		·11		26
27					·08				·03	·19		·10		27
28							·08			·39		·02		28
29	·14			·29						·12				29
30	·15	×	·27				·01		·01			·15		30
31	·19	×	·01	×				·14	×	·05	×			31
TOTAL	2·31	2·32	3·63	1·17	1·56	1·24	1·72	·70	2·32	1·89	1·48	0·50	Year's Total 20·84	
*Days with ·01 in. or more.	13	12	16	7	13	12	11	5	12	16	17	6	140	
*Days with ·04 in. or more.	12	11	13	6	10	11	8	5	10	13	10	4	113	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Goldingtons Sarratt

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 384 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.03	–	–	–	–	–	–	0.30	0.18	–	–	0.48		1
2	0.09	–	0.10	–	0.08	–	–	–	0.74	0.18	–	0.27		2
3	0.01	0.04	–	0.15	–	–	–	–	–	0.56	–	–		3
4	0.11	–	0.08	0.10	0.01	–	–	–	–	0.13	0.80	0.49		4
5	–	–	–	–	0.02	–	–	0.10	–	–	0.01	0.50		5
6	0.02	–	0.22	–	0.29	0.05	–	0.08	–	0.16	–	0.65		6
7	0.04	–	–	–	–	0.07	–	0.18	–	0.10	–	0.34		7
8	–	–	–	–	0.12	–	–	0.03	0.14	–	0.34	0.02		8
9	0.01	–	0.05	–	–	–	–	–	–	–	0.88	0.42		9
10	0.09	–	0.16	0.14	–	–	–	0.07	–	–	0.14	0.02		10
11	0.28	–	0.46	0.06	–	–	0.03	–	–	–	–	0.18		11
12	0.02	–	0.20	0.02	–	–	0.07	0.41	–	–	–	0.10		12
13	0.34	–	0.09	–	–	–	0.18	0.12	–	–	0.07	0.37		13
14	0.10	–	0.40	0.01	0.02	–	–	–	–	0.02	0.18	0.38		14
15	0.08	–	0.18	–	0.11	–	–	–	0.12	–	0.05	0.29		15
16	0.19	–	0.22	–	0.04	–	–	–	–	0.19	–	–		16
17	0.02	–	–	0.02	–	–	–	–	0.07	0.08	0.02	0.26		17
18	0.10	–	–	0.21	–	–	0.22	–	0.03	–	–	0.12		18
19	–	–	0.26	0.02	–	–	–	–	0.08	0.02	–	0.10		19
20	–	–	0.33	0.05	–	–	0.20	–	0.02	–	–	–		20
21	–	–	–	0.08	–	0.10	–	0.07	?	0.10	–	–		21
22	–	–	–	–	–	–	0.04	0.20	0.35	–	–	0.03		22
23	–	–	–	0.35	–	0.29	0.57	–	–	–	0.04	0.06		23
24	–	0.05	0.10	0.20	–	0.09	–	–	0.27	–	–	–		24
25	0.20	0.09	–	0.13	–	0.23	–	–	–	0.07	–	0.41		25
26	0.08	–	–	0.18	–	0.03	–	–	0.04	–	–	0.14		26
27	–	0.01	–	–	–	0.11	0.01	–	–	0.04	–	0.35		27
28	–	0.09	–	0.36	–	0.34	–	0.85	–	–	0.50	0.39		28
29	–	–	–	–	–	–	0.01	–	0.13	–	–	0.04		29
30	0.06	×	–	–	–	–	–	–	0.02	–	–	0.22		30
31	0.07	×	–	×	–	×	–	–	×	0.29	×	0.05		31
TOTAL	1.94	0.28	2.85	2.08	0.69	1.31	1.33	2.41	2.19	1.94	1.86	6.68	Year's Total 25.56	
*Days with ·01 in. or more.	20	5	14	16	8	9	9	11	13	13	11	26	155	
*Days with ·04 in. or more.	14	4	14	12	5	8	6	10	10	11	9	23	126	

† Spare column, no entries required.

(*Signed*) P. Clutterbuck

40-9999

*See Instruction 2 (*f*) on other side.

P.T.O.

915

Hertfordshire Natural History Society.

Register in Rainfall in 1934

Copy on 1090

At Goldingtons Sarratt Herts
Latitude 51 . 30 N
Longitude 0 25 W.

Rain Gauge Diameter of Funnel 5"
Height of Gauge above Ground 1 ft
Height of Gauge above Sea-level 384 ft

Date.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·03	—	—	—	—	—	—	0·30	0·18	—	—	0·48	1
2	0·09	—	0·10	—	0·08	—	—	—	0·74	0·18	—	0·27	2
3	0·01	0·04	—	0·15	—	—	—	—	—	0·56	—	—	3
4	0·11	—	0·08	0·10	0·01	—	—	—	—	0·13	0·80	0·49	4
5	—	—	—	—	0·02	—	—	0·10	—	—	0·01	0·50	5
6	0·02	—	0·22	—	0·29	0·05	—	0·08	—	0·16	—	0·65	6
7	0·04	—	—	—	—	0·07	—	0·18	—	0·10	—	0·34	7
8	—	—	—	—	0·12	—	—	0·03	0·14	—	0·34	0·02	8
9	0·01	—	0·05	—	—	—	—	—	—	—	0·88	0·42	9
10	0·09	—	0·16	0·14	—	—	—	0·07	—	—	0·14	0·02	10
11	0·28	—	0·46	0·06	—	—	0·03	—	—	—	—	0·18	11
12	0·02	—	0·20	0·02	—	—	0·07	0·41	—	—	—	0·10	12
13	0·34	—	0·09	—	—	—	0·18	0·12	—	—	0·07	0·37	13
14	0·10	—	0·40	0·01	0·02	—	—	—	—	0·02	0·18	0·38	14
15	0·08	—	0·18	—	0·11	—	—	—	0·12	—	0·05	0·29	15
16	0·19	—	0·22	—	0·04	—	—	—	—	0·19	—	—	16
17	0·02	—	—	0·02	—	—	—	—	0·07	0·08	0·02	0·26	17
18	0·10	—	—	0·21	—	—	0·22	—	0·03	—	—	0·12	18
19	—	—	0·26	0·02	—	—	—	—	0·08	0·02	—	0·10	19
20	—	—	0·33	0·05	—	—	0·20	—	0·02	—	—	—	20
21	—	—	—	0·08	—	0·10	—	0·07	?	0·10	—	—	21
22	—	—	—	—	—	—	0·04	0·20	0·35	—	—	0·08	22
23	—	—	—	0·35	—	0·29	0·57	—	—	—	0·04	0·06	23
24	—	0·05	0·10	0·20	—	0·09	—	—	0·27	—	—	—	24
25	0·20	0·09	—	0·13	—	0·23	—	—	—	0·07	—	0·41	25
26	0·08	—	—	0·18	—	0·03	—	—	0·04	—	—	0·14	26
27	—	0·01	—	—	—	0·11	0·01	—	—	0·04	—	0·35	27
28	—	0·09	—	0·36	—	0·34	—	0·85	—	—	0·58	0·39	28
29	—	—	—	—	—	—	0·01	—	0·13	—	—	0·04	29
30	0·06	x	—	—	—	—	—	—	0·02	—	—	0·22	30
31	0·07	x	—	x	—	x	—	—	x	0·29	x	0·05	31
Total	1·94	0·28	2·85	2·08	0·69	1·31	1·33	2·41	2·19	1·94	1·86	6·68	
Days													

Total in Year 25·56 No. of Days.................. Signed P. Clutterbuck Date 3 . 1 . 35

(The rain should be measured at 9 a.m. and entered to the previous day.)

File No. 813856/37.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Goldingtons - Sarratt
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 384 ft.

Lat 51 30 N
Long 0 25 W.
November corrd. for B.A. GR.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0·25

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·17	—	—	0·02	0·02	0·09	0·03	—	0·02	0·08	0·40	—		1
2	—	—	—	—	—	—	—	—	0·21	0·28	0·06	0·01		2
3	—	0·08	0·10	0·10	—	0·07	—	—	0·30	0·55	0·25	—		3
4	—	—	—	0·10	—	0·07	—	—	0·33	0·10	0·01	0·19		4
5	—	0·35	0·02	0·09	—	0·40	—	—	0·44	—	0·02	—		5
6	0·01	0·01	—	0·39	—	0·81	—	—	—	0·05	—	—		6
7	—	—	—	0·60	—	0·14	—	—	—	0·15	1·06	0·12		7
8	—	—	—	0·27	—	—	—	—	—	0·35	0·15	0·13		8
9	—	—	—	0·38	—	0·57	—	—	—	0·93	0·10	—		9
10	—	—	—	0·17	—	0·01	—	—	—	—	0·10	0·03		10
11	0·32		—	—	—	0·12	0·02	—	—	0·01	0·27	—		11
12	—		—	—	—	0·25	—	0·05	0·03	—	0·47	—		12
13	0·15	0·19	—	0·28	0·15	—	—	—	—	—	0·01	—		13
14	—	—	—	0·11	0·29	0·05	—	—	—	—	0·22	0·12		14
15	—	0·27	—	0·46	—	0·27	—	—	0·25	—	0·36	0·12		15
16	—	0·08	0·07	0·02	—	0·42	—	—	0·34	—	0·56	0·06		16
17	—	—	0·08	0·05	—	0·18	0·12	—	0·03	—	0·33	—		17
18	—	—	—	0·36	0·10	0·11	0·18	—	0·58	0·04	0·15	—		18
19	—	—	—	0·15	0·17	0·07	0·11	—	0·12	—	0·17	0·16		19
20	—	0·14	—	0·19	0·32	0·09	0·16	—	0·15	—	0·19	—		20
21	0·01	0·22	0·02	0·02	—	—	—	—	0·03	0·02	0·05	—		21
22	—	0·04	0·11	—	—	—	—	0·34	0·39	—	—	—		22
23	—	—	0·23	—	—	—	—	0·47	0·08	0·15	—	0·14		23
24	0·05	0·58	0·01	—	—	—	—	0·03	0·74	—	—	0·28		24
25	0·08	0·10	—	0·26	—	0·77	—	—	—	—	—	0·19		25
26	—	0·07	—	—	—	—	—	0·29	0·12	—	—	0·36		26
27	0·02	0·35	—	—	0·03	—	—	—	0·30	—	0·23	0·38		27
28	—	0·05	—	—	—	—	—	—	0·15	0·09	0·03	0·10		28
29	—	—	—	—	—	—	—	—	0·86	—	—	0·28		29
30	0·03	×	—	0·10	0·21	—	—	0·69	0·04	0·08	0·33	0·39		30
31	—	×	—	×	0·01	×	—	—	×	0·54	×	0·30		31
TOTAL	0·84	2·53	0·64	4·12	1·30	4·49	0·62	1·87	5·51	3·42	~~5·46~~ 5·52	3·36	Year's Total ~~34·16~~ 34·22	
* Days with .01 in. or more.	9	14	8	20	9	18	6	6	21	15	23	18	167	
* Days with .04 in. or more.	5	13	5	17	6	14	4	5	17	13	19	16	137	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) P. Clutterbuck

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at GOLDINGTONS SARRATT HERTS

in the County of HERTS

Diameter of Funnel of Gauge 5 ins

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 384 ft.

Sept. confirmed.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·23	0·16	0·06	0·28	—	0·09	0·17	—	—	—	0·07	0·03		1
2	0·06	0·19	—	0·01	—	0·44	0·29	0·11	—	—	0·04	—		2
3	—	—	—	0·07	—	0·04	0·01	—	0·14	—	0·32	—		3
4	—	—	0·17	—	—	0·27	—	—	0·40	—	0·08	0·06		4
5	0·23	—	0·01	—	—	—	—	0·06	0·30	—	0·01	0·19		5
6	0·29	—	—	—	—	0·18	—	0·17	0·14	—	0·21	0·10		6
7	0·20	—	0·06	—	—	0·07	1·43	—	0·02	—	0·08	—		7
8	0·33	—	0·08	—	—	—	0·04	—	—	0·04	0·63	0·18		8
9	0·35	—	0·04	—	—	—	0·32	—	0·22	0·02	—	—		9
10	0·04	—	—	—	—	—	0·27	0·01	0·10	0·09	—	0·01		10
11	—	—	—	0·07	—	—	0·09	—	—	—	1·19	—		11
12	—	—	—	0·14	—	0·47	0·42	—	0·24	—	0·54	0·14		12
13	—	—	—	—	—	0·46	—	—	—	0·02	0·13	0·25		13
14	—	0·13	—	—	—	0·09	0·51	—	0·18	0·07	—	0·40		14
15	—	0·07	—	—	—	—	0·02	—	0·13	—	0·01	0·10		15
16	0·19	0·12	—	—	—	—	0·09	—	0·04	—	0·46	—		16
17	0·21	0·64	—	—	0·13	0·02	—	—	—	—	0·21	0·18		17
18	—	0·12	—	—	—	0·28	0·20	—	—	0·09	—	0·10		18
19	0·42	0·10	0·02	—	—	0·34	—	0·14	—	0·07	—	—		19
20	0·07	0·10	0·03	0·25	—	—	0·03	—	0·99	—	—	—		20
21	—	—	—	0·19	0·05	0·69	—	—	0·14	—	—	—		21
22	0·10	0·54	0·06	—	0·36	0·02	0·17	—	—	—	—	0·13		22
23	0·01	—	0·03	0·09	—	—	0·24	—	—	0·12	—	—		23
24	0·19	0·16	—	—	—	—	0·31	—	0·12	0·40	—	—		24
25	0·03	—	0·16	0·16	—	0·31	0·11	—	0·29	0·15	0·09	0·05		25
26	—	0·14	0·21	0·10	—	0·19	0·01	—	0·10	0·14	—	—		26
27	0·15	—	0·04	—	—	—	0·01	—	0·17	0·08	—	—		27
28	0·85	—	0·10	—	—	—	0·66	—	—	—	—	0·14		28
29	0·16	0·13	0·17	—	—	0·35	0·04	—	—	0·03	0·19	0·07		29
30	0·15	✕	—	—	0·08	0·24	0·08	—	—	0·26	—	0·01		30
31	0·54	✕	0·24	✕	—	✕	0·12	—	✕	0·37	✕	0·29		31
TOTAL	4·80	2·60	1·48	1·36	0·62	4·55	5·64	0·49	3·72. ~~3·63~~	1·95	4·26	2·43	Year's Total ~~33·81~~	✓ 33·90.
* Days with .01 in. or more.	21	13	16	10	4	18	24	5	17	15	16	18	177	✓
* Days with .04 in. or more.	19	13	12	9	4	16	19	4	16	12	14	15	153	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column; no entries required.

(*Signed*) P. Clutterbuck [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 915
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Goddingtons Sarratt
in the County of Herts
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 384 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·23	—	—	—	—	—	—	—	0·05	—	0·46	0·60		1
2	0·01	0·26	—	0·63	—	—	—	—	0·23	—	—	0·57		2
3	—	0·14	—	—	0·02	—	—	—	—	—	—	0·08		3
4	0·08	0·44	—	—	0·03	—	—	—	—	—	—	0·48		4
5	0·25	0·03	0·23	—	—	—	0·06	—	—	—	0·01	—		5
6	0·04	—	0·31	—	0·13	—	0·19	—	—	0·04	0·05	—		6
7	—	0·89	—	0·19	—	—	—	—	0·03	—	—	—		7
8	—	0·03	—	—	0·10	0·03	—	—	—	—	0·16	0·40		8
9	—	0·02	—	0·28	0·21	0·01	0·10	—	0·36	—	—	0·15		9
10	—	—	0·65	0·10	0·17	0·31	0·14	0·04	—	—	—	0·26		10
11	—	—	0·28	—	0·50	—	—	—	—	—	—	—		11
12	0·30	0·34	0·11	—	0·12	0·79	0·02	0·02	0·07	—	—	0·13		12
13	0·16	0·08	0·30	—	—	0·24	—	0·27	0·42	—	—	0·60		13
14	0·02	0·02	0·51	0·15	—	—	—	1·73	0·14	—	—	—		14
15	0·22	0·17	0·42	0·23	—	—	0·75	—	0·25	—	—	0·05		15
16	0·04	0·10	—	0·55	—	0·02	—	0·13	0·54	—	—	0·01		16
17	0·39	—	0·18	0·23	—	0·01	—	—	0·60	—	—	—		17
18	0·30	0·13	0·06	—	0·14	0·20	—	—	0·23	—	0·27	—		18
19	0·10	0·09	0·10	0·19	0·01	0·18	0·40	—	0·10	—	—	0·16		19
20	0·46	0·01	—	0·51	0·58	—	—	—	—	—	—	—		20
21	0·32	0·40	0·05	0·06	0·04	—	0·06	—	—	—	—	0·06		21
22	0·43	0·01	0·03	—	0·12	0·55	0·06	—	—	0·54	0·20	0·03		22
23	0·23	—	0·04	—	0·30	—	0·14	—	—	0·47	0·02	—		23
24	0·43	0·55	—	—	0·01	—	—	—	0·17	0·26	—	—		24
25	0·07	0·36	0·12	—	0·53	—	—	—	0·07	0·43	—	—		25
26	—	0·33	0·07	—	0·20	—	—	—	—	0·09	—	—		26
27	0·03	0·14	—	0·16	—	—	—	—	—	0·73	—	—		27
28	—	0·15	—	—	—	—	—	—	—	0·10	—	0·06		28
29	—	X	—	—	—	—	—	—	—	0·02	0·06	0·05		29
30	0·38	✕	—	X	—	—	—	—	—	—	0·21	—		30
31	0·29	✕	—	✕	—	✕	—	—	✕	0·19	✕	0·05		31
TOTAL	4·78	4·69	3·46	3·28	3·21	2·34	1·92	2·19	3·26	2·87	1·44	3·74	Year's Total 37·18	✓
* Days with .01 in. or more.	22	22	16	12	17	10	10	5	14	10	9	17	164	✓
* Days with .04 in. or more.	19	16	16	12	13	6	9	4	13	9	7	15	138	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) P. Clutterbuck — [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Goldingtons Rickmansworth

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 384 ft.

Lat 51° 30′ N
Long. 0° 25′ W

Acc

20/2/39 notified

corr. for Dec 19–28 snow
~ J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	—	—	—	0.04	—	—	—		1
2	0.04	—	—	0.02	0.07	—	0.04	—	—	0.16	0.03	—		2
3	—	—	—	—	0.22	—	—	—	0.03	1.02	0.04	—		3
4	0.05	0.03	—	—	—	0.08	0.04	—	—	—	—	0.18		4
5	—	—	—	—	—	0.01	0.16	—	—	—	—	—		5
6	0.06	—	—	—	—	—	0.08	—	—	—	—	—		6
7	0.01	—	—	—	—	—	0.36	0.66	0.08	0.76	—	—		7
8	0.12	—	—	—	—	—	0.14	0.15	—	0.42	—	—		8
9	0.14	—	—	—	—	—	0.12	0.25	0.06	—	—	0.83		9
10	0.24	0.09	—	—	—	0.11	0.05	0.19	—	—	—	0.05		10
11	0.30	—	—	—	—	—	—	0.03	—	0.34	0.24	0.06		11
12	0.37	—	—	—	—	—	—	0.04	—	—	—	—		12
13	0.10	0.04	—	—	0.04	—	—	—	—	—	0.11	0.16		13
14	0.32	—	—	—	0.10	—	—	—	0.08	0.22	—	—		14
15	0.09	—	—	—	—	—	0.18	—	—	0.09	—	0.29		15
16	0.50	—	0.04	—	—	—	—	—	—	0.11	0.14	0.24		16
17	—	0.10	—	—	—	—	0.02	—	0.02	—	—	—		17
18	0.11	—	—	—	0.07	—	—	—	—	—	0.25	—		18
19	—	—	—	—	—	—	—	0.16	0.13	—	0.20	—		19
20	—	—	—	—	—	—	—	0.03	—	—	0.50	—		20
21	0.04	—	—	—	—	0.04	—	0.02	0.10	—	—	—		21
22	—	—	—	—	—	—	—	0.07	—	—	0.32	—		22
23	—	—	—	0.02	—	—	—	—	0.05	—	0.09	—		23
24	—	—	0.16	—	—	—	—	—	—	—	0.06	(1.30) —		24
25	0.10	0.04	0.08	—	0.21	—	0.02	0.05	0.25	0.05	0.90	—		25
26	0.27	0.26	0.10	—	—	—	—	—	0.25	0.20	—	—		26
27	0.10	0.06	—	0.08	—	0.26	0.28	—	0.40	0.04	0.42	—		27
28	0.20	0.03	—	—	0.63	0.09	—	0.55	0.05	—	—	Snow ~~0.91~~		28
29	0.37	✕	—	—	0.30	—	—	—	—	0.03	0.21	0.23		29
30	0.01	✕	—	—	—	0.06	—	—	0.13	—	0.26	—		30
31	0.21	✕	—	✕	0.15	✕	—	—	✕	0.22	✕	0.53		31
TOTAL	3.78	0.65	0.38	0.12	1.79	0.65	1.49	2.20	1.70	3.66	3.77	(3.87) ~~3.48~~	Year's Total ~~23.64~~	24.06
* Days with .01 in. or more.	22	8	4	3	~~9~~ 11	~~7~~ 8	12	12	~~14~~ 15	~~13~~ 15	15	~~10~~ 15	~~129~~	~~134~~ ~~140~~
* Days with .04 in. or more.	20	6	4	1	~~9~~ 10	6	10	9	12	~~12~~ 14	14	~~10~~ 15	~~113~~	~~118~~ 121

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. Clutterbuck

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 915

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Goldingtons Sarratt

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 384 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	0·02	0·60	0·49	—	—	0·08	0·23	—	—	0·04		1
2	—	—	—	—	—	—	—	0·41	1·41	—	—	—		2
3	—	—	—	0·21	—	—	—	0·31	—	0·04	0·33	0·25		3
4	0·59	—	0·29	0·18	—	—	0·05	0·21	—	0·18	—	0·01		4
5	—	—	—	0·34	0·15	—	—	0·34	—	0·29	0·46	0·23		5
6	0·47	—	—	—	—	—	0·46	0·05	—	—	0·39	—		6
7	0·07	0·10	—	—	—	—	—	0·01	—	—	0·18	0·24		7
8	0·05	0·15	0·17	—	—	—	0·05	0·24	—	0·58	0·21	0·42		8
9	—	0·14	—	—	—	—	—	0·06	0·04	0·30	—	0·21		9
10	0·20	—	—	—	—	0·55	—	0·21	—	0·11	—	—		10
11	—	—	0·20	—	—	0·22	—	0·04	—	0·06	—	—		11
12	—	—	—	—	—	—	—	—	—	—	—	—		12
13	—	—	—	0·05	—	—	0·03	—	0·05	0·86	—	—		13
14	0·62	—	—	—	0·16	0·09	—	—	—	0·72	0·42	—		14
15	0·14	0·02	0·08	—	0·44	0·40	—	—	0·10	0·79	0·08	—		15
16	0·36	—	0·13	—	0·16	0·23	0·22	—	—	—	0·49	—		16
17	0·32	—	—	0·12	0·17	—	0·18	—	—	—	—	—		17
18	0·20	—	0·14	—	—	0·18	0·17	—	—	0·04	0·38	—		18
19	0·22	—	—	—	—	—	0·25	—	—	0·17	—	—		19
20	0·22	—	—	—	—	0·20	0·50	0·08	—	—	—	—		20
21	0·07	0·06	0·40	—	—	—	0·38	0·20	—	—	—	—		21
22	0·23	0·32	0·18	—	—	—	—	—	0·10	—	0·15	—		22
23	—	—	—	—	—	—	—	—	—	—	0·95	—		23
24	—	—	0·04	0·10	—	—	—	—	—	0·16	—	—		24
25	—	0·12	0·09	—	—	—	—	—	—	—	0·68	—		25
26	1·15	—	—	—	—	—	—	0·12.	—	0·30	0·29	0·11		26
27	—	—	0·10	0·19	—	—	—	—	—	—	0·20	—		27
28	—	0·23	—	—	—	—	—	—	—	0·18	0·24	—		28
29	—	—	—	0·32	—	—	0·27	—	—	0·20	0·13.	—		29
30	—	✕	—	1·13	—	0·19	—	—	—	—	0·22.	—		30
31	—	✕	—	✕	—	✕	—	—	✕	—	✕	—		31
TOTAL	4·91	1·14	1·84	3·27	1·60	2·06	2·56	2·33	1·93	4·98	5·80	1·51	Year's Total 33·93	
* Days with .01 in. or more.	~~15~~	~~8~~	~~12~~	~~10~~	~~6~~	~~8~~	~~11~~	~~14~~	~~6~~	~~16~~	~~14~~	~~8~~	~~131~~	"d"
* Days with .04 in. or more.	15	7	11	10	6	8	10	13	6	16	17	7	126	

† Spare column, no entries required

(*Signed*) T. Clutterbuck

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 915 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Goldingtons, Sarratt

in the County of Herts.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 384 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: Nil

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	–	–	–	0·09	–		1
2	–	–	–	0·20	–	–	0·16	–	–	–	0·80	0·03		2
3	–	0·36	–	0·18	–	–	–	–	–	0·27	0·87	–		3
4	–	0·15	–	0·10	–	–	–	–	–	0·32	0·12	–		4
5	–	–	–	–	0·10	–	–	–	–	–	0·47	0·20		5
6	0·36	–	–	–	–	–	0·40	–	–	0·42	0·31	–		6
7	0·22	0·39	–	–	0·05	–	–	–	0·03	–	–	–		7
8	–	–	–	0·07	–	–	–	–	–	0·23	–	0·34		8
9	–	–	–	–	–	0·86	0·02	–	0·04	0·08	0·11	0·09		9
10	–	–	–	–	–	–	0·32	0·01	–	–	0·16	–		10
11	–	–	–	–	–	–	–	–	–	–	1·10	–		11
12	–	–	0·11	–	–	0·05	0·13	–	0·19	–	0·04	–		12
13	–	0·03	0·22	–	–	0·20	–	–	0·21	0·14	1·20	–		13
14	–	–	0·48	0·10	0·04	–	–	0·02	0·03	–	–	0·36		14
15	–	–	0·08	–	0·10	–	0·14	–	0·30	0·12	0·24	–		15
16	–	0·11	0·30	–	–	–	0·43	–	–	0·88	0·69	–		16
17	–	–	0·38	–	–	–	–	–	–	–	0·49	–		17
18	–	0·56	0·32	0·22	–	–	–	–	–	0·16	0·29	0·16		18
19	–	0·18	–	0·14	–	–	0·19	–	0·46	–	0·20	–		19
20	–	–	–	–	–	–	0·07	–	–	0·10	0·60	–		20
21	–	–	–	0·03	0·24	–	–	–	–	–	–	–		21
22	–	–	0·10	–	0·48	0·65	–	–	0·27	–	–	–		22
23	–	0·05	0·10	0·16	0·14	0·09	–	0·02	–	–	0·03	–		23
24	–	–	–	0·16	–	–	0·20	–	–	–	–	–		24
25	–	–	–	–	0·06	–	0·20	–	–	–	–	–		25
26	1·15	0·17	0·34	–	0·20	0·10	–	–	–	–	–	–		26
27	0·50	0·24	0·20	0·10	–	–	–	–	–	0·02	–	–		27
28	0·20	0·05	0·18	–	0·10	–	–	–	–	–	–	–		28
29	–	0·07	–	–	0·26	–	–	–	–	–	–	0·30		29
30	0·19	✕	–	0·30	–	–	–	–	–	0·23	–	0·02		30
31	–	✕	–	✕	–	✕	–	–	✕	0·65	✕			31
TOTAL	2·62	2·36	2·81	1·46	1·77	1·95	2·26	0·05	1·53	3·62	7·81	1·50	Year's Total 30·04	
* Days with .01 in. or more.	6	12	12	12	11	6	11	3	8	13	18	8	120	
* Days with .04 in. or more.	6	11	12	11	11	6	10	0	6	12	14	6	108	

† Spare column, no entries required.

(*Signed*) T. Clutterbuck

* See Instruction 3 (f) on other side.

[P.T.O.

915/5

KINGS LANGLEY

LANGLEYBURY GDNS.

1934-1940

78 0205

/26

Section **A** **for the entry of Da**

AIR MINISTRY.—

Station No. 915/5

INFALL ORGANIZATION.

FORM 1090.

REGIST 1934.

Kept at Langleybury Gar

in the County of Herts

Herts/2

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASUREM

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	-	-	-	-	-	-	·24	·13	·03	-	·44		1
2	·10	-	·13	-	·06	-	-	·01	·68	·12	-	·26		2
3	·02	·03	-	·14	-	-	-	·05	-	·34	-	·01		3
4	·09	Tr.	·07	·03	Tr.	-	-	-	-	·14	·08	·43		4
5	-	-	·03	-	·03	-	-	·06	-	Tr.	tr.	·46		5
6	·03	-	·17	Tr.	·36	·10	-	·05	-	·16	-	·70		6
7	·04	-	-	-	-	·04	-	·16	-	·08	-	·32		7
8	-	-	-	-	·08	-	-	·03	·13	-	·32	·01		8
9	·01	-	·04	-	-	-	-	-	-	-	·78	·33		9
10	·10	-	·18	·11	-	-	-	·06	-	-	·15	·02		10
11	·31	-	·36	·08	-	-	-	·01	-	-	-	·17		11
12	·02	-	·10	·01	-	-	·06	·44	-	-	-	·08		12
13	·42	-	·04	-	-	-	·14	·05	-	tr.	·06	·30		13
14	·08	-	·38	Tr.	·01	-	-	-	-	·01	·18	·33		14
15	·07	-	·22	-	·08	-	-	-	·07	-	·04	·19		15
16	·20	-	·23	-	·02	-	-	-	-	·18	-	tr		16
17	·02	-	-	·03	-	-	-	-	·01	·09	·01	·20		17
18	·09	-	-	·31	-	-	·39	-	·01	-	-	·13		18
19	-	-	·25	·02	-	·13	-	-	·08	·01	·01	·13		19
20	-	-	·30	·04	-	-	·13	-	·03	-	·01	-		20
21	-	-	·01	·08	-	·08	-	·07	-	·08	-	tr.		21
22	-	-	-	-	-	-	·01	·18	·34	-	-	·03		22
23	-	-	-	·35	Tr.	·27	-	-	-	-	-	·04		23
24	-	·05	·07	·09	-	·08	·49	·05	·26	-	-	-		24
25	·17	·05	-	·12	-	·07	-	-	-	·06	-	·37		25
26	·11	Tr.	Tr.	·15	-	·03	-	-	·02	·01	-	·20		26
27	·03	·05	-	-	-	·10	-	-	-	·02	-	·34		27
28	-	·08	-	·45	-	·39	·01	·87	-	-	·05	·39		28
29	-	×	-	-	-	-	·02	-	·15	·02	·01	·02		29
30	·05	×	-	-	-	-	-	·02	·01	-	-	·13		30
31	·04	×	-	×	-	×	·04	-	×	·32	×	·05		31
TOTAL	2·03	·26	2·58	2·01	·64	1·29	1·29	2·29	1·92	1·67	1·70	6·08	Year's Total. 23·76	
* Days with .01 in. or more.	21	5	16	15	7	10	9	16	13	16	12.	27	167	
* Days with .04 in. or more.	14	4	13	11	4	9	6	12	8	10	8	22	121	

40-9999 ~~Copied from~~ Per Hertfordshire Nat. His. Soc. ~~[illegible]~~

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) E Henry Lloyd Esq. Loyd

[P.T.O.

1c6

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 915/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Langleybury Gardens, Kings Langley

in the County of Herts

Herts/2

Diameter of Funnel of Gauge ...... in.
Height of top of Gauge above Ground ...... ft ...... in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	–	–	–	–	–	·24	·13	·03	–	·44		1
2	·10	–	·13	–	·06	–	–	·01	·68	·12	–	·26		2
3	·02	·03	–	·14	–	–	–	·05	–	·34	–	·01		3
4	·09	Tr.	·07	·03	Tr.	–	–	–	–	·14	·08	·43		4
5	–	–	·03	–	·03	–	–	·06	–	Tr.	Tr.	·46		5
6	·03	–	·17	Tr.	·36	·10	–	·05	–	·16	–	·70		6
7	·04	–	–	–	–	·04	–	·16	–	·08	–	·32		7
8	–	–	–	–	·08	–	–	·03	·13	–	·32	·01		8
9	·01	–	·04	–	–	–	–	–	–	–	·78	·33		9
10	·10	–	·18	·11	–	–	–	·06	–	–	·15	·02		10
11	·31	–	·36	·08	–	–	–	·01	–	–	–	·17		11
12	·02	–	·10	·01	–	–	·06	·44	–	–	–	·08		12
13	·42	–	·04	–	–	–	·14	·05	–	Tr.	·06	·30		13
14	·08	–	·38	Tr.	·01	–	–	–	–	·01	·18	·33		14
15	·07	–	·22	–	·08	–	–	–	·07	–	·04	·19		15
16	·20	–	·23	–	·02	–	–	–	–	·18	–	Tr.		16
17	·02	–	–	·03	–	–	–	–	·01	·09	·01	·20		17
18	·09	–	–	·31	–	–	·39	–	·01	–	–	·13		18
19	–	–	·25	·02	–	·13	–	–	·08	·01	·01	·13		19
20	–	–	·30	·04	–	–	·13	–	·03	–	·01	–		20
21	–	–	·01	·08	–	·08	–	·07	–	·08	–	Tr.		21
22	–	–	–	–	–	–	·01	·18	·34	–	–	·03		22
23	–	–	–	·35	Tr.	·27	–	–	–	–	–	·04		23
24	–	·05	·07	·09	–	·08	·49	·05	·26	–	–	–		24
25	·17	·05	–	·12	–	·07	–	–	–	·06	–	·37		25
26	·11	Tr.	Tr.	·15	–	·03	–	–	·02	·01	–	·20		26
27	·03	·05	–	–	–	·10	–	–	–	·02	–	·34		27
28	–	·08	–	·45	–	·39	·01	·87	–	–	·05	·39		28
29	–	×	–	–	–	–	·02	–	·15	·02	·01	·02		29
30	·05	×	–	–	–	–	–	·02	·01	–	–	·13		30
31	·04	×	–	×	–	×	·04	–	×	·32	×	·05		31
TOTAL	2·03	·26	2·58	2·01	·64	1·29	1·29	2·29	1·92	1·67	1·70	6·08	Year's Total. 23·76	
* Days with .01 in. or more.	21	5	16	15	7	10	9	16	13	16	12.	27	167	
* Days with .04 in. or more.	14	4	13	11	4	9	6	12	8	10	8	22	121	

40-9999 ~~Copied from~~ Hertfordshire Nat. His. Soc. ~~[illegible]~~

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) E Henry Lloyd Esq. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 915/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Langleybury Kings Langley

in the County of Hertfordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Copied in M-O.7. 12/2/36 J.

Gauge

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.13	.03	-	.03	.03	.09	.08	-	.02	.03		.04		1
2	-	-	-	.01	-	-	-	-	.23	.21		.01		2
3	-	.08	.10	.07	-	.07	-	-	.28	.50		tr		3
4	-	tr	-	.09	-	.06	-	-	.30	.15		.17		4
5	-	.35	.03	.08	-	.07	-	-	.42	tr		-		5
6	tr	.01	-	.35	-	.79	-	-	-	.01		-		6
7	-	-	-	.60	-	.12	-	-	-	.10		.11		7
8	-	-	tr	.23	-	-	-	-	-	.30		.09		8
9	-	-	-	.35	-	.67	-	-	-	.83		-		9
10	-	-	-	.17	-	tr	-	-	-	-		.04		10
11	.33	-	-	-	-	.10	.01	-	-	-		tr		11
12	-	tr	-	-	-	.21	-	.07	.02	.01		-		12
13	.13	.20	-	.25	.12	-	-	-	-	tr		-		13
14	-	-	-	.10	.18	.04	-	-	.01	-		.10		14
15	-	.28	-	.47	-	.31	-	-	.38	-		.11		15
16	-	.09	.04	.02	.01	.39	-	-	.33	-		.07		16
17	-	-	.02	.04	-	.15	.09	-	.06	-		-		17
18	-	-	-	.37	.19	.14	.14	-	.56	-		.02		18
19	-	-	-	.12	.14	.06	.09	-	.11	.02		.10		19
20	tr	.18	-	.11	.37	.10	.05	-	.15	-		-		20
21	.01	.23	-	.03	-	-	-	-	.02	.02		-		21
22	-	.03	.11	.05	-	-	-	.27	.34	-		-		22
23	-	.03	.24	-	-	-	-	.44	.04	.09		.13		23
24	.06	.51	.02	-	-	-	-	.03	.75	-		.28		24
25	.07	.11	-	.25	-	.51	-	-	-	-		.16		25
26	.03	.11	-	-	-	-	-	.27	.09	-		.31		26
27	.03	.25	-	-	.03	-	-	-	.32	tr		.36		27
28	-	.04	-	-	.01	-	-	.10	.09	.05		.11		28
29	-	X	-	-	-	-	-	tr	.98	-		.28		29
30	.04		-	.11	.32	-	-	.67	.02	.07		.39		30
31	-		.		.01		-	-		.59		.29	Year's Total	31
TOTAL	.83	2.53	.56	3.90	1.41	3.78	.46	1.85	5.52	2.98	5.46	3.17	32.45	
* Days with .01 in. or more.	9	16	7	22	11	17	6	7	22	15	(22)	20	174	
* Days with .04 in. or more.	6	12	4	18	6	17	5	6	17	10	(19)	18	138	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. Henry Lloyd [P.T.O.

Per Hertfordshire Natural History Society

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 915/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Kings Langley (Langleybury Gdns).
in the County of Hertfordshire
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft.........in.
,, Ground ,, Sea Level 300 ft.

Copied from records sent in by Hertfordshire Natural History Society. 19/2/37.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	.15	.08	.25		.08	.15	tr			.07	.03		1
2	.05	.13				.52	.38	.06	-		.04			2
3				.08	.01	.03	.02		.15		.35	.02		3
4	-		.15			.32			.38		.08	.05		4
5	.16		.01					.04	.23		.02	.13		5
6	.23				.01	.19		.11	.14	.01	.15	.06		6
7	.19		.04			.03	.61		.02		.05			7
8	.32		.08		tr				.06	.02	.59	.18		8
9	.38		.06		tr		.39		.16	.05		.01		9
10	.02						.17	.02	.09	.13				10
11				.08			.08	.02			.98	tr		11
12				.10		42	.39		.13		.63	.12		12
13				.02		.42				.02	.11	.29		13
14		.12				.09	.50		.19	.08	.02	.55		14
15		.06					.05		.08	tr	tr	.13		15
16	15	.09					.09		.04		.40	.03		16
17	.16	.56			.16	tr				.02	.18	.18		17
18		.11				.27	.19	.01		.08	tr	.06		18
19	.33	.09	.03	.01		.30		.12		.08				19
20	.10	.10	.03	.19			.02		.86					20
21				.18	.03	.58			.14					21
22	.10	.44	.06		.49	.03	.15		.01		.02	.14		22
23	.01		.02	.08			.21			.11				23
24	.16	.10					.30		.13	.43				24
25	.03	tr	.12	.14		.06	.09		.23	.10	.07	.05		25
26		.12	.21	.04		.19	.01		.01	.15		.01		26
27	.14	.01	.04				.02		.24	.12				27
28	.89		.07				.93	.02	.01			.12		28
29	.13	.08	.15			.19	.10			.03	.19	.12		29
30	.16	✕			.05	.40	.07			.24		.01		30
31	.55	✕	.19	✕		✕	.12		✕	.36	✕	.29		31
													Year's Total	
TOTAL	4·49	2·16	1·34	1·17	.75	4·12	5·04	.40	3·30	2·03	3·95	2·58	31·33	✓
* Days with .01 in. or more.	21	14	15	11	6	17	23	8	20	17	17	21	190	✓
* Days with .04 in. or more.	18	13	12	9	3	14	19	4	16	12	14	15	149	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Copy by B.R.O Station No. 915/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Langleybury Gdns, King's Langley,

in the County of Herts

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21			·01					·05		·48	·51		1
2	·01	·30		·50					·14			·46		2
3	·01	·16		·01							·01	·07		3
4	·08	·46			·01							·48		4
5	·26	·02	·22				·05		·01		·01	·01		5
6	·03		·09		·15		·21			·03	·05			6
7		·81	·31	·18			·04		·04					7
8		·05			·14	·06					·19	·32		8
9		·04		·31	·17		·09		·36			·13		9
10	·02		·57	·08	·14	·29	·05	·05				·27		10
11			·20		·55		·01					·02		11
12	·30	·35	·17		·11	·82			·06			·09		12
13	·14	·08	·34	·02	·01	·16		·29	·21			·61		13
14	·03	·02	·46	·18		·02		·98	·12			·01		14
15	·19	·18		·23		·10	·37		·16			·02		15
16	·04	·13	·32	·53		·09		·14	·60			·04		16
17	·40	·01	·23	·23		·02			·38		·03	·01		17
18	·30	·13	·03			·15			·19	·02	·19	·07		18
19	·11	·10	·10	·18	·14	·21	·31		·11	·01	·01	·04		19
20	·50	·01	·02	·59		·03			·02	·01		·02		20
21	·36	·40	·04	·06	·67		·06	·01		·01	·01	·04		21
22	·44	·02	·03		·03	·29	·04			·50	·19	·03		22
23	·27		·03		·08		·17		·01	·48	·02	·01		23
24	·38	·52	·02		·41				·13	·19		·01		24
25	·04	·39	·09		·01				·06	·20		·01		25
26	·01	·35	·05		·49					·07				26
27	·04	·17	·01	·14	·14				·01	·70	·01			27
28	·01	·07	·01	·01		·01				·09		·02		28
29	·03									·03	·05	·04		29
30	·34	×								·01	·19			30
31	·29	×		×		×			×	·28	×	·03		31
TOTAL	4·84	4·77	3·34	3·26	3·25	2·25	1·40	1·47	2·66	2·63	1·44	3·37	Year's Total 34·68	✓
* Days with .01 in. or more.	27	23	21	16	16	13	11	5	18	15	14	26	205	✓
* Days with .04 in. or more.	19	18	14	12	12	9	10	4	14	8	7	14	141	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. Henry Lloyd Esq. * [P.T.O.

* per Herts Nat. History Socy.

FORM 1090. **B** Monthly Summary.

915/5

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Kings Langley (Langlebury Gdns)

In the County of Hertfordshire

Rain Gauge { Diameter of Funnel..........in.
Height of Top above Ground........*ft*..........*in.*
Height of Ground above Sea Level 300 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·78			22	
FEB.	·58			11	
MAR.	·44			7	
APRIL	·18			3	
MAY	1·66			13	
JUNE	·51			6	
JULY	1·28			16	
AUG.	1·54			12	
SEPT.	1·62			18	
OCT.	3·83			21	
NOV.	3·85			22	
DEC.	3·76			23	
TOTAL	22·98			174	

Signature Per Hertfordshire Natural History Society.
E. Henry Lloyd Esq

Copy by B.R.O.

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

....

....

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. &S. 668/91 S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 915/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Langleybury Gardens

in the County of Kings Langley

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ......300......ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	·02	·45	·51	-	·03	·04	·80	-	-	·04		1
2	·02	-	-	·02	·01	-	-	·43	·67	-	·03	·02		2
3	·45	-	-	·20	-	-	-	·29	-	·02	·24	·26		3
4	-	-	·30	·42	-	-	·04	·28	·21	·20	·03	·01		4
5	-	-	-	·49	·18	-	-	·21	-	·19	·38	·20		5
6	·62	-	-	·01	-	-	·51	·06	-	-	·37	-		6
7	·10	·10	-	-	-	-	-	·02	-	·01	·15	·19		7
8	·01	·12	·14	-	-	-	·03	·58	-	·37	·27	·46		8
9	·03	·13	-	-	-	-	-	·04	-	·27	·02	·21		9
10	·21	-	-	-	-	·65	-	·23	·03	·09	-	-		10
11	-	-	·20	-	-	·29	-	·03	-	·08	·01	-		11
12	·01	·01	·01	-	·02	·03	-	-	·03	·01	-	·01		12
13	-	-	tr	·04	-	-	·03	-	·04	·74	-	-		13
14	·71	-	·01	·03	·18	·04	·03	-	·02	·13	·40	·01		14
15	·16	-	·01	-	·46	·36	-	-	·03	·78	·03	-		15
16	·34	-	·12	·02	·14	·21	·14	-	·01	·01	·44	-		16
17	·30	·03	·01	·04	·21	-	·05	-	-	-	·03	-		17
18	·17	-	·08	-	-	·28	·12	-	-	·03	·34	-		18
19	·23	·01	·01	-	-	-	·47	-	-	·17	-	-		19
20	·20	-	-	-	-	·30	·73	·04	-	-	-	·02		20
21	·06	·03	·36	-	-	·03	·19	·20	·01	-	-	-		21
22	·17	·28	·18	-	-	-	·01	-	·03	-	·14	-		22
23	·04	-	·01	·04	-	·01	·02	-	-	·04	·99	-		23
24	·37	-	·05	·02	-	·01	·08	·02	-	·28	-	-		24
25	1·08	·13	·05	-	-	-	-	-	-	-	·74	·04		25
26	·20	·04	·02	-	-	-	-	·04	-	·34	·28	·03		26
27	-	·05	·09	·11	-	-	-	-	-	·09	·22	-		27
28	·02	·25	·07	·04	-	·03	·08	-	-	·14	·22	·14		28
29	-	-	-	·33	-	-	·09	-	-	·19	·15	-		29
30	-	✕	-	1·04	-	·12	-	-	-	-	·22	-		30
31	-	✕	tr	✕	-	✕	·08	-	✕	·01	✕	-		31
													Year's Total	
TOTAL	5·51 ✓	1·18 ✓	1·74 ✓	3·30 ✓	1·71	2·36 ✓	2·73 ✓	2·51 ✓	1·88 ✓	4·19 ✓	5·70 ✓	1·64 ✓	34·45 ✓	
* Days with .01 in. or more.	23 ✓	12 ✓	19 ✓	16 ✓	8 ✓	13 ✓	18 ✓	15 ✓	11 ✓	22 ✓	22 ✓	14 ✓	193 ✓	
* Days with .04 in. or more.	17 ✓	8 ✓	12 ✓	11 ✓	6 ✓	8 ✓	12 ✓	12 ✓	4 ✓	16 ✓	16 ✓	8 ✓	130	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 915/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

660624/26

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Langleybury Gardens KINGS LANGLEY

in the County of Hertfordshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ....ft. ....in.

,, Ground ,, Sea Level 300 ft.

Copy by B.R.O.

Jan 27th }
Nov 13th } est'd fr nearby station

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·01	—	—	—	—	—	—	—	—	·07	—		1
2	—	·08	—	·15	—	—	·20	—	—	·04	·83	—		2
3	—	·30	—	·18	—	—	—	—	—	·18	·81	·04		3
4	—	·14	—	·10	—	—	—	—	—	·31	·12	·03		4
5	—	·01	—	—	—	—	—	—	—	·06	·35	·19		5
6	·22	·14	—	—	·08	—	·45	—	—	·36	·36	—		6
7	·23	·18	—	—	·05	—	·14	—	·05	—	—	—		7
8	—	—	—	·05	—	—	—	—	—	·21	·01	·32		8
9	—	—	—	—	—	·09	—	·01	·02	·09	·09	·02		9
10	—	—	—	—	—	·03	·38	—	—	·03	·15	·03		10
11	—	—	—	·02	—	—	—	—	—	—	1·10	—		11
12	—	—	·09	·01	—	·05	·12	—	·15	—	·06	—		12
13	—	—	·53	—	—	·17	—	—	·25	—	(·04) ~~·54~~	—		13
14	—	—	·16	·06	·01	—	—	—	·02	·11	—	·37		14
15	—	—	·04	·04	·13	—	·11	—	—	·02	·23	·01		15
16	·03	·06	·25	·01	—	·01	·51	—	·29	·71	·70	—		16
17	—	—	·40	—	—	—	·02	—	—	·01	·61	—		17
18	—	·60	·29	·20	—	—	—	·01	—	·14	·25	·16		18
19	—	·15	·02	·13	—	—	·08	—	·56	·01	·23	·01		19
20	—	·02	·02	·03	—	—	·01	·02	—	·03	·10	—		20
21	·03	·01	·01	—	·32	—	·10	—	—	·04	·61	—		21
22	·01	—	·04	—	·46	·42	—	—	·22	·01	—	—		22
23	—	—	·08	·13	·12	·17	—	·04	—	—	·03	—		23
24	—	—	—	·13	—	—	·20	—	—	—	·01	—		24
25	—	—	·20	—	·02	·01	·20	—	—	—	—	—		25
26	·94	·16	·44	—	—	—	·01	—	—	—	—	—		26
27	(·50)	·22	—	·04	·22	—	—	—	—	—	—	—		27
28	—	·04	—	·02	·08	—	—	—	—	—	—	—		28
29	·11	·08	·16	—	·02	—	—	—	—	—	—	·31		29
30	·22		—	·38	·09	—	—	—	—	·21	—	·01		30
31	·03		—		—		—	—		·60		·01		31
TOTAL	2·32 ~~1·82~~	2·20	2·73	1·68	1·60	0·95	2·53	0·08	1·56	3·17	7·76 ~~7·26~~	1·51	Year's Total ~~27·09~~	28·09
* Days with .01 in. or more.	~~9~~ 11	16	15	17	12	8	14	4	8	19	21	13	~~156~~	158
* Days with .04 in. or more.	~~5~~ 7	12	12	12	9	5	11	1	6	13	18	6	~~110~~	112

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. R. Neal
Sec. Herts Nat. History Soc.

[P.T.O.

916

Section **A** for the entry of Dail

AIR MINISTRY.—M

COPY FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REGISTE

93/.

916.

CHIPPERFIELD

LITTLE CALLIPERS

1931 - 1937

780205

Kept at Little Callipers Chi

in the County of Herts.

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM **DAY.**

An observer who does not conform to this r *the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02		·08		·02			·10				1
2	·08			·45					·62	·06			2
3	·06	·04	·03	·12	·44			·28	·63		·09	·34	3
4				·08			·11	·35	·11	·02	·11	·03	4
5				·14	·10	·51	·04	·05	·05		·05	·46	5
6		·13		·15						·32	·36		6
7						·05	·20	·25			·16	·05	7
8		·09				·13		·48		·12	·14	·02	8
9		·02		·09		·05					·38		9
10	·03	·14	·07			·06	·12	·27		·04	·37	·03	10
11	·16	·35									·07		11
12		·04						·09	·49				12
13							·45	·02					13
14	·05	·10					·77	·79					14
15	·01			·09	·13		·25	·63					15
16		·03		·12	·28	·07		·34				·05	16
17		·15		·37	·15		·14		·24				17
18	·07	·08	·01	·28		·15	·02	·37			·60		18
19				·41		·55	·13	·11	·03				19
20		·04		·12			·07	·39					20
21			·04					·05					21
22	·24				·46								22
23	·38			·03	·42	·03					·36		23
24				·37	·13	·05	·07		·07			·04	24
25	·09			·47	·08		·45				·05		25
26		·04		·12			·86				·20		26
27	·19	·41		·02	·22						·22		27
28	·08	·29		·07	·04					·02		·18	28
29	·02				·02		·15			·29			29
30	·10	×						·06					30
31	·34	×		×		×		·02	×		×		31
TOTAL	1·90	1·9~~2~~7	·15	3·58	2·47	1·67	3·83	4·55	2·34	·87	3·20	1·20	YEAR'S TOTAL 27·7~~2~~3
*Days with ·01 in. or more.	15	16	4	19	12	11	15	17	9	7	12	9	148
*Days with ·04 in. or more.	12	13	2	17	11	9	14	16	8	5	14	6	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Marjorie M Rimington

[P.T.O.

916

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Little Callipers Chipperfield

in the County of Herts.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 408 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02		·08		·02			·10				1
2	·08			·45					·62	·06			2
3	·06	·04	·03	·12	·44			·28	·63		·09	·34	3
4				·08			·11	·35	·11	·02	·11	·03	4
5				·14	·10	·51	·04	·05	·05		·05	·46	5
6		·13		·15						·32	·36		6
7						·05	·20	·25			·16	·05	7
8		·09				·13		·48		·12	·14	·02	8
9		·02		·09		·05					·38		9
10	·03	·14	·07			·06	·12	·27		·04	·37	·03	10
11	·16	·35									·07		11
12		·04						·09	·49				12
13							·45	·02					13
14	·05	·10					·77	·79					14
15	·01			·09	·13		·25	·63					15
16		·03		·12	·29	·07		·34				·05	16
17		·15		·37	·15		·14		·24				17
18	·07	·08	·01	·28		·15	·02	·37			·60		18
19				·41		·55	·13	·11	·03				19
20		·04		·12			·07	·39					20
21			·04					·05					21
22	·24				·45								22
23	·38			·03	·42	·03					·36		23
24				·37	·13	·05	·07		·07			·04	24
25	·09			·47	·08		·45				·06		25
26		·04		·12			·86				·20		26
27	·19	·41		·02	·22						·22		27
28	·08	·29		·07	·04					·02		·18	28
29	·02				·02		·15			·29			29
30	·10	×						·06					30
31	·34	×		×		×		·02	×		×		31
TOTAL	1·90	1·97	·15	3·58	2·47	1·67	3·83	4·55	2·34	·87	3·20	1·20	YEAR'S TOTAL 27·73
*Days with ·01 in. or more.	15	16	4	19	12	11	15	17	9	7	14	9	148
*Days with ·04 in. or more.	12	13	2	17	11	9	14	16	8	5	14	6	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Marjorie M Rivington

[P.T.O.

916

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 916.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Little Callipers Chipperfield

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 408 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·16	·53			·10	·03	·07	·03	·07	1
2	·15			·17	·08			·05	·33	·06	·09	·19	2
3				·13	·12				·45	·04			3
4	·02										·25		4
5	·46		·04				·11		·18				5
6			·04	·12	·01				·10				6
7	·05		·10	·08	·03				·05	·02			7
8			·09	·07	·05				·30	·22			8
9	·62			·15	·61					·02			9
10	·44		·03	·23	·08					·10	·09		10
11				·05	·10	·38	·72	1·41	·04	·06		·02	11
12	·10				·12			·05		·18	·12		12
13	·04	·04		·25					·07	·10	·10	·01	13
14	·21			·12							·03		14
15	·02			·05	·84		·09			·11			15
16	·15			·25	·31								16
17	·01			·03						·12			17
18							·01		·19		·16		18
19										·35	·02		19
20				·18	·05			1·89		·75	·08		20
21				·37	1·09			1·13		·34		·06	21
22	·03		·37				·24		·49	·14	·43		22
23		·10	·08	·04					·11	·68	·03	·17	23
24							·31		·05	·06	·07		24
25		·03		·03			·20		·02	·56	·05		25
26			·12	·23	·05		·07		·01	·05	·08		26
27			·29	·25	·40		·18			·07	16 ·~~08~~		27
28			·25	·02	·06	·17	·29			·28	·~~[illegible]~~		28
29			·44	·07	·37	·18		·05	·07	·56	·12	·06	29
30		×	·20	·12		·42		·01	·15	·07	·30	·19	30
31		×	·11	×		×	·23		×		×	·10	31
TOTAL	2·34	·17	2·16	3·17	4·90	1·15	2·45	4·69	2·64	5·01	2·21	·87	YEAR'S TOTAL 31·76
*Days with ·01 in. or more.	14	3	13	23	18	4	11	8	17	24	18	9	162
*Days with ·04 in. or more.	10	2	12	20	16	4	10	~~6~~7	14	22	14	7	138

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Marjorie H. Rorrington

P.T.O.

916

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~916~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Little Callipers Chipperfield

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 408 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·22	·12		·06						·04			1
2	·40		·42		·14									2
3		·19	·28		·17									3
4	·21		·09		·23						·12			4
5	·04	·09	·28		·19									5
6			·06		·22					·05	·07			6
7	·14	·25	·04							·03				7
8	·07				·07		·04			·06				8
9					·06		·22			·10	·13			9
10		·19					·39			·34	·03			10
11	·20					·05	·05	·07						11
12									·55					12
13	·05						·42		·09		·11			13
14	·				·17		·02	·02		·03	·49			14
15	·61		·17			·07	·06	·17			·23			15
16			·71			·20	·11		·01	·06				16
17	·05		·49			·04	·05		·07		·02			17
18	·08	·09	·32			·05								18
19			·34	·02		·07			·25		·03			19
20			·10	·08		·23								20
21		·15				·22		·11	·26					21
22		·03				·12		·21		·23	·02			22
23				·18					·37		·04			23
24		·35		·21		·07			·25	·04	·07			24
25		·65		·28					·07	·02	·02			25
26		·32		·09	·02				·26	·03		·18		26
27					·16				·07	·21		·10		27
28										·30				28
29	·03	×		·24			·05			·10		·05		29
30	·22	×	·09				·07		·02			·12		30
31	·20	×	·02	×		×	·01	·11	×	·03	×			31
													Year's Total	
TOTAL	2·42	2·53	3·53	1·10	1·49	1·12	1·49	·69	2·27	1·63	1·42	·45	20·14	
*Days with ·01 in. or more.	14	11	15	7	11	10	12	6	12	15	14	4	131	
*Days with .04 in. or more.	13	10	14	6	10	10	10	5	10	10	9	4	111	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Maryon H Rivington

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 916

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at LITTLE CALLIPERS, CHIPPERFIELD

in the County of HERTFORDSHIRE.

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level ~~400~~ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1								·24	·21	·07		·45		1
2	·16		·09					·01	·72	·11		·23		2
3	·04	·05		·03	·07			·02		·59		·02		3
4	·10		·08	·21						·15	·08	·51		4
5			·02		·03			·07				·42		5
6	·05		·18		·31	·04				·17		·68		6
7	·04					·06		·24		·08	·06	·33		7
8					·09			·03	·12		·40			8
9			·05		·02						·68	·41		9
10	·10		·24	·10				·07			·16			10
11	·33		·35	·07			·01					·22		11
12	·01		·04	·03			·05	·53		·02		·09		12
13	·35		·10	·02			·23	·10			·05	·47		13
14	·09		·45								·12	·30		14
15	·08		·25		·08				·15			·34		15
16	·18		·26							·19	·07	·05		16
17	·03								·06			·21		17
18	·12			·16			·18		·04	·10		·12		18
19			·25	·05		·13			·08			·07		19
20			·29	·03			·11		·04					20
21			·02	·09		·08		·05		·12				21
22							·05	·17	·35			·04		22
23				·31		·29						·07		23
24	·	·02	·08	·08		·08	·54		·25					24
25	·04	·11		·15		·38			·02	·08		·38		25
26	·24			·21		·03						·15		26
27	·05					·09				·04		·31		27
28		·13		·61		·29		·81			·05	·44		28
29							·02		·12			·03		29
30		×										·10		30
31	·07	×		×		×			×	·33	×	·04		31
TOTAL	2·08	·31	2·75	2·15	·60	1·47	1·19	2·34	2·16	2·04	1·67	6·48	Year's Total. 25·24	
* Days with .01 in. or more.	18	4	16	15	6	10	8	12	12	13	9	26	149	
* Days with .04 in. or more.	16	3	14	11	4	9	6	9	11	12	9	24	128	

40-9999

† Spare column, no entries required.

(*Signed*) S.H. Rivington

[P.T.O.

* See Instruction 2 (f) on other side.

✓ 916

FORM 1090.

B Monthly Summary.

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935.

At Clupperfield (Little Callipers)

In the County of Hertford

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground.........ft............in.*
- *Height of Ground above Sea Level...............ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·96	·28	11	11	
FEB.	2·73	·54	24	14	
MAR.	·64	·24	23	1	
APRIL	4·23	·60	9	21	
MAY	1·01	·28	14	9	
JUNE	4·68	·91	25	20	
JULY	·55	·20	18	6	
AUG.	1·80	·78	30	6	
SEPT.	5·32	·87	29	21	
OCT.	3·16	·94	9	14	
NOV.	5·39	·99	7	23	
DEC.	3·32	·40	27	19	
TOTAL	33·79.			170	—

Signature MISS M. M. RIVINGTON......

per Hertfordshire Natural History Society 10 FEB 1936

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..........................in Summer....................

Nearest Railway Station.............................. Distance.................. Direction from gauge...............

Nearest Parish Church at.............................. Distance.................. Direction from gauge...............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction...........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied in M.O.7.
10/2/36
K.

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17, 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

916

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Chipperfield (Little Gallipars)

In the County of Hertfordshire

Rain Gauge
Diameter of Funnel..........in.
Height of Top above Ground.........ft...........in.
Height of Ground above Sea Level 400 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·71			19	
FEB.	2·45			13	
MAR.	1·27			14	
APRIL	1·18			9	
MAY	·53			5	
JUNE	4·74			17	
JULY	5·60			20	
AUG.	·31			3	
SEPT.	3·20			13	
OCT.	2·09			10	
NOV.	3·82			14	
DEC.	2·65			13	
TOTAL	32·55 ✓			150	✓

Signature for Miss M. M. Rivington

*See Instruction 2 (*f*) below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from Records sent in by Hertfordshire Natural History Society. 19/2/37.

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 916

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Little Callipers Chipperfield

in the County of Herts.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

(File number) 3014 18/34

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·07							·04		·47	·43		1
2	·03	·09		·48					·13			·74		2
3		·24												3
4		·70										·25		4
5	·34	·03	·14				·03							5
6					·06		·18							6
7		·80	·35	·18										7
8		·07			·10						·15			8
9		·02		·26	·21	·02	·09		·34			·49		9
10			·56	·05	·13	·26						·27		10
11	·04		·23		·41									11
12	·27	·33	·13		·20	·85			·15					12
13						·19		·19	1·19			·70		13
14	·18		·67	·20				1·51			·03			14
15	·14	·25		·19		·14	·68		·37					15
16	·13		·43	·53		·07		·14	·81					16
17	·39	·06	·28	·21		·09			·43					17
18	·37		·03	·06	·15				·09		·25			18
19	·11	·21	·02	·19		·24			·16					19
20	·55			·58	·63		·13					·09		20
21	·31		·04	·06			·05					·18		21
22	·40	·39	·02		·14	·22				·49	·19			22
23	·26		·08		·32		·23			·45				23
24	·41	·24			·04				·15	·24				24
25		·57			·49				·07	·43				25
26	·05	·38	·14		·23									26
27		·31		·11					·03	·85				27
28		·09								·07				28
29	·06									·05	·29			29
30	·35	✕										·05		30
31	·29	✕		✕		✕			✕	·27	✕	·10		31
TOTAL	4·95	4·85	3·12	3·10	3·11	2·08	1·39	1·84	3·96	2·85	1·38	3·30	Year's Total 35·98	3 ✓
* Days with .01 in. or more.	~~20~~	~~18~~	~~14~~	~~13~~	~~13~~	~~9~~	~~7~~	~~3~~	~~13~~	~~8~~	~~6~~	~~10~~	~~134~~	✓
* Days with .04 in. or more.	~~19~~	~~16~~	~~11~~	~~13~~	~~13~~	~~8~~	~~6~~	~~3~~	~~12~~	~~8~~	~~5~~	~~10~~	~~124~~	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. J. Carter [P.T.O.

(Observer)

917

917

FIR TREE COTTAGE
KING LANGLEY
HERTFORD
1931 - 1940

780205

Section **A** for the entry of

AIR MINISTRY … FALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST… 1931.

Kept at Fir Tree Cottage K…

in the County of Hert…

No: 917.

Diameter of Funnel of Gauge…

Height of top of Gauge above Ground…

,, Ground ,, Sea Le…

THE MORNING MEASUR… DAY.

An observer who does not conform to th… the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·03	·01	·095	-	·17	-	·01	·07	-	-	-	1
2	·1	·055	-	·455	-	·01	-	Tr	·55	·035	Tr	·055	2
3	·05	-	·01	·105	·435	-	-	·42	·61	-	·1	·255	3
4	-	·02	-	·08	-	-	·15	·56	·08	·015	·055	·01	4
5	-	-	-	·11	·13	·34	·04	·02	·04	-	·045	·41	5
6	-	·14	-	·12	·01	-	·01	-	·04	·275	·36	-	6
7	-	Tr	-	·02	·015	·07	·01	·495	-	·06	·14	·04	7
8	·02	·075	·055	·02	-	·17	-	·29	-	·05	·095	·01	8
9	-	·1	-	·06	-	·01	-	·01	-	·015	·37	Tr	9
10	·02	·05	·025	-	Tr	·05	·16	·23	-	·01	·32	-	10
11	·145	·36	-	-	-	·01	-	-	·05	-	·05	-	11
12	-		-	-	-	-	·01	·025	·325	-	·01	-	12
13	·02	·05	-	-	-	-	·25	·02	-	-	-	-	13
14	·03	·08	-	-	·02	·02	·81	·87	-	-	-	-	14
15	·025	·02	-	·08	·12	-	·17	·585	-	-	-	·025	15
16	-	·12	-	·12	·28	·07	·01	·33	·25	-	-	-	16
17	·02	·01	-	·31	·15	·01	·125	·015	·02	·01	-	-	17
18	·05	·04	Tr.	·25	·01	·13	·01	·42	-	-	·53	-	18
19	·01	-	-	·35	-	·28	·1	·02	·01	-	·01	-	19
20	-	·02	-	·08	-	·01	·13	·3	-	-	-	-	20
21	-	-	·025	-	·505	-	Tr	·03	·01	-	-	-	21
22	·255	-	Tr	·05	-	-	-	-	·02	-	-	-	22
23	·295	Tr.	Tr.	·015	·35	·02	-	-	·01	-	·3	·03	23
24	-	-	-	·4	·11	·03	·15	-	Tr.	-	-	Tr.	24
25	·085	-	-	·28	·095	-	·37	-	-	-	·06	·01	25
26	-	·03	-	·13	·015	-	·845	-	-	-	·17	-	26
27	·18	·385	-	·01	·235	-	·02	-	-	-	·215	-	27
28	·065	·26	-	·15	·01	-	-	-	-	·015	-	·16	28
29	·09		-	·02	·035	-	·145	-	-	·24	-	·015	29
30	·035	×	-	-	·01	-	·01	·07	-	Tr	-	-	30
31	·27	×	-	×	-	×	-	-	×	-	×	Tr.	31
TOTAL	1·765	1·845	·125	3·31	2·515	1·40	3·525	4·72	2·085	·725	2·83	1·02	YEAR'S TOTAL 25·865
*Days with ·01 in. or more.	19	18	5	23	18	16	20	19	14	10	16	11	189
*Days with ·04 in. or more.	11	12	1	18	10	8	13	8	9	4	14	5~~8~~	115

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Edward Toms

[P.T.O.

917

Section **A** for the entry of [redacted] COPY FOR OFFICIAL USE.
AIR MINISTRY FALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Fir Tree Cottage Kings Langley
in the County of Hertford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 278 ft.

Station No: 917.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·03	·01	·095	-	·17	-	·01	·07	-	-	-	1
2	·1	·055	-	·455	-	·01	-	Tr	·55	·035	Tr	·055	2
3	·05	-	·01	·105	·435	-	-	·42	·61	-	·1	·255	3
4	-	·02	-	·08	-	-	·15	·56	·08	·015	·055	·01	4
5	-	-	-	·11	·13	·34	·04	·02	·04	-	·045	·41	5
6	-	·14	-	·12	·01	-	·01	-	·04	·275	·36	-	6
7	-	Tr	-	·02	·015	·07	·01	·495	-	·06	·14	·04	7
8	·02	·075	·055	·02	-	·17	-	·29	-	·05	·095	·01	8
9	-	·1	-	·06	-	·01	-	·01	-	·015	·37	Tr.	9
10	·02	·05	·025	-	Tr	·05	·16	·23	-	·01	·32	-	10
11	·145	·36	-	-	-	·01	-	-	·05	-	·05	-	11
12	-		-	-	-	-	·01	·025	·325	-	·01	-	12
13	·02	·05	-	-	-	-	·25	·02	-	-	-	-	13
14	·03	·08	-	-	·02	·02	·81	·87	-	-	-	-	14
15	·025	·02	-	·08	·12	-	·17	·585	-	-	-	·025	15
16	-	·12	-	·12	·28	·07	·01	·33	·25	-	-	-	16
17	·02	·01	-	·31	·15	·01	·125	·015	·02	·01	-	-	17
18	·05	·04	Tr.	·25	·01	·13	·01	·42	-	-	·53	-	18
19	·01	-	-	·35	-	·28	·1	·02	·01	-	·01	-	19
20	-	·02	-	·08	-	·01	·13	·3	-	-	-	-	20
21	-	-	·025	-	·505	-	Tr	·03	·01	-	-	-	21
22	·255	-	Tr	·05	-	-	-	-	·02	-	-	-	22
23	·295	Tr.	Tr.	·015	·35	·02	-	-	·01	-	·3	·03	23
24	-	-	-	·4	·11	·03	·15	-	Tr	-	-	Tr.	24
25	·085	-	-	·28	·075	-	·37	-	-	-	·06	·01	25
26	-	·03	-	·13	·015	-	·845	-	-	-	·17	-	26
27	·18	·385	-	·01	·235	-	·02	-	-	-	·215	-	27
28	·065	·26	-	·15	·01	-	-	-	-	·015	-	·16	28
29	·09		-	·02	·035	-	·145	-	-	·24	-	·015	29
30	·035	×	-	-	·01	-	·01	·07	-	Tr	-	-	30
31	·27	×	-	×	-	×	-	-	×	-	×	Tr.	31
TOTAL	1·765	1·845	·125	3·31	2·515	1·40	3·525	4·72	2·085	·725	2·83	1·02	YEAR'S TOTAL 25·865
*Days with ·01 in. or more.	19	18	5	23	18	16	20	19	14	10	16	11	189
*Days with ·04 in. or more.	11	12	1	18	10	8	13	8	9	4	14	58	115

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Edward Toms

[P.T.O.

917

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No** 917

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Kings Langley (Fir Tree Cottage)
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 278 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·095	–	–	·145	·52	·03	·04	·15	·03	·07	·045	–	1
2	·04	–	–	·15	·065	–	–	·02	·59	·035	·07	·22	2
3	–	–	–	·105	·085	–	–	–	·205	·05	–	–	3
4	·01	–	–	·01	–	–	–	Tr.	–	–	·185	–	4
5	·37	Tr.	–	–	·02	–	·24	–	·13	–	–	–	5
6	·41	–	·05	·085	·02	–	·02	–	·09	–	–	–	6
7	·01	–	·12	·03	·02	–	–	–	·05	·03	–	–	7
8	–	–	·055	·12	·09	–	–	–	·135	·18	–	–	8
9	·18	–	–	·075	·55	–	–	–	–	·05	–	–	9
10	·41	·04	·02	·24	·08	–	1·00	–	·025	·1	·09	–	10
11	Tr	–	–	·03	·04	·17	–	*1·40	·02	·065	·07	·02	11
12	·08	–	–	–	·09	–	–	·03	·04	·18	·03	–	12
13	·02	–	–	·25	·01	–	–	–	·01	·085	·08	·02	13
14	·22	–	–	·13	·01	–	–	–	–	·03	·02	–	14
15	–	–	–	·035	·76	–	–	–	–	·09	–	Tr	15
16	·14	–	–	·21	·52	–	·02	–	–	–	–	–	16
17	–	–	–		–	–	·02	–	–	·075	–	–	17
18	–	–	–	·01	·015	–	–	–	·18	–	–	–	18
19	–	–	–	–	–	–	–	–	·01	·31	·16	–	19
20	–	–	–	·235	·025	–	Tr	*1·49	·08	·72	·095	·01	20
21	·01	Tr	–	·34	·845	–	–	·84	–	·3	–	·055	21
22	Tr.	·02	·36	·01	·01	–	·17	–	·345	·19	·4	–	22
23	–	·08	·045	·025	·16	–	–	–	·045	·7	·025	·14	23
24	–	·02	–	·015	–	–	·23	–	·05	·04	·085	–	24
25	–	–	–	·01	–	–	·17	–	·02	·51	·06	–	25
26	–	–	·055	·215	·11	–	·07	–	–	–	·05	–	26
27	–	–	·32	·22	·33	–	·23	–	·02	·21	·16	–	27
28	–	–	·23	·01	·05	·24	·24	–	–	·165	–	·01	28
29	–	–	·405	·035	·21	·03	·01	·11	·045	·51	·13	–	29
30	–	×	·19	·02	·02	·62	–	·015	·09	·055	·29	·26	30
31	–	×	·14	×	–	×	·24	–	×	–	×	·09	31
TOTAL	1·995	·16	1·99	2·76	4·655	1·09	2·70	4·055	2·21	4·75	2·045	·825	YEAR'S TOTAL 29·23
*Days with ·01 in. or more.	13	4	12	27	25	5	14	8	21	24	18	9	180
*Days with .04 in. or more.	98	2	11	15	16	3	10	5	14	21	15	5	126

40-9999

*See Instruction 2 (*f*) on other side, * Thunder Storms

(Signed) Edward Toms

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 917

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Kings Langley

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 278 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·16	·12	-	·09	-	-	-	-	-	·03 ~~·025~~	-	1
2	·39 ~~·385~~	-	·39 ~~·385~~	-	·17	-	-	-	-	-	-	-	2
3	-	·21	·27	-	·11 ~~·105~~	-	-	-	-	-	Tr	-	3
4	·21	·03	·04	-	·33	-	-	-	-	-	·14	-	4
5	·02 ~~·025~~	·05 ~~·045~~	·28	-	·03 ~~·025~~	-	-	-	-	-	·01	-	5
6	-	·11	·05	-	·27	-	-	-	-	·06	·07	-	6
7	·15	·11	·03 ~~·025~~	-	·01	-	-	-	-	·06	Tr	-	7
8	·04	·01	·04	-	·05 ~~·055~~	-	·07	-	-	·02	-	-	8
9	-	-	-	-	·08	-	·18	-	-	·09 ~~·085~~	·10	-	9
10	-	·21 ~~·215~~	-	-	·02	·04	·27	-	-	·32	·02	-	10
11	·14	-	-	-	·02	·03 ~~·025~~	·03	·07	-	·01	Tr	-	11
12	-	-	-	-	·02	·02	Tr	-	·49	-	-	-	12
13	·05	-	-	-	·13	-	·41	-	·03	-	·12	-	13
14	-	-	-	-	·02	-	·01	·03	-	·03 ~~·025~~	·53	·03 ~~·025~~	14
15	·57 ~~·575~~	-	·14	-	·03	-	·10	·12	-	·01	·10 ~~·105~~	·01	15
16	·02	·02	·68	-	·02	·26	·06	-	Tr	·05	·02	Tr	16
17	·03	·02	·40 ~~·405~~	-	-	·01	·02	-	·07	-	·01	-	17
18	·09 ~~·085~~	·04	·34	-	-	·07	-	-	-	-	-	-	18
19	Tr	·02	·36	·03	-	·02	-	-	·30	-	·02	Tr	19
20	-	·01	·08 ~~·085~~	·09	-	·21 ~~·215~~	-	-	-	-	·01	-	20
21	-	·03	-	-	-	·08	-	·12 ~~·125~~	·22 ~~·215~~	Tr	-	-	21
22	-	-	-	-	-	·26	-	·21 ~~·205~~	-	·17	·04	-	22
23	-	-	-	·21 ~~·215~~	-	-	-	-	·27 ~~·275~~	·01	-	-	23
24	-	·24	-	·15	·02	·04	-	-	·29	-	-	-	24
25	-	·53	-	·26	-	·01	-	-	·02	-	·07	·08	25
26	-	·27 ~~·265~~	-	·09	Tr	-	-	-	·13 ~~·125~~	·10	-	·12 ~~·125~~	26
27	-	-	-	·01	·47	-	Tr	-	·05 ~~·055~~	·14 ~~·145~~	·01	·10	27
28	-	-	-	-	·02	-	Tr	-	·01	·28	-	·03	28
29	·15	×	Tr	·24 ~~·235~~	-	-	·11 ~~·115~~	-	-	·10 ~~·105~~	-	·02	29
30	·05 ~~·045~~	×	·09	-	-	-	·05	-	·01 ~~·015~~	Tr	-	·12	30
31	·23	×	·02	×	-	×	-	·12 ~~·125~~	×	·03	×	-	31
TOTAL	2·21 ~~2·205~~	2·07 ~~2·065~~	3·33	1·08	1·91 ~~1·905~~	1·05	1·31	·67 ~~·675~~	1·89 ~~1·895~~	1·48	1·30	·51 ~~·51~~	YEAR'S TOTAL 18·81
*Days with ·01 in. or more.	15	17	16	8	19	12	11	6	12	16	16	8	156
*Days with .04 in. or more.	12	10	14	6	9	7	8	5	8	10	8	4	101

40-9999

*See Instruction 2 (*f*) on other side,

D

(*Signed*) Edward Toms

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 917

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Kings Langley

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 278 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01 ~~·015~~	–	–	–	–	–	–	·24	·21 ~~·215~~	Tr.	–	·42		1
2	·11	–	–	–	·06	–	–	–	·69	·15	–	·19 ~~·185~~		2
3	·03 ~~·025~~	·05	–	·12 ~~·115~~	–	–	–	·02	–	·45	–	·01		3
4	·13	–	·14	·05 ~~·045~~	·03 ~~·035~~	–	–	–	–	·15 ~~·145~~	·09 ~~·085~~	·45		4
5	–	–	·04	–	·02	–	–	·07	–	·03	–	·42		5
6	·04	–	·17	·01 ~~·015~~	·34	·09 ~~·095~~	–	·15 ~~·145~~	–	·15	–	·60		6
7	·03	·02	–	–	–	·11	–	·06	–	·06	–	·33 ~~·325~~		7
8	–	–	–	–	·08	–	–	·03	·15 ~~·145~~	–	·27	·02		8
9	·02 ~~·015~~	–	·05 ~~·055~~	–	Tr.	–	–	–	–	–	·76	·32		9
10	·09 ~~·095~~	–	·20	·12	–	–	–	·08	–	–	·13	·02		10
11	·35	–	·38	·08	–	–	–	–	–	–	Tr.	·17 ~~·175~~		11
12	·02	–	·15 ~~·145~~	·03	–	–	·08	·49	–	–	–	·08		12
13	·35	–	·07	·02	–	–	·23 ~~·235~~	·03	–	–	·05 ~~·055~~	·35		13
14	·07	–	·39	Tr.	·05	–	–	–	–	·02 ~~·025~~	·21	·34		14
15	·09 ~~·095~~	–	·23	–	·09	–	–	–	·22	Tr.	·03	·22		15
16	·18	–	·25	–	·02	–	–	–	–	·18	–	–		16
17	·03		–	·07 ~~·075~~	·03 ~~·025~~	–	–	–	–	·10 ~~·265~~	–	·30		17
18	·11	–	–	·23	–	–	·29	–	·08	–	–	·12		18
19	–	–	·25	–	–	·12	–	Tr.	·08	·02	–	·08		19
20	–	–	·25	·06	–	–	·18	–	·02 ~~·025~~	–	–	–		20
21	–	–	·02	·06	–	·10 ~~·095~~	–	·06 ~~·065~~	–	·10	–	–		21
22	–	–	–	Tr.	–	–	·11 ~~·105~~	·18	·33 ~~·325~~	–	–	·03 ~~·025~~		22
23	–	–	–	·29	Tr.	·27	·02	–	·02	–	–	·08		23
24	–	·04	·08	·03 ~~·025~~	–	·05	·70	–	·21	·01	–	·01		24
25	·17	·08	–	·21	·05 ~~·045~~	·26	–	–	–	·06	–	·33 ~~·325~~		25
26	·09	–	Tr.	·17	–	·02	–	–	·04	·03 ~~·025~~	–	·17		26
27	·01	·04	–	·01	–	·08	–	–	–	·02	–	·34 ~~·345~~		27
28	–	·12 ~~·115~~	–	·72	–	·30	Tr.	·78	–	–	·09	·38		28
29	–	×	–	–	–	–	·02 ~~·025~~	·01 ~~·78~~	·15	·01	·02	·02 ~~·025~~		29
30	·05	×	–	–	–	–	–	–	·06	–	–	·09		30
31	·03	×	–	×	–	×	Tr.	–	×	·38	×	·05 ~~·065~~		31
TOTAL	2·01 ~~2·015~~	·35 ~~·345~~	2·67	2·28 ~~2·275~~	·77 ~~·765~~	1·40	1·63 ~~1·635~~	2·20	2·26	1·92	1·65	5·94	Year's Total. 25·07	
* Days with .01 in. or more.	21	6	15	17	10	10	8	14	13	17	9	28	168	
* Days with .04 in. or more.	13	5	14	12	6	9	6	10	11	10	7	22	125	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edward Toms.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 917

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Kings Langley

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 278 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·13	·04	-	·05	·01	·09 ~~·085~~	·07	-	·02	·27 ~~·275~~	·15	·04		1
2	Tr.	-	-	·02	-	-	-	Tr.	·23 ~~·235~~	·23	·05	·01		2
3	-	·10	·11	·07 ~~·075~~	-	·07	-	Tr.	·46	·53	·18	·01		3
4	-	-	-	·09	-	·10 ~~·105~~	-	-	·07 ~~·065~~	·01	-	·19		4
5	-	·37	·04	·11	-	·36	Tr.	-	·40	-	·03	~~·11~~		5
6	-	·03 ~~·025~~	-	·32	-	·75	-	-	-	-	·01	·02 ~~·11~~		6
7	-	-	-	·55	-	-	-	-	-	·06	1·06	·12		7
8	-	-	-	·28	-	-	-	-	-	·41	·18	·09 ~~·085~~		8
9	-	-	-	·52	-	·65	-	-	-	·91	·08	-		9
10	-	-	-	·14	-	·02	-	-	-	-	·05 ~~·055~~	·05		10
11	·35	-	-	-	-	·10	·03	-	-	-	·26	·01		11
12	-	·02	-	-	-	·27	-	·07	·03	-	·40	-		12
13	·13 ~~·135~~	·17 ~~·175~~	-	·25	·16	-	-	-	Tr	Tr X	(~~Tr.~~)	-		13
14	-	-	-	·10 ~~·095~~	·19	·03	-	-	·23	·03	·24	·10		14
15	-	·28	-	·39 ~~·395~~	Tr.	·38	-	-	·26 ~~·255~~	-	·36	·15		15
16	-	·17	·07 ~~·065~~	·08 ~~·075~~	-	·47	Tr.	-	·30	-	·60	·10 ~~·105~~		16
17	-	-	-	·03	·03 ~~·025~~	·18	·03 ~~·035~~	-	·03	-	·41	-		17
18	-	-	-	·32	·20	·13	·33	-	·49	·04 ~~·035~~	·15 ~~·145~~	Tr		18
19	-	Tr.	-	·16	·18	·08	·10	-	·16	·01	·14	·14 ~~·145~~		19
20	·01	·16	-	·08 ~~·075~~	·16	·06	·03	-	·06	-	·11	-		20
21	·01	·23	·04 ~~·045~~	·03	-	-	-	-	·03 ~~·025~~	·02	·09	-		21
22	-	·04	·12	·03	-	-	-	·36	·23	-	-	-		22
23	-	·03	·23	-	-	-	-	·38	·06	·09	-	-		23
24	·05 ~~·045~~	·52	·03 ~~·025~~	-	Tr.	-	-	·03	·61	-	-	·38		24
25	·09 ~~·085~~	·11	-	·25	-	·46	-	-	-	-	-	·17		25
26	·02	·11	-	-	-	-	-	·32	·10	Tr	-	·32		26
27	·02	·24	-	-	·08	-	-	-	·25	Tr	·20	·35		27
28	-	·07 ~~·065~~	-	Tr.	·05	-	-	·02	·24	·05	-	·09		28
29	-	X	-	-	-	-	-	·03 ~~·025~~	·89	Tr	·05	·29		29
30	·04	×	-	·11 ~~·115~~	·45	-	-	·74	·03	·07	·36	·36		30
31	-	×	-	×	·01	×	-	·01	×	·74	×	·28		31
TOTAL	·85 ~~·845~~	2·69 ~~2·685~~	·64 ~~·635~~	✓ 3·98	1·52 ~~1·516~~	✓ 4·20	·59 ~~·595~~	1·96 ~~1·955~~	✓ 5·18	✓ 3·47	✓ 5·16	3·27 ~~3·295~~	Year's Total 33·49	
* Days with .01 in. or more.	10	17	7	22	11	17	6	9	22	15	22	21	~~180~~	179
* Days with .04 in. or more.	6	14	6	18	8	15	3	5	17	10	20	17	~~140~~	139

X Rain fell on both days

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Edward Toms

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 917

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at King's Langley

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 278 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	~~·225~~ ·23	~~·195~~ ·19	·10	·28	≠	·10	·21	·01	–	–	·08 ✓	·04		1
2	·06	·11	–	·02	–	·48	·52	~~·065~~ ·07	–	–	~~·12~~ ·04 ✓	–		2
3	Tr	–	–	·08	·02	·03	~~·025~~ ·03	·01	·12	–	·31	·03		3
4	Tr	–	·15	–	–	·42	–	–	·38	–	~~·105~~ ·11	·06		4
5	~~·195~~ ·19	–	·02	–	–	–	–	·05	·20	–	·01	·15		5
6	~~·215~~ ·23	–	–	–	·04	~~·175~~ ·17	–	·12	·13	Tr	·14	·03		6
7	·19	–	~~·045~~ ·05	–		–	·32	–	·02	–	·05	·02		7
8	·32	–	·06	–	Tr	–	·02	–	–	–	·55	·16		8
9	·34	–	·06	–	–	–	·38	–	·22	·04	–	·01		9
10	·01	–	–	–	–	–	·18	·04	·13	·06	–	–		10
11	–	–	–	~~·125~~ ·13	–	–	·09	Tr	–	Tr	1·17	–		11
12	–	–	–	·13	–	·44	·39	–	·20 ✗ ~~·30~~	–	·50	~~·125~~ ·12		12
13	–	–	–	Tr	–	·47	–	–	–	·02	~~·115~~ ·11	·30		13
14	–	·13	–	–	–	·10	~~·645~~ ·65	–	·10 ✗	~~·065~~ ·07	–	·43		14
15	–	·05	–	–	–	–	–	–	–	–	·01	·14		15
16	·28	·10	–	–	–	–	·08	–	·03	–	·42	·05		16
17	·17	·60	–	·01	·16	–	Tr	–	T	·01	·22	·20		17
18	–	·10	–	–	–	·26	·19	Tr	–	·09	–	·09		18
19	·36	~~·085~~ ·09	~~·025~~ ·02	·03	–	·28	Tr	·11	–	·09	–	–		19
20	·09	~~·145~~ ·14	·03	~~[illegible]~~ ·18	–	–	~~·035~~ ·03	–	1·46	–	–	–		20
21	–	–	–	·23	·04	1·45	Tr	–	~~·035~~ ·03	–	–	–		21
22	·10	·48	·06 ✗	Tr	·47	·03	·22	–	–	–	–	·10		22
23	·02	–	~~·09~~ ·03 ✓	·07	·01	–	·18	–	–	·10	–	–		23
24	·16	~~·115~~ ·12	–	–	–	–	~~·295~~ ·29	–	·14	·51	–	–		24
25	·03	·01	·14	·16	–	·21	·15	–	·29	~~·175~~ ·17	·09	–		25
26	–	~~·135~~ ·13	·19	·02	–	·03	·03	–	·01	·12	Tr	–		26
27	~~·165~~ ·16 ✓	–	~~·045~~ ·05	–	–	–	–	–	·23	~~·145~~ ·14	–	–		27
28	·90	–	·12	–	–	–	·96	–	·01	–	–	~~·225~~ ·23		28
29	·16	·11	·12	–	–	~~·185~~ ·19	·05	–	–	~~·025~~ ·03	·19	·10		29
30	·16	☒	Tr	–	·12	·48	·08	–	–	·25	–	–		30
31	·52	☒	~~·185~~ ·18	☒	·02	☒	·09	–	☒	·33	☒	~~·305~~ ·31		31
TOTAL	4·70 ✓	~~2·365~~ 2·36	1·38 ✓	~~1·335~~ 1·34	·88 ✓	~~5·145~~ 5·14	5·14 ✓	~~·405~~ ·41	~~3·705~~ 3·70	2·03 ✓	4·00 ✓	~~2·565~~ 2·57	Year's Total 33·65	✓
* Days with .01 in. or more.	~~29~~ 21	14	16 ✓	12	8	16	22	7	17 ~~19~~	15	16	19	~~186~~	183 ✓
* Days with .04 in. or more.	~~19~~ 18	13	~~13~~ 12	8	5	13	~~19~~ 18	5	13 ~~14~~	12	14	15	~~149~~	146 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Edward Toms [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 917

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Fir Tree Cottage Kings Langley
in the County of Hertford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 278 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	–	–	Tr	–	–	–	–	·03	–	·52	·49		1
2	·01	·30	–	·57	–	–	–	–	·13 ~~·135~~	–	–	·49		2
3	·01	·14	–	–	–	–	–	–	–	–	–	·08		3
4	·09 ~~·085~~	·53 ~~·535~~	–	·01	·01	–	–	–	–	–	–	·46		4
5	·25	·03 ~~·025~~	·23	–	–	–	·05	–	–	–	·01	·01 ~~·015~~		5
6	·04	–	·47	·02	·16	–	·16	–	–	·03	·05 ~~·045~~	–		6
7	–	·82	·03	·17 ~~·175~~	Tr.	–	–	–	·03	–	–	–		7
8	–	·04	–	–	·11	·05	–	–	–	–	·24	·40		8
9	–	·06	–	·25 ~~·255~~	·16	Tr	·10	–	·32	Tr	–	·14		9
10	–	–	·58	·09	·24	·44	·16	·07 ~~·075~~	–	–	–	·28		10
11	–	–	·27	–	·44	–	·02	–	–	–	–	·04		11
12	·28	·31	·12	–	·12	·94	–	Tr	·06	–	–	·10		12
13	·14 ~~·145~~	·07	·34	Tr	Tr	·11	–	·22	·20	–	–	·57 ~~·565~~		13
14	·03	·02	·53	·23	–	·03 ~~·025~~	·46	1·42	·12	–	–	–		14
15	·19	·16	–	·17	–	·11	–	–	·26	–	–	–		15
16	·04	·10	·33	·60	–	·08 ~~·085~~	–	·13	·47	–	–	·08		16
17	·38	·01	·22	·26 ~~·255~~	–	·02 ~~·025~~	–	–	·52	Tr	·03	–		17
18	·34	·13	·11	Tr	·14	·19	–	–	·18	·01	·23	–		18
19	·11	·07 ~~·075~~	·12	·17	·01	·28	·43	–	·11	–	·01	·11		19
20	·50	·02	·02	·59 ~~·585~~	·70	·03	–	–	·01	–	–	–		20
21	·32	·39	·05	·06	·01	–	·11	–	–	–	–	·06		21
22	·43	·02	·02	–	·10	·24	·03	–	–	·45	·18	·05		22
23	·24	·01	·04 ~~·045~~	–	·38	–	·21	–	–	·42	–	·01		23
24	·40	·48	·02	–	·16	·02	–	–	·17	·19	–	–		24
25	·03	·37	·06	–	·48	–	·01	–	·05	·21	–	–		25
26	·02	·33 ~~·325~~	·06	–	·26	–	–	·01	–	·09	·02	–		26
27	·04	·30	Tr.	·14	–	–	–	–	·02 ~~·015~~	·71 ~~·715~~	–	–		27
28	–	·03	–	–	–	–	–	–	–	·10	–	·05		28
29	·02	✕	–	–	–	–	–	–	–	·03	·05 ~~·055~~	·05 ~~·055~~		29
30	·33	✕	–	–	–	–	–	–	–	–	·21	–		30
31	·30	✕	–	✕	–	✕	–	–	✕	·25	✕	·05		31
TOTAL	4·72	4·74	3·67	3·33	3·48	2·54	1·74	1·85	2·68	2·49	1·55	3·52	Year's Total 36·26	✓ ✓
* Days with .01 in. or more.	25	24	19	14	16	13	11	5	16	11	11	19	184	✓ ✓
* Days with .04 in. or more.	19	17	15	12	13	x9	8	4	12	8	7	17	141	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Edward Toms [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 917

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Kings Langley

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 278 ft.

Totals

Ours

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	Tr	·05	·18	–	·06	·02	–	·02		1
2	·09	·05	–	·03	~~[illegible]~~ ·11	Tr	·01	–	–	·27	·12	·02		2
3	–	–	–	–	·16	–	–	–	·04	·72	·05	–		3
4	·07	–	–	–	~~[illegible]~~	·03	·01	–	–	·06	–	·15		4
5	–	–	–	–	–	·01	·37	–	Tr	·10	–	Tr		5
6	·05	–	–	–	–	–	·06	–	·05	·06	Tr	·02		6
7	·02	–	–	–	–	Tr	·18	·30	·06	·57	–	·03		7
8	·12	–	–	–	–	–	·10	–	·03	·38	–	–		8
9	·12	·02	Tr	–	–	–	·07	·18	–	·02	–	·76		9
10	·20	·09	–	–	–	·04	·06	·16	–	–	–	·04		10
11	·29	Tr	–	–	–	–	Tr	·10	–	–	22	·04		11
12	·34	·06	–	–	·05	–	–	·18	–	·31	·02	·01		12
13	·05 ~~·40~~	·02	–	–	Tr	–	–	–	–	·01	·10	·17		13
14	·35	–	–	–	·11	–	·06	–	·04	–	·01	·04		14
15	·07	·02	–	–	Tr	–	·10	–	–	·16	–	·25		15
16	·57	Tr	·03	–	Tr	–	·01	–	–	·11	·04	·25		16
17	–	·10	–	–	·07	–	·01	·01	·03	·08	–	–		17
18	·10	–	–	–	·08	–	–	– ~~·29~~	·09	·01	·31	–		18
19	–	–	–	–	–	–	–	·13	·11	–	·20	–		19
20	–	–	–	–	–	–	–	–	·03	–	·47	·06		20
21	·03	–	–	–	–	–	–	·03	·03	–	·01	·48		21
22	–	–	–	–	–	·02	–	·10	–	–	·30	·23		22
23	–	–	–	·03	–	–	–	–	–	–	·05	–		23
24	–	–	·12	Tr	·02	–	–	–	·28	–	·06	–		24
25	·10	·04	·09	–	·11	–	·02	·17	·02	·03	·85	·13		25
26	·25	·20	·18	Tr	–	–	–	–	·19	·19	–	·14		26
27	·11	·05	–	·11	·03	·21	·27	·02	·48	·06	·41	–		27
28	·21	·05	–	–	·67	·11	–	·43	·06	–	·05	·09		28
29	·21	×	–	·03	·31	–	–	–	·02	Tr	·20	·19		29
30	·02	×	–	·02	·03	·04	–	–	·03	·03	·28	·03		30
31	·21	×	–	×	·11	×	–	–	×	·20	×	·45		31
TOTAL	3·58	·70	·42	·22	1·86	·51	1·51	1·81	1·65	3·39	3·75	3·60	Year's Total 23·00	✓
* Days with .01 in. or more.	22	11	4	5	13	8	15	? 11	18	20	19	22	168	✓
* Days with .04 in. or more.	19	8	3	1	10	5	10	? 8	11	14	16	16	121	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Edward Toms

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 917

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Fir Tree Cottage Kings Langley
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 278 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: —

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	–	·02	·40	·53	–	·01	·04	·56	–	–	·05		1
2	·04	–	·01	·02	·01	–	Tr	·38	·83	–	·05	·03		2
3	·45	–	–	·19	–	–	–	·27	–	—	·24	·23		3
4	·02	–	·30	·23	–	–	·06	·20	–	·30	·04	·04		4
5	–	–	·01	·47	·15	–	–	·26	–	·14	·42	·19		5
6	·59	–	–	·01	–	–	·45	·06	–	–	·33	–		6
7	·10	·09	–	–	–	–	–	·01	–	·02	·16	·19		7
8	·02	·12	·12	–	–	–	–	·76	–	·51	·19	·43		8
9	·03	·13	Tr	–	–	–	–	·07	–	·24	·08	·21		9
10	·22	–	–	–	–	·53	–	·14	·06	·10	–	–		10
11	Tr	–	·20	–	Tr	·13	–	–	–	·06	·02	·02		11
12	·01	·04	–	–	·02	·04	–	–	·04	–	–	–		12
13	–	–	–	·04	–	Tr	·07	–	·05	·78	–	–		13
14	·64	–	·02	·02	·17	·07	–	–	·02	·18	·33	–		14
15	·16	–	·01	Tr	·49	·41	–	–	·07	·81	·15	–		15
16	·35	–	·11x	·03	·13	·15	·15	–	·01	·01	·31	–		16
17	·32	·02	·03	·05	·20	–	·06	Tr	–	–	·05	–		17
18	·21	·02	·09	–	·01	·20	·12	–	–	·12	·33	–		18
19	·22	–	·02	–	–	–	·52	–	–	·08	–	–		19
20	·16	–	Tr	–	–	·17	·38	·10	–	–	–	–		20
21	·09	·03	·33	–	–	·02	·14	·16	·03	–	–	–		21
22	·18	·26	·17	–	–	·01	·04	–	·07	–	·13	–		22
23	·04	–	·02	·06	–	·02	·01	Tr	–	·05	·89	–		23
24	·25	·01	·09	·03	–	·01	·23	·02	–	·19	–	–		24
25	1·13	·13	·09	Tr	–	–	·02	—	–	·10	·65	·05		25
26	·26	·05	·03	–	–	–	–	·62	–	·25	·37	–		26
27	·01	·04	·11	·18	–	–	·01	—	–	·09	·17	–		27
28	·02	·22	·07	·09	–	·03	—	–	–	·21	·20	·16		28
29	–	–	–	·38	–	–	·18	–	–	·17	·14	–		29
30	–	×	–	1·10	–	·15	—	–	–	·01	·21	–		30
31	–	×	–	×	–	×	·14	–	×	–	×	–		31
TOTAL	5·55	1·16	1·85	3·30	1·71	1·94	2·56	2·49	1·74	4·42	5·46	1·60	Year's Total 33·78	
* Days with .01 in. or more.	25	13	20	16	9	14	17	14	10	21	22	11	192	
* Days with .04 in. or more.	18	9	11	11	6	9	12	11	7	18	21	9	142	

† Spare column, no entries required

(*Signed*) Edward Toms

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 917

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Fir Tree Cottage Kings Langley
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 278 ft.

Recd

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following –

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	Tr	-	·02	·03	-	-	-	-	-	·09	-		1
2	-	-	-	·22	-	-	·15	-	-	·13	·80	-		2
3	-	·25	-	·16	-	-	-	-	-	·14	·81	·04		3
4	-	·13	-	·13	-	-	·03	-	-	·32	·09	-		4
5	-	·02	-	-	Tr	-	~~[illegible]~~	-	-	·12	·44	·22		5
6	·23	·15	-	-	·07	-	·43	-	-	·26	·24	-		6
7	·21	·26	-	·01	·07	-	·15	-	·09	-	-	·03		7
8	-	-	-	·06	-	-	-	-	-	·18	·01	·28		8
9	-	-	-	·01	-	·04	-	·06	·03	·06	·09	·03		9
10	-	-	-	-	-	·02	·42	-	-	·03	·21	·04		10
11	-	-	-	·03	-	-	-	-	-	-	1·09	·03		11
12	-	·02	·09	-	-	·05	·09	-	·08	-	·02	-		12
13	-	·02	·69	·02	-	·09	Tr	-	·09	-	1·39	-		13
14	-	-	·13	·08	·02	-	-	-	·02	·10	-	·32		14
15	-	-	·01	·03	·18	-	·12	-	·02	·06	·19	·02		15
16	·06	·08	·27 ~~·77~~	·05	-	·04	·42	-	·26	·72	·72	·01		16
17	-	-	·50	-	-	-	·02	-	·02	-	·61	-		17
18	·02	·52	·24	·22	-	-	-	-	-	·17	·26	·15		18
19	-	·14	·02	·15	-	-	·22	-	·35	-	·22	·02		19
20	-	·02	·04	·04	-	Tr	·04	·02	-	·04	·07	-		20
21	·10	·02	·01	-	·45	-	~~·14~~ ·10	-	-	·06	·54	-		21
22	-	-	·05	Tr	·30	·50	-	-	·23	Tr	-	-		22
23	-	·05	·07	·13	·33	·04	Tr	·03	-	-	-	-		23
24	-	-	-	·12	-	-	·16	-	-	-	-	·02		24
25	-	-	·43	-	·03	-	·23	-	-	-	-	-		25
26	1·10	·17	·16	·02	·17	·06	·03	-	-	-	·04	-		26
27	·29	·25	-	·06	·14	-	·01	-	-	-	-	-		27
28	·30 ~~·49~~	·07	-	-	·02	-	-	-	-	-	-	-		28
29	·04	·07	·16	-	·08	-	-	-	-	-	-	·30		29
30	·11	✕	-	·31	-	-	-	-	-	·22	-	·03		30
31	·02	✕	-	✕	-	✕	-	-	✕	·68	✕	·01		31
													Year's Total	
TOTAL	2·38	2·24	2·87	1·87	1·89	·84	2·62	·11	1·19	3·34	7·93	1·55	28·83	
* Days with .01 in. or more.	10	17	15	20	13	8	~~17~~ 16	3	10	16	20	16	~~165~~	164
* Days with .04 in. or more.	8	12	12	13	9	7	~~13~~ 11	1	6	15	18	7	~~121~~	119

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) Edward Toms

[P.T.O.

918

Section **A** for the entry of Daily … COPY FOR OFFICIAL USE.

AIR MINISTRY.—ME… …ALL ORGANIZATION.

FORM 1090.

REGISTER … 31.

918

KINGS LANGLEY
(LANGLEY RISE)
1931 – 1940

780205

Kept at Langley Rise Kings…

in the County of Hertfordsh…

Diameter of Funnel of Gauge 5¼

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREME… …DAY.

An observer who does not conform to this rule should insert the reading … the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·03	—	·10	—	·19	—	—	·03	—	—	—	1
2	·08	·06	—	·39	—	·01	·02	—	·62	·04	—	·06	2
3	·03	—	·08	·10	·39	—	—	·31	·66	—	·10	·28	3
4	—	—	—	·04	—	—	·06	·54	·10	·01	·07	·01	4
5	—	—	—	·13	·10	·32	·09	—	·04	—	·05	·44	5
6	—	·08	—	·13	—	—	·02	—	—	·29	·35	—	6
7	—	—	—	·03	—	·10	—	·50	—	—	·11	·04	7
8	—	·14	·02	—	—	·27	—	·35	—	·12	·14	—	8
9	—	·05	—	·07	—	—	—	—	—	—	·37	—	9
10	·04	·11	·07	—	—	·06	·15	·23	—	·01	·34	—	10
11	·15	·34	—	—	—	—	—	—	—	—	·05	—	11
12	—	·05	—	—	—	—	—	·03	·37	—	—	—	12
13	—	—	—	—	—	—	·28	·02	—	—	—	—	13
14	·05	·06	—	—	—	·02	·66	·93	—	—	—	—	14
15	·01	—	—	·07	·14	—	·19	·61	—	—	—	—	15
16	—	·10	—	·11	·29	·07	—	·38	—	—	—	—	16
17	·01	—	—	·39 *	·14	—	·12	—	·28	—	—	—	17
18	·05	·10	—	·56 *	—	·14	—	·31	—	—	·55	—	18
19	—	—	—		—	·42	·09	·08	—	—	—	—	19
20	—	·03	—	·07	—	—	·10	·35	—	—	—	—	20
21	·02	—	·01	—	·52	—	—	·04	—	—	—	—	21
22	·23	—	—	·01	—	—	—	—	—	—	—	—	22
23	·32	—	—	·01	·36	—	—	—	·02	—	·33	—	23
24	—	—	—	·34	·11	·03	·11	—	—	—	—	—	24
25	·08	—	—	·40	·07	—	·43	—	—	—	·06	·05	25
26	—	·04	—	·12	—	—	·93	—	—	—	·17	—	26
27	·19	·38	—	—	·18	—	·01	—	—	—	·25	—	27
28	·07	·20	—	·15	·03	—	—	—	—	—	—	·11	28
29	·09		—	—	·04	—	·15	—	—	·25	—	·06	29
30	·05	×	—	—	—	—	—	·01	—	—	—	—	30
31	·39	×	—	×	—	×	—	—	×	—	×	—	31st
TOTAL	1·86	1·77	·18	3·22	2·37	1·63	3·41	4·68	2·12	·72	2·94	1·05	YEAR'S TOTAL 25·95
*Days with ·01 in. or more.	~~17~~	~~15~~	~~4~~	~~20~~	~~12~~	~~11~~	~~16~~	~~15~~	~~8~~	~~6~~	~~14~~	~~8~~	~~146~~
*Days with ·04 in. or more.	13	13	2	17	11	8	13	12	6	4	14	7	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J Rowson

[P.T.O.

918

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Langley Rise. Kings Langley
in the County of Hertfordshire
Diameter of Funnel of Gauge 5¼ in.
Height of top of Gauge above Ground ft. 11 in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·03	—	·10	—	·19	—	—	·03	—	—	—	1
2	·08	·06	—	·39	—	·01	·02	—	·62	·04	—	·06	2
3	·03	—	·08	·10	·39	—	—	·31	·66	—	·10	·28	3
4	—	—	—	·04	—	—	·06	·54	·10	·01	·07	·01	4
5	—	—	—	·13	·10	·32	·09	—	·04	—	·05	·44	5
6	—	·08	—	·13	—	—	·02	—	—	·29	·35	—	6
7	—	—	—	·03	—	·10	—	·50	—	—	·11	·04	7
8	—	·14	·02	—	—	·27	—	·35	—	·12	·14	—	8
9	—	·05	—	·07	—	—	—	—	—	—	·37	—	9
10	·04	·11	·07	—	—	·06	·15	·23	—	·01	·34	—	10
11	·15	·34	—	—	—	—	—	—	—	—	·05	—	11
12	—	·05	—	—	—	—	—	·03	·37	—	—	—	12
13	—	—	—	—	—	—	·28	·02	—	—	—	—	13
14	·05	·06	—	—	—	·02	·66	·93	—	—	—	—	14
15	·01	—	—	·07	·14	—	·19	·61	—	—	—	—	15
16	—	·10	—	·11	·29	·07	—	·38	—	—	—	—	16
17	·01	—	—	·39 ×	·14	—	·12	—	·28	—	—	—	17
18	·05	·10	—	·56 ×	—	·14	—	·31	—	—	·55	—	18
19	—	—	—		—	·42	·09	·08	—	—	—	—	19
20	—	·03	—	·07	—	—	·10	·35	—	—	—	—	20
21	·02	—	·01	—	·52	—	—	·04	—	—	—	—	21
22	·23	—	—	·01	—	—	—	—	—	—	—	—	22
23	·32	—	—	·01	·36	—	—	—	·02	—	·33	—	23
24	—	—	—	·34	·11	·03	·11	—	—	—	—	—	24
25	·08	—	—	·40	·07	—	·43	—	—	—	·06	·05	25
26	—	·04	—	·12	—	—	·93	—	—	—	·17	—	26
27	·19	·38	—	—	·18	—	·01	—	—	—	·25	—	27
28	·07	·20	—	·15	·03	—	—	—	—	—	—	·11	28
29	·09		—	—	·04	—	·15	—	—	·25	—	·06	29
30	·05	×	—	—	—	—	—	·01	—	—	—	—	30
31	·39	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1·86	1·77	·18	3·22	2·37	1·63	3·41	4·68	2·12	·42	2·94	1·05	YEAR'S TOTAL 25·95
*Days with ·01 in. or more.	~~17~~	~~15~~	~~4~~	~~20~~	~~12~~	~~11~~	~~16~~	~~15~~	~~8~~	~~6~~	~~14~~	~~8~~	~~146~~
*Days with ·04 in. or more.	13	13	2	17	11	8	13	12	6	4	14	7	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J Rowson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Langley Rise Kings Langley

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

,, Ground ,, Sea Level ft.

Total for day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	11	—	—	16	35	04	05	12	03	06	05	01	1
2	05	—	—	16	09	—	—	—	42	03	07	22	2
3	—	—	—	07	06	—	—	—	38	03	—	—	3
4	02	—	—	—	—	—	—	—	—	—	19	—	4
5	38	—	05	—	Hail 01	—	24	—	09	—	—	—	5
6	41	—	01	08	—	—	—	—	13	—	—	—	6
7	—	—	12	03	04	—	01	—	05	02	—	—	7
8	—	—	07	14	04	—	—	—	18	19	—	—	8
9	20	—	—	07	51	—	—	—	—	03	—	—	9
10	42	—	snow 02	24	08	—	—	—	02	19	09	—	10
11	—	snow 05	—	04	05	19	94	1·39	01	05	03	—	11
12	09	—	—	—	10	—	—	03	—	16	02	—	12
13	03	—	—	24	—	—	—	—	05	08	02	04	13
14	21	—	—	12	—	—	—	—	—	02	01	—	14
15	—	—	—	04	85	—	02	—	—	08	—	—	15
16	16	—	—	15	58	—	—	—	—	—	—	—	16
17	—	—	—	02	—	—	—	—	—	05	—	—	17
18	—	—	—	—	—	—	01	—	19	—	09	—	18
19	—	—	—	—	—	—	—	—	—	27	—	—	19
20	—	—	—	23	04	—	—	1·05	04	72	09	—	20
21	02	—	—	33	94	—	—	92	—	28	—	05	21
22	01	02	36	—	01	—	16	—	28	15	40	—	22
23	—	08	—	03	07	—	—	—	02	65	02	15	23
24	—	02	—	01	—	—	25	—	03	05	07	—	24
25	—	—	—	—	—	—	18	—	02	54	05	—	25
26	—	—	06	18	08	—	07	—	—	04	05	—	26
27	—	—	31	24	38	—	30	—	—	15	15	—	27
28	—	—	24	01	06	37	25	—	—	16	—	—	28
29	—	—	40	05	23	—	—	08	05	50	12	02	29
30	—	×	15	03	01	67	—	02	14	05	28	20	30
31	—	×	13	×	—	×	24	—	×	—	×	08	31
TOTAL	2·11	0·07	1·92	2·67	4·58	1·24	2·72	3·61	~~2·04~~ 2.16	4·55	1·80	·77	YEAR'S TOTAL 28.33
*Days with ·01 in. or more.	~~4~~ 13	~~2~~ 5	~~2~~ 12	~~6~~ 23	~~3~~ 21	4	~~3~~ 13	27	~~6~~ 18	~~5~~ 25	~~5~~ 18	28	167
*Days with ·04 in. or more.	9	2	10	17	18	4	10	5	12	20	13	6	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F Rowson

P.T.O.

918

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~918~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Langley Rise Kings Langley
in the County of Herts

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
,, Ground ,, Sea Level ft.

File no 833576/28

12/1/34 J.W.V.

circ D.2/M.O.7 sent 23/1/34 J.W.V.

BA

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	07	17	12	-	01	-	-	-	-	-	02	-		1
2	40	-	39	-	07	-	-	-	-	-	01	-		2
3	-	20	24	-	08	-	-	-	-	-	-	-		3
4	20	03	05	-	23	-	-	-	-	-	05	-		4
5	-	05	27	-	13	-	-	-	-	-	-	-		5
6	-	10	05	-	27	-	-	-	-	06	08	-		6
7	16	12	02	-	-	-	-	-	-	07	-	01		7
8	06	-	04	-	05	-	-	-	-	01	-	-		8
9	-	-	-	-	07	-	20	-	-	09	11	-		9
10	-	18	-	-	-	03	29	-	-	35	01	-		10
11	15	-	-	-	02	05	04	06	01	-	-	-		11
12	-	-	-	-	-	-	-	-	32	-	-	-		12
13	05	-	-	-	12	-	43	-	08	4	12	-		13
14	-	-	-	-	01	-	-	-	-	03	56	03		14
15	Rain snow 59	-	12	-	-	06	19	09	-	-	12	-		15
16	-	01	72	-	-	20	13	-	-	06	-	-		16
17	snow 03	-	48	-	-	10	02	-	07	-	02	-		17
18	snow 08	snow 03	31	-	-	02	-	-	-	-	01	-		18
19	-	snow 06	34	-	-	05	-	-	29	-	02	-		19
20	-	02	09	06	-	23	-	-	-	-	03	-		20
21	-	snow 03	-	-	-	14	-	15	22	-	-	-		21
22	-	-	-	-	-	22	-	20	-	16	04	-		22
23	-	-	-	19	-	-	-	-	24	-	-	-		23
24	-	28	-	16	01	06	-	-	28	-	04	-		24
25	-	snow-Rain 59	-	28	~~04~~	-	-	-	04	-	02	07		25
26	-	30	-	06	-	-	-	-	14	08	-	13		26
27	-	-	-	-	45	-	-	-	06	17	-	09		27
28	-	-	-	-	~~45~~	-	-	-	-	29	-	04		28
29	08		-	22	-	-	11	-	-	10	-	01		29
30	13	×	08	-	-	-	05	-	02	-	-	13		30
31	18	×	01	×	-	×	-	13	×	04	×	-		31
TOTAL	2.18 ~~2.00~~	2.17 ~~2.47~~	3.33	97	1.52 ~~1.59~~ ~~1.51~~	1.16	1.46	63	1.77 ~~1.14~~	~~1.51~~ 1.55	1.26	51	Year's Total ~~17.70~~	18.47 ~~18.5~~
*Days with ·01 in. or more.	13 ~~1~~	15 ~~5~~	16 ~~2~~	6	~~14~~ 13 ~~4~~	11 ~~2~~	9 ~~1~~	~~4~~ 5	12 ~~2~~	13 ~~2~~	16 ~~8~~	8 ~~3~~	~~30~~	~~88~~ 137
*Days with ·04 in. or more.	12	10	14	6	~~9~~ 10	9	8	5	10	11	8	5	~~107~~	108

.40-9999

*See Instruction 2 (*f*) on other side.

D M

† Spare column, no entries required.

(*Signed*) F. W. Rowson

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Langley Rise Kings Langley
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
,, Ground ,, Sea Level 360 ft.

reference no 833576

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	03	—	—	—	—	—	—	23	19	05	〃	34		1
2	11	—	08	—	05	—	〃	〃	68	14	〃	23		2
3	03	05	—	03	—	—	〃	〃	〃	54	〃	01		3
4	12	—	05	04	—	—	〃	〃	〃	18	05	48		4
5	—	—	03	—	05	—	〃	〃	〃	02	〃	41		5
6	04	—	17	—	33	05	〃	〃	〃	15	〃	58		6
7	03	02	—	—	—	10	〃	23	〃	07	〃	32		7
8	—	—	—	—	07	—	〃	〃	13	〃	26	02		8
9	—	—	05	—	—	—	〃	〃	〃	〃	80	37		9
10	09	—	23	11	—	—	〃	10	〃	〃	14	02		10
11	35	—	35	08	—	—	〃	〃	〃	〃	〃	18		11
12	—	—	13	02	—	—	07	47	〃	〃	〃	08		12
13	36	—	07	—	—	—	24	02	〃	〃	03	47		13
14	07	—	38	01	03	—	〃	〃	〃	02	17	36		14
15	08	—	22	—	08	—	〃	〃	25	〃	02	22		15
16	18	—	23	—	01	—	〃	〃	〃	19	〃	〃		16
17	03	—	—	01	02	—	〃	〃	10	10	〃	30		17
18	11	—	—	14	—	—	39	〃	02	〃	〃	10		18
19	—	—	27	04	—	12	〃	〃	08	02	〃	07		19
20	—	—	19	04	—	—	14	〃	02	〃	〃	〃		20
21	—	—	02	05	—	08	〃	06	〃	10	〃	〃		21
22	—	—	—	—	—	—	13	16	32	〃	〃	01		22
23	—	—	—	26	01	20	〃	〃	〃	〃	02	08		23
24	—	03	06	01	—	07	69	〃	21	01	〃	〃		24
25	18	08	—	14	04	29	〃	〃	〃	06	〃	35		25
26	10	—	—	15	—	03	〃	〃	04	02	〃	20		26
27	—	02	—	—	—	09	〃	〃	〃	02	〃	36		27
28	—	11	—	57	—	30	〃	80	〃	〃	04	38		28
29	—		—	—	—	—	02	〃	15	〃	02	03		29
30	06	×	—	—	—	—	〃	〃	02	〃	〃	09		30
31	03	×	—	×	—	×	〃	〃	×	snow 32	×	05		31
TOTAL	2·0	31	2·53	1·73	69	1·33	1·68	2·07	2·2	2·01	1·55	6·11	Year's Total 24·~~46~~ 22.	
*Days with ·01 in. or more.	578	63	162	165	104	10 x	7 x	8 x	135	178	104	275	158 ~~40~~	
*Days with .04 in. or more.	13	3	14	11	6	9	6	7	10	11	6	22	118	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) F W Rowson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. Station No. 918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Langley Rise [illegible] Langley

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 360 ft.

Aug. Nov. Dec. cond. for B.A.G.R.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	13	03		03	02	04	05		01	37	29	04		1
2				01					25	23	09	01		2
3		08	11	06		06			22	57	16	=		3
4				10		12			29	16		17		4
5		37	04	09		32			40		03	=		5
6		02		38		73						02		6
7				56		12				10	91	11		7
8				38						35	17	08		8
9				49		55				91	10	=		9
10				12		01					05	05		10
11	32					04	02		[illegible]	02	26			11
12		02				25		02	03		41			12
13	17	16		23	12									13
14				08	07	03			13		10	09		14
15		28		45		31			24		34	14		15
16		17	05	06		40			29		37	11		16
17				03		19	03		02		41			17
18				32	12	12	34		48	03	15			18
19				19	14	06	09		13		14	04		19
20		14		09	14	08	03		07		12			20
21	01	23	04						02	02	06			21
22		05	11	03				32	22					22
23		04	22					40	05	09		02		23
24	05	50	02					03	66			48		24
25	06	10		24		48						15		25
26		12							10			33		26
27	03	25			05				20	[illegible]	18	36		27
28	02	06			01			02	08	05	03	08		28
29								03	84			36		29
30	05	×		11	32			74	03	05	36	34		30
31		×		×		×			×	44	×	27		31
TOTAL	84	2·62	59	4·05	1·00	3·97	56	6 1·59	4·92	3·39	5·02	2 3·85	Year's Total. 31·76 31·90	✓
* Days with .01 in. or more.	9	17	7	21	9	18	6	7	22	14	21	20	~~35~~	171✓
* Days with .04 in. or more.	6✓	14✓	6✓	17✓	7✓	16✓	3✓	3✓	17✓	11✓	19✓	17✓	13	6✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. W. Rowson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Langley Rise Kings Langley

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 360 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	20	20	11	27	–	08	15	–	–	–	05	03		1
2	06	11	–	Tr	–	48	55	06	–	–	02	–		2
3	–	–	–	–	Tr	05	02	–	11	–	34	02		3
4	–	–	14	–	–	38	–	–	38	–	–	05		4
5	15	–	02	–	–	–	–	06	19	–	10	12		5
6	24	–	–	–	04	14	–	12	15	–	15	05		6
7	20	–	05	–	–	05	38	–	01	–	04	–		7
8	29	–	06	–	–	–	Tr	–	06	–	50	16		8
9	31	–	05	–	–	–	49	–	16	01	–	–		9
10	01	–	–	–	–	–	19	–	10	02	–	–		10
11	–	–	–	12	–	–	08	–	–	–	1·06	–		11
12	–	–	–	11	–	40	38	Tr	15	–	55	14		12
13	–	–	–	Tr	–	50	–	–	–	–	03	27		13
14	–	11	–	–	–	11	51	–	13	07	08	42		14
15	–	05	–	–	–	Tr	03	–	12	–	–	13		15
16	01	08	–	–	–	–	04	–	02	–	41	04		16
17	32	60	–	–	16	–	–	–	–	–	21	19		17
18	–	09	–	–	–	17	18	–	–	01	–	–		18
19	41	07	02	–	–	28	–	12	–	15	–	–		19
20	06	14	03	17	–	–	–	–	1·08	–	–	–		20
21	–	–	–	20	01	1·26	–	–	39	–	–	–		21
22	10	52	04	–	48	05	15	–	–	–	–	15		22
23	–	–	02	06	–	–	27	–	–	09	–	–		23
24	18	05	–	–	–	–	26	–	14	50	–	–		24
25	04	13	10	15	–	06	15	–	18	09	04	–		25
26	–	no Record	20	02	–	15	04	–	02	19	–	Tr		26
27	14	–	03	–	–	–	02	–	16	13	–	–		27
28	86	–	07	–	–	–	57	–	–	–	–	23		28
29	13	10	18	–	–	17	18	–	–	02	19	08		29
30	14	✕	Tr	–	09	44	–	–	–	13	–	–		30
31	56	✕	19	✕	01	✕	16	–	✕	13	✕	26		31
TOTAL	4·41	2·25	1·34	1·10	·79	4·77	4·78	·36	3·55	1·54	3·79	2·34	Year's Total 31·02	
* Days with .01 in. or more.	20	13	16	8	6	17	21	4	18	13	15	16	167	
* Days with .04 in. or more.	18	13	11	7	4	17	18	4	15	9	13	14	143	

40-9999.

† Spare column, no entries required.

(*Signed*) J. Dawson [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Langley Rise Kings Langley
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
,, Ground ,, Sea Level 360 ft.

Daly 170

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	22	"	01	"	—	—	—	—	02	—	45	51		1
2	"	29	"	56	—	—	—	—	13	—	—	42		2
3	"	12	"	"	—	—	—	—	—	—	—	05		3
4	08	56	"	"	—	—	—	—	—	—	—	45		4
5	22	Rain 01	snow 18	"	—	—	04	—	—	—	—	[illegible]		5
6	03	"	" snow	"	14	—	15	—	—	Tra	01	—		6
7	"	86	48	15	—	—	Tra	—	02	—	—	—		7
8	"	04	"	=	09	04	—	—	—	—	14	[illegible]		8
9	"	snow 06	Rain "	25	15	—	08	—	31	—	—	20		9
10	"	"	59	06	07	38	12	—	—	—	—	24		10
11	"	"	25	=	20	—	—	—	—	—	—	—		11
12	26	33	10	=	12	65	02	—	06	—	—	10		12
13	10	12	38	"	—	34	—	26	21	—	—	55		13
14	snow 01	: "	Rain 41	11	—	01	—	1.64	10	—	—	—		14
15	20	17	"	15	—	11	48	—	25	—	—	02		15
16	Hail 04	thunder 12	34	57	—	07	—	12	35	—	—	02		16
17	37	Tra	24	24	—	01	—	—	61	—	01	—		17
18	37	12	07	=	04	16	—	—	15	—	23	—		18
19	10		10	14	01	23	41	—	09	—	04	08		19
20	49	(08)	"	55	66	02	—	—	—	—	—	02		20
21	30	33	01	05	02	—	05	—	—	—	—	05		21
22	43	"	02	=	07	21	02	—	—	37	18	02		22
23	24	"	03	=	35	—	22	—	—	48	—	Tra		23
24	38	50	01	—	—	—	—	—	12	19	—	—		24
25	03	33	04	=	15	—	—	—	04	22	—	—		25
26	01	30	05	—	25	—	—	—	—	03	—	—		26
27	03	06	"	12	—	—	—	—	—	35	—	—		27
28	"	23	"	Tra	—	Tra	—	—	—	08	—	03		28
29	"		"	—	—	—	—	—	—	03	04	03		29
30	37	✕	"	—	—	—	—	—	—	—	20	—		30
31	27	✕	"	✕	—	✕	—	—	✕	30	✕	02		31
TOTAL	5 4.54	4.63	3.31	2.95	2.62	2.23	1.59	2.02	2.46	2.05	1.26	2.99	Year's Total 32.686 ✓	
* Days with .01 in. or more.	22 5	19+	18—	12	14—	12—	10—	3	14=	9±	8—	18—	~~57~~	159. ✓
* Days with .04 in. or more.	17	18	13	12	12	9	8	3	12	7	6	11	128	✓

159

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) F Rowson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Langley Rise Kings Langley

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 360 ft.

Days Ayr

Dec. adjusted by nearby stations.

CR. 19/2/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	?	–	05	10	–	06	02	07	01		1
2	05	05	–		02	–	–	–	–	27	11	Tr		2
3	–	–	–		05	–	–	–	03	76	05	–		3
4	04	–	–		–	01	01	–	–	04	–	13		4
5	Tr	–	–		–	–	+	–	–	11	–	–		5
6	05	–	–		–	–	+ 38	–	05	–	–	–		6
7	01	–	–		–	–	15	31	03	60	–	02		7
8	0·12	–	–		–	–	13	–	Tr	47	–	–		8
9	11	Tr	–		–	–	08	22	–	01	–	78		9
10	15	06	–		–	03	06	26	–	–	–	04		10
11	30	–	–		–	–	–	02	–	–	17	04		11
12	31	03	–		02	–	–	21	–	24	–	Tr		12
13	08	–	–		–	–	–	–	–	04	12	16		13
14		Tr	–		09	–	02	–	03	–	–	02		14
15	31	–	–		–	–	15	–	–	20	–	25		15
16	48	–	01		–	–	Tr	–	–	10	–	–		16
17	–	07	–		06	–	–	–	02	06	–	–		17
18	09	–	–		01	–	–	–	08	Tr	33	–		18
19	–	–	–		–	–	–	13	08	–	18	- –		19
20	–	–	–		–	–	–	Tr	06	–	46	+		20
21	01	–	–		–	–	–	03	02	–	–	+ ·83		21
22	–	–	–		–	Tr	–	09	–	–	30	+ ~~39~~		22
23	–	–	–	Tr	–	–	–	–	–	–	06	-		23
24	–	–	10	–	Tr	–	–	–	25	–	05	-		24
25	09	02	07	–	13	–	Tr	18	03	Tr	75	+ ·39		25
26	35	18	16	Tr	–	–	–	–	18	17	–	+		26
27	08	04	–	06	01	19	25	–	45	02	37	- ~~83~~		27
28	27	05	–	–	67	10	–	42	04	–	–	10		28
29	29		–	–	32	–	–	02	–	–	15	19		29
30	–	✕	–	–	03	02	–	–	05	02	33	02 snow		30
31	19	✕	–	✕	10	✕	–	–	✕	13	✕	44		31
TOTAL	3·41	0·50	0·34	0·06	1·51	0·40	1·33	1·89	1·46	3·29	3·50	3·42	Year's Total 21·11	
* Days with .01 in. or more.	~~1~~ 20	~~2~~ 8	~~V~~ 4	~~+~~ 1	~~15~~ 12	~~8~~ 6	~~12~~ ~~10~~ 11	~~3~~ 11	~~6~~ 16	~~4~~ 17	~~+~~ 15	~~4~~ 18	~~32~~	139
* Days with .04 in. or more.	18	6	3	1	7	3	~~8~~ 9	8	10	13	15	~~4~~ 14	~~103~~	10~~4~~7

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Langley Rise Kings Langley

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 9 in.

" Ground " Sea Level 360 ft.

several months low

Acc Days

+833576/28

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in. (48)	in.	in.	in.	in.	in.	in.	in.		
1	02	—	Trc	39	18	—	—	03	40	—	—	05		1
2	snow ✓ 20	—	—	Trc	—	—	—	28	90	—	04	02		2
3	✗	—	—	18	—	—	—	35	—	—	23	23		3
4	32	—	30	22	—	—	01	05	—	12	03	22		4
5	—	—	—	24	15	—	01	21	—	25	38			5
6	58	—	—	08	—	—	35	—	—	—	28	—		6
7	—	08	—	—	—	—	04	05	—	01		17		7
8	10	10	11	—	—	—	04	60	—	29	32	40		8
9	03	11	—	—	—	—	—	—	—	53		19		9
10	20	—	—	—	—	48	—	06	04	09	—	—		10
11	—	—	17	—	—	10	—	—	—	03	03	—		11
12	—	03	—	—	—	01	—	—	01	—	—	—		12
13	—	—	—	02	—	—	01	—	05	(·71) ~~21~~	—	—		13
14	58	—	—	—	14 (44)	05	04	—	02	14	34	—		14
15	16	—	Trc	—	22	27	Trc	—	06	40	05	—		15
16	43	—	12	04	06	25	19	—	—	—	41	—		16
17	29	—	Trc	02	09	—	03	—	—	—	06	—		17
18	20	02	05	—	—	16	12	—	—	—	32	—		18
19	19	Trc	01	—	—	—	42	—	—	10	—	—		19
20	20	—	—	—	—	11	29	—	—		—	—		20
21	09	02	32	—	—	02	16	25	Trc	—	—	—		21
22	16	26	15	—	—	—	05	—	01	—	11	—		22
23	05	—	01	04	—	—	01	—	—	03	78	—		23
24	snow ✗ 94	—	06	Trc	—	—	26	01	—	19	—	—		24
25	✗	10	06	—	—	—	01	—	—	—	62	—		25
26	snow 94	—	—	—	—	—	—	03	—	18	25	05		26
27	Rain 12	06	06	07	—	—	—	—	—	03	18	—		27
28	✓ 01	✗ 20	06	02	—	01	—	—	—	10	20	snow 08		28
29	—	—	—	09	—	—	17	—	—		13	—		29
30	—	✕	—	37	—	06	—	—	—	—	20	—		30
31	—	✕	—	✕	—	✕	08	—	✕	—	✕	—		31 Nil.
TOTAL	5·81	98	1·48	1·78	84	1·52	2·29	1·92	1·49	3·204 ~~3·~~	4·96	1·81 4	Year's Total ~~27·18~~ 27·68	
* Days with .01 in. or more.	23	10	13	13	6	11	19	11	8	16	20	9	159	
* Days with .04 in. or more.	19 ~~18~~	7	11	10	6	8	13	8	5	12	18	8	125 ~~123~~	

~~Do not~~ Print WH.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 918

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

not corrected for arith.

Day Totals

[illegible] 1939

Kept at (Langley Rise) Kings Langley
in the County of Hertford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ... ft. 9 in.
,, Ground ,, Sea Level 360 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	Tr	—	—	01	—	—	—	—	—	08	—		1
2	—	—	—	20	—	—	10	—	—	—	74	—		2
3	—	37	—	17	—	—	—	—	—	16	63	02		3
4	—	13	—	13	—	—	03	—	—	33	15	03		4
5	—	01	—	—	—	—	—	—	—	10	39	17		5
6	23	15	—	—	06	—	40	—	—	28	31	—		6
7	21	20	—	—	06	—	10	—	09	—	—	01		7
8	—	01	—	04	—	—	Tr	—	—	19	—	27		8
9	—	—	—	—	—	04	—	—	02	02	09	02		9
10	—	—	—	—	—	Tr	41	05	—	05	20	03		10
11	—	—	—	—	—	—	01	—	—	—	1·05	02		11
12	—	Snow 02	08	02	—	05	09	—	07	—	01	—		12
13	—	Snow 01	Rain & Snow 30	—	—	10	Tr	—	09	—	Rain. Snow 1·22	—		13
14	—	—	15	06	02	—	—	—	01	10	—	31		14
15	—	—	—	01	16	—	09	—	—	06	18	01		15
16	Snow 0·3	Snow 08	26	05	—	Tr	47	—	22	73	69	—		16
17	—	—	43	—	—	—	02	—	06	—	61	—		17
18	—	32	27	22	—	—	—	—	—	05	17	14		18
19	—	15	—	13	—	—	17	—	33	—	18	Tr		19
20	—	—	—	04	—	—	—	01	—	—	08	—		20
21	Snow 0·8	04	04	—	28	—	14	Tr	—	08	54	—		21
22	—	—	05	—	44	44	—	—	25	—	—	—		22
23	—	05	06	07	28	06	—	—	—	—	02	—		23
24	—	—	—	19	—	—	15	—	—	—	—	—		24
25	—	—	—	—	01	—	23	—	—	—	—	—		25
26	Rain. Hail snow 72	15	34	Tr	19	06	—	—	—	—	01	—		26
27	snow 59	23	—	06	12	—	01	—	—	—	—	—		27
28	snow 65	04	—	—	05	—	—	—	—	—	—	—		28
29	—	04	14	—	08	—	—	—	Tr	—	—	28		29
30	—	✕	—	31	—	—	—	—	—	20	—	02		30
31	11	✕	—	✕	—	✕	—	—	✕	67	✕	—		31
TOTAL	2·62	2·00	2·12	1·40	1·76	75	2·42	06	1·14	3·02	~~5·55~~ 7·35	1·33	Year's Total 26·27	Print [illegible]
* Days with .01 in. or more.	~~4~~ 8	~~3~~ 17	~~—~~ 11	~~2~~ 15	~~3~~ 13	~~—~~ 6	~~4~~ 15	~~1~~ 2	~~2~~ 9	~~1~~ 14	~~3~~ 20	~~8~~ 13	~~28~~	143
* Days with .04 in. or more.	7	~~14~~ 13	11	13	10	6	11	1	7	13	17	5	1134	

Done

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. W. Rawson

[P.T.O.

919

Section **A** for the entry of

AIR MINISTRY.

19.

FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGIST

193**1**.

919

BRICKETWOOD

"HOLLYDENE"

1931 - 1935

480205

Kept at Hollydene" Park St.

in the County of Hertfor

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground.

,, Ground ,, Sea Le

THE MORNING MEASUR **US DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·04	T	·11	-	·13	-	-	·04	-	-	-	1
2	·08	·05	-	·41	-	-	T	T	·63	·03	-	·01	2
3	·05	-	-	·19	·33	-	-	·29	·68	-	·03	·30	3
4	-	T	-	·02	-	-	·02	·15	·08	T	·04	-	4
5	-	-	-	·13	·15	·36	T.	·83	·01	-	-	·33	5
6	-	·12	-	·09	-	-	·05	T	-	·29	·38	-	6
7	-	-	-	·01	·01	·09	-	·54	-	T	·11	·04	7
8	T	·04	·07	-	-	·10	-	·33	T	·07	·13	T	8
9	·01	·02	·03	·02	-	·04	-	-	-	T	·40	T	9
10	·01	·12	-	-	-	·04	·03	·19	-	·01	·49	T	10
11	·12	·34	-	-	-	-	-	-	·03	·01	·07	-	11
12	T	-	-	-	-	-	T.	·05	·33	-	-	-	12
13	-	·04	-	-	-	-	·18	·01	-	-	-	-	13
14	·03	·08	-	-	-	-	·83	·60	-	-	-	-	14
15	·01	-	-	·06	·09	-	·23	·14	-	-	-	-	15
16	-	·05	-	·10	·28	T	T.	·25	T	-	-	-	16
17	-	·02	-	·26	·16	·02	·11	T	·29	-	-	-	17
18	·03	·04	-	·24	·01	·13	-	·37	-	-	·58	-	18
19	·01	-	-	·39	-	·37	·05	·15	·03	-	T	-	19
20	T	·01	-	·03	-	-	·06	·25	-	·01	·01	-	20
21	·01	-	·03	-	·59	-	-	T	·01	-	T	-	21
22	·13	-	-	·03	·01	-	-	-	·01	-	·01	-	22
23	·39	T	-	·01	·40	·01	-	-	T	-	·25	·02	23
24	-	-	-	·24	·10	·07	·03	-	T	-	-	T	24
25	·04	-	-	·51	·17	-	·48	-	-	-	·04	·01	25
26	T	·02	-	·12	-	-	·70	-	-	-	·18	-	26
27	·14	·39	-	T.	·03	-	-	-	-	-	·21	-	27
28	·07	·18	-	·09	·16	-	-	-	-	-	·01	·01	28
29	-	X	-	-	·03	-	·14	-	-	·25	·01	·09	29
30	·13	X	-	-	·01	-	·01	·04	T	-	T	-	30
31	·25	X	-	X	·01	X	-	·01	X	-	X	-	31
TOTAL	1·51	1·56	·13	3·06	2·54	1·36	2·92	4·20	2·14	·67	2·95	·81	YEAR'S TOTAL 23·85
*Days with ·01 in. or more.	17	16	3	20	17	11	14	16	11	7	17	8	157
*Days with ·04 in. or more.	10	12	1	14	10	9	10	14	6	3	12	4	105

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Frederick J. McLees [P.T.O.

Section **A** for the entry of Daily Observations. ~~Station No.~~ 919. 919 FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hollydene" Park St. Lane St Albans
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·04	T	·11	-	·13	-	-	·04	-	-	-	1
2	·08	·05	-	·41	-	-	T	T	·63	·03	-	·01	2
3	·05	-	-	·19	·33	-	-	·29	·68	-	·03	·30	3
4	-	T	-	·02	-	-	·02	·15	·08	T	·04	-	4
5	-	-	-	·13	·15	·36	T.	·83	·01	-	-	·33	5
6	-	·12	-	·09	-	-	·05	T	-	·29	·38	-	6
7	-	-	-	·01	·01	·09	-	·54	-	T	·11	·04	7
8	T	·04	·07	-	-	·10	-	·33	T	·07	·13	T	8
9	·01	·02	·03	·02	-	·04	-	-	-	T	·40	T	9
10	·01	·12	-	-	-	·04	·03	·19	-	·01	·49	T	10
11	·12	·34	-	-	-	-	-	-	·03	·01	·07	-	11
12	T	-	-	-	-	-	T.	·05	·33	-	-	-	12
13	-	·04	-	-	-	-	·18	·01	-	-	-	-	13
14	·03	·08	-	-	-	-	·83	·60	-	-	-	-	14
15	·01	-	-	·06	·09	-	·23	·14	-	-	-	-	15
16	-	·05	-	·10	·28	T	T.	·25	T	-	-	-	16
17	-	·02	-	·26	·16	·02	·11	T	·29	-	-	-	17
18	·03	·04	-	·24	·01	·13	-	·37	-	-	·58	-	18
19	·01	-	-	·39	-	·37	·05	·15	·03	-	T	-	19
20	T	·01	-	·03	-	-	·06	·25	-	·01	·01	-	20
21	·01	-	·03	-	·59	-	-	T	·01	-	T	-	21
22	·13	-	-	·03	·01	-	-	-	·01	-	·01	-	22
23	·39	T	-	·01	·40	·01	-	-	T	-	·25	·02	23
24	-	-	-	·24	·10	·07	·03	-	T	-	-	T	24
25	·04	-	-	·51	·17	-	·48	-	-	-	·04	·01	25
26	T	·02	-	·12	-	-	·70	-	-	-	·18	-	26
27	·14	·39	-	T.	·03	-	-	-	-	-	·21	-	27
28	·07	·18	-	·09	·16	-	-	-	-	-	·01	·01	28
29	-	X	-	-	·03	-	·14	-	-	·25	·01	·09	29
30	·13	X	-	-	·01	-	·01	·04	T	-	T	-	30
31	·25	X	-	X	·01	X	-	·01	X	-	X	-	31
TOTAL	1·51	1·56	·13	3·06	2·54	1·36	2·92	4·20	2·14	·67	2·95	·81	YEAR'S TOTAL 23·85
*Days with ·01 in. or more.	17	16	3	20	17	11	14	16	11	7	17	8	157
*Days with ·04 in. or more.	10	12	1	14	10	9	10	14	6	3	12	4	105

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Frederick J. McLees [P.T.O.

919

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 919

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at "Hollydene" Park Street Lane Nr. St. Albans

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ..... in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	-	-	·14	·47	·04	·02	·03	·02	·04	·04	T	1
2	·04	-	-	·15	·06	-	-	·01	·13	·02	·06	·18	2
3	-	-	-	·11	·10	-	-	-	·60	T	-	-	3
4	·01	-	-	T	T	·03	-	T	-	-	·08	-	4
5	·28	-	·04	-	·03	-	·15	-	·05	-	-	-	5
6	·37	-	T	·06	·09	-	-	-	·06	-	-	-	6
7	-	-	·09	·01	-	T	·12	-	·07	·01	-	-	7
8	-	-	·06	·04	·01	-	-	-	·08	·18	-	-	8
9	·07	-	·02	·08	·69	-	-	-	-	·08	T	-	9
10	·42	-	·02	·18	·03	T	-	-	·01	·04	·08	-	10
11	-	-	·01	·02	·04	-	·25	1·05	T	·30	·05	-	11
12	·05	-	-	·01	·07	-	-	·05	-	·13	·02	T	12
13	·03	-	-	·15	T	-	·14	-	·03	·05	·06	·01	13
14	·14	T	-	·08	T	-	-	-	-	·03	·01	T	14
15	-	-	-	·02	·36	-	·02	-	-	·07	-	-	15
16	·12	-	-	·19	·36	-	-	·01	-	-	-	-	16
17	-	-	-	·01	-	-	·05	-	-	·09	-	-	17
18	-	-	-	-	-	-	·01	-	·16	-	·15	-	18
19	-	-	-	-	-	-	-	-	T	·29	·01	-	19
20	T	-	-	·07	·04	-	-	·46	·08	·74	·12		20
21	·01	-	-	·15	·64	-	-	·65	-	·31	-	·03	21
22	·01	-	·39	-	·01	-	·18	·06	·21	·19	·34	T	22
23	-	·05	·01	T	·02	-	-	-	·04	·65	T	·10	23
24	-	·02	-	T	-	-	·17	-	·02	·07	·08	-	24
25	-	-	-	-	-	T	·20	-	·06	·40	·02	T	25
26	-	-	·06	·19	·01	-	·02	-	-	·04	·07	T	26
27	-	-	·26	·17	·45	T	·15	-	-	·21	·13	-	27
28	-	-	·19	T	·02	·29	·20	-	-	·38	T	·01	28
29	-	-	·31	·03	·25	T	-	·15	·02	·21	·08	-	29
30	T	✕	·28	T	T	·84	-	·01	·14	·04	·19	·16	30
31	-	✕	·02	✕	T	✕	·05	-	✕	-	✕	·06	31
TOTAL	1·59	·07	1·76	1·86	3·75	1·20	1·73	2·48	1·78	4·57	1·59	·55	YEAR'S TOTAL 22·93
*Days with ·01 in. or more.	13	2	14	20	20	4	15	10	17	24	18	7	164
*Days with .04 in. or more.	9	1	9	14	13	3	11	6	12	21	14	4	117

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Frederick J. McLees

P.T.O.

Section **A** for the entry of Daily Observations. Station Number. 919. FOR OFFICIAL USE. 919

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at "Hollydene" Park Street Lane. St Albans

in the County of Hertfordshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·17	·10	-	·01	-	-	-	-	-	-	-	1
2	·30	-	·32	-	·09	-	-	-	-	-	-	-	2
3	T	·18	·11	-	·04	-	-	-	-	-	·01	-	3
4	·24	·01	·08	-	·03	-	-	-	-	-	·05	-	4
5	·02	·02	·15	-	·25	-	-	-	-	-	T	-	5
6	T	·07	·09	-	·29	-	-	-	-	·04	·04	-	6
7	·10	·08	·01	-	·07	-	-	-	-	·03	·01	-	7
8	·06	-	-	-	·05	-	·04	-	T	·01	T	-	8
9	-	-	-	-	·11	-	·18	-	-	·03	·09	-	9
10	-	·19	-	-	T	·04	·53	-	-	·22	-	·01	10
11	·08	-	-	-	T	·04	·03	·06	-	-	-	-	11
12	-	-	-	-	-	·05	T	-	·36	-	T	-	12
13	-	-	-	-	·11	-	·22	-	·09	-	·12	-	13
14	·01	-	-	-	·01	-	·08	-	-	·02	·38	-	14
15	·45	-	·03	-	-	·40	·01	·08	-	·01	·19	-	15
16	·03	T	·81	-	-	·20	·09	-	-	·04	T		16
17	·02	·04	·74	-	-	·12	·03	-	·05	-	·03	-	17
18	·05	·04	·18	-	-	·07	-	-	-	-	T		18
19	·01	·01	·36	T	-	·11	-	-	·15	-	·01		19
20	-	-	·04	·13	-	·09	-	-	·14	-	·01		20
21	-	·01	-	-	·01	·05	-	·06	·20	T	-	-	21
22	-	-	-	-	-	·14	-	·17	-	·17	-	-	22
23	-	-	-	·15	·01	-	-	-	·22	T	T	-	23
24	-	·20	-	·19	·01	·09	-	-	·34	T	·07	-	24
25	-	·40	-	·29	T	-	-	-	·10	T	·01	·09	25
26	-	·35	-	·02	-	·23	-	-	·10	·03	-	·15	26
27	-	T	-	·01	·36	-	-	-	·03	·14	-	T	27
28	-	T	-	-	·07	-	-	-	·01	·26	-	·02	28
29	·08	×	·01	T	-	-	·11	-	-	·06	-	T	29
30	·19	×	·10	·16	-	-	·03	-	T	·04	-	·10	30
31	·08	×	·01	×	-	×	-	·13	×	·02	×	T	31
TOTAL	1·76	1·77	3·19	·94	1·62	1·63	1·35	·50	1·79	1·12	1·02	·37	YEAR'S TOTAL 16·96
*Days with ·01 in. or more.	16	14	16	7	16	13	11	5	12	15	13	5	143
*Days with ·04 in. or more.	11	10	12	5	10	13	7	5	10	8	7	3	101

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) F. J. McLeo

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 919.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 'Hollydene' Park Street Lane - Nr. St. Albans.
in the County of Hertfordshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	T.	-	-	-	-	-	·22	·16	·01	-	·26		1
2	·09	-	·07	-	·03	-	-	·01	·59	·13	-	·28		2
3	·01	·02	-	·09	-	-	-	·04	-	·31	-	·01		3
4	·10	-	·03	·03	T	-	-	-	-	·10	·07	·36		4
5	-	-	·02	-	·03	-	-	·04	-	T	T	·37		5
6	T	-	·18	-	·36	·11	-	T	-	·14	-	·57		6
7	·01	-	-	-	-	·10	-	·15	-	·05	-	·44		7
8	-	-	-	-	·07	-	-	·02	·09	-	·25	·01		8
9	T	-	·02	-	-	-	-	-	-	-	·78	·48		9
10	·09	-	·06	·07	-	-	-	·09	-	·01	·22	·01		10
11	·28	-	·26	·04	-	-	-	T	-	-	-	·08		11
12	·02	T	·05	-	-	-	·04	·48	-	-	-	·09		12
13	·27	-	·02	-	-	-	·24	·02	-	-	·03	·21		13
14	·05	-	·32	-	·02	T	-	-	-	-	·18	·28		14
15	·06	-	·26	-	·06	-	-	-	·02	T	·03	·16		15
16	·15	-	·18	-	·01	-	-	-	-	·13	-	·01		16
17	T	-	-	T	-	-	-	-	-	·07	-	·14		17
18	·08	-	-	·24	-	-	·38	-	-	-	T	·07		18
19	-	-	·18	-	-	·06	-	-	·07	-	·03	·17		19
20	-	-	·35	·02	-	-	·15	-	-	T	·01	T		20
21	-	-	·01	·06	-	·06	·01	·06	-	·03	·01	T		21
22	-	-	-	-	-	-	·03	·19	·31	-	·01	-		22
23	-	-	T	·29	-	·24	-	-	·01	-	T	·10		23
24	-	T	·04	·12	-	·05	·40	-	·20	-	·01	-		24
25	·07	·08	-	·08	-	·79	-	-	-	·03	-	·33		25
26	·09	-	-	·13	-	·01	-	-	·03	·02	-	·15		26
27	·01	·01	-	T	-	·06	-	-	-	·01	-	·23		27
28	-	·20	-	·33	-	·14	-	·86	-	-	·03	·34		28
29	-	X	-	-	-	-	-	T	·13	-	·02	·06		29
30	·02	X	-	-	-	-	·01	·04	·01	-	·01	·06		30
31	·02	X	-	X	-	X	·01	-	X	·16	X	·02		31
TOTAL	1·54	·31	2·05	1·50	·58	1·62	1·24	2·22	1·62	1·19	1·69	4·89	Year's Total 20·48	✓
*Days with ·01 in. or more.	18	4	16	12	7	10	9	13	11	14	15	27	156	
*Days with ·04 in. or more.	11	2	11	10	3	9	5	10	7	8	5	22	103	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) F. J. McLees

[P.T.O.

COPY FOR OFFICIAL USE. /

Section **A** for the entry of Daily Observations. Station No. 919.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "Hollydene" Bricket Wood.

in the County of Herts.

Diameter of Funnel of Gauge 5. in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·01	T	·03	-	·08	·25	-	·	·31	·35	-		1
2	·01	-	-	·03	-	-	·	·	·24	·17	·02	-		2
3	-	·03	·10	·02	-	·07	·	-	·19	·39	·17	-		3
4	-	·02	-	·12	-	·06	·	T	·24	·05	T	·10		4
5	-	·31	·02	·05	-	·14	·01	-	·42	-	·01	-		5
6	-	·01	·01	·32	-	·60	-	-	·	T	T	-		6
7	-	-	-	·56	-	·05	-	-	-	·01	1·05	·18		7
8	-	-	-	·19	-	-	-	-	-	·34	·14	·12		8
9	T	-	-	·18	-	·52	-	-	-	·80	·13	-		9
10	-	-	-	·19	-	-	-	-	-	T	·02	·03		10
11	·34	-	-	·01	-	·07	·01	-	-	·04	·19	·		11
12	T	T	-	-	-	·16	-	·07	-	-	·50	·		12
13	·08	·19	-	·20	·14	-	-	-	T	-	-	-		13
14	-	-	-	·14	·15	·03	-	-	·03	-	·12	·10		14
15	-	·29	-	·44	T	·70	-	-	·34	-	·37	·09		15
16	-	·10	·03	·02	T	·34	-	-	·23	·	·54	·05		16
17	-	-	-	T	-	·14	·02	·	T	-	·40	-		17
18	-	-	-	·24	·15	·09	·20	-	·47	-	·16	-		18
19	-	-	-	·08	·11	·04	·08	-	·06	-	·12	·11		19
20	-	·16	-	T	·39	·07	·03	-	·19	-	·06	-		20
21	-	·19	·01	-	-	-	-	-	·01	·02	·10	-		21
22	-	·05	·08	-	-	·	-	·02	·26	·	-	-		22
23	-	-	·24	-	-	-	-	·69	·01	·05	-	·05		23
24	·03	·36	·01	-	-	-	-	·03	·64	-	-	·40		24
25	·08	·24	-	·05	-	·63	-	-	T	-	-	·11		25
26	·04	-	-	-	-	-	-	·32	·07	-	·	·35		26
27	·02	·33	-	-	·06	-	-	-	·20	T	·16	·18		27
28	-	·04	-	-	·02	-	-	T	·07	·05	T	·13		28
29	-	X	-	-	-	-	-	·01	·62	T	T	·10		29
30	·05	X	-	·07	·64	-	-	·66	·03	·07	·29	·46		30
31	-	X	-	X	·01	X	·	-	X	·50	X	·07		31
TOTAL	·76	2·33	·60	3·04	1·64	3·79	·60	1·80	4·32	2·80	4·90	2·57	Year's Total 29·08	
*Days with ·01 in. or more.	9	15	8	19	9	14	7	7	19	13	20	14	160	
*Days with ·04 in. or more.	6	11	3	14	7	16	3	4	15	11	14	16	123	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Fredk. J. McLees /

[P.T.O.

NORTH MIMMS P.S

919/5

NORTH MIMMS. P.S.

1936 - 1940

780205

Section **A** **for the entry of Dail**
AIR MINISTRY.—M

Station No 919/5

NFALL ORGANIZATION.

FORM 1090.

REGISTE 1936.

Kept at NORTH MIMMS WATERW PUM

in the County of HERTFORD

X

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

„ Ground „ Sea Level

THE MORNING MEASUREMENT DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											03	09	1
2											12	t	2
3											33	01	3
4											04	03	4
5											05	03	5
6											04	01	6
7											02	t	7
8											48	18	8
9											·	01	9
10											01	·	10
11											76	t	11
12											55	10	12
13											06	16	13
14											07	28	14
15											01	05	15
16											37	07	16
17											30	11	17
18											03	07	18
19											·	·	19
20											·	·	20
21										·	·	·	21
22										·	t	18	22
23										09	t	t	23
24										33	·	t	24
25										11	05	02	25
26										13	t	02	26
27										07	·	·	27
28										·	·	05	28
29										01	11	01	29
30		×								23	t	t	30
31		×		×		×			×	·46	×	22	31
TOTAL											3·43	1·70	YEAR'S TOTAL
*Days with ·01 in. or more.											19	20	
*Days with ·04 in. or more.											14	12	

40-9999
*See Instruction 2 (*f*) on other side.

N

(Signed) J F Haseldine

[P.T.O.

NORTH MIMMS P.S

~~COPY FOR OFFICIAL USE~~

Section **A** for the entry of Daily Observations. Station No. 919/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at NORTH MIMMS WATERWORKS PUMPING STATION

in the County of HERTFORD 12

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 254 ft.

fb80441/26 X

AK [illegible]

189629

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											03	09	1
2											12	t	2
3											33	01	3
4											04	03	4
5											05	03	5
6											04	01	6
7											02	t	7
8											48	18	8
9											.	01	9
10											01	.	10
11											76	t	11
12											55	10	12
13											06	16	13
14											07	28	14
15											01	05	15
16											37	07	16
17											30	11	17
18											03	07	18
19											.	.	19
20											.	.	20
21										.	.	.	21
22										.	t	18	22
23										09	t	t	23
24										33	.	t	24
25										11	05	02	25
26										13	t	02	26
27										07	.	.	27
28										.	.	05	28
29										01	11	01	29
30		×								23	t	t	30
31		×		×		×			×	.46	×	22	31
TOTAL											3.43	1.70	YEAR'S TOTAL
*Days with ·01 in. or more.											19	20	
*Days with ·04 in. or more.											14	12	

40-9999

*See Instruction 2 (*f*) on other side,

N

(Signed) J F Haseldine

P.T.O.

NORTH MIMMS P.S.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 919/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

c inp 1936

680441/26.

Kept at NORTH MIMMS WATERWORKS PUMPING STATION.
in the County of Hertford
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 254 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	t	t	03	·	·	t	fog t	03	·	51	·68		1
2	t	19	·	51	·	·	·	fog t	09	01	t	·30		2
3	·	15	02	dew t	t	·	t	fog t	·	·	fog t	07		3
4	07	39	·	·	t	·	·	t	-	·	·	61		4
5	27	05	sleet 18	·	·	·	02	t	·	01	t	02		5
6	t	·	snow 29	t	13	·	10	·	·	02	03	t		6
7	·	83	snow 04	12	01	·	02	·	05	·	t	t		7
8	t	03	·	t	09	08	·	·	·	·	09	30		8
9	·	sleet 12	·	32	15	01	08	t	27	t	t	13		9
10	01	t	60	t	27	44	05	07	t	·	t	26		10
11	·	·	24	t	49	·	03	·	·	t	·	03		11
12	22	34	08	t	24	47	t	01	05	t	·	09		12
13	11	04	sleet 36	t	fog t	07	·	1·59	·	·	·	92		13
14	02	03	sleet 29	19	·	01	·	45	07	·	·	t		14
15	11	15	·	18	t	11	41	·	10	-	·	01		15
16	07	15	32	92	·	02	·	12	25	·	·	t		16
17	37	01	17	16	·	t	-	·	14	fog t	05	01		17
18	28	09	03	t	22	27	·	·	28	fog 01	14	04		18
19	11	09	10	07	01	14	53	·	10	fog 01	t	04		19
20	42	02	·	45	66	06	·	t	15	fog 01	t	t		20
21	31	35	06	06	01	·	03	·	·	fog 01	t	01		21
22	30	01	snow 01	·	06	42	05	·	dew t	52	29	04		22
23	28	t	sleet 03	·	13	·	14	·	dew t	65	t	01		23
24	42	53	01	·	01	·	t	·	17	21	·	t		24
25	02	28	04	·	10	·	t	t	06	42	·	01		25
26	t	24	snow 06	·	31	·	·	t	t	03	·	t		26
27	02	07	·	17	·	·	·	·	01	53	01	·		27
28	snow 01	snow 08	·	01	dew t	01	·	·	·	09	t	01		28
29	snow 01	×	·	·	·	01	·	fog t	fog t	10	04	04		29
30	30	×	·	·	-	t	t	fog t	·	t	11	01		30
31	30	×	·	×	·	×	·	·	×	11	×	03		31
TOTAL	4·29	4·24	2·93	3·19	2·89	2·12	1·46	2·24	1·82	2·74	1·27	3·67	Year's Total 32·86	
* Days with .01 in. or more.	23	23	19	13	16	14	11	5	15	16	9	23	187	
* Days with .04 in. or more.	17	18	14	11	12	9	7	4	13	8	7	13	133	

* See Instruction 3 (f) on other side.

0

† Spare column, no ent[illegible]required.

(Signed) F. Haseldine [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 919/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at NORTH MIMMS WATERWORKS PUMPING STATION

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 254 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04	t	01	.	01	10	06	.	04	01	01	01		1
2	10	t	.	03	06	t	11	.	.	17	02	01		2
3	t	t	.	.	08	.	.	.	05	89	03	.		3
4	02	.	fog t	t	.	t	03	t	.	09	t	11		4
5	t	.	.	t	.	t	26	t	t	11	t	t		5
6	02	.	.	.	.	t	03	.	t	03	t	t		6
7	01	.	.	.	.	t	07	45	03	37	t	02		7
8	14	.	t	-	.	t	01	01	01	29	t	01		8
9	04	t	-	-	-	t	05	14	.	t	t	74		9
10	18	02	-	-	-	02	04	13	fog t	.	.	02		10
11	27	t	.	.	.	.	01	09	.	.	16	03		11
12	31	01	.	.	01	.	01	54	.	23	04	t		12
13	09	04	t	.	.	.	.	01	.	01	30	16		13
14	38	t	fog t	.	10	.	t	t	08	.	01	02		14
15	06	01	.	.	.	.	09	t	.	24	t	38		15
16	44	01	·02	t	t	.	01	01	.	04	t	53		16
17	t	snow 08	t	.	22	.	04	.	01	10	t	t		17
18	05	.	.	t	09	t	01	01	04	01	26	t		18
19	.	.	.	t	t	.	t	07	02	.	17	t		19
20	t	t	.	.	.	.	.	t	01	dew t	51	01		20
21	02	.	.	t	.	.	.	07	02	t	01	snow 42		21
22	t	t	fog t	t	.	01		03	t	.	24	19		22
23	-	.	fog t	·02	t	.	.	.	.	t	03	t		23
24	.	.	·14	t	01	.			48	t	05	t		24
25	08	01	11	08	30	.	01	03	01	04	94	11		25
26	23	16	08	01	t	.	.	03	19	16	t	21		26
27	12	05	t	12	04	15	26	01	73	18	27	t		27
28	15	04	.	t	61	10	.	28	06	.	01	05		28
29	25	×	.	t	20	.	t	t	t	t	12	21		29
30	01	×	.	02	09	04	.	.	06	04	30	01		30
31	18	×	.	×	08	×	.	.	×	16	×	36		31
													Year's Total	
TOTAL	3·19	0·43	0·36	0·28	1·90	0·42	1·10	1·91	1·84	3·17	3·48	3·61	21.69	✓ ✓
* Days with .01 in. or more.	23	10	5	6	14	6	17	16	16	19	19	21	172	✓ ✓
* Days with .04 in. or more.	18	5	3	2	11	4	9	8	9	15	12	12	108	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 919/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at NORTH MIMMS WATER WORKS

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 254 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	·	01	28	51	·	09	t	57	t	t	01		1
2	02	·	·	t	02	·	·	45	83	01	03	01		2
3	44	·	·	16	·	·	·	51	t	03	26	18		3
4	01	·	25	06	t	·	01	65	t	41	03	02		4
5	·	frost 01	t	60	05	·	01	22	t	10	39	06		5
6	57	frost t	·	04	·	·	44	03	t	t	45	07		6
7	07	05	·	t	·	·	t	t	t	·	08	12		7
8	t	08	11	·	·	·	02	31	t	39	11	42		8
9	02	04	·	·	·	·	·	03	·	37	01	24		9
10	20	t	·	·	·	66	·	16	01	01	t	t		10
11	t	·	24	·	03	29	·	t	02	43	t	01		11
12	t	07	t	·	t	t	·	·	02	03	·	t		12
13	·	t	t	02	·	01	03	·	09	89	t	t		13
14	43	·	01	05	19	03	01	·	01	21	34	t		14
15	34	t	t	t	59	25	05	·	07	1·31	07	01		15
16	35	·	13	05	09	09	02	·	01	t	32	t		16
17	20	02	02	05	10	t	24	t	·	t	02	·		17
18	38	t	03	·	·	12	15	·	t	19	34	t		18
19	17	t	t	·	·	t	20	·	·	17	·	t		19
20	16	·	t	·	·	04	78	10	·	t	t	02		20
21	04	t	30	t	·	04	08	56	03	t	t	t		21
22	10	26	12	t	·	t	01	t	t	t	08	·		22
23	08	t	t	03	·	t	01	t	t	05	68	01		23
24	Snow 24	01	02	02	·	t	13	t	t	12	t	t		24
25	Snow 1·53	09	05	01	t	·	·	15	·	04	50	t		25
26	Sleet ·22	01	01	02	·	·	·	t	·	21	23	05		26
27	01	02	15	07	·	t	t	01	·	14	23	·		27
28	01	18	08	03	·	04	13	·	·	18	13	Snow 08		28
29	·	X	t	40	t	t	03	·	·	15	13	·		29
30	Snow t	✕	·	89	·	05	t	·	·	t	09	Snow 01		30
31	·	✕	·	✕	·	✕	05	t	✕	t	✕	t		31
TOTAL	5·61	0.84	1·53	2·78	1·58	1·62	2·49	3·18	1·66	5·44	4·52	1·32	Year's Total 32·57	
* Days with .01 in. or more.	23	12	15	17	8	11	20	12	10	21	21	16	186	
* Days with .04 in. or more.	17	7	9	11	6	9	11	9	4	17	17	8	125	

† Spare column, no entries required.

(*Signed*) J. F. Haseldine

[P.T.O.

* See Instruction 3 (f) on other side.

Section **A** **for the entry of Daily Observations** **Station No.** 919/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at NORTH MIMMS WATERWORKS

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 254 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	snow 01	·	t	06	·	·	·	t	·	11	·		**1**
2	·	05	·	18	·	·	10	·	·	14	76	·		**2**
3	·	22	·	14	·	·	·	·	·	12	76	05		**3**
4	t	14	·	11	·	·	t	·	·	17	06	03		**4**
5	t	03	snow t	·	t	·	t	·	·	07	47	22		**5**
6	13	10	·	·	06	·	48	·	·	25	23	·		**6**
7	21	08	·	01	06	·	07	·	04	·	t	01		**7**
8	t	t	·	01	·	·	·	·	01	21	·	23		**8**
9	·	·	·	t	·	04	t	t	01	13	14	04		**9**
10	·	t	t	·	·	fog t	41	t	·	02	18	06		**10**
11	t	·	t	02	t	t	·	·	·	·	99	03		**11**
12	·	snow 02	07	·	·	t	07	·	09	t	t	·		**12**
13	·	01	68	02	·	·	13	t	18	·	1·36	·		**13**
14	·	t	snow 22	09	·	·	·	t	t	02	t	19		**14**
15	snow 01	t	03	01	20	02	11	·	05	t	15	t		**15**
16	snow 05	snow 10	33	t	·	02	51	·	11	1·23	76	t		**16**
17	·	t	38	·	·	·	01	·	·	01	49	01		**17**
18	snow 01	42	10	31	·	·	t	t	t	11	23	11		**18**
19	·	12	t	10	·	t	02	·	37	·	19	02		**19**
20	·	01	01	02	·	01	08	01	t	01	04	·		**20**
21	snow 08	01	t	·	21	·	06	t	t	05	33	·		**21**
22	snow 01	t	03	t	45	36	·	t	12	t	t	·		**22**
23	·	07	04	14	t	01	t	t	·	02	02	t		**23**
24	·	·	t	15	·	·	15	·	·	·	t	01		**24**
25	·	t	59	·	01	·	22	t	·	t	t	·		**25**
26	92	12	38	t	21	01	·	·	·	·	t	·		**26**
27	snow 44	16	·	09	12	·	07	t	·	·	t	t		**27**
28	snow 31	06	snow t	t	02	·	·	·	·	t	·	·		**28**
29	snow 01	07	11	t	17	·	·	t	·	·	·	27		**29**
30	05		·	06	·	t	·	·	t	12	·	03		**30**
31	03		t		·		·	·		67		t		**31**
TOTAL	2·26	1·80	2·97	1·46	1·57	0·47	2·49	0·01	0·98	3·35	7·27	1·31	Year's Total 25·94	
* Days with .01 in. or more.	13	19	13	16	11	7	15	1	9	17	18	15	154	
* Days with .04 in. or more.	8	13	10	10	9	2	13	0	7	12	17	8	109	

† Spare column, no entries required.

(*Signed*) J. Haseldine

P.T.O.

* See Instruction 3 (f) on other side.

HEMEL HEMSTEAD (ABBO

919/6

HEMEL HEMSTEAD

| ABBOTS HILL |

1939 - 40

Y80205

Section **A** for the entry of Da

AIR MINISTRY.

Station No. 919/6.

FALL ORGANIZATION

FORM 1090

REGIST

939

Kept at Abbots Hill

in the County of Hemel Hemp

Dalrymple

Diameter of Funnel of Gauge.........

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUREME

OUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·00	·02	·38	·58	·00	·00	·02	·41	·00	·00	·02		1
2	·02	·00	·00	·01	·01	·00	·00	·35	·86	·00	·03	·00		2
3	·48	·00	·32	·17	·00	·00	·00	·46	·00	·00	·22	·27		3
4	·00	·00	·00	·33	·15	·00	·03	·35	·00	·20	·02	·02		4
5	·00	·00	·00	·37	·00	·00	·02	·28	·00	·29	·48	·18		5
6	·70	·00	·00	·01	·00	·00	·40	·00	·00	·01	·12	·00		6
7	·05	·09	·00	·00	·00	·00	·00	·05	·00	·01	·04	·18		7
8	·00	·11	·13	·00	·00	·00	·04	·51	·00	·67	·13	·41		8
9	·02	·10	·00	·00	·00	·00	·00	·05	·00	·34	·12	·20		9
10	·33	·00	·00	·00	·00	·52	·00	·19	·02	·05	·00	·00		10
11	·00	·00	·20	·00	·00	·20	·00	·00	·01	·02	·00	·00		11
12	·00	·09	·00	·00	·00	·02	·00	·00	·01	·00	·00	·00		12
13	·00	·00	·01	·02	·02	·00	·02	·00	·04	·71	·00	·00		13
14	·52	·00	·00	·01	·24	·05	·01	·00	·00	·18	·38	·00		14
15	·16	·00	·00	·00	·46	·35	·00	·00	·07	·86	·00	·00		15
16	·39	·00	·12	·03	·15	·25	·08	·00	·00	·03	·47	·00		16
17	·34	·01	·02	·00	·29	·00	·10	·00	·00	·00	·02	·00		17
18	·21	·00	·08	·00	·00	·21	·14	·00	·00	·00	·36	·00		18
19	·19	·00	·01	·00	·00	·00	·44	·00	·00	·20	·00	·00		19
20	·19	·00	·00	·00	·00	·05	·43	·00	·00	·00	·00	·00		20
21	·00	·04	·33	·00	·00	·56	·51	·24	·10	·00	·00	·00		21
22	·05	·28	·15	·00	·00	·01	·01	·00	·00	·00	·13	·00		22
23	·08	·00	·00	·04	·00	·01	·14	·00	·00	·04	·89	·00		23
24	pm	·00	00	·00	·00	·00	·01	·00	·00	·16	·00	·00		24
25	. .	·12	·14	·00	·00	·00	·00	·00	·00	·00	·64	·00		25
26	1·82	·09	·15	·00	·00	·00	·00	·04	·00	·33	·27	·00		26
27	·12	·24	·13	·18	·00	·00	·00	·00	·00	·11	·20	pm		27
28	·00	·00	·05	·00	·00	·00	·08	·00	·00	·19	·19	·07		28
29	·00		·00	·37	·00	·00	·10	·00	·00	·13	·17	·00		29
30	·00	✕	·00	·73	·00	·08	·00	·00	·00	·00	·00	·00		30
31	·00	✕	·00	✕		✕	·13	·00	✕	·00	✕	·00		31
TOTAL	5·67	1·17	1·86	2·65	1·90	2·31	2·69	2·54	1·51	4·36	4·87	1·35	Year's Total 32·88	Print w/r
* Days with .01 in. or more.	18	10	15	13	8	12	18	11	8	19	19	8	159	
* Days with .04 in. or more.	15	9	11	8	6	9	12	10	5	15	16	6	122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

LADY MARJORIE DALRYMPLE.

(*Signed*) ....

P.T.O.

HEMEL HEMSTEAD (ABBOTS HILL)

Section A for the entry of Daily Observations

Station No. 919/6.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Abbots Hill

in the County of Hemel Hempstead Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 360 ft.

Lady M. Dalrymple

NO FILE.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.00	.02	.38	.58	.00	.00	.02	.41	.00	.00	.02		1
2	.02	.00	.00	.01	.01	.00	.00	.36	.86	.00	.03	.00		2
3	.48	.00	.32	.17	.00	.00	.00	.46	.00	.00	.22	.27		3
4	.00	.00	.00	.33	.15	.00	.03	.35	.00	.20	.02	.02		4
5	.00	.00	.00	.37	.00	.00	.02	.28	.00	.29	.48	.18		5
6	.70	.00	.00	.01	.00	.00	.40	.00	.00	.01	.12	.00		6
7	.05	.09	.00	.00	.00	.00	.00	.05	.00	.01	.04	.18		7
8	.00	.11	.13	.00	.00	.00	.04	.31	.00	.67	.13	.41		8
9	.02	.10	.00	.00	.00	.00	.00	.05	.00	.34	.12	.20		9
10	.32	.00	.00	.00	.00	.52	.00	.19	.02	.05	.00	.00		10
11	.00	.00	.20	.00	.00	.20	.00	.00	.01	.02	.00	.00		11
12	.00	.09	.00	.00	.00	.02	.00	.00	.01	.00	.00	.00		12
13	.00	.00	.01	.02	.02	.00	.02	.00	.04	.71	.00	.00		13
14	.62	.00	.00	.01	.24	.05	.01	.00	.00	.18	.38	.00		14
15	.16	.00	.00	.00	.46	.35	.00	.00	.07	.85	.00	.00		15
16	.39	.00	.12	.03	.15	.25	.08	.00	.00	.03	.47	.00		16
17	.34	.01	.02	.00	.29	.00	.10	.00	.00	.00	.02	.00		17
18	.21	.00	.08	.00	.00	.21	.14	.00	.00	.00	.36	.00		18
19	.19	.00	.01	.00	.00	.00	.44	.00	.00	.20	.00	.00		19
20	.19	.00	.00	.00	.00	.05	.43	.00	.00	.00	.00	.00		20
21	.00	.04	.33	.00	.00	.56	.51	.24	.10	.00	.00	.00		21
22	.05	.28	.15	.00	.00	.01	.01	.00	.00	.00	.13	.00		22
23	.08	.00	.00	.04	.00	.01	.14	.00	.00	.04	.89	.00		23
24	[illegible]	.00	00	.00	.00	.00	.01	.00	.00	.16	.00	.00		24
25	..	.12	.14	.00	.00	.00	.00	.00	.00	.00	.64	.00		25
26	1.80	.09	.15	.00	.00	.00	.00	.04	.00	.33	.27	.00		26
27	.12	.24	.13	.18	.00	.00	.00	.00	.00	.11	.20	[illegible]		27
28	.00	.00	.05	.00	.00	.00	.08	.00	.00	.19	.19	.07		28
29	.00		.00	.37	.00	.00	.10	.00	.00	.13	.17	.00		29
30	.00	✕	.00	.43	.00	.08	.00	.00	.00	.00	.00	.00		30
31	.00	✕	.00	✕		✕	.13	.00	✕	.00	✕	.00		31
TOTAL	5.67	1.17	1.86	2.45	1.90	2.31	2.49	2.54	1.51	4.36	4.87	1.35	Year's Total 32.88	Print
* Days with .01 in. or more.	18	10	15	13	8	12	18	11	8	19	19	8	159	
* Days with .04 in. or more.	15	9	11	8	6	9	12	10	5	15	16	6	122	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

LADY MARJORIE DALRYMPLE.

(Signed) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 919/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Abbots Hill Gardens

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 360 ft.

Snow ? Days

Days apportioned from nearby stations

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·00

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·00	·00	·00	·00	·12	·00	·00	·00	·00	·00	·09	·00		1
2	·00	·00	·00	·20	·00	·00	·14	·00	·00	·08	·75	·00		2
3	·00	·20	·00	·17	·00	·00	·00	·00	·00	·23	·12	·04		3
4	·00	·09	·00	·12	·00	·00	·12	·00	·00	·35	·48	·06		4
5	·00	·16	·00	·00	·00	·00	·38	·00	·00	·10	·31	·24		5
6	·29	·00	·00	·00	·04	·00	·03	·00	·00	·28	·00	·00		6
7	·00	·20	·00	·00	·05	·00	·00	·00	·03	·01	·00	·01		7
8	·00	·00	·05	·03	·00	·00	·00	·00	·00	·19	·10	·00		8
9	·00	·00	·00	·00	·00	·05	·00	·00	·00	·06	·22	·28		9
10	·00	·00	·00	·00	·00	·10	·50	·00	·00	·00	1·55	·02		10
11	·00	·00	00	·00	·00	·00	·06	·00	·00	·00	·00	·00		11
12	·00	·00	·05	·00	·00	·03	·15	·00	·10	·02	1·21	·00		12
13	·00	·00	Snow	·00	·00	·15	·00	·00	·00	·09	·72	·00		13
14	·00	·00	·74	·05	·00	·00	·00	·00	·11	·00	·61	·04		14
15	·00	·00	·16	·05	·20	·00	·55	·00	·00	·00	·20	·36		15
16	·00	Snow	·41	·00	·00	·00	·04	·00	·06	·86	·25	·00		16
17	·00	·00	·31	·00	·00	·00	·00	·00	·25	·00	·34	·00		17
18	·00	·51	·26	·04	·00	·00	·00	·00	·00	·15	·17	·00		18
19	·00	·21	·02	·15	·00	·00	·00	·00	·29	·00	·55	·00		19
20	·00	·09	·06	·02	·00	·00	·00	·03	·00	·11	·00	·00		20
21	·00	·00	·04	·10	·70	·00	·00	·00	·00	·08	·00	·00		21
22	·00	·06	·04	·00	·00	·45	·45	·00	·33	·00	·00	·00		22
23	·00	·00	·00	·14	·51	·05	·05	·01	·00	·00	·00	·00		23
24	·00	·00	·00	·13	·00	·00	·00	·00	·00	·00	·00	·00		24
25	·00	·00	·32	·00	·00	·00	·30	·00	·01	·00	·00	·00		25
26	·00	·16	·00	·09	·27	·10	·04	·00	·00	·00	·00	·00		26
27	6 inches snow	·26	·00	·01	·03	·00	·00	·00	·00	·00	·00	·00		27
28	·00	·04	·00	·00	·02	·00	·14	·00	·00	·00	·00	·00		28
29	10 inches snow	·04	·14	·32	·19	·00	·00	·00	·00	·00	·00	·34		29
30	·00	✕	·00	·00	·00	·00	·00	·00	·00	·20	·00	·00		30
31	2·12	✕	·00	✕	·00	✕	·00	·00	✕	·72	✕	·00		31
TOTAL	2·41	2·02	2·57	1·67	2·13	·93	28·3	·04	1·12	3·49	7·67	1·24	Year's Total 28·12	4 ·11
* Days with .01 in. or more.	7	13 ~~12~~	14	17	10	7	1~~2~~8	2	8	14	~~16~~ 17	~~9~~ 6	~~25 12~~	~~122~~ 136
* Days with .04 in. or more.	6	13 ~~12~~	12 ~~11~~	15	8	6	11	–	~~5~~ 6	14	16	4		~~108~~ 111

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) E. W. Morton

[P.T.O.

Unk. X, ~~Boxmoor~~ (FEL
BOVINGDON

COPY

Section **A** for the entry of Daily Observ

AIR MINISTRY.—METEORO

FORM 1090.

REGISTER O

919/7

BOVINGDON

FELDEN

1935 – 1940

78 02 05

n No. 919/7

GANIZATION.

111/Herts/2

Kept at ~~Gatingworth (Felden) Hemel~~

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft

,, Ground ,, Sea Level 50

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.16	.02	—	.02	.04	.08	.03	—	.02	.25	.22	.02		1
2	—	—	—	—	—	—	—	—	.06	.28	.12	—		2
3	—	.11	.10	.07	—	.05	—	—	.15	.50	.18	.01		3
4	—	—	—	.08	—	.05	—	—	.31	.07	—	.14		4
5	—	.35	.03	.09	—	.20	—	—	.44	—	.02	—		5
6	—	—	—	.43	—	.80	—	—	—	.08	—	—		6
7	.02	—	—	.54	—	.04	—	—	—	—	1.15	.15		7
8	—	—	—	.26	—	—	—	—	—	.41	.12	.09		8
9	—	—	—	.27		.51	—	—	—	1.06	—	.01		9
10	—	—	—	.36	—	.01					.21	.02		10
11	.30	—	—	.03	—	.07	.02	—	—	—	.32	.01		11
12	—	.02	—	—	—	.42	—	.06	.04	—	.34	—		12
13	.16	.18	—	.30	.16	.04	—	—	—	—	—	—		13
14	—	—	—	.26	.27	.02	—	—	.02	—	.36	.08		14
15	—	.26	—	52	—	.18	—	—	.20	—	.36	.13		15
16	—	.12	.05	.07	—	.46	—	—	.26	—	.56	.12		16
17	—	—	—	03	—	.17	—	—	.02	—	.47	—		17
18	—	—	—	.40	.07	.14	.29	—	.55	.08	.19	.18		18
19	—	—	—	.30	.16	.05	.10	—	.10	—	.12	—		19
20	.02	.13	—	.17	.09	.09	.06	—	.08	—	.11	—		20
21	.01	.26	.03	.03	—	—	—	—	.02	—	.11	—		21
22	—	.03	.18	—	—	—	—	.21	.13	—	.02	—		22
23	—	.05	.22	—	—	—	—	58	.01	.14	—	.14		23
24	.03	.44	.02	—	—	—	—	.03	77	—	—	22		24
25	.14	.11	—	.20	—	.60	—	—	—	—	—	15		25
26	—	.03	—	—	—	.01	—	.27	.10	—	—	42		26
27	.02	.32	—	—	.18	—	—	—	21	.02	.20	.45		27
28	—	.14	—	—	.06	—	—	.01	21	.05	.03	.06		28
29	.01	×	—	—	—	—	—	.01	87	—	—	.37		29
30	.03	×	—	.08	.11	—	—	.64	—	.10	.36	.38		30
31	—	×	—	×	—	×	—	—	×	.61	×	.30		31 o.k. [illegible]
TOTAL	.90	2.57	.63	4.51	1.14	3.97	.50	1.81	4.57	3.65	5.57	3.45	Year's Total. 33.27	
* Days with .01 in. or more.	11	16	7	21	9	20	5	8	21	13	21	21	173	
* Days with .04 in. or more.	4	12	4	17	9	17	3	5	16	12	18	16	133	

40-9999

* See Instruction 2 (f) on other side.

NA

† Spare column, no entries required.

(Signed) ~~A.T. Collier~~ A.T. COLLIER ESQ

[P.T.O.

Unk. X ~~Boxmoor~~ (FEL
BOVINGDON

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 919/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

111/Herts/2

Kept at ~~Gatesgarth (Felden) Hemel Hempstead~~ X

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft 9 in.
,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	.02	—	.02	.04	.08	.03	—	.02	.25	.22	.02		1
2	—	—	—	—	—	—	—	—	.06	.28	.12	—		2
3	—	.11	.10	.07	—	.05	—	—	.15	.50	.18	.01		3
4	—	—	—	.08	—	.05	—	—	.31	.07	—	.14		4
5	—	.35	.03	.09	—	.20	—	—	.44	—	.02	—		5
6	—	—	—	.43	—	.80	—	—	—	.08	—	—		6
7	.02	—	—	.54	—	.04	—	—	—	—	1.15	.15		7
8	—	—	—	.26	—	—	—	—	—	.41	.12	.09		8
9	—	—	—	.27		.51	—	—	—	1.06	—	.01		9
10	—	—	—	.36	—	.01					.21	.02		10
11	.30	—	—	.03	—	.07	.02	—	—	—	.32	.01		11
12	—	.02	—	—	—	.42	—	.06	.04	—	.34	—		12
13	.16	.18	—	.30	.16	.04	—	—	—	—	—	—		13
14	—	—	—	.26	.27	.02	—	—	.02	—	.36	.08		14
15	—	.26	—	.52	—	.18	—	—	.20	—	.36	.13		15
16	—	.12	.05	.07	—	.46	—	—	.26	—	.56	.12		16
17	—	—	—	.03	—	.17	—	—	.02	—	.47	—		17
18	—	—	—	.40	.07	.14	.29	—	.55	.08	.19	.18		18
19	—	—	—	.30	.16	.05	.10	—	.10	—	.12	—		19
20	.02	.13	—	.17	.09	.09	.06	—	.08	—	.11	—		20
21	.01	.26	.03	.03	—	—	—	—	.02	—	.11	—		21
22	—	.03	.18	—	—	—	—	.21	.13	—	.02	—		22
23	—	.05	.22	—	—	—	—	.58	.01	.14	—	.14		23
24	.03	.44	.02	—	—	—	—	.03	.77	—	—	.22		24
25	.14	.11	—	.20	—	.60	—	—	—	—	—	.15		25
26	—	.03	—	—	—	.01	—	.27	.10	—	—	.42		26
27	.02	.32	—	—	.18	—	—	—	.21	.02	.20	.45		27
28	—	.14	—	—	.06	—	—	.01	.21	.05	.03	.06		28
29	.01	✕	—	—	—	—	—	.01	.87	—	—	.37		29
30	.03	✕	—	.08	.11	—	—	.64	—	.10	.36	.38		30
31	—	✕	—	✕	—	✕	—	—	✕	.61	✕	.30		31 o.k. [illegible]
TOTAL	.90	2.57	.63	4.51	1.14	3.97	.50	1.81	4.57	3.65	5.57	3.45	Year's Total. 33.27	
* Days with .01 in. or more.	11	16	7	21	9	20	5	8	21	13	21	21	173	
* Days with .04 in. or more.	4	12	4	17	9	17	3	5	16	12	18	16	133	

40-9999

* See Instruction 2 (f) on other side.

NA

† Spare column, no entries required.

(*Signed*) ~~Arthur T. Collier~~ , X A.T. COLLIER ESQ X [P.T.O.

Cu A.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 919/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at [illegible], Felden, Hemel Hempstead
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	·26	·08	·31	—	·06	·26	·01	—	—	·06	·03		1
2	·09	·13	—	·03	—	·47	·40	·06	—	—	·07	—		2
3	—	—	—	·10	—	·02	·02	·02	·10	—	·33	—		3
4	·01	—	·15	—	·03	·46	—	—	·38	—	·10	·09		4
5	·27	·02	·02	—	—	—	—	·05	·09	—	·02	·06		5
6	·24	—	—	—	—	·17	—	·10	·17	—	·16	·08		6
7	·21	—	·06	—	—	03	·65	—	·02	—	·01	·02		7
8	·30	—	·07	—	—	—	·03	—	·05	—	·47	·13		8
9	·40	—	·02	—	—	—	·40	—	·15	·02	—	·02		9
10	·02	—	—	—	—	—	·17	·01	·13	·03	·03	—		10
11	—	—	—	·02	—	—	·05	·04	—	—	·79	—		11
12	—	—	—	·18	—	·53	·38	—	·25	—	49	·15		12
13	—	—	—	·03	—	1·00	—	—	—	—	·10	·29		13
14	—	·10	—	—	—	·10	·55	—	·03	·09	·01	·44		14
15	—	·05	—	—	—	·03	·10	—	·14	—	—	·16		15
16	·23	·09	—	—	—	—	·04	—	·02	—	·40	·03		16
17	·15	·68	—	—	·16	—	—	—	—	—	·20	24		17
18	—	·11	—	—	—	27	·21	—	—	·03	·01	·07		18
19	·37	·08	·01	·02	—	55	—	·07	—	·119	—	—		19
20	·05	·09	·02	·19	—	—	·08	—	1·81	—	—	—		20
21	—	—	—	·22	·07	1·61	—	—	11	—	—	—		21
22	·07	·51	·08	—	·37	·03	·17	—	—	—	·01	·15		22
23	·02	—	·01	·08	—	—	·34	—	—	·11				23
24	·12	·10	—	—	—	—	·20	—	·11	·50	—	—		24
25	·04	—	·12	·15	—	·03	·12	—	·28	·02	·29	·05		25
26	·01	·14	·21	·04	—	·18	—	—	·01	·19	—	·02		26
27	·14	—	·02	—	—	—	·02	—	·22	·16	—	—		27
28	82	·01	13	—	—	—	1·04	—	·02	·03	·01	·14		28
29	·13	·14	·15	—	—	·23	·04	—	—	25	·20	06		29
30	·17	×	—	—	·03	·26	·09	—	—	16	—	—		30
31	·52	×	·24	×	·02	×	·10	—	×	·38	×	·25		31
TOTAL	4·61	2·51	1·39	1·39	·68	6·03	5·46	·36	4·09	2·16	3·76	2·48	Year's Total. 34·90	
* Days with .01 in. or more.	23	15	16	12	6	18	23	8	19	14	20	20	194	
* Days with .04 in. or more.	19	13	10	8	3	13	20	5	14	9	13	15	142	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Cyril T. Collier

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 919/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Gatesgarth - Felden, Hemel Hempstead

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	—	·01	—	—	—	—	—	·02	—	·49	·69		1
2	·01	·26	—	·47	—	—	—	—	·14	—	—	·45		2
3	—	·13	—	—	·01	—	—	—	—	—	·01	·09		3
4	·09	·43	·01	—	—	—	—	—	—	—	—	·44		4
5	·22	·01	·21	—	—	—	·03	—	—	—	·01	·01		5
6	·05	·01	·49	·01	·15	—	·19	—	—	·01	·05	—		6
7	—	·76	·01	·17	—	—	·02	—	·03	—	—	—		7
8	—	·06	—	—	·10	·04	—	—	—	—	·12	·33		8
9	—	·10	—	·23	·17	—	·07	—	·30	—	—	·17		9
10	·01	—	·54	·05	·08	·37	·12	·03	—	—	—	·27		10
11	—	—	·28	—	·56	—	·01	—	—	—	—	·02		11
12	·23	·31	·10	—	·11	·69	·01	·	·07	—	—	·11		12
13	·14	·07	·37	·21	·01	·23	—	·17	·36	—	—	·46		13
14	·03	·02	·45	—	—	·02	—	·79	·09	—	—	·01		14
15	·25	·15	—	·17	—	·02	·76	—	·54	—	—	·02		15
16	·05	·10	50	·91	—	·08	—	·10	·60	—	—	·03		16
17	·48	—	·26	·30	—	·02	—	—	·29	—	·03	—		17
18	·74	·12	·01	·17	·17	·12	—	—	·15	—	·21	·10		18
19	·09	·07	·09	·15	·01	·14	·20	—	·11	—	—	—		19
20	·55	·02	·02	·52	·62	·02	—	—	·01	—	—	·02		20
21	·32	·36	·04	·26	·02	—	·07	—	—	—	—	·05		21
22	·42	·02	·05	—	·18	·16	·04	—	—	·38	·17	·05		22
23	·22	·01	·07	—	·37	—	·18	—	—	·58	·01	·01		23
24	·48	·41	·02	—	—	—	·01	—	·14	·23	—	·01		24
25	·08	·41	·06	—	·48	—	—	—	·05	·43	—	—		25
26	·01	·35	·07	—	·27	—	—	—	—	·06	—	—		26
27	·03	·26	—	·15	—	—	—	—	·01	·76	—	·01		27
28	—	·03	—	·01	—	—	—	—	—	·08	—	·03		28
29	—	—	—	—	—	—	—	—	—	·04	·05	·03		29
30	·44	✕	—	—	—	—	—	—	—	—	·19	—		30
31	·29	✕	—	✕	—	✕	—	—	✕	·27	✕	·06		31
TOTAL	5·45	4·47	3·66	3·61	3·31	1·91	1·71	1·09	2·96	2·84	1·34	3·45	Year's Total 3580	✓ ✓
* Days with .01 in. or more.	24	24	21	14	16	12	13	4	16	10	11	24	189	✓ ✓
* Days with .04 in. or more.	16	16	15	12	12	8	8	3	11	8	7	13	129	✓ ✓

† Spare column, no entries required.

(Signed) Alfred T. Collins

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 919/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at [illegible] Felden Hemel Hempstead

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-·01	-	-	-	-	-·05	-	-	05	-01	-	-·02		1
2	08	05	-	-	09	-	-	-	-	-26	-07	-01		2
3	-	-	-	-	-12	-	-	-	04	95	05	-		3
4	-·07	-	-	-	-	04	-01	-	-	-09	-03	16		4
5	-	-	-	-	-	-	-24	-	-	-10	-	-		5
6	-07	-	-	-	-	-	·04	-	-02	-08	-	-		6
7	-02	-	-	-	-	-	-35	-20	02	53	-	-05		7
8	-13	-	-	-	-	-	-05	-09	-03	-28	-	-		8
9	-·08	01	-	-	-	-	11	-61	-	-	-	84		9
10	-20	08	-	-	-	-04	03	20	-	-	-	-05		10
11	-31	-	-	-	-	-	-	-62	-	-	-16	04		11
12	-33	-02			-03	-	-	34	-	-29	-	02		12
13	-08	-02	-	-	-	-	-	-	-	-	-16	-17		13
14	-35	-	-	-	-08	-	-03	-	-03	-	-	02		14
15	-10	-	-	-	-	-	-11	-	-	17	-01	-26		15
16	-41	-02	-04	-	-02	-	-01	-01	-	-05	-06	-18		16
17	-	-08	-	-	-04	-	-02	-	-03	-06	-	-		17
18	-12	-	-	·	-08	-	-	-	-02	-03	-38	-		18
19	-	-	-	-	-	-	-	08	-18	-	18	-		19
20	-	-	-	-	-	-	-	-	04	-	50	-02		20
21	-02	-	-	-	-	-	-	-07	-02	-	02	-95		21
22	-	-	-	-	-	-02	-	-06	-	-	25	-25		22
23	-	-	-	-01	-	-	-	-	-08	-	-04	-		23
24	-	01	-10	-	-02	-	-	-	-30	-	-05	-		24
25	-11	-02	-11	-	07	-	-02	-04	-02	-	74	-18		25
26	-23	-24	-17	-	-	-	-	-	-18	22	-	-80		26
27	-·08	04	-04	-	-01	-23	-·30	-01	-43	04	41	-03		27
28	25	-03	-	-	-77	13	-	-61	-03	-	-	09		28
29	-32	×	-	-02	37	-	-	-	-05	-02	16	18		29
30	-02	×	-	-03	-08	-·24	-	-	07	-01	37	03		30
31	-·22	×	-	×	10	×	-	-	×	16	×	38		31
TOTAL	3·61	62	-·46	-·06	1·88	-75	1·32	2·94	1·64	335	3.64	4·73	Year's Total 25·00 ✓	
* Days with .01 in. or more.	23	12	5	3	14	7	13	13	19	18	18	22	167 ✓	
* Days with .04 in. or more.	19	5	5	-	10	6	7	11	10	14	15	15	117 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Alfred J. Collyer [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 919/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at Gatesgarth, Felden,

in the County of Hemel Hempstead, Herts.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	–	.02	.40	.45	–	.01	01	.22	–	–	.03		1
2	.03	–	–	.01	.01	–	–	.34	1·40	–	.04	.02		2
3	42	–	–	.16	–	–	–	.39	–	.01	.23	.29		3
4	–	–	.38	13	–	–	.04	.19	–	.13	.06	.02		4
5	–	–	–	34	.12	–	–	.30	–	33	.47	.25		5
6	.66	.01	–	.06	–	–	.29	.04	–	–	24	.02		6
7	08	.06	–	–	–	–	–	.02	–	.11	24	13		7
8	.01	.10	11	–	–	–	.04	56	–	45	.11	35		8
9	.02	.11	–	–	–	–	–	09	–	34	.07	.19		9
10	.22	–	–	–	–	.59	–	17	04	.06	–	–		10
11	–	–	.20	–	–	.14	–	–	–	.07	.02	.02		11
12	–	11	–	–	.03	03	–	–	02	–	–	–		12
13	–	–	01	03		–	.01	–	05	.82	.01	–		13
14	.47	–	01	.03	.19	.06	.07	–	.02	.13	.30	–		14
15	.15	–	04	[illegible]	.47	.32	–	–	.10	.71	.04	.02		15
16	.33	–	13	.03	16	.32	.17	–	–	.01	45	–		16
17	.28	.02	.02	.04	.31	.02	.21	–	–	–	.07	–		17
18	.24	.01	.11	–	–	17	.11	–	–	.03	.35	–		18
19	.18	–	01	–	–	–	.34	–	–	.21	.[illegible]	–		19
20	.17	–	–	–	–	.08	.18	.10	–	–	–	–		20
21	.11	06	.34	–	–	.08	.91	.15	.03	–	–	–		21
22	20	.32	.15	–	–	.01	07	–	.06	.01	.12	–		22
23	.04	–	–	.05	–	.02	02	–	–	.04	.83	.03		23
24	28	–	.03	.04	–	–	.05	–	–	.18	–	–		24
25	1.04	.11	.08	–	–	–	.05	–	–	–	.55	–		25
26	.20	05	03	.03	–	.01	–	21	–	.30	.30	.04		26
27	–	.05	.10	.08	–	–	–	.08	–	.07	.22	–		27
28	.02	.17	.08	–	–	02	.09	–	–	.12	.19	.12		28
29	–	~~–~~	03	.33	–	–	.10	–	–	.16	.11	–		29
30	–		–	.87	–	.02	–	–	–	.01	.17	.04		30
31	–		–		–		.07	–		–		–		31
TOTAL	5·18	1·18	1·86	2·63	1·74	1·89	2·83	2·65	1·94	4·30	5·19	1·59	Year's Total 32·98	✓
* Days with .01 in. or more.	22	13	19	16	8	15	19	14	9	22	23	15	195	✓
* Days with .04 in. or more.	~~21~~ 17	~~11~~ 10	~~16~~ 11	11 ~~15~~	~~7~~ 6	8 ~~13~~	~~17~~ 16	12	~~8~~ 6	~~18~~ 17	~~22~~ 21	~~15~~ 8	~~147~~ 143	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Alfred T. Collier

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 919/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Gatesgarth, Felden,

in the County of Hemel Hempstead, Herts.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	-01	-.02	—	—	—	—	—	-09	—		1
2	—	-06	—	-·15	—	—	-10	—	—	-05	-69	—		2
3	—	-·25	—	-20	—	—	—	—	—	-25	-75	-03		3
4	—	-·10	—	17	—	—	-·03	—	—	-·39	18	-02		4
5	-01	-02	—	—	—	—	-01	—	—	10	-42	-17		5
6	·15	-·14	—	—	-08	—	-50	—	—	-25	-·34	—		6
7	24	-26	—	—	-07	—	-04	—	-·06	—	—	-03		7
8	—	—	—	-05	—	—	—	—	—	-20	-02	28		8
9	—	—	—	—	—	-15	-01	-17	-02	05	-11	03		9
10	—	—	—	—	—	—	·38	02	—	-02	-20	-06		10
11	—	—	—	-04	—	—	·02	—	—	—	1·03	-03		11
12	—	04	-09	—	—	—	-10	—	-09	—	-02	—		12
13	—	02	59	—	—	-14	—	—	-10	—	1·29	-01		13
14	—	—	·10	-08	-·10	—	—	—	-02	-10	—	-34		14
15	—	—	-01	-02	-·19	—	-11	—	—	07	18	-01		15
16	-04	-·10	-32	-·12	—	-01	·46	—	·24	87	-72	-05		16
17	—	—	-36	—	—	—	-02	—	04	—	-55	—		17
18	-02	-52	-·20	·23	—	—	—	—	—	-15	-31	-14		18
19	—	-·13	05	-13	—	—	-09	—	-34	—	-15	-02		19
20	—	-03	-03	-02	—	—	·03	-02	—	-04	-09	—		20
21	-·09	-02	-01	—	·34	—	·11	—	—	-05	·53	—		21
22	·02	—	04	—	-50	-52	—	—	30	—	—	—		22
23	—	-05	-05	-12	-20	-10	—	-02	—	—	02	-01		23
24	—	—	—	-15	—	—	-15	—	—	—	—	—		24
25	—	—	-28	—	-03	—	·30	—	—	—	—	—		25
26	1.04	-18	-·16	-01	-28	-10	02	—	—	—	01	—		26
27	-48	-25	—	-07	-08	—	—	—	—	-05	—	—		27
28	-34	-05	-13	—	07	—	—	—	—	—	—	—		28
29	-06	-05	-06	—	-27	—	—	—	—	—	—	-28		29
30	-09	X	—	-29	—	—	—	—	—	-18	—	-02		30
31	-03	X	—	X	—	X	—	—	X	-78	X	—		31
TOTAL	2·61	2·27	2.48	1·86	2·23	1·02	2·48	·23	1·21	3.60	7·70	1·53	Year's Total 29·22	
* Days with .01 in. or more.	13	18	16	17	13	6	18	4	9	17	21	17	169	
* Days with .04 in. or more.	9	14	13	13	11	5	11	11	7	16	17	7	124	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Alfred T. Collier

[P.T.O.

920

Section **A** for t
AIR

FORM 1090.

920.

—

ASPLEY MILLS

1931 - 40

78 02 05.

COPY FOR OFFICIAL USE.

AINFALL ORGANIZATION.

1931..

Kept at Aps

in the County of

Diameter of Funnel o
Height of top of Gauge
,, Ground

THE MORNI **US DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.014	.028	.165	.035	-	.080	-	-	.074	-	-	-	1
2	.110	.065	-	.364	-	-	.038	-	.078	.010	-	-	2
3	.066	.012	-	.350	.452	-	-	.560	.485	.012	.109	.290	3
4	-	-	-	-	-	-	.010	.356	.930	.010	.135	.005	4
5	-	.010	-	.100	.080	.350	.154	.320	.113	-	.020	.445	5
6	-	.070	-	.200	-	-	.040	-	.012	.254	.270	-	6
7	-	.080	-	.020	-	.068	.044	.138	-	.018	.212	.020	7
8	-	.070	-	-	.014	.090	-	.882	-	.090	.142	.034	8
9	-	.020	.040	.090	-	.088	-	-	-	-	.365	-	9
10	.030	.140	.010	-	-	.045	.160	.240	-	.032	.378	.020	10
11	.115	.350	.040	-	-	-	-	-	.050	-	.040	-	11
12	.050	-	-	-	-	-	-	.058	.350	.010	-	-	12
13	.015	.050	-	-	-	.020	.330	.015	-	.010	.010	-	13
14	-	-	-	-	-	-	.830	.675	-	-	-	-	14
15	.050	.075	-	.080	.080	-	.175	.470	-	-	-	.028	15
16	.010	.125	-	.097	.320	-	-	.636	-	-	-	-	16
17	.015	.055	-	.370	.165	.065	.122	-	.265	.012	-	-	17
18	.026	.080	-	.340	.030	.116	-	.110	-	-	.585	-	18
19	.039	-	-	.430	-	.865	.088	.320	.030	-	-	-	19
20	.002	.020	-	.180	-	-	.168	.352	-	-	.015	-	20
21	.029	-	.020	-	.590	-	-	.015	-	-	-	-	21
22	.094	-	.030	.035	-	-	-	-	.030	-	-	-	22
23	.548	-	-	.038	.375	.004	-	-	.040	-	.346	.010	23
24	-	-	-	.350	.163	.068	-	-	.008	-	-	.032	24
25	.063	-	-	.482	.068	-	.570	-	-	.015	.052	.020	25
26	-	.030	-	.130	.010	-	1.020	-	-	-	.210	-	26
27	.180	.420	-	.010	.030	-	.050	-	-	-	.138	-	27
28	.105	.084	-	.130	.185	-	-	-	-	.030	.055	.074	28
29	.095		-	-	.038	-	.150	-	-	.260	.010	.076	29
30	.070	×	-	-	.012	-	.022	.060	-	-	-	-	30
31	.316	×	-	×	-	×	-	-	×	-	×	-	31
TOTAL	2.042	9 1.784	.305	3.831	2.612	1.859	3.971	5.207	2.465	.763	3.092	1.054	YEAR'S TOTAL 9 28.985
*Days with ·01 in. or more.	21.	19.	6.	20.	16.	11.	17.	16.	12.	13.	18.	11.	180.
*Days with ·04 in. or more.	13.	13.	3.	15.	10.	10.	14.	14.	9.	3.	14.	4.	122.

40-9999

For John Dickinson & Co., Ltd.
(Signed) A K Hay

[P.T.O.

*See Instruction 2 (*f*) on other side.

920

Section **A** for [redacted] COPY FOR OFFICIAL USE.

AIR AINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931..

Kept at Apsley Mills.

in the County of Hertfordshire.

Diameter of Funnel of Gauge 24 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.014	.028	.165	.035	-	.080	-	-	.074	-	-	-	1
2	.110	.065	-	.364	-	-	.038	-	.078	.010	-	-	2
3	.066	.012	-	.350	.452	-	-	.560	.485	.012	.109	.290	3
4	-	-	-	-	-	-	.010	.356	.930	.010	.135	.005	4
5	-	.010	-	.100	.080	.350	.154	.320	.113	-	.020	.445	5
6	-	.070	-	.200	-	-	.040	-	.012	.254	.270	-	6
7	-	.080	-	.020	-	.068	.044	.138	-	.018	.212	.020	7
8	-	.070	-	-	.014	.090	-	.882	-	.090	.142	.034	8
9	-	.020	.040	.090	-	.088	-	-	-	-	.365	-	9
10	.030	.140	.010	-	-	.045	.160	.240	-	.032	.378	.020	10
11	.115	.350	.040	-	-	-	-	-	.050	-	.040	-	11
12	.050	-	-	-	-	-	-	.058	.350	.010	-	-	12
13	.015	.050	-	-	-	.020	.330	.015	-	.010	.010	-	13
14	-	-	-	-	-	-	.830	.675	-	-	-	-	14
15	.050	.075	-	.080	.080	-	.175	.470	-	-	-	.028	15
16	.010	.125	-	.097	.320	-	-	.636	-	-	-	-	16
17	.015	.055	-	.370	.165	.065	.122	-	.265	.012	-	-	17
18	.026	.080	-	.340	.030	.116	-	.110	-	-	.585	-	18
19	.039	-	-	.430	-	.865	.088	.320	.030	-	-	-	19
20	.002	.020	-	.180	-	-	.168	.352	-	-	.015	-	20
21	.029	-	.020	-	.590	-	-	.015	-	-	-	-	21
22	.094	-	.030	.035	-	-	-	-	.030	-	-	-	22
23	.548	-	-	.038	.375	.004	-	-	.040	-	.346	.010	23
24	-	-	-	.350	.163	.068	-	-	.008	-	-	.032	24
25	.063	-	-	.482	.068	-	.570	-	-	.015	.052	.020	25
26	-	.030	-	.130	.010	-	1.020	-	-	-	.210	-	26
27	.180	.420	-	.010	.030	-	.050	-	-	-	.138	-	27
28	.105	.084	-	.130	.185	-	-	-	-	.030	.055	.074	28
29	.095		-	-	.038	-	.150	-	-	.260	.010	.076	29
30	.070	×	-	-	.012	-	.022	.060	-	-	-	-	30
31	.316	×	-	×	-	×	-	-	×	-	×	-	31
TOTAL	2.042	1.784 9	.305	3.831	2.612	1.859	3.971	5.207	2.465	.763	3.092	1.054	YEAR'S TOTAL 28.985 9
*Days with ·01 in. or more.	21.	19.	6.	20.	16.	11.	17.	16.	12.	13.	18.	11.	180.
*Days with ·04 in. or more.	13.	13.	3.	15.	10.	10.	14.	14.	9.	3.	14.	4.	122.

40-9999

For John Dickinson & Co., Ltd.

(*Signed*) A. K. Hay

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 920

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Apsley Mills,

in the County of Hertfordshire.

Diameter of Funnel of Gauge 24 in.

Height of top of Gauge above Ground 1 ft 4 in.

" Ground " Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.100	-	-	.150	.435	.020	.128	.046	.045	.043	.030	.025	1
2	.048	.016	-	.085	.130	-	.034	-	.038	.032	.082	.250	2
3	-	-	-	.170	.120	-	-	.008	.655	.030	-	-	3
4	.020	-	-	-	.005	.016	-	-	-	-	.208	-	4
5	.320	-	.040	-	.023	-	.230	-	.080	-	-	-	5
6	.460	-	.012	.050	.050	-	.015	-	.172	-	-	-	6
7	.025	-	.020	.108	.035	-	.095	-	.080	.025	-	.008	7
8	.010	.020	.170	.070	-	-	-	-	.250	.180	-	-	8
9	.175	.015	-	.114	.624	-	-	-	-	.040	-	-	9
10	.480	-	.032	.260	.038	-	-	-	.035	.060	.060	-	10
11	.011	.045	-	.065	.086	.310	.760	-	.010	.230	.075	.010	11
12	.073	-	-	-	.050	-	-	1.075	.002	.250	.030	-	12
13	.084	-	-	.115	.070	-	-	-	.038	.010	.069	.020	13
14	.206	-	-	.250	-	-	-	-	-	.100	.046	-	14
15	.010	-	-	.020	.690	-	-	-	-	.088	-	.015	15
16	.215	-	-	.300	.220	-	.045	-	-	-	-	-	16
17	-	.015	-	.020	-	-	.015	-	-	.065	-	-	17
18	-	-	-	-	.030	-	.035	-	.155	-	.133	-	18
19	-	-	-	-	-	-	-	-	-	.290	.032	-	19
20	-	-	-	.263	.035	-	.025	1.430	.059	.740	.080	-	20
21	-	-	-	.298	.830	-	-	.610	-	.320	-	.035	21
22	.020	.015	.390	-	.130	-	.115	.150	.364	.104	.418	.045	22
23	-	.060	-	.040	-	-	.065	-	.065	.710	.015	.140	23
24	-	.060	-	.010	.010	-	.098	-	-	.060	.088	.010	24
25	-	.010	-	.015	-	-	.108	-	.060	.375	.020	.004	25
26	-	.028	.053	.212	-	-	.098	-	-	.085	.054	-	26
27	-	.008	.380	.190	.460	-	.360	-	.021	.140	.164	-	27
28	-	-	.230	.046	.092	.720	.185	-	-	.125	-	-	28
29	-	-	.386	.050	.390	-	-	.070	.051	.155	.112	.018	29
30	-	✕	.200	.030	.028	.482	.013	.025	.118	.070	.375	.190	30
31	-	✕	.034	✕	-	✕	.200	.012	✕	.004	✕	.104	31
	2.26	29	1.95	2.93	4.58	1.55	2.62	3.43	2.30	4.33	2.09	.87	YEAR'S TOTAL
TOTAL	2.257	.292	1.947	2.931	4.581	1.548	2.624	3426	2.298	4.331	2.091	.874	29.200
*Days with ·01 in. or more.	16	10	12	24	22	5	19	8	18	25	19	12.	190.
*Days with .04 in. or more.	10.	3	8	18	15	3	13	6	13	21	14	5	129.

40-9999

*See Instruction 2 (*f*) on other side,

For John Dickinson & Co., Ltd.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 920

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Apsley Mills,

in the County of Hertfordshire.

Diameter of Funnel of Gauge 24 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.120	.270	.150	.010	.020	-	-	-	.010	.015	.012	-		1
2	.195	-	.380	-	.100	-	-	-	-	-	.010	-		2
3	.210	.195	.210	-	.130	-	-	-	-	-	-	-		3
4	.135	.030	.120	-	.020	-	-	-	-	-	.148	-		4
5	.085	.035	.156	-	.350	-	-	-	-	-	.005	-		5
6	.010	.084	.210	-	.155	-	-	-	-	.010	.060	-		6
7	.115	.145	.023	-	.118	-	-	-	-	.115	.035	.016		7
8	.070	.010	.050	-	.032	-	.076	-	-	.002	-	-		8
9	.008	-	-	-	.164	-	.165	-	-	.030	.110	-		9
10	-	.178	-	-	.010	.030	.285	-	-	.350	.010	-		10
11	.150	-	-	-	-	.050	.050	.095	-	.062	.010	-		11
12	-	-	-	-	-	.031	-	-	.350	-	-	-		12
13	.050	-	-	-	.120	.014	.310	-	.200	-	.130	-		13
14	-	-	-	-	.060	-	.175	.020	-	.020	.170	.020		14
15	.555	-	.024	-	-	.048	.160	.085	-	.002	.508	-		15
16	.050	.015	.785	-	.012	.183	.022	-	-	.045	.005	-		16
17	.025	.020	.392	-	-	.096	.010	-	.070	-	.020	-		17
18	.055	.015	.175	-	-	.030	-	-	-	-	-	-		18
19	.060	.060	.625	.034	-	.040	-	-	.010	-	.020	-		19
20	-	.025	.063	.085	-	.193	.020	-	.235	-	.006	.004		20
21	-	-	-	-	-	.370	-	.070	.240	-	-	-		21
22	-	.065	-	-	-	.425	-	.172	.015	.130	.039	-		22
23	-	-	-	.105	.075	-	-	.030	.270	.005	-	-		23
24	-	.205	-	.260	.030	.093	-	-	.130	-	.076	-		24
25	-	.620	-	.287	-	-	-	-	.172	.015	.040	.055		25
26	-	.282	-	.026	.010	.028	-	-	.104	.015	-	.130		26
27	-	.025	-	.070	.525	-	-	-	-	.235	.005	.071		27
28	-	-	-	-	.025	-	-	-	.010	.305	-	.025		28
29	-		.015	.260	-	-	.095	-	-	.035	-	.003		29
30	.200	×	.085	-	-	-	.072	-	-	.074	-	.120		30
31	.082	×	.020	×	-	×	.008	.104	×	.062	×	-		31
TOTAL	2.17 ~~2.175~~	2.28 2.279	3.48 3.483	1.14 1.137	1.95 1.956	1.637 ~~1.231~~	1.45 1.448	.58 .576	1.82 1.816	~~1.527~~ ~~1.227~~ 1.53	1.42 1.419	.44 .444	Year's Total ~~19.191~~ 19.892	
*Days with .01 in. or more.	17.	18	17	9	18	14	12	7	13	16	16	7	164.	
*Days with .04 in. or more.	15.	10	13	6	10	9	9	5	9	9	8	4	107.	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column for entries required.

(*Signed*) For John Dickinson & Co., Ltd.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 920

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Apsley Mills,

in the County of Hertfordshire.

Diameter of Funnel of Gauge 24 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level ft.

T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.020	.010	-	-	-	-	-	.225	.138	.040	.008	.218		1
2	.175	-	.082	-	.050	-	-	.015	.600	.155	-	.365		2
3	.015	.052	-	.020	-	-	-	-	.082	.525	-	.014		3
4	.140	.002	.030	.164	-	-	-	-	-	.140	.075	.470		4
5	.003	-	.090	-	.070	-	-	.015	-	.008	.005	.270		5
6	.035	-	.163	.004	.350	.072	-	.045	-	.145	.005	.665		6
7	.030	-	-	.002	-	.185	-	.220	-	.052	-	.270		7
8	-	.010	-	-	.065	-	-	.008	.115	-	.253	.082		8
9	.010	-	.014	-	-	-	-	.010	-	-	.652	.395		9
10	.096	-	.273	.073	-	-	-	.040	.006	-	.280	-		10
11	.378	-	.380	.115	-	-	-	.003	-	-	-	.132		11
12	.010	-	.160	.040	-	-	.050	.410	-	-	-	.135		12
13	.272	-	.088	.011	-	-	.280	.027	-	.003	.050	.385		13
14	.137	-	.575	.015	.044	-	-	-	-	.008	.250	.375		14
15	.080	-	.185	-	.058	-	-	-	.165	.006	.028	.445		15
16	.170	-	.285	-	.052	-	-	-	-	.148	.015	.005		16
17	.055	-	-	-	.020	-	-	-	.076	.158	.025	.170		17
18	.230	-	.005	.250	-	-	.136	-	.012	-	-	.192		18
19	-	-	.198	.020	-	.075	-	-	.084	-	-	.082		19
20	-	-	.308	-	-	-	.070	-	-	.008	-	-		20
21	-	-	.014	.110	-	.098	.045	.064	-	.051	-	.005		21
22	-	-	-	-	-	-	.026	.142	.295	.050	.020	-		22
23	-	-	-	.302	-	.275	-	-	-	-	.010	.086		23
24	-	.010	.082	.048	-	.050	.720	-	.185	-	-	-		24
25	.100	.090	-	.168	.030	.525	-	-	-	.068	-	.355		25
26	.210	-	-	.260	-	.005	-	-	.038	.016	-	.225		26
27	.010	-	.010	-	-	.145	-	.005	-	.011	-	.260		27
28	-	.162	-	.428	-	.350	-	.764	-	-	.010	.500		28
29	-		-	-	-	-	.010	-	.140	-	.124	.030		29
30	.060	×	-	-	-	-	-	-	.003	-	-	.085		30
31	.048	×	-	×	-	×	.002	-	×	.365	×	.052		31
TOTAL	2.284	.366	2.942	2030	.739	1.780	1.339	1.993	1.939	1.957	1.810	6.268	Year's Total 25.44~~4~~5	
*Days with ·01 in. or more.	21	6	17	15	9	9	8	12	12	14	13	25	161.	
*Days with ·04 in. or more.	14	3	13	11	7	9	6	8	10	12	7	23	123.	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) For John Dickinson & Co., Ltd.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 920

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Apsley Mills,

in the County of Hertfordshire.

Diameter of Funnel of Gauge 24 in.

Height of top of Gauge above Ground 1 ft. 4 in.

„ Ground „ Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.165	.032	-	.020	.055	.065	.044	-	.026	.232	.370	.330		1
2	.016	-	-	.028	-	.020	-	-	.154	.240	.108	-		2
3	.004	.030	.045	.066	-	.047	-	-	.145	.236	.181	.008		3
4	-	.060	.040	.082	-	.132	-	.003	.297	.420	.007	.162		4
5	-	.360	.010	.138	-	.340	.015	-	.402	-	.011	-		5
6	.015	.037	.030	.402	-	.584	-	-	.004	.020	.010	.010		6
7	.012	-	-	.565	-	.236	-	-	-	-	1.035	.140		7
8	-	-	-	.243	-	-	-	-	-	.445	.160	.075		8
9	-	-	-	.175	-	.405	-	-	-	.830	.132	.005		9
10	-	-	-	.390	-	.180	-	-	-	.158	.056	.015		10
11	.244	-	-	.011	-	.085	.035	-	-	-	.310	.020		11
12	.086	.010	-	-	.005	.228	-	.075	-	.004	.160	-		12
13	.130	.202	-	.254	.064	.172	-	-	.039	-	.268	-		13
14	-	-	-	.165	.316	.025	-	-	-	-	.316	.020		14
15	-	.275	-	.445	-	.238	-	-	.230	-	.306	.148		15
16	-	.115	.055	.085	.016	.600	-	-	.198	.015	.542	.115		16
17	-	-	.010	.030	.010	.165	.007	-	.082	-	.470	-		17
18	-	.004	-	.205	.142	.095	.245	-	.510	.045	.166	.005		18
19	-	-	-	.176	.168	.070	.105	-	.037	.006	.125	.040		19
20	.010	.148	-	.075	.111	.112	.034	-	.182	-	.086	-		20
21	.010	.214	.040	.036	-	-	-	-	-	.031	.102	-		21
22	-	.066	.260	.024	-	-	-	.035	.150	-	.024	.010		22
23	-	.034	.203	.011	-	-	-	.600	-	.060	-	-		23
24	.035	.470	.086	-	-	-	-	.130	.750	.043	-	.468		24
25	.155	.198	-	.232	-	.356	-	-	-	-	-	.118		25
26	.010	-	-	-	-	.066	-	.217	.102	.003	-	.222		26
27	.016	.350	-	-	.085	-	-	.009	.193	.008	.187	.520		27
28	.023	.085	-	-	.135	-	-	-	.044	.035	.040	.285		28
29	.012		-	-	-	-	-	-	.930	-	.008	.108		29
30	.040	✕	-	.045	.110	-	-	.730	.144	.080	.330	.396		30
31	-	✕	-	✕	.060	✕	-	.003	✕	.430	✕	.356	Year's Total	31
TOTAL	.983	2.690	.779	3.905	1.277	4.221	.485	1.802	4.619	3.341	5.510	3.576	33.186 / 33.19	
* Days with .01 in. or more.	16	17	10	24	12	21	6	6	19	16	24	20	191.	
* Days with .04 in. or more.	6	12	7	17	10	19	3	5	16	12	21	15	143.	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) For John Dickinson & Co., Ltd.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 920

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Tc

Kept at Apsley Mills.

in the County of Hertfordshire

Diameter of Funnel of Gauge 24 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level ..... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.236	.550	.110	.370	-	.033	.130	.008	-	-	.051	.006		1
2	.134	.122	.018	.018	-	.565	.510	.062	-	-	.005	.030		2
3	-	.004	-	.080	.004	.057	.036	-	.036	-	.412	.010		3
4	-	-	.150	-	.026	.433	-	.015	.426	-	-	.038		4
5	.078	-	.028	-	-	-	-	.035	.092	-	.130	.026		5
6	.212	-	-	-	.051	.019	-	.110	.095	-	.152	.118		6
7	.308	-	.045	-	-	.168	.880	.003	.034	-	.020	-		7
8	.278	-	.069	-	.003	-	.014	-	.047	-	.470	.165		8
9	.385	-	.041	-	-	-	.390	-	.057	.022	.032	.008		9
10	.014	-	-	-	.004	-	.140	-	.276	.042	.016	-		10
11	-	-	-	.054	-	-	.045	.030	-	-	.776	-		11
12	-	-	-	.090	-	.216	.370	-	.197	-	.634	.146		12
13	-	-	-	.065	-	.764	-	-	-	.015	.012	.300		13
14	-	.084	-	-	-	.110	.112	-	.046	.080	-	.497		14
15	-	.074	-	-	-	.026	.540	-	.065	-	.106	.028		15
16	.053	.068	-	-	-	-	.007	-	.020	-	.415	.167		16
17	.225	.500	-	-	.169	-	.050	-	-	.015	.172	.202		17
18	.078	.245	-	-	-	.256	.185	-	-	.012	.015	.120		18
19	.395	.108	.020	.004	-	.520	-	.078	-	.207	-	-		19
20	.060	.130	.024	.206	-	-	.070	-	1.150	-	-	.004		20
21	-	-	-	.217	.026	1.664	-	-	.696	-	-	-		21
22	.075	.480	.055	-	.460	.035	.026	-	-	-	-	.130		22
23	.036	-	.036	.063	.010	-	.430	-	-	.091	-	-		23
24	.143	.118	-	-	-	-	.340	-	.107	.273	-	.004		24
25	.032	.012	.083	.170	-	.030	.114	-	.226	.243	.105	.048		25
26	.005	.132	.262	.018	-	.182	-	-	-	.210	.005	.010		26
27	.170	.025	.034	-	-	-	.012	-	.272	.110	-	-		27
28	.820	.008	-	-	-	-	.512	-	.086	-	-	.125		28
29	.140	.082	.257	-	-	.200	.197	-	-	.024	.193	.104		29
30	.148	✕	-	-	.060	.310	-	-	-	.140	-	-		30
31	.197	✕	.105	✕	.012	✕	.175	-	✕	.408	✕	.135		31
TOTAL	4.222	2.742	4 1.337	1.355	3 .825	9 5.588	9 5.285	.341	5 3.845	1.892	3.721	2.421	Year's Total 8 33.5	
* Days with .01 in. or more.	22	15	16	11	8	18	22	6	17	15	17	19	186	
* Days with .04 in. or more.	19	13	10	9	4	13	18	3	14	10	12	13	138	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) for John Dickinson & Co. Ltd

[P.T.O.]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 920

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

T. L.

Kept at Apsley Mills,

in the County of Hertfordshire.

Diameter of Funnel of Gauge 24 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" Ground " Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.342	.005	.022	-	-	-	-	-	.018	-	.485	.490		1
2	.010	.274	.004	.500	-	-	-	-	.138	-	-	.504		2
3	.010	.124	.005	-	-	-	-	-	-	-	-	.085		3
4	.075	.540	-	-	-	-	-	-	-	-	-	.394		4
5	.155	.018	.150	-	-	-	.022	-	-	-	-	.058		5
6	.123	-	.098	.020	.160	-	.173	-	-	.009	.053	-		6
7	-	.740	.305	.180	-	-	.012	-	.034	.007	-	-		7
8	-	.110	-	-	-	.042	-	-	-	-	.128	.112		8
9	.009	.162	-	.095	.255	.010	.066	-	.310	-	.011	.358		9
10	-	-	.272	.212	.060	.328	.082	.032	-	-	-	.285		10
11	-	-	.587	-	.610	.004	.009	-	.048	-	-	.035		11
12	.228	.320	.104	-	.115	.462	.010	-	.330	-	-	-		12
13	.110	.067	.070	-	-	.453	-	.150	.102	-	-	.688		13
14	.095	.020	.680	.216	-	.012	-	1.004	.232	-	-	-		14
15	-	.146	-	.162	-	.086	.654	-	.117	-	-	.025		15
16	.266	.088	.370	.680	-	.026	-	.090	.215	-	-	.030		16
17	.382	.004	.408	.300	-	.018	-	-	.098	-	.011	-		17
18	.445	.095	.012	.004	.095	.140	-	-	.038	-	.210	-		18
19	.108	.110	.074	.150	.036	.255	.458	-	.036	-	.004	.104		19
20	.512	.015	.004	.563	.652	.042	-	-	-	-	.005	.009		20
21	.286	.246	.030	.047	.028	-	.058	.008	-	-	-	.033		21
22	.293	.135	.018	.007	.127	.155	.014	-	-	.390	.172	.020		22
23	.350	-	.060	-	.370	-	.226	-	-	.505	.012	.020		23
24	.425	.442	.020	-	.025	-	.006	-	.025	.210	-	.012		24
25	.052	.394	.023	-	.300	-	-	-	.049	.430	-	.008		25
26	.010	.383	.098	-	.278	-	-	-	.006	.035	-	-		26
27	.020	.110	-	.128	.116	-	-	-	.014	.720	-	-		27
28	-	.228	-	.010	-	-	-	-	-	.090	-	.031		28
29	-	-	-	-	-	-	-	-	-	.035	.038	.030		29
30	.390	✕	-	-	-	-	-	-	-	-	.190	.012		30
31	.262	✕	-	✕	-	✕	-	-	✕	.276	✕	.042		31
TOTAL	4.96 4.958	4.78 4.776	3.414	3.274	3.23 3.227	2.033	1.790	1.284	1.810	2.71 2.707	1.32 1.319	3.39 3.385	Year's Total 8 33.977	
* Days with .01 in. or more.	23	22	19	14	15	13	11	4	16	9	10	21	177	
* Days with .04 in. or more.	19	19	13	12	12	9	7	3	10	7	6	11	128	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) For John Dickinson & Co., Ltd. [P.T.O.

Query sent for Nov. 27th Observer agrees see file
Dec. adjusted for snow by supr. Staff.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 920

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Apsley Mills, Hemel Hempstead

in the County of Herts

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

Jan. days corrected for Arith. 19/2/39 EWR.

TV T L

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–			·004	·035	–		·07	·026	·125	·102		1
2	·078	·035	~~·022~~	·022	·089		–		–	·265	·06	·012		2
3	–				·122		~~·002~~		·04	·867	·055	–		3
4	·054					·028	~~·003~~		–	·030	·004	·108		4
5	·006						·135		–	·177	–	·044		5
6	·064						·04		·02	·01	–	·004		6
7	·034						·245	·16	·04	·59	·005	·02		7
8	·128					·009	·115	·108	·06	·32	–	·022		8
9	·096	·005					·08	·38 ~~·298~~	–	·011	–	·774		9
10	·188					·056	·04 ~~·037~~	·23 ~~·226~~	–	·004	–	·026		10
11	·178	·03					·013	·957	–	–	·165	·040		11
12	·250	·026			·035		–	·267	–	·128	·055	·027		12
13	·100	–					–		–	·217	·127	·074		13
14	·240	–			·105		·01 ~~·006~~	–	·03	–	·008	·120		14
15	·08	·012					·124	–	–	·016	–	·230		15
16	·575	·078	·035		·005		·01 ~~·005~~	·017	–	·231	·03	·245		16
17	·012				·040		·01 ~~·008~~	–	·03	·054	–	·005		17
18	·110				·070		–	–	·05	·019	·365	–		18
19	–						–	·110	·13	–	·047	–		19
20	–						–	–	·08	–	·73	·005		20
21	·02						–	·03 ~~·027~~	·02	–	·018	·355 ~~·005~~		21
22	·005					·014	–	·047	–	–	·142	·17 ~~·355~~		22
23	–			·028		·014	–	–	·01	–	·18	·020		23
24	–		·078	·008	·012		–	–	·24	–	·022	~~·170~~		24
25	·100	·009	·121		·125		·018	·23 ~~·228~~	·05	·034	·74	·035		25
26	·260	·23	·085	·004	·002		–	·01	·18	·224	·055	·61 ~~·480~~		26
27	·052	·04		·017	·010	·230	·265	–	·41	·052	·55 ~~·105~~	~~·130~~		27
28	·192	·04			·730	·120	–	·52 ~~·514~~	·09	–	–	·060		28
29	·334			·022	·352		–	·05	·02	–	·007	·204		29
30	·014	✕		·008	·133	·175	–	~~·004~~	·05	·02	·454	·004		30
31	·186	✕		✕	·085	✕	–	–	✕	·075	✕	·290		31
TOTAL	3·356	·505	·319	·109	1·919	·681	1·10 ~~1·096~~	3·00 ~~2·998~~	1·62	3·370	3·94 ~~4·444~~	3·606	Year's Total 23·593 ✓	
* Days with .01 in. or more.	24 ~~23~~	9 ~~8~~	4	6 ~~4~~	13	9 ~~8~~	13 ~~10~~	14	19	20	18 ~~20~~	2[illegible]	~~172~~ ✓175	
* Days with .04 in. or more.	19	4	3	0	11 ~~10~~	4	8 ~~7~~	11	13	12	15 ~~14~~	16	~~114~~ ✓115	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. Hay for J. Dickinson & Co. Ltd.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 920

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM [illegible]90

REGISTER OF RAINFALL IN 1939

Kept at Hemel Hempstead, Apsley Mills

in the County of Hertfordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level 268 ft.

TV

T.L. Copy by B.R.O

Query sent re entries on Jan 1/7th and 24/26th – 14/2/39
Observer replies that we can use our estimations

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 923

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02 ~~·18~~	–	·015	·254	·630	–	·005	·016	32 ~~·35~~	–	–	·025		1
2	·02	–	·006	·144	·007	–	–	·182	1·15 1·150	·005	·048	·022		2
3	·47 ~~·01~~	–	–	·155	–	–	–	·568	–	·005	·157	·248		3
4	·01 ~~·47~~	–	·318	·275	–	·	·02	·224	–	·111	·120	·025		4
5	– ~~·01~~	·01 ·008	·015	·224	·143	–	·032	·29	–	·145	·432	·188		5
6	·60 ~~·28~~	–	–	·138	–	–	·268	·01	–	·050	·308	·018		6
7	·09 ~~·11~~	·06	–	–	–	–	·084	·063	–	–	·182	·090		7
8	·01 ~~·02~~	13 ·128	·114	–	–	–	·044	·485	–	·125	·072	·456		8
9	·03	·113	–	–	–	–	–	·062	–	·620	·236	·188		9
10	·21	–	–	–	–	·46	–	·210	·04 ·042	·058	–	–		10
11	·01	–	·202	–	–	·24	–	–	·003	·035	·008	·011		11
12	–	·092	·005 TR	–	·038	·03	–	–	·03 ·026	–	–	–		12
13	–	–	·010	·034	–	·01	·022	–	·05 ·054	·450	·003	–		13
14	·50	–	·01	·012	·173	·05	·056	–	·02 ·019	·370	·372	–		14
15	·18	–	·005 TR	·002	·495	·26	–	–	·07 ·064	·812	·002	·015		15
16	·42	–	·105	·04	·130	·36	·210	–	–	–	·460	–		16
17	·28	·03 ·024	·015	·046	·272	–	·142	–	–	·030	·045	·004		17
18	·24	–	·062	–	–	·17	·120	·008		–	·340	–		18
19	·20	·014	·032	–	–	–	·430	–		[illegible]00	–	–		19
20	·11	–	–	–	–	·03	·202	·015	–	–	–	·008		20
21	·16	–	·100	·01	–	·06	·720	·203	·02 ·023	–	–	–		21
22	·16	·34 ·328	·280	–	–	·02	·028	–	·07 ·070	–	·040	–		22
23	·07	–	·127	·045	–	·01	·005	–	–	·040	·830	·010		23
24	·20	–	·05	·022	–	·01	·300	·204	·002	·170	·010	–		24
25	·87 ~~·66~~	·12	·077	·008	–		·006	–	–	–	·585	–		25
26	·30 ~~·71~~	·05 ·046	·006	–	–		–	–	–	·280	·120	·067		26
27	·01	·024	·108	·125	–	·01	–	·03	–	·146	·405	–		27
28	·01	·192	·065	·012	–	·01	–	–	–	·083	·187	·015		28
29	–		–	·15	–	–	·198	–	–	·220	·113	·010		29
30	–		–	·905	–	·07	·017	–	–	–	·180	–		30
31	–		–		–		·108	–		–		–		31
TOTAL	5·18 ~~5·36~~	1·16 ~~1·159~~	1·727	2·601	1·89 ~~1·888~~	1·80	3·02 ~~3·017~~	2·570	1·77 ~~1·768~~	3·955	5·26 ~~5·265~~	·400	Year's Total 32·33 ~~32·32~~	
* Days with .01 in. or more.	25	~~11~~ 12	~~18~~ 20	17	~~7~~ 8	14	18	~~14~~ 15	9	18	22	15	192	
* Days with .04 in. or more.	17	8	~~12~~ 14	12	6	8	13	10	6	16	20	6	136	

† Spare column, no entries required.

(Signed) J. Dickinson + Co. Ltd

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 920

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1

REGISTER OF RAINFALL IN 193 40

Kept at Apsley Mills, Hemel Hempstead

in the County of Hertfordshire

Diameter of Funnel of Gauge 24 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 268 ft.

January adj. for snow.

Sept. 9th. correct. by ref. to nearby stations.

BRITISH RAINFALL ORGANIZATION.

Nov. 19th, 20th & 22nd. corrd. by ref. to nearby Stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
	1	—	—	—	·006 ·01	·01	—	—	—	—	—	·09	—		1
	2	—	·01	—	·154 ·15	—	—	·11~~0~~	—	—	— ·14	·77	—		2
	3	—	·24	—	·062 ·06	—	—	—	—	—	~~·25~~ 11	·71	·02		3
	4	·10	·13	—	·260 ·26	—	—	·02~~4~~	—	—	·36	·23	·03		4
	5	—	·02	—	—	—	—	·00~~7~~ 1	—	—	— ·10	·34	·17		5
	6	·15	·01	—	—	·07	—	·35~~5~~	—	—	~~·38~~ ·28	·36	—		6
	7	·25	·35	—	—	·058 ·06	—	·03~~2~~	—	—	·01	—	·02		7
	8	—	·01	—	·058 ·05	·01	—	·00~~5~~ 1	—	·05	·11	·02	—		8
	9	—	—	—	·006 ·01	—	·11	—	·14	·03	·11	·09	—		9
	10	—	—	—	—	—	·01	·4~~05~~ 1	—	~~·03~~	·03	·20	·02		10
	11	—	—	—	·010 ·01	—	—	·05~~1~~	—	—	—	1·03	·26		11
	12	—	—	·08	·030 ·03	—	·02	·09~~4~~	—	·09	—	·09	—		12
	13	—	·03	·55	·018 ·01	—	·16	·00~~3~~	—	·11	—	1·01	—		13
	14	—	·02	·23	·046 ·05	·056 ·05	—	—	—	·01	·03	—	·31		14
	15	—	—	·02	·028 ·02	·19	—	·1~~08~~ 1	—	—	·18	~~·02~~ ·12	·01		15
	16	·05	·08	·10	·086 ·09	—	·01	·57~~4~~	—	·18	·77	~~·73~~ ·63	·01		16
	17	—	—	·57	—	—	—	·03~~2~~	—	·10	—	·63	—		17
	18	·08	·40	·21	·225 ·23	—	—	—	—	—	·13	·26	·15		18
	19	—	·22	·10	·154 ·15	—	—	·04~~2~~	—	·29	·01	~~—~~ 26	·02		19
	20	—	·06	·02	·062 ·06	—	—	·0~~18~~ 2	·02	—	·01	~~·26~~ ·13	·01		20
	21	·09	·01	·03	—	·13	—	·1~~18~~ 2	—	—	·09	·41	—		21
	22	—	—	·01	·010 ·01	·577 ·58	·21	—	—	·30	·01	~~·15~~ —	—		22
	23	—	·07	·06	·046 ·05	·382 ·38	·31	·0~~08~~ 1	—	·01	—	—	—		23
	24	—	—	—	·206 ·21	—	—	·1~~36~~ 4	·02	—	—	·02	—		24
	25	—	—	·10	—	·03	—	·1~~48~~ 5	—	—	—	—	—		25
	26	·71	·17	·34	·006 ·01	·242 ·24	·17	·11~~0~~	—	—	—	—	—		26
	27	·37	·25	—	·072 ·07	·036 ·04	—	·02~~1~~	—	—	—	·01	—		27
13·9	28	·03	·06	—	·009 ·01	·045 ·05	—	—	—	—	—	—	—		28
14	29	—	·06	·14	—	·192 ·19	—	—	—	—	—	—	·31		29
	30	—	✕	—	·280 ·28	—	—	—	—	—	·19	·01	·05		30
	31	·28	✕	—	✕	—	✕	—	—	✕	·67	✕	—		31
					1·83	2·03								Year's Total	
	TOTAL	2·11	2·20	2·56	1·834	2·02~~8~~	1·00	2·43~~1~~	·18	1·17	3·34	7·42	1·39	27·66	✓
	* Days with .01 in. or more.	10	19	15	22	14	8	20 ~~77~~	3	10	~~15~~ 19	20	~~13~~ 14	174	✓
	* Days with .04 in. or more.	9 ✓	12 ✓	11 ✓	13 ✓	10 ✓	5 ✓	12 ✓	1 ✓	7 ✓	~~11~~ 13 ✓	17	6	116	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Messrs. J. Dickinson & Co.

[P.T.O.

921

Section **A** for the entry of Daily Observa FOR OFFICIAL USE.
AIR MINISTRY.—METEORO RGANIZATION.

FORM 1090.

REGISTER OF

921

TYHENHANGER P.S.

1931-1940

78 02 05

Kept at Ty Henhanger Pumping St

in the County of Hertford.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground – ft.

,, Ground ,, Sea Level 241

THE MORNING MEASUREMENT IS

An observer who does not conform to this rule should i January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	01	tr	16	.	08	.	01	07	.	.	.	1
2	08	07	.	42	.	tr	01	.	53	01	.	05	2
3	05	tr	.	35	41	.	.	57	59	.	05	22	3
4	.	tr	.	04	03	.	03	30	10	.	05	tr	4
5	.	tr	.	16	10	49	06	42	04	.	tr	30	5
6	.	12	.	06	.	01	.		tr	28	45	.	6
7	.	tr	.	.	01	08	01	52	.	03	15	04	7
8	02	05	07	.	.	15	.	73	.	02	09	.	8
9	.	04	08	02	.	tr	.	01	04	.	35	01	9
10	01	09	tr	.	tr	03	02	17	.	.	33	.	10
11	11	40	.		.	tr	.	tr	04	.	10	.	11
12	tr	03	.	.	.	.	.	01	32	.	tr	.	12
13	tr	.	.	.	.	.	30	.	tr	.	.	.	13
14	03	10	.	.	01	.	91	73	.	.	.	.	14
15	02	02	.	12	.	.	08	32	.	.	tr	01	15
16	.	14	.	11	27	.	.	02	20	.	.	.	16
17	02	.	.	23	26	01	09	44	06	01	.	.	17
18	04	07	.	27	.	19	.	03	.	.	50	.	18
19	01	tr	.	36	.	.	03	20	09	.	tr	.	19
20	tr	tr	.	04	.	.	05	tr	.	.	.	.	20
21	01	.	.	01	69	.	.	.	.	.	.	.	21
22	20	tr	.	07		.	.	.	03	.	01	.	22
23	29	03	.	03	50	14	.	.	02	.	21	03	23
24	.	tr	.	33	08	01	.	.	01	.	tr	tr	24
25	02	.	.	44	08	.	35	.	.	.	05	.	25
26	.	02	.	13	.	.	72	.	.	.	16	.	26
27	13	37	.	02	15	.	02	.	.	.	25	.	27
28	07	13	.	05	.	.	.	.	.	01	tr	04	28
29	13	×	.	01	04	.	13	.	.	25	01	07	29
30	09	×	.	.	02	.	.	06	.	.	.	.	30
31	29	×	.	×	01	×	tr	tr	×	01	×	01	31
TOTAL	1·63	1·69	0·15	3·43	2·66	1·19	2·81	4·54	2·14	0·62	2·76	0·78	YEAR'S TOTAL 24·40
*Days with ·01 in. or more.	20	16	2	22	15	10	15	16	14	8	15	10	163
*Days with ·04 in. or more.	11	11	2	17	10	6	9	11	11	2	13	6	109

40-9999

(Signed) J. Haseldine

[P.T.O.

*See Instruction 2 (*f*) on other side.

921

Section **A** for the entry of Daily Observa OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ty Henhanger Pumping Station

in the County of Hertford.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground - ft 9 in.

,, Ground ,, Sea Level 241 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	01	tr	16	·	08	·	01	07	·	·	·	1
2	08	07	·	42	·	tr	01	·	53	01	·	05	2
3	05	tr	·	35	41	·	·	57	59	·	05	22	3
4	·	tr	·	04	03	·	03	30	10	·	05	tr	4
5	·	tr	·	16	10	49	06	42	04	·	tr	30	5
6	·	12	·	06	·	01	·	·	tr	28	45	·	6
7	·	tr	·	·	01	08	01	52	·	03	15	04	7
8	02	05	07	·	·	15	·	73	·	02	09	·	8
9	·	04	08	02	·	tr	·	01	04	·	35	01	9
10	01	09	tr	·	tr	03	02	17	·	·	33	·	10
11	11	40	·	·	·	tr	·	tr	04	·	10	·	11
12	tr	03	·	·	·	·	·	01	32	·	tr	·	12
13	tr	·	·	·	·	·	30	·	tr	·	·	·	13
14	03	10	·	·	01	·	91	73	·	·	·	·	14
15	02	02	·	12	·	·	08	32	·	·	tr	01	15
16	·	14	·	11	27	·	·	02	20	·	·	·	16
17	02	·	·	23	26	01	09	44	06	01	·	·	17
18	04	07	·	27	·	19	·	03	·	·	50	·	18
19	01	tr	·	36	·	·	03	20	09	·	tr	·	19
20	tr	tr	·	04	·	·	05	tr	·	·	·	·	20
21	01	·	·	01	69	·	·	·	·	·	·	·	21
22	20	tr	·	07		·	·	·	03	·	01	·	22
23	29	03	·	03	50	14	·	·	02	·	21	03	23
24	·	tr	·	33	08	01	·	·	01	·	tr	tr	24
25	02	·	·	44	08	·	35	·	·	·	05	·	25
26	·	02	·	13	·	·	72	·	·	·	16	·	26
27	13	37	·	02	15	·	02	·	·	·	25	·	27
28	07	13	·	05	·	·	·	·	·	01	tr	04	28
29	13	×	·	01	04	·	13	·	·	25	01	07	29
30	09	×	·	·	02	·	·	06	·	·	·	·	30
31	29	×	·	×	01	×	tr	tr	×	01	×	01	31
TOTAL	1·63	1·69	0·15	3·43	2·66	1·19	2·81	4·54	2·14	0·62	2·76	0·78	YEAR'S TOTAL 24·40
*Days with ·01 in. or more.	20	16	2	22	15	10	15	16	14	8	15	10	163
*Days with ·04 in. or more.	11	11	2	17	10	6	9	11	11	2	13	6	109

40-9999

(Signed) J. Haseldine

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations**

Station No. 921

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Tyttenhanger Pumping Station

in the County of Hertford.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level 241 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	·	·	11	56	03	09	02	03	05	04	02	1
2	06	·	·	17	07	·	·	·	56	12	10	15	2
3	04	tr	·	16	13	·	·	·	15	tr	·	·	3
4	01	tr	·	·	·	·	·	·	·	·	07	·	4
5	29	·	03	·	07	·	13	·	07	·	·	·	5
6	43	·	02	08	04	·	·	·	05	·	·	·	6
7	·	·	18	03	·	·	28	·	02	tr	·	·	7
8	·	·	03	04	15	·	·	·	11	16	·	·	8
9	10	07	·	08	59	·	·	·	01	02	·	·	9
10	43	tr	·	23	05	·	·	·	03	07	04	·	10
11	01	01	03	07	02	tr	15	1·10	02	25	·	02	11
12	08	·	·	02	07	·	·	04	04	15	02	·	12
13	03	·	·	19	02	·	05	·	01	05	05	·	13
14	19	01	·	03	01	·	·	·	·	04	01	02	14
15	01	01	·	04	36	·	·	·	·	09	·	01	15
16	18	·	·	19	25	·	·	·	·	·	·	·	16
17	·	·	·	01	·	·	07	·	·	09	·	·	17
18	tr	·	·	·	·	·	·	·	14	·	13	·	18
19	·	·	·	·	·	·	·	·	01	25	·	·	19
20	tr	·	·	10	·	·	01	28	07	76	12	·	20
21	tr	·	tr	14	69	·	10	80	·	31	·	03	21
22	·	·	34	01	02	·	16	·	25	19	35	tr	22
23	·	10	·	tr	·	·	·	·	04	63	01	11	23
24	·	02	·	·	·	·	17	·	06	05	11	·	24
25	·	·	·	tr	·	·	24	·	04	39	03	01	25
26	·	·	07	21	11	·	04	·	·	·	07	·	26
27	·	·	29	15	48	·	25	·	·	20	17	01	27
28	·	·	28	tr	03	28	18	·	·	23	tr	01	28
29	·	·	39	02	11	03	tr	47	02	40	06	tr	29
30	·	×	22	01	·	79	·	02	15	10	19	17	30
31	·	×	01	×	·	×	10	·	×	tr	×	06	31
TOTAL	1·91	0·16	1·89	2·09	3·83	1·13	2·02	2·73	1·88	4·60	1·57	0·62	YEAR'S TOTAL 24·43
*Days with ·01 in. or more.	14	6	12	22	20	4	15	7	21	22	17	12	172
*Days with .04 in. or more.	10	1	7	15	15	2	14	5	13	21	13	4	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) F T Haseldine

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 921

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at TYTTENHANGER Pumping Station

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

,, Ground ,, Sea Level 241 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	18	13	·	05	·	·	·	·	·	09	·	1
2	37	01	32	·	04	·	·	·	·	·	01	·	2
3	t	14	17	·	02	·	·	·	·	·	01	·	3
4	30	02	05	·	25	·	·	·	·	·	02	·	4
5	04	02	22	·	10	·	·	·	·	·	·	·	5
6	t	08	03	·	42	·	·	·	·	05	07	·	6
7	13	08	05	·	t	·	·	·	·	05	01	·	7
8	06	t	03	·	06	·	05	·	·	·	·	·	8
9	t	·	·	·	13	·	17	·	·	05	08	·	9
10	t	08	·	·	01	07	32	·	·	23	·	·	10
11	07	·	·	·	·	t	07	07	01	·	01	·	11
12	t	·	·	·	·	04	07	06	42	·	·	01	12
13	07	·	·	·	03	01	22	·	03	·	10	·	13
14	t	·	·	·	10	·	·	01	·	·	53	02	14
15	48	·	15	·	t	20	·	04	·	t	13	·	15
16	01	t	75	·	·	20	·	·	t	06	02	·	16
17	02	02	35	·	·	12	03	·	06	·	t	·	17
18	03	10	27	·	·	07	·	·	·	·	·	·	18
19	t	02	25	t	·	02	·	·	32	·	t	05	19
20	·	01	03	15	·	53	·	·	·	·	·	·	20
21	·	02	·	·	·	02	·	02	28	·	·	·	21
22	·	t	·	·	·	t	·	17		19	02	·	22
23	·	t	·	·	09	·	·	·	46	t	·	·	23
24	·	23	·	18	07	13	·	·	61	·	03	·	24
25	·	29	·	14	·	t	·	·	03	t	05	07	25
26	·	44	·	28		25	·	·	08	10	t	10	26
27	·	t	·	03	29	·	·	·	03	10	·	08	27
28	·	·	·	·	13	·	·	·	01	25	·	03	28
29	07	×	·	·		·	16	·	·	10	·	t	29
30	16	×	12	35	·	·	04	·	·	t	·	11	30
31	13	×	02	×	·	×	·	16	×	·	×	·	31
TOTAL	1·98	1·74	2·94	1·13	1·79	1·66	1·13	0·53	2·34	1·18	1·18	0·47	YEAR'S TOTAL 18·07
*Days with ·01 in. or more.	15	16	16	6	15	12	9	7	12	10	15	8	141
*Days with .04 in. or more.	12	9	12	5	12	9	8	5	7	10	7	5	101

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Haseltine

P.T.O.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No** 921

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Tyttenhanger P.S.
in the County of Hertford.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 8 in.
,, Ground ,, Sea Level 241 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	·	·	·	·	·	·	23	14	01	ʋ	25	1
2	15	·	09	·	02	·	·	01	56	15	·	21	2
3	02	03	·	19	·	·	·	·	·	20	·	ʋ	3
4	12	ʋ	05	01	01	·	·	·	·	14	09	39	4
5	·	·	09	·	03	·	·	02	·	ʋ	ʋ	34	5
6	·	·	16	ʋ	40	14	·	12	·	14	ʋ	48	6
7	01	·	·	·	·	08	·	06	·	04	·	25	7
8	·	·	·	·	08	·	·	03	06	·	26	01	8
9	01	·	05	·	ʋ	·	·	ʋ	·	·	99	32	9
10	04	·	14	11	·	·	·	08	·	ʋ	30	01	10
11	35	·	28	03	·	·	02	01	·	·	02	11	11
12	04	·	05	·	·	·	05	35	·	·	ʋ	04	12
13	45	·	02	01	·	·	21	03	·	ʋ	03	04	13
14	04	·	35	·	03	01	·	·	·	02	21	32	14
15	09	·	22	·	04	·	·	·	55	01	04	23	15
16	14	·	19	·	01	·	·	·	·	04	ʋ	ʋ	16
17	02	·	·	·	·	·	·	·	·	06	ʋ	10	17
18	08	·	·	20	·	·	28	·	ʋ	ʋ	ʋ	08	18
19	·	·	20	01	·	05	·	·	06	ʋ	ʋ	14	19
20	·	·	34	02	·	·	16	01	ʋ	·	ʋ	·	20
21	·	·	02	05	·	04	ʋ	04	·	03	·	·	21
22	·	·	·	·	·	·	03	14	34	·	01	ʋ	22
23	·	·	·	24	·	20	01	·	01	ʋ	·	10	23
24	·	ʋ	05	15	·	02	18	·	14	·	·	ʋ	24
25	10	04	·	04	·	10	·	·	ʋ	02	·	33	25
26	05	ʋ	·	12	·	02	02	·	03	01	·	14	26
27	ʋ	08	·	01	·	06	·	·	·	ʋ	·	31	27
28	·	15	·	23	·	30	03	84	·	·	08	30	28
29	·	X	·	ʋ	·	·	·	04	14	·	·	05	29
30	04	X	·	·	·	·	·	14	03	·	·	09	30
31	02	X	·	X	·	X	·	·	X	18	X	06	31
													YEAR'S TOTAL
TOTAL	1.82	0.33	2.30	1.45	0.65	1.08	0.99	2.18	2.12	1.11	2.03	4.46	20.82 ✓
*Days with ·01 in. or more.	19	4	16	15	8	11	10	16	11	14	10	25	159
*Days with .04 in. or more.	13	3	14	9	3	8	5	10	8	8	4	23	111

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S.T. Haseldine

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 921

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Tyttenhanger Waterworks Pumping Station

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 8 in.

,, Ground ,, Sea Level 241 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	02	·	03	·	24	58	·	t	12	24	t		1
2	t	t	·	03	·	t	t	·	16	20	04	·		2
3	·	14	04	09	·	11	·	t	28	59	11	01		3
4	·	t	t	18	·	19	·	·	08	10	t	05		4
5	·	30	04	06	·	12	·	·	36	·	·	·		5
6	02	t	01	35	·	52	·	·	·	·	t	01		6
7	t	·	·	55	·	09	·	·	·	04	1·20	15		7
8	·	·	t	23	·	·	·	06	·	28	·12	08		8
9	·	·	·	33	·	66	·	·	·	83	·12	04		9
10	t	t	·	13	·	01	·	·	·	t	·10	03		10
11	29	·	·	t	·	08	·	·	·	t	·23	-t		11
12	·	02	·	·	·	13	·	08	t	·	·44	·		12
13	15	21	·	21	14	t	·	·	01	·	t	·		13
14	·	t	·	23	24	04	·	·	10	·	12	04		14
15	·	25	·	42	t	55	·	·	14	·	14	09		15
16	·	14	02	03	·	36	t	·	23	·	44	10		16
17	·	t	01	01	·	15	·	·	09	·	49	01		17
18	·	·	·	24	34	03	19	·	45	02	12	t		18
19	·	·	·	14	11	03	08	·	15	·	12	08		19
20	01	22	·	13	44	09	02	·	10	·	06	·		20
21	01	24	01	t	t	·	·	·	01	03	15	·		21
22	·	04	·	·	·	·	·	25	29	·	t	t		22
23	·	t	26	·	·	·	·	54	03	01	·	14		23
24	06	43	01	·	·	·	·	01	58	·	t	28		24
25	13	29	·	24	·	50	·	·	·	·	t	11		25
26	25	09	·	t	·	t	·	23	08	t	·	39		26
27	02	33	·	·	09	·	t	t	13	·	14	28		27
28	·	01	·	·	06	·	·	01	13	03	02	08		28
29	01	X	·	·	·	·	·	02	63	t	t	14		29
30	06	✕	·	04	53	·	·	65	01	12	29	30		30
31	·	✕	·	✕	·	✕	·	t	✕	44	✕	24		31
TOTAL	1.14	2.49	0.43	3.43	2.28	3.90	0.84	1.85	4.04	2.84	4.48	2.44	Year's Total 31.42	
* Days with .01 in. or more.	12	15	8	20	8	18	4	9	21	13	20	21	169	
* Days with .04 in. or more.	4	12	3	16	8	15	3	6	14	9	19	14	132	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) J. T. Haseldine

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 921

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Tyttenhanger Waterworks Pumping Station

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

,, Ground ,, Sea Level 241 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.36	.21	.05	.23	.	.10	.12	t	.	.	.04	.08		1
2	.10	.05	t	.01	.	.24	.38	.05		.	.11	t		2
3	.01	.	.	.06	.01	.02	t	t	.26	.	.34	.		3
4	.	.	.09	.	.	.32	.	t	.24	.	.08	.04		4
5	.10	.	.04	.	.	t	.	.02	.36	.	.02	.04		5
6	.30	.	.	.	.08	.21	.	.09	.11	t	.08	.02		6
7	.23	.	.03	.	t	.01	.18	t	.01	.	.03	.01		7
8	.23	.	.04	.	.	.	.09	.	.02	.02	.43	.14		8
9	.32	.	.04	.	t	.	.51	.	.20	.13	t	.01		9
10	.01	.	.	.	.	.	.25	.05	.14	.02	t	.		10
11	.	.	.	.16	.	.	.05	.	t	.	.70	t		11
12	.	.	.	.10	.	.38	.28	.	.15	.01	.59	.11		12
13	.	.	.	.01	.	.14	.	.	t	.02	.09	.19		13
14	.	.11	.	t	.	.09	.48	.	.03	.04	.04	.34		14
15	.	.04	.	.	.	.01	.01	.	.09	.	t	.04		15
16	.14	.05	.	.	.	.	.03	.	.04	.	.39	.04		16
17	.11	.56	.	.	.05	.09	.	.	t	.	.26	.15		17
18	.01	.14	.	.	.	.36	.14	.	.	.34	.02	.02		18
19	.31	.05	t	.01	.	.39	.	.06	.	.06	.	.		19
20	.09	.04	.03	.19	.	.01	.04	.	1.11	t	.	.		20
21	t	.	t	.22	.04	3.29 ✓	.	.	.09	.	.	.		21
22	.09	.38	.05	.05	.15	.02	.14	.	.01	.	t	.13		22
23	.04	t	t	.04	t	.	.11	.	.	.08	t	.		23
24	.13	.09	.	t	.	.	.15	.	.15	.38	.	.		24
25	.06	t	.18	.15	.	.32	.08	.	.14	.08	.04	.04		25
26	t	.10	.20	.	.	t	t	.	.01	.12	t	.01		26
27	.09	.03	.02	.03	.	.	.02	.	.21	.11	.	.		27
28	.49	t	.05	.	.	.03	.43	.	t	.	.	.05		28
29	.11	.12	.11	.	.	.13	.04	.	.	.02	.13	.02		29
30	.10	×	t	.	.06	.31	.04	.	.	.22	t	.		30
31	.44	×	.19	×	.01	×	.11	.	×	.42	×	.23		31
TOTAL	4.23	2.03	1.15	1.29	0.40	6.50	3.44	0.24	3.43	2.04	3.42	1.80	Year's Total 30.33	✓
* Days with .01 in. or more.	23	14	14	13	4	20	22	5	19	16	14	20	190	✓
* Days with .04 in. or more.	20	13	11	9	5	14	19	4	14	11	14	14	148	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 921

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at TYTTENHANGER WATERWORKS PUMPING STATION
in the County of Hertford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. · in.
,, Ground ,, Sea Level 241 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	18	t	t	01	·	·	·	·	03	·	55	50		1
2	01	18	t	50	·	·	·	·	03	·	t	20		2
3	·	13	01	·	·	·	·	·	·	·	·	12		3
4	08	33	t	t	·	·	·	·	·	·	·	64		4
5	25	02	16	·	·	·	02	·	·	·	t	02		5
6	01	·	32	·	12	·	17	·	·	02	02	t		6
7	·	67	05	01	t	·	02	·	05	·	t	·		7
8	·	05	t	t	08	08	·	·	·	·	08	33		8
9	·	06	·	29	14	t	08	·	26	·	t	08		9
10	·	t	54	01	21	37	04	18	t	·	t	25		10
11	·	·	15	·	48	·	02	·	·	·	t	02		11
12	21	31	12	·	22	64	t	α [·02]	05	·	·	09		12
13	12	04	35	·	t	08	·	1·39	t	·	·	72		13
14	02	02	35	19	·	t	·	1·08	06	·	·	01		14
15	13	15	t	13	·	11	32	·	08	·	·	01		15
16	08	10	30	71	·	02	·	10	36	·	·	04		16
17	36	02	12	19	·	·	·	t	41	t	03	02		17
18	34	10	t	t	15	16	·	·	39	01	13	03		18
19	10	08	08	08	01	14	31	·	09	01	01	03		19
20	47	03	t	41	60	16	t	·	10	t	·	02		20
21	26	33	06	05	t	·	03	·	t	t	t	02		21
22	32	02	01	t	02	30	06	·	·	57	25	03		22
23	26	01	03	·	21	·	17	·	·	55	t	t		23
24	48	37	01	·	01	·	t	·	18	17	·	t		24
25	03	34	03	·	20	·	t	·	04	43	·	02		25
26	t	21	07	·	22	·	·	·	·	02	·	t		26
27	01	10	·	13	·	·	·	·	·	52	t	·		27
28	t	06	·	01	·	t	·	·	·	08	t	01		28
29	01	×	·	·	·	01	·	t	t	10	03	02		29
30		×												30
31		×		×		×			×		×			31
TOTAL	4·24	3.73	2·76	2·81	2·67	2·07	1·24	2·77	2·13	2.60	1·21	3.26	Year's Total 31·49	✓
* Days with .01 in. or more.	23	24	18	14	14	11	11	5	14	12	9	24	179	✓
* Days with .04 in. or more.	17	18	13	11	11	9	7	4	12	8	5	10	125	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. Haseldine [P.T.O.

α – measure broken.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 921

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at TYTTENHANGER WATERWORKS

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 241 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04	t	t	·	·	09	28	·	05	·	t	01		1
2	09	t	·	02	07	t	04	·	t	15	t	t		2
3	t	t	·	·	05	·	·	·	04	78	03	·		3
4	04	t	·	t	·	01	01	·	·	04	t	11		4
5	t	·	t	·	·	t	48	·	t	06	t	t		5
6	04	·	·	·	·	·	04	·	t	03	t	t		6
7	02	·	·	·	·	·	03	36	02	41	·	01		7
8	14	t	·	·	·	·	06	t	02	26	·	t		8
9	03	·	·	·	·	·	05	15	·	01	·	72		9
10	15	·	·	·	·	t	02	19	·	·	·	02		10
11	29	02	·	·	·	·	t	04	·	·	15	02		11
12	29	02	·	·	t	·	·	41	·	28	07	t		12
13	07	02	·	·	·	·	·	t	·	t	17	13		13
14	30	Snow t	·	·	06	·	t	·	06	·	01	01		14
15	02	t	·	·	·	·	09	t	·	22	t	31		15
16	50	t	01	·	·	·	t	01	·	05	01	28		16
17	t	06	t	·	35	·	04	·	t	05	t	t		17
18	05	t	·	·	06	·	t	01	02	01	25	·		18
19	t	t	·	·	·	·	·	07	05	·	17	·		19
20	t	t	·	·	·	·	·	·	01	·	53	Snow 03		20
21	01	t	·	·	·	·	·	03	02	·	02	Snow 52		21
22	·	t	·	·	·	01	·	05	·	·	20	Snow 23		22
23	·	t	·	02	·	·	·	·	·	t	03	t		23
24	·	·	13	·	t	·	·	·	36	t	04	·		24
25	07	·	10	01	48	·	t	07	01	02	80	10		25
26	21	16	08	t	t	·	·	05	17	16	t	25		26
27	10	05	t	06	04	17	20	t	61	13	32	·		27
28	16	05	·	02	73	08	·	27	02	t	03	06		28
29	26	×	·	01	22	·	·	t	t	t	14	19		29
30	01	×	·	t	08	02	·	·	01	04	25	02		30
31	19	×	·	×	07	×	·	·	×	16	×	41		31
													Year's Total	
TOTAL	3·08	0·38	0·32	0·14	2·21	0·38	1·34	1·71	1·47	2·86	3·22	3·43	20·54	✓
* Days with .01 in. or more.	23	7	4	6	11	6	12	13	15	18	18	19	152	✓
* Days with .04 in. or more.	18	4	3	1	11	3	9	10	7	14	12	12	104	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 921

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at TYTTENHANGER WATERWORKS

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 11 in.

,, Ground ,, Sea Level 241 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	.	01	34	60	.	09	t	52	.	.	02		1
2	t	.	.	t	02	.	t	38	60	t	05	02		2
3	39	.	.	14	.	.	.	43	.	02	24	18		3
4	01	.	27	06	.	.	03	54	.	32	02	01		4
5	.	.	t	84	05	.	t	22	.	09	31	16		5
6	61	t	t	01	.	.	36	05	.	.	33	07		6
7	08	04	.	.	.	.	t	t	.	.	08	10		7
8	t	08	12	.	.	.	03	37	.	41	20	36		8
9	t	04	.	.	.	.	.	03	.	23	12	18		9
10	21	t	.	.	.	59	.	09	02	03	t	t		10
11	t	.	20	.	t	24	.	.	02	22	.	t		11
12	.	13	t	.	t	t	.	.	02	t	t	.		12
13	.	t	t	02	.	.	04	.	06	80	.	.		13
14	51	.	01	t	22	01	03	.	02	19	33	t		14
15	26	.	01	t	62	25	07	.	03	1·19	09	01		15
16	29	.	11	02	05	07	02	.	04	t	30	.		16
17	15	02	03	03	07	.	02	.	.	.	03	.		17
18	26	t	09	.	t	13	13	.	t	13	31	.		18
19	17	t	01	.	.	.	08	.	.	13	t	t		19
20	19	.	t	.	.	19	55	10	.	.	.	01		20
21	06	.	31	.	.	02	45	90	02	t	.	.		21
22	10	20	13	.	.	t	01	t	01	t	08	.		22
23	09	t	t	01	.	t	02	t	t	04	74	t		23
24	Snow 15	t	03	02	.	.	02	.	t	14	t	t		24
25	Snow 1·30	10	04	02	.	.	t	08	.	05	50	t		25
26	Snow ·30	04	01	03	.	.	.	t	.	24	23	04		26
27	01	04	13	01	.	.	.	t	.	10	30	.		27
28	t	17	08	02	.	03	09	.	.	21	14	08		28
29	.	×	t	35	.	.	03	.	.	11	11	.		29
30	.	×	.	93	.	12	.	.	.	t	11	.		30
31	.	×	.	×	.	×	08	t	×	t	×	.		31
TOTAL	5·16	0·86	1·59	2·85	1·63	1·65	2·15	3·19	1·36	4·65	4·62	1·24	Year's Total 30·95	
* Days with .01 in. or more.	20	10	17	16	7	10	19	11	11	19	21	13	174	
* Days with .04 in. or more.	17	9	10	6	6	7	10	10	4	17	19	8	123	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) J. F. Haseldine

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 921

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at TYTTENHANGER WATERWORKS PUMPING STATION,
in the County of HERTFORD
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground - ft. 11 in.
,, Ground ,, Sea Level 241 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	snow 01	t	t	07	·	·	·	·	·	07	·		1
2	·	02	·	08	t	·	11	·	·	14	22	·		2
3	·	19	·	15	·	·	t	·	·	10	72	04		3
4	·	16	·	11	·	·	t	·	·	21	08	03		4
5	t	01	t	·	·	·	t	·	·	08	45	20		5
6	11	12	·	·	04	·	60	·	·	36	24	t		6
7	21	09	·	t	07	·	23	·	·	t	t	01		7
8	t	t	·	t	·	·	·	·	04	24	t	23		8
9	·	t	·	t	·	t	t	01	02	16	11	03		9
10	·	·	·	·	·	t	24	t	t	,06	21	05		10
11	·	·	·	02	·	01	·	·	·	t	95	03		11
12	·	snow 02	06	·	·	01	05	·	10	·	07	·		12
13	·	snow t	70	02	·	t	·	·	06	·	1·30	·		13
14	·	·	21	10	04	·	t	·	01	01	t	t 21		14
15	snow t	·	04	01	20	·	12	·	02	·	12	·		15
16	snow 03	snow 10	35	03	·	01	40	·	13	1·11	69	·		16
17	·	t	32	·	·	t	01	·	t	01	57	·		17
18	snow t	42	14	34	·	·	·	t	·	11	22	12		18
19	·	13	02	08	·	·	08	·	37	t	17	02		19
20	·	02	02	02	·	t	·	t	t	01	05	·		20
21	snow 08	01	01	·	23	·	09	t	t	02	41	·		21
22	snow 01	·	03	·	41	38	·	t	06	t	t	·		22
23	·	08	03	13	01	02	·	·	t	01	t	·		23
24	·	·	·	13	·	t	13	·	·	·	t	t		24
25	·	·	49	·	01	·	23	·	·	·	·	·		25
26	snow 89	10	31	t	32	02	t	·	·	·	·	·		26
27	snow 28	14	t	05	01	·	16	t	·	t	·	t		27
28	snow 34	04	·	t	03	·	·	·	t	t	·	t		28
29	snow 07	06	09	·	10	·	t	·	·	t	·	27		29
30	02	✕	·	09	t	·	·	·	·	10	·	·02		30
31	03	✕	·	✕	·	✕	·	·	✕	60	✕	t		31
TOTAL	2·01	1·72	2.82	1·36	1.54	0·45	2·45	0·01	0·81	3·33	6·59	1·26	Year's Total 24·35	
* Days with .01 in. or more.	11	18	15	15	13	6	13	1	9	17	18	13	149	
* Days with .04 in. or more.	6	12	10	10	9	1	12	0	6	12	17	7	102	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

921/2

BERKHAMPSTED

HARESFORD

1934-1938

78 02 05

4/26

921/2

Herts/

FORM 1090.

B

f Station.

⁎ The following register of mo
&c., is NOT required if da
values are given on the oth

n this section and also the space for

relating to this register should be sent:—

RAINFALL IN 193

At (Haresfoot) Ber

In the County of Hert

nter .... in Summer ....

Distance .... Direction from gauge ....

Rain Gauge
Diameter of Funnel .... in.
Height of Top above Ground .... *ft* .... *in.*
Height of Ground above Sea Level 500′ *ft.*

Nearest Parish Church at .... Distance .... Direction from gauge ....

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2.24	·45	11th		
FEB.	·34	·15	25th		
MAR.	2.68	·45	14th		
APRIL	2.53	·58	28th		
MAY	·43	·54	6th		
JUNE	1.13	·32	23rd		
JULY	1.50	·44	24th		
AUG.	2.26	·86	28th		
SEPT.	2.21	·65	2nd		
OCT.	1.97	·50	3rd		
NOV.	2.04	1.14	9th		
DEC.	6.02	·64	2nd		
Total	25.65 ✓				

Nature of objects nearest to gauge				
Height of objects				
Distances				
Directions from gauge				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Per ~~Copied from the~~ Hertfordshire Natl His. Soc. ~~Sheets~~

Signature Y. Geoffrey Blackwell

O.K. print

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005: this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\ \cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

N

921/2

Herts/2

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At (Haresfoot) Berkhampsted

In the County of Herts

Rain Gauge
- Diameter of Funnel .... in.
- *Height of Top above Ground* .... *ft* .... *in.*
- *Height of Ground above Sea Level* 500' *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01in or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·24	·45	11th		
FEB.	·34	·15	25th		
MAR.	2·68	·45	14th		
APRIL	2·53	·58	28th		
MAY	·43	·54	6th		
JUNE	1·13	·32	23rd		
JULY	1·50	·44	24th		
AUG.	2·26	·86	28th		
SEPT.	2·21	·65	2nd		
OCT.	1·97	·50	3rd		
NOV.	2·04	1·14	9th		
DEC.	6·02	·64	2nd		
Total	25.65 ✓				

Signature J. Geoffrey Blackwell Esq

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Height of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

~~Copied from the~~ Per Hertfordshire Nat. His. Soc ~~Herts~~

O.K. print

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

921/2

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At ... Berkhamsted ... Haresfoot ...

In the County of .... Hertford ....

Rain Gauge
Diameter of Funnel........................in.
Height of Top above Ground.........ft.............in.
Height of Ground above Sea Level....................ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	·88	·28	11	5	
FEB.	2·62	·42	24	14	
MAR.	·56	·22	24	11	
APRIL	4·55	·54	18	18	
MAY	1·31	·41	20	7	
JUNE	3·89	·73	6	16	
JULY	·96	·38	18	4	
AUG.	1·98	·90	23		
SEPT.	4·75	·87	28	18	
OCT.	3·71	1·05	9	14	
NOV.	5·30	·96	7	19	
DEC.	3·55	·54	27	15	
TOTAL	34·06			—	—

Signature .... T. G. BLACKWELL ESQ.

per Hertfordshire Natural History Society

*See Instruction 2 *(f)* below.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter........................in Summer........................

Nearest Railway Station.................................. Distance.................. Direction from gauge............

Nearest Parish Church at.................................. Distance.................. Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied in M.O.7.
10/2/36
IJ

10 FEB 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.

Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Berkhamsted (Harestoot)

In the County of Hertfordshire

Rain Gauge
- Diameter of Funnel..........................in.
- *Height of Top above Ground*..........*ft*..........*in.*
- *Height of Ground above Sea Level*......500......*ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·05				
FEB.	2·56				
MAR.	1·58				
APRIL	1·68				
MAY	·76				
JUNE	4·39				
JULY	4·71				
AUG.	·35				
SEPT.	3·94				
OCT.	1·63				
NOV.	3·97				
DEC.	2·67				
TOTAL	32·29	✓		—	—

Signature for T. G. BLACKWELL.

*See Instruction 2 (*f*) below.

921/2.

C Particulars of Station,

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter......................in Summer......................

Nearest Railway Station......................Distance......................Direction from gauge......................

Nearest Parish Church at......................Distance......................Direction from gauge......................

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move......................Distance......................Direction......................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) It is known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copied from records sent in by Hertfordshire Natural History Society.

D INSTRUCTIONS.

1. Rules for measuring the rainfull and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceeding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast, or through any Bookseller. Price 1d. Net.
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone.
Wt.3430/1699 15,000 2/35 W. H. & S. 668/91.

921/2

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At Norcott Hill, Berkhamsted

In the County of Herts.

Rain Gauge
- Diameter of Funnel..........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level.................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·31	·68	21		
FEB.	4·62	·70	8		
MAR.	3·94	·53	11		
APRIL	3·39	·83	17		
MAY	3·65	·98	26		
JUNE	2·06	·69	14		
JULY	1·49	·43	16		
AUG.	1·40	·69	15		
SEPT.	2·82	·62	18		
OCT.	3·04	·98	28		
NOV.	1·70	·45	1		
DEC.	3·96				
TOTAL	37·38 ✓				

Signature S. Geoffrey Blackwell Esq. *

* per Herts Nat. History Socy.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter........................in Summer....................

Nearest Railway Station.............................. Distance.................. Direction from gauge............

Nearest Parish Church at.............................. Distance.................. Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090. **B** Monthly Summary. **C** Particulars of Station. 921/2

, **The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 193...8

At Berkhansted (Haresfoot)

In the County of Hertfordshire

Rain Gauge
- Diameter of Funnel..........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level* 500 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·65				
FEB.	·78				
MAR.	·48				
APRIL	·13				
MAY	2·01				
JUNE	·68				
JULY	2·14				
AUG.	2·28				
SEPT.	1·68				
OCT.	3·66				
NOV.	3·49				
DEC.	4·78				
TOTAL	25·76				

Signature Per Hertfordshire Natural History Society

T. Geoffrey Blackwell

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Rivett

Cw 21.6.40

Hour of observation by the clock—in Winter..........................in Summer..........................

Nearest Railway Station.............................. Distance..................Direction from gauge............

Nearest Parish Church at.............................. Distance..................Direction from gauge............

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Copy by B.R.O.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

922

Section **A** for the entry of Da

AIR MINISTRY.-

COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

FORM 1090.

REGISTI 1931 .

922

NORTHRIDGE

BOXMOOR

1931-1936

780205

Kept at Northridge Bo

in the County of Hertfo

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

„ Ground „ Sea Lev

THE MORNING MEASUR S DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·04	·01	·07	·02	·04	·02	·02	·08	—	·01	·01	1
2	·10	·08	—	·41	—	·01	—	—	·20	·03	·01	·24	2
3	·05	—	—	·14	·52	—	·02	·35	1·10	—	·17	·06	3
4	—	·01	—	·15	·03	—	·19	·33	·27	—	·05	·02	4
5	—	·01	—	·05	·05	—	·07	·09	·05	·01	·01	·44	5
6	—	·10	—	·07	—	·44	—	·08	·02	—	·33	—	6
7	—	·01	·02	—	—	—	·19	·68	—	·21	·17	·06	7
8	—	·08	—	·02	—	·10	—	·67	—	—	·09	·02	8
9	·03	·07	·05	·05	—	·19	—	·03	—	·04	·49	·03	9
10	·02	—	—	—	·02	·03	·24	·27	—	—	·36	·01	10
11	·18	·40	—	T.R.	—	·04	—	—	·06	T.R.	·04	—	11
12	T.R.	·07	—	—	—	—	·03	·12	·36	—	—	·04	12
13	·02	·01	—	—	—	—	·56	·04	—	·01	T.R.	·01	13
14	·04	·07	—	·16	—	—	·96	·60	·01	—	—	·04	14
15	·03	·02	—	·14	·10	—	·20	·36	—	—	·02	—	15
16	—	·19	—	·46	·27	·04	·01	·20	·29	—	—	—	16
17	·02	·01	—	·30	·28	·08	·24	—	·02	·02	—	—	17
18	·06	·10	·02	·45	·02	·10	·02	·32	T.R.	—	·54	—	18
19	·02	·02	—	·15	—	·45	·46	·04	·02	—	·01	—	19
20	·02	·02	—	·02	·58	—	·18	·27	—	—	·02	—	20
21	·03	—	·01	—	—	—	—	·03	—	—	—	—	21
22	·20	—	—	·04	T.R.	—	—	—	·06	—	·04	—	22
23	·30	—	—	·45	·40	·05	—	—	·01	—	·31	—	23
24	—	·01	—	·15	·12	·03	·15	—	—	—	·02	·01	24
25	—	—	—	·20	—	—	·55	—	—	·01	·06	·02	25
26	—	·04	—	·15	—	—	·91	—	—	—	·24	T.R.	26
27	·20	·42	—	·06	·42	—	·08	—	—	—	·40	·11	27
28	·22	·26	—	—	·01	—	—	—	—	·04	·03	—	28
29	·09	—	—	·01	·02	—	·13	—	—	·30	·02	—	29
30	·05	×	—	—	—	—	·01	·14	·01	·01	—	—	30
31	·30	×	—	×	·02	×	—	·04	×	—	×	·04	31
TOTAL	1·98	2·04	·11	3·70	2·88	1·60	5·22	4·68	2·56	·68	3·44	1·16	YEAR'S TOTAL 30·05
*Days with ·01 in. or more.	20	22	5	22	16	13	21	20	15	10	23	16	203
*Days with ·04 in. or more.	12	13	1	19	9	10	15	17	9	4	14	8	131

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Robert Caryl Micklem

P.T.O.

922

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Northridge Boxmoor
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 12 in.
,, Ground ,, Sea Level 460 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·04	·01	·07	·02	·04	·02	·02	·08	—	·01	·01	1
2	·10	·08	—	·41	—	·01	—	—	·20	·03	·01	·24	2
3	·05	—	—	·14	·52	—	·02	·35	1·10	—	·17	·06	3
4	—	·01	—	·15	·03	—	·19	·33	·27	—	·05	·02	4
5	—	·01	—	·05	·05	—	·07	·09	·05	·01	·01	·44	5
6	—	·10	—	·07	—	·44	—	·08	·02	—	·33	—	6
7	—	·01	·02	—	—	—	·19	·68	—	·21	·17	·06	7
8	—	·08	—	·02	—	·10	—	·67	—	—	·09	·02	8
9	·03	·07	·05	·05	—	·19	—	·03	—	·04	·49	·03	9
10	·02	—	—	—	·02	·03	·24	·27	—	—	·36	·01	10
11	·18	·40	—	T.R.	—	·04	—	—	·06	T.R.	·04	—	11
12	T.R.	·07	—	—	—	—	·03	·12	·36	—	—	·04	12
13	·02	·01	—	—	—	—	·56	·04	—	·01	T.R.	·01	13
14	·04	·07	—	·16	—	—	·96	·60	·01	—	—	·04	14
15	·03	·02	—	·14	·10	—	·20	·36	—	—	·02	—	15
16	—	·19	—	·46	·27	·04	·01	·20	·29	—	—	—	16
17	·02	·01	—	·30	·28	·08	·24	—	·02	·02	—	—	17
18	·06	·10	·02	·45	·02	·10	·02	·32	T.R.	—	·54	—	18
19	·02	·02	—	·15	—	·45	·46	·04	·02	—	·01	—	19
20	·02	·02	—	·02	·58	—	·18	·27	—	—	·02	—	20
21	·03	—	·01	—	—	—	—	·03	—	—	—	—	21
22	·20	—	—	·04	T.R.	—	—	—	·06	—	·04	—	22
23	·30	—	—	·45	·40	·05	—	—	·01	—	·31	—	23
24	—	·01	—	·15	·12	·03	·15	—	—	—	·02	·01	24
25	—	—	—	·20	—	—	·55	—	—	·01	·06	·02	25
26	—	·04	—	·15	—	—	·91	—	—	—	·24	T.R.	26
27	·20	·42	—	·06	·42	—	·08	—	—	—	·40	·11	27
28	·22	·26	—	—	·01	—	—	—	—	·04	·03	—	28
29	·09	—	—	·01	·02	—	·13	—	—	·30	·02	—	29
30	·05	×	—	—	—	—	·01	·14	·01	·01	—	—	30
31	·30	×	—	×	·02	×	—	·04	×	—	×	·04	31
TOTAL	1·98	2·04	·11	3·70	2·88	1·60	5·22	4·68	2·56	·68	3·44	1·16	YEAR'S TOTAL 30·05
*Days with ·01 in. or more.	20	22	5	22	16	13	21	20	15	10	23	16	203
*Days with ·04 in. or more.	12	13	1	19	9	10	15	17	9	4	14	8	131

40-9999

(*Signed*) Robert [illegible] Micklem

P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 922

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Northridge Boxmoor

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 460 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·02	—	·11	·54	·03	·11	·11	·04	·08	·10	·04	1
2	·06	—	—	·16	·11	—	·02	·03	·13	·02	·05	·24	2
3	—	—	—	·16	·13	—	—	—	·48	·04	·01	·12	3
4	·09	·01	—	·01	·02	·02	—	—	—	—	·20	—	4
5	·30	·03	·02	—	·03	·01	·22	—	·05	—	—	—	5
6	·58	—	·01	·14	—	—	·17	—	·27	—	—	—	6
7	·05	—	·13	·09	·09	·01	·07	—	·08	·04	—	—	7
8	·01	—	·10	·05	·07	—	—	—	·40	·17	—	—	8
9	·24	·06	—	·08	·43	—	—	—	·01	·10	·01	—	9
10	·47	·05	·04	·20	·08	—	—	—	·02	·11	·04	—	10
11	·02	—	—	·03	·07	·18	·25	·45	·04	·35	·09	·03	11
12	·22	T.R.	—	·01	·04	—	—	·04	·06	·31	·03	—	12
13	·23	·03	—	·28	·08	—	·02	—	·04	—	·10	·02	13
14	·03	·01	T.R.	·02	·02	—	—	—	—	·09	·01	—	14
15	·01	·02	—	·04	·99	—	·03	—	—	·10	·02	·02	15
16	·33	—	—	·32	·15	—	—	—	—	—	—	T.R.	16
17	·02	—	—	·04	—	—	·06	—	—	·09	—	—	17
18	—	—	—	—	·02	—	·03	—	·19	—	·15	—	18
19	T.R.	—	—	·06	—	·T.R.	—	—	—	·30	—	·01	19
20	·01	·01	—	·05	·25	—	·04	1·40	·08	·75	·07	·02	20
21	·01	—	—	·36	·85	—	T.R.	1·32	—	·27	·01	·07	21
22	·01	—	·42	·03	·18	—	—	—	·46	·14	·42	·02	22
23	—	·15	·01	·02	—	—	—	—	·08	·66	·02	·12	23
24	·01	—	—	—	·02	—	·28	—	·07	·08	·11	·03	24
25	—	·02	—	—	—	·03	·12	—	·08	·44	·07	·02	25
26	—	—	·06	·22	·02	—	·06	—	—	·10	·02	—	26
27	—	—	·45	·23	·25	—	·24	—	·02	·05	·17	·03	27
28	—	—	·37	·03	·27	·27	·12	—	—	·20	·02	·01	28
29	—	—	·49	·02	·10	·05	·02	·05	—	·47	·18	·04	29
30	·01	×	·07	·11	·24	·54	—	·01	·15	·12	·37	·17	30
31	·02	×	·02	×	—	×	·09	·02	×	·01	×	·10	31
TOTAL	2·82	·41	2·29	2·87	5·05	1·34	2·09	3·43	2·65	5·09	2·27	1·01	YEAR'S TOTAL 31·32
*Days with ·01 in. or more.	22	11	13	26	25	9	18	9	20	25	23	18	219
*Days with ·04 in. or more.	11	3	9	18	19	4	13	6	17	23	14	8	145

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Robert Caryl Micklem

P.T.O.

922

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** ~~922~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Northridge Bosemoor

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 460 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21	·19	·12	—	·05	—	—	—	—	—	—	—		1
2	·38	—	·44	—	·37	—	—	—	—	—	·03	—		2
3	·03	·18	·30	—	·04	—	—	—	—	—	·01	—		3
4	·17	·04	·10	—	·49	—	—	—	—	—	·03	—		4
5	·03	·05	·30	—	·09	—	—	—	—	—	·01	—		5
6	·02	·09	·11	—	·23	—	—	—	—	·11	·05	·02		6
7	·14	·08	—	—	·04	—	—	—	—	·06	·02	—		7
8	·07	—	·12	—	·09	—	·07	—	—	·04	—	—		8
9	—	·02	—	—	·14	—	·22	—	—	·12	·12	—		9
10	—	·18	—	—	·02	·06	·64	—	—	·27	·02	—		10
11	·16	—	—	T.R.	·04	·04	·08	·23	—	·03	—	—		11
12	·02	—	—	—	·09	·07	·10	—	—	·01	—	—		12
13	·04	—	·02	—	·16	—	·40	—	·49	·04	·11	—		13
14	—	—	—	—	·03	·04	·04	·07	·13	·02	·70	·03		14
15	·48	—	·10	—	—	·02	·14	·11	—	—	·11	—		15
16	·07	—	·76	—	·02	·20	·05	·01	—	·07	·05	·04		16
17	·05	·05	·44	—	—	·09	·09	·04	—	—	·07	—		17
18	·08	·03	·40	—	—	·11	—	—	·08	—	·02	—		18
19	·02	·12	·26	·02	—	·09	—	—	·01	—	·04	—		19
20	—	·04	·09	·05	—	·19	—	·02	·17	—	—	·03		20
21	—	·07	·02	—	—	·11	—	·05	·29	·02	·03	—		21
22	—	·02	—	—	—	·33	—	·17	·03	·15	·05	—		22
23	—	·08	—	·27	·11	·01	—	—	·50	·03	·08	—		23
24	—	·40	—	·16	·04	·04	—	—	·18	·02	·06	·09		24
25	—	·80	—	·26	·01	·06	—	—	·10	—	·07	·09		25
26	—	·41	—	·09	·04	—	—	—	·12	·17	·01	·08		26
27	—	·03	—	·03	·46	—	—	—	·03	·11	—	·10		27
28	—	—	—	·02	·06	—	—	—	·01	·33	·02	·06		28
29	·14		·02	·31	—	—	·14	—	—	·11	—	·04		29
30	·10	×	·09	·03	—	—	·07	—	·02	·02	—	·12		30
31	·20	×	·04	×	—	×	·03	·11	×	·04	×	·01		31
TOTAL	2·41	2·86	3·73	1·24	2·62	1·46	2·07	·81	2·36	1·77	1·71	·71	Year's Total 23·75	
*Days with ·01 in. or more.	19	19	18	10	21	15	13	9	14	20	22	12	192	
*Days with ·04 in. or more.	14	15	15	6	17	13	12	7	9	13	12	8	131	

† Spare column, no entries required.

(*Signed*) Robert Caryl Micklem

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 922

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Northridge Boxmoor

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 12 in.

,, Ground ,, Sea Level 460 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	—	—	—	—	—	—	·32	·24	·02	·03	·38		1
2	·20	·01	·09	—	·05	—	—	—	1·42	·07	—	·27		2
3	·04	·07	—	·19	—	—	—	—	—	·49	—	·15		3
4	·12	·02	·08	·06	·03	—	—	—	·01	—	·05	37		4
5	·01	—	·09	—	·06	—	—	—	—	·07	·02	·36		5
6	·03	·01	·16	—	·39	·05	—	·27	—	·03	·07	·61		6
7	·04	·03	—	—	·01	·06	—	·02	—	·15	—	·37		7
8	·01	—	—	—	·09	—	—	·05	·08	·05	·10	·08		8
9	·04	—	—	—	—	—	—	·01	—	·06	·67	·71		9
10	·07	T.R.	·40	·16	—	—	—	·07	—	—	·43	·04		10
11	·44	—	·27	·10	—	—	·02	—	—	—	·03	·23		11
12	·02	—	·18	·06	—	—	·03	·45	—	—	—	·09		12
13	·44	·02	·14	·04	—	—	·52	·04	—	·02	·07	·42		13
14	·05	—	·46	—	·04	T.R.	—	—	—	·03	·25	·36		14
15	·11	—	·17	—	·14	—	—	—	—	—	·08	27		15
16	·19	—	·25	—	·02	—	—	—	—	—	—	·10		16
17	·03	—	~~17~~	·05	—	—	—	—	·11	·12	·05	·30		17
18	·23	—	·08	·17	—	—	·27	—	—	·01	·03	·07		18
19	—	—	·28	·02	—	·06	·04	—	—	T.R.	·01	·04		19
20	—	—	·22	·11	—	·01	·06	—	·07	·04	—	·08		20
21	—	—	—	·03	T.R.	—	—	·10	·06	—	—	—		21
22	—	—	—	—	—	—	·08	·08	·02	·12	·03	·03		22
23	—	—	—	·30	·04	·26	—	—	·30	·01	—	·09		23
24	—	·03	·08	—	—	·11	·50	—	·22	—	—	—		24
25	·21	·21	—	·03	—	·09	—	—	·01	—	·03	·38		25
26	·08	·08	—	·27	—	·04	·03	—	—	·07	—	·35		26
27	—	·07	—	·24	—	·10	—	—	—	·04	—	·49		27
28	·01	·09	—	·31	—	·38	—	·58	·07	—	—	·35		28
29	—	—	—	—	—	—	—	·04	·03	·01	T.R.	·03		29
30	·02	×	—	—	—	—	—	—	·22	—	·05	·13		30
31	·19	×	—	×	—	×	·05	—	×	·14	×	·25		31
TOTAL	2·64	·64	2·95	2·14	·87	1·16	1·60	2·03	2·86	1·55	2·00	7·40	Year's Total. 27·84	
* Days with .01 in. or more.	23	11	15	16	10	10	10	12	14	19	17	29	186	
* Days with .04 in. or more.	16	5	15	13	7	9	7	10	10	12	10	27	141	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Robert Cary Micklem

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 922

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

[illegible] - [illegible]

Kept at NORTHRIDGE BOXMOOR
in the County of HERTFORDSHIRE
Diameter of Funnel ~~of~~ Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
,, Ground ,, Sea Level 460. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·28	·05	·12	—	—	·09	·09	—	·04	·08	·30	—		1
2	·07	·20	—	·05	·06	·03	—	—	·02	·29	·72	·25		2
3	—	—	·09	·11	—	·06	—	·02	·43	·58	·21	—		3
4	—	—	~~0~~ —	·14	—	—	—	—	·09	·04	—	—		4
5	—	—	·05	·09	—	·09	·08	—	·37	—	—	·29		5
6	·05	·14	—	·23	—	·71	—	—	·03	·08	·08	·21		6
7	TR.	—	—	·50	—	·07	—	—	—	·11	1·09	·12		7
8	—	—	—	·27	—	—	—	—	—	·28	·30	—		8
9	·01	—	—	·39	—	·53	—	·01	—	1·21	·33	—		9
10	—	·01	—	—	—	·06	—	—	—	·04	—	·04		10
11	—	—	—	·37	—	·08	·04	T.R.	—	—	·03	—		11
12	—	·05	·02	—	—	·33	—	·06	·04	·03	·28	—		12
13	·11	—	—	·35	·20	·09	—	—	—	—	·04	·09		13
14	·20	·14	—	·40	·30	·12	—	T.R.	·13	·02	·84	·15		14
15	—	—	—	·33	—	·27	·07	—	·07	—	·31	·10		15
16	·12	·42	·03	·25	—	·19	·09	—	·25	·05	·39	·01		16
17	—	·02	—	·03	·02	·23	·14	—	—	—	·25	—		17
18	T.R.	—	—	·27	·12	·06	·31	—	·69	—	·19	·05		18
19	—	—	—	·17	·15	·14	·04	—	·09	·09	—	·21		19
20	—	·15	—	·09	·20	·09	·09	—	·08	—	·05	—		20
21	·01	·27	—	·03	—	—	—	—	·13	—	·31	—		21
22	—	·05	·12	—	—	—	·04	·37	·15	·12	·21	—		22
23	·11	·06	·30	—	—	—	—	·34	—	—	·09	·22		23
24	—	·49	·07	·06	—	·03	—	·19	·71	·05	—	·23		24
25	—	·25	—	·19	—	·65	TR.	—	—	—	—	·21		25
26	·18	—	—	—	·09	·09	—	·07	·12	—	·04	·50		26
27	·20	·03	—	·04	·04	—	·02	·01	·18	·19	·25	·42		27
28	·18	·39	·07	—	—	—	·01	—	·13	·03	·09	·40		28
29	·03	—	—	—	·15	—	—	·07	·98	·09	·21	·46		29
30	·09	×	·04	·11	—	—	—	·65	·09	·06	·42	·41		30
31	·04	×	—	×	—	×	—	·06	×	·19	×	·29	·29	31
TOTAL	1·68	2·72	·91	4·47	1·33	4·01	1·02	1·85	4·82	3·63	7·03	4·66	Year's Total. 38·13	
* Days with .01 in. or more.	15.	16	10	22	10	21	12	11	21	20	24	20	202.	
* Days with .04 in. or more.	12	13	8	20	9	19.	10	8	19	17	23	19.	177	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Robert Caryl L. Micklem

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 922

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Northridge Boxmoor

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 12 in.

,, Ground ,, Sea Level 460 ft.

adjustments made by comparison with stations Nos 919/7, 921, 920. Faults chiefly due to misplacing of dec: point LR.

written 4/3)

write again 5/3)

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·23	·20	·09	—	·13	·30	·018	—	·014	·05	—		1
2	·10	·10	·02	·29	—	·46	·07	·012	·01	—	·09	·08		2
3	—	·03	—	—	·04	·06	·031	·09	·09	·01	—	—		3
4	·04	—	·022	—	·05	·11	·08	—	·37	—	·21	·09		4
5	·35	—	(·15)	—	—	—	—	—	·27	—	·09	·06		5
6	·21	—	·10	—	·028	·15	·09	(·02)	·09	—	·27	·015		6
7	·29	—	·03	—	T.R.	—	·40	(·08)	·024	—	·028	—		7
8	·27	—	·05	—	—	—	·08	(·02)	·09	—	·59	·20		8
9	·51	—	·09	·04	·02	—	·41	—	·12	·09	·04	·015		9
10	·07	—	—	—	—	T.R.	·09	—	·21	·05	·029	—		10
11	—	—	·03	—	T.R.	·09	·35	·02	·012	—	·84	·09		11
12	·08	—	—	(·07)	—	·25	·31	·01	—	—	1·45	·140		12
13	—	—	—	(·14)	—	1·20	—	—	—	·03	·12	·350		13
14	—	·05	—	(·02)	—	—	·07	—	T.R.	·09	·021	·422		14
15	·09	·10	·01	—	—	—	·20	—	·07	—	·07)	·09		15
16	·48	·03	—	—	—	·09	·30	—	·09	·04	×·28}	·028		16
17	·29	·88	—	·06	× —	·20	·29	—	—	·08	·14	·11		17
18	—	·09	—	—	✓·21}	·14	·20	·03)	·05	—	—	·09		18
19	+(·30) ·09}	·08	·02	—	—	·50	·04	×·04)	—	—	—	·014		19
20	·06	·04	·03	+(·10) ·09}	—	—	·08	—	2·49	·09	·09	—		20
21	—	·20	—	+(·10) ·11}	·06	1·38	T.R.	—	·40	—	—	—		21
22	·09	·60	·01	·38	·43	·020	·07	—	—	·05	—	—		22
23	·04	·01	·07	·08	—	·09	—	—	·06	—	·08	·09		23
24	·11	·03	·10	—	T.R.	—	·21	—	·11	·45	·02	+ ·03		24
25	·07	—	·05	·15	—	·14	·31	—	+(·20) ·05}	·09	·07	—		25
26	·04	—	·29	·04	—	·21	·20	·02	·24	·12	·09	·04		26
27	·23	·04	—	—	—	—	·20	—	·21	·15	—	(·20)		27
28	·58	·07	·07	—	—	·09	·57	—	·04	·012	·07	—		28
29	·12	·28	·24	—	—	·25	—	—	—	×·04)	·20	·07		29
30	(·15) ~~·51~~	✕	·03	—	—	·25	·14	—	—	—	—	·08		30
31	·53	✕	·20	✕	·06	✕	·09	—	✕	×·50)	✕	·31		31
TOTAL	4·99 ~~5·52~~	2·66 ~~2·86~~	1·58 ~~2·01~~	1·28 ~~1·33~~	·85 ~~1·15~~	5·81 ~~5·99~~	5·06 ~~5·46~~	·83 ~~·64~~	5·02 ~~5·45~~	1·89 ~~2·20~~	4·83 ~~5·59~~	2·65 ~~3·47~~	Year's Total ~~48·7~~	(36·75)
* Days with .01 in. or more.	2~~5~~3	1~~7~~6	~~21~~ 18	~~13~~ 10	7~~8~~	20	~~26~~ 24	9 ~~11~~	~~21~~ 19	17	21 ~~23~~	19 ~~22~~	~~224~~	(2·03)
* Days with .04 in. or more.	2~~5~~3	1~~3~~2	~~13~~ 10	~~12~~ 9	4~~7~~	19 ~~20~~	~~26~~ 23	3 ~~5~~	~~21~~ 17	4~~6~~	17 ~~22~~	15 ~~21~~	201	166

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Robert Caryl Micklem [P.T.O.

923

923

ST. ALBANS.

HILL END HOSPITAL

1931 - 1940

480205

Section **A** for the entry of Da

AIR MINISTRY.—

FOR OFFICIAL USE.

NFALL ORGANIZATION.

FORM 1090.

REGISTE 931 .

Kept at Hill End Mental

in the County of Hertford

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREM DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02		·14		·02			·32				1
2	·08	·08		·41			TRACE		·41			·11	2
3	·07		TRACE	·15	·49			·47	·54		·07	·21	3
4		·01		·04	·01		TRACE	·56	·09		·04	·02	4
5				·15	·14	·46	·06	·37	·04			·36	5
6		SNOW ·11		·07			TRACE			·30	·07		6
7						·12		·52		·02	·17	·04	7
8			SNOW ·08	·01		·15		·65			·06	TRACE	8
9		·14	SNOW ·04					·02	·02		·35	TRACE	9
10	·03					·05	·10	·06			·43		10
11	·12	·34									·06		11
12	TRACE								·35				12
13		·03					·17	·01		·03			13
14	SNOW ·03	·11					1·04	·50			TRACE		14
15	·02	·03		·12	·11		·10	·26				·01	15
16		SNOW ·12		·10	·28	·02		·40					16
17		TRACE		·18	·31		·09	·01	·22				17
18	·05	·07		·20	TRACE	·11		·40			·55		18
19	TRACE			·40		·44	·06	·04	·07				19
20		·02		·05		TRACE	·09	·27		·01			20
21	·01			TRACE	·59			TRACE	·01				21
22	·04			·01					·04		·02		22
23	·46				·42	·14			·01		·55	·03	23
24		·02		·31	·10	·02	·07		·01		·01	·01	24
25	·02			·46	·13		·35				·06	·02	25
26		·02		·20			·42				·12		26
27	·14	·36		·03	·16		TRACE				·21		27
28	·08	SNOW ·34		·05						·01		SNOW ·16	28
29	·12				·02		·15			·21			29
30	·02	X			·01			·05					30
31	·32	X		X	·01	X			X		X		31
TOTAL	1·61	1·82	·12	3·08	2·78	1·53	3·00	4·59	2·13	·58	2·77	·97	YEAR'S TOTAL 24·98
*Days with ·01 in. or more.	16	16	2	19	14	10	12	16	13	6	15	10	149
*Days with ·04 in. or more.	10	9	2	16	10	7	12	13	9	2	13	5	108

40-9999

*See Instruction 2 (*f*) on other side.

HILL END MENTAL HOSPITAL, ST ALBANS
5 JAN. 1932
STEWARD

(*Signed*) B Goodchild

[P.T.O.

923

Section A for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hill End Mental Hospital

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level about 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·02		·14		·02			·32				1
2	·08	·08		·41			TRACE		·41			·11	2
3	·07		TRACE	·15	·49			·47	·54		·07	·21	3
4		·01		·04	·01		TRACE	·56	·09		·04	·02	4
5				·15	·14	·46	·06	·37	·04			·36	5
6		SNOW ·11		·07			TRACE			·30	·07		6
7						·12		·52		·02	·17	·04	7
8			SNOW ·08	·01		·15		·65			·06	TRACE	8
9		·14	SNOW ·04					·02	·02		·35	TRACE	9
10	·03					·05	·10	·06			·43		10
11	·12	·34									·06		11
12	TRACE								·35				12
13		·03					·17	·01		·03			13
14	SNOW ·03	·11					1·04	·50			TRACE		14
15	·02	·03		·12	·11		·10	·26				·01	15
16		SNOW ·12		·10	·28	·02		·40					16
17		TRACE		·18	·31		·09	·01	·22				17
18	·05	·07		·20	TRACE	·11		·40			·55		18
19	TRACE			·40		·44	·06	·04	·07				19
20		·02		·05		TRACE	·09	·27		·01			20
21	·01			TRACE	·59			TRACE	·01				21
22	·04			·01					·04		·02		22
23	·46				·42	·14			·01		·55	·03	23
24		·02		·31	·10	·02	·07		·01		·01	·01	24
25	·02			·46	·13		·35				·06	·02	25
26		·02		·20			·42				·12		26
27	·14	·36		·03	·16		TRACE				·21		27
28	·08	SNOW ·34		·05						·01		SNOW ·16	28
29	·12				·02		·15			·21			29
30	·02	✕			·01			·05					30
31	·32	✕		✕	·01	✕			✕		✕		31
TOTAL	1·61	1·82	·12	3·08	2·78	1·53	3·00	4·59	2·13	·58	2·77	·97	YEAR'S TOTAL 24·98
*Days with ·01 in. or more.	16	16	2	19	14	10	12	16	13	6	15	10	149
*Days with ·04 in. or more.	10	9	2	16	10	7	12	13	9	2	13	5	108

40-9999

(Signed) B. Goodchild

HILL END MENTAL HOSPITAL, ST. ALBANS
5 JAN. 1932
STEWARD

[P.T.O.

*See Instruction 2 (*f*) on other side.

923

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Hill End Mental Hospital

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level about 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·11	·57	·03		·02	·03	·06	·11		1
2	·07			·16	·08				·38	·12		·18	2
3				·13	·14				·25	·01	·01		3
4	·01										·13		4
5	·29		·02				·13		·11				5
6	·44		·02	·05	·04				·03				6
7	·02		·19	·01	·01		·19		·05	·05			7
8			·01	·06	·31				·10	·10			8
9	·11			·09	·30					·02			9
10	·37	SNOW ·02		·19	·06				·04	·08	·06		10
11			SNOW ·01	·04	·02		·20	·96	·02	·38	·07		11
12	·08			·03	·07			·04	·04	·20	·01		12
13	·02			·23			·05		·01	·05	·05		13
14	·16				·04					·04			14
15		·02		·04	·25					·09		·02	15
16	·12			·19	·19								16
17					·01		·07			·11			17
18									·14		·14		18
19										·25			19
20				·15			·05	·35	·08	·77	·14		20
21				·19	·62		·09	·56		·34		·04	21
22	·01		·35	·02	·03		·20		·23	·15	·37		22
23		·09							·05	·65			23
24							·17		·02	·07			24
25							·21		·02	·32	·18		25
26			·05	·22	·10		·08		·01	·05	·01		26
27			·28	·14	·44		·15			·13	·11		27
28			·16	·04	·03	·11	·18			·25		·01	28
29			·36		·32			·14	·02	·41			29
30		×	·26			·84			·14	·13	·31	·15	30
31		×	·08	×		×	·08		×		×		31
Total	1·76	·13	1·79	2·09	3·63	·98	1·85	2·07	1·77	4·83	1·70	·40	YEAR'S TOTAL 23·00
*Days with ·01 in. or more.	13	3	12	19	20	3	14	6	20	25	14	5	154
*Days with ·04 in. or more.	9	1	8	16	15	2	14	5	12	23	11	3	119

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C B Goodchild
Steward

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~925~~ 923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hill End Mental Hospital

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level about 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·09

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·13	·13		·01						·09		1
2	·33		·29		·06								2
3		·15	·20		·08						·02		3
4	·26		·03		·26								4
5	·07	·03	·25		·05								5
6	·13	·10	·01		·38					·04	·06		6
7	·05	·07	·04		·005					04			7
8			·03		·06								8
9					·06		·20			·06	·10		9
10							·45			·21			10
11	·09					·08	·04	·09			·02		11
12						·005			·39				12
13					·16	·05			·06		·13		13
14					·02		·32			·005	·50		14
15	·51		·25			·26		·04		·08	·09		15
16	·06		·70			·19					·02		16
17	·03	·09	·34			·08	·03		04		·04		17
18		SNOW ·13	·32										18
19			·32			·09			·28			·02	19
20			·04	·08		·21					·005		20
21						·01		·005	·12		·02		21
22						·02		·21		·16			22
23				·20	·11				36				23
24		SNOW ·21		·16	·09	·11			·66		08		24
25		SLEET ·29		·32					04		01	·09	25
26		·41		·06		·30			11	·11			26
27					·21				·04	·03		·19	27
28					·09					·25		·02	28
29	·17			·13			·15			·11		·005	29
30	·13	✕	07				·04			·005		·11	30
31	·21	✕	·01	✕		✕		10	✕		✕		31
TOTAL	2·14	1·61	3·03	0·95	1·645	1·405	1·23	5 ~~·445~~	2·10	1·100	1·185	·435	YEAR'S TOTAL 17·27
*Days with ·01 in. or more.	13	10	16	6	14	11	7	4	10	10	13	5	119
*Days with .04 in. or more.	12	9	12	6	12	9	6	4	9	8	8	3	100

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) Goodchild

HILL END HOSPITAL, ST. ALBANS
15 JAN
STEWARD

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hill End Hospital
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level about 295 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09							·22	·13			·34		1
2	·12		·08		·05				·48	·15		·11		2
3	·03	·03		·19						·23		·32		3
4	·10		·05	·02						·12	·09	·33		4
5			·08					·04	·05					5
6	·02		·15		·36	·12		·15		·13		·50		6
7	·02					·09		·03		·05		·24		7
8			·01		·07			·03			·26	·04		8
9											·95	·26		9
10	·08		·10	·10				·04			·64			10
11	·34		·26	·05								·10		11
12			·03				·02	·32				·03		12
13	·40		·01	·005				·03			·03	·09		13
14	·05		·30		·01		·30			·02		·28		14
15			·20		·06				1·12	·005	·23	·19		15
16	·18		·17							·16	·06			16
17	·03									·07		·20		17
18				·44			·35					·14		18
19			·20			·02			·05			·15		19
20			·30	·03			·16							20
21			·02	·04		·06		·04						21
22							·05	·15	·28	·03				22
23				·25		·24						·10		23
24		·005		·18		·01	·18		·18					24
25	·17	·08				·75				·005		·30		25
26	·14			·18		·01			·03	·02		·19		26
27		·14				·05						·26		27
28		·09		·29		·32		·70				·26		28
29		✕					·04	·005	·09		·09	·07		29
30	·05	✕							·03			·08		30
31	·02	✕		✕		✕			✕	·20	✕	·70		31
TOTAL	1·84	·345	1·96	1·775	·55	1·67	1·10	1·755	2·44	1·19	2·35	5·28	Year's Total 22·255	
*Days with ·01 in. or more.	16	4	15	11	5	10	7	11	10	11	8	24	132	
*Days with .04 in. or more.	11	3	11	9	4	7	6	8	8	[illegible]	7	23	105	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) C. B. Goodchild 10/1/35.

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. **Station No.** 923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hill End Hospital
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level ~~about~~ 295 ft.

Rain days cond. by H.N.H.S. G.R.

To: M07
WITH
RECEIVED 2 JAN 1936
21 TI
INITIALS IF ANY
RELEVANT
FILE NO.
920

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·01	·03	·02		·14	·28							**1**
2				·05		·005			·35	·10	·19			**2**
3		·12	·06	·13		·07			·27	·18	·01			**3**
4				·17		·22			·24	·45	·13	·07		**4**
5		·32	·04	·06		·10			·38	·11				**5**
6	·02			·29		·54								**6**
7	·01 ~~·005~~			·55		·11						·16		**7**
8				·22				·13		·12	1·25	·10		**8**
9				·32		·56				·21	·21	·03		**9**
10				·08		·01				·95	·09			**10**
11	PART SNOW ·23					·08					·07			**11**
12						·16		·07	·005		·22	·02		**12**
13	·19	·22		·21	·13						·42			**13**
14				·32	·20	·02			·20			·10		**14**
15		·26		·39		·67			·32		·26	·10		**15**
16		·09	·02	·01		·28			·20		·27			**16**
17				·005		·15			·06		·46			**17**
18				·37	·33	·02	·12		·50	·03	·50			**18**
19				·28	·14	·03	·08		·16		·38	SNOW ·21		**19**
20		·17		·08	·30	·09	·05		·02		·25			**20**
21		·24		·005					·01	·03	·06			**21**
22		·03	·08					·19	·18		·16			**22**
23		·01	·23					·40		·02				**23**
24	·08	·36							·63			·37		**24**
25	·04	·30		·21		·39		·01				·14		**25**
26	SNOW ·30	·12						·32	·09			·37		**26**
27	·03	·24			·11				·28	·005	·17	·20		**27**
28					·05				·12	·01	·02	·09		**28**
29		×							·62			·17		**29**
30	·11	×		·07	·50			·69	·01	·06	·28	·33		**30**
31		×		×		×			×	·60	×	·22		**31**
TOTAL	1·125	2·49	0·46	3·84	1·76	3·645	·53	1·81	4·645	2·875	5·40	2·68	Year's Total. 31·26	
* Days with .01 in. or more.	10 ~~9~~	14	6	21 ~~19~~	8	189	4	7	20 ~~18~~	134	20	~~16~~	1539	
* Days with .04 in. or more.	7	11	4	17	8	14	4	6	16	9	18	14	1 128	

40-9999

† Spare column, no entries required.

(*Signed*) [illegible]

CLERK OF THE HOSPITAL 1936

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Hill End Hospital
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level about 295 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·37	·17	·05	·23	–	·07	·12	·01	–	–	·04	·05		1
2	·05	·04	·005	–	–	·43	·40	·05	–	–	·14	–		2
3	–	–	–	SNOW ·03	–	·03	–	–	·28	–	·30	–		3
4	–	–	·10	–	·003	·40	–	–	·40	–	–	·06		4
5	·20	–	·04	–	–	–	–	·02	·45	–	·08	·01		5
6	·13	–	–	–	–	·15	–	·12	·9	–	·09	–		6
7	·18	–	·03	–	–	·10	·80	–	–	–	·02	–		7
8	·26	–	·04	–	–	–	–	–	–	–	·44	·17		8
9	·31	–	·09	–	–	–	·58	–	·18	·10	–	–		9
10	·005	–	–	–	–	–	·23	·04	·10	·01	–	–		10
11	–	–	–	·03	–	–	·04	–	–	–	·84	–		11
12	–	–	–	·09	–	·36	·33	–	·15	–	·58	–		12
13	–	–	–	·02	–	·20	–	–	–	·02	·13	·30		13
14	–	·13	–	–	–	·12	·45	–	·02	·04	·005	·35		14
15	–	–	–	–	–	·005	·70	–	–	–	–	·10		15
16	SNOW ·21	·11	–	–	–	–	·04	–	·10	–	·40	–		16
17	·10	·55	–	–	·05	·07	–	–	–	–	·32	·17		17
18	–	·19	–	–	–	·36	·15	–	–	·32	·14	·05		18
19	·30	·09	–	–	–	·35	·01	·04	–	·65	–	–		19
20	·30	·03	·03	·18	–	–	·03	–	1·15	–	–	–		20
21	–	–	–	·20	·03	3·58 ✓	–	–	·18	–	–	–		21
22	PART SNOW ·11	·36	–	–	·22	·07	·13	–	–	–	–	·13		22
23	–	·09	·05	·10	–	–	·10	–	–	·10	–	–		23
24	·17	–	–	–	–	–	·20	–	·12	·36	–	–		24
25	·04	–	·20	·14	–	·31	·10	–	·15	·17	·08	·9		25
26	·02	·10	·18	–	–	–	–	–	–	·05	–	–		26
27	·08	·02	·02	–	–	–	–	–	·25	·10	–	–		27
28	·80	–	–	–	–	·005	·60	–	–	–	–	·10		28
29	·43	·12	·14	–	–	·20	·05	–	–	·02	·16	·02		29
30	·11	✗	–	–	·03	·31	·10	–	–	·30	·005	·30		30
31	·49	✗	·20	✗	–	✗	·12	–	✗	·37	✗	–		31
TOTAL	7 4·6~~65~~	2·00	1·17~~5~~	1·02	·33~~5~~	7·12	5·28	·28	4·43	2·61	3·77	2·71	Year's Total 35·39~~5~~	✓
* Days with .01 in. or more.	20	13	13	9	4	17	21	6	14	14	15	14	160	✓
* Days with .04 in. or more.	19	11	10	6	2	16	19	4	13	11	14	12	137	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. Goodchild [P.T.O.

STEWARD

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Hill End Hospital, & Clinic
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level about 295 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	†	
1	·18	—	—	—	—	—	—	—	·03	—	—	·54		1
2	—	·22	—	·48	—	—	—	—	·06	—	·56	·25		2
3	·005	·22	·02	—	—		—	—	—	—	—	·11		3
4	·1	·28	—	—	—	—	—	—	—	—	—	·64		4
5	·24	·09	·16	—	—	—	—	—	—	—	—	—		5
6	·01	—	·2	·005	·12	—	·14	—	—	·01	·03	—		6
7	—	·70	—	·12	—	—	—	—	·03	—		—		7
8	—	·34	—	—	·08	·01	—	—	—	—	·12	·34		8
9	—	·005	·20	·28	·17	—	·09	—	·26	—	—	·09		9
10	—	—	·36	—	·30	·30	·01	·08	—	—	—	·26		10
11	—	—	·12	—	·48	—	—	—	—	—	—	·40		11
12	·23	·35	·20	—	·25	·15	—	·05	·05	—	—	·7		12
13	·15	·06	·35	—	·01	·100	—	·80	—	—	—	·54		13
14	·01	·03	·30	·22	—	—	—	1·14	·08	—	—	—		14
15	·18	·18	—	·13	—	—	·28	—	·11	—	—	—		15
16	—	·06	·36	·75	—	—	—	—	·60	—	—	·07		16
17	·53	—	·18	·18	—	—	—	·03	·31	—	·01	—		17
18	·37	·20	—	·11	·16	·15	—	—	·32	—	·49	—		18
19	·10	·04	·09	·44	—	·17	·23	—	·13	—	—	—		19
20	·40	·3	—	—	·65	·05	—	—	·6	—	—	—		20
21	·28	·33	·9	·08	—	·22	—	—	—	—	—	·11		21
22	·58	—	·04	—	·03	—	·10	—	—	·74	·20	·03		22
23	·14	·05	—	—	·34	—	·17	—	—	·40	·06	·02		23
? 24	·45	·40	·04	—	·32	—	—	—	·16	—	—	—		24
·09 25	·03	·49	·04	—	—	—	—	—	·06	·20	—	—		25
all 26	—	·20	·06	—	·10	—	—	—	—	·16	—	—		26
27	—	·22	—	·12	—	—	—	—	—	·49	—	—		27
28	—	·01	—	—	—	—	—	—	—	·10	—	·05		28
29	—	—	—	—	—	—	—	—	—	·08	·04	—		29
30	·29	✕	—	—	—	—	—	—	—	—	·14	·01		30
31	·24	✕	—	✕	—	✕	—	—	✕	·14	✕	·5		31
TOTAL	4·515	4·695	3·62	2·915	3·01	1·15	1·02	2·10	2·80	2·32	1·35	4·66	Year's Total 34·155	✓ ✓
* Days with .01 in. or more.	~~19~~ 20	~~21~~ 22	17	N12	13	8	7	5	14	9	9	17	~~156~~ 151	✓ ✓
* Days with .04 in. or more.	16	18	16	11	11	7	6	4	12	8	7	14	130	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Sheppard [P.T.O.

HILL END HOSPITAL, ST ALBANS
6 JAN 1938
CLERK OF THE HOSPITAL

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Hill End Hospital & Clinic

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level about 295 ft.

Rain days corrected as figures thrown to 2 places decimals H.N.H.S. return amended. 19/2/39 a.R.

w.J.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	–	–	–	–	–	–	·05	·04	–	·02		1
2	·08	·005	–	·01	–	·08	·02	–	–	·20	–	–		2
3	–	–	–	–	·10	–	–	–	–	·80	·05	–		3
4	·06	–	–	–	·005	·005	–	–	·02	·06	–	·11		4
5	–	–	–	–	–	–	·40	–	·06	·07	–	–		5
6	·06	–	–	–	–	–	·03	–	–	–	–	–		6
7	·01	–	–	–	–	–	·05	·24	·09	·59	–	·01		7
8	·18	–	–	–	–	–	–	·16	–	·30	–	–		8
9	·06	–	–	–	–	–	·05	·10	–	–	–	·66		9
10	·15	·03	–	–	–	–	·03	·20	–	–	–	·28		10
11	·34	–	–	–	–	–	·11	·04	–	–	·15	·03		11
12	·26	·04	–	–	–	–	–	·66	–	·30	–	–		12
13	·08	·02	–	–	–	–	–	–	–	·01	·17	·15		13
14	·29	–	–	–	·04	–	–	–	·06	–	–	·005		14
15	·05	–	–	–	–	–	–	–	–	·22	–	·33		15
16	·50	–	·01	–	–	–	–	–	–	·07	·02	·28		16
17	–	·05	–	–	·30	–	·04	–	–	·07	–	–		17
18	·08	–	–	–	·08	–	–	–	·01	·01	·25	–		18
19	–	–	–	–	–	–	–	·10	·04	–	·10	–		19
20	+	–	–	–	·03	–	–	–	–	–	·50	·06		20
21	–	–	–	–	–	–	–	–	–	–	·20	·60		21
22	–	–	–	–	–	–	–	·03	–	–	–	–		22
23	–	–	–	·05	–	–	–	–	–	–	·05	–		23
24	–	–	·12	–	–	–	–	–	·37	–	·02	–		24
25	·09	–	·10	–	·83	–	–	·08	–	·02	·76	·10		25
26	·24	·15	·08	–	–	–	–	–	·35	·18	–	·50		26
27	·10	·05	–	·005	·06	·05	·18	·02	·45	·10	·36	–		27
28	·14	·05	–	–	·62	·20	–	·32	·05	–	·001	·08		28
29	·25	–	–	·01	·22	–	–	–	·04	–	·13	·20		29
30	·01	✕	–	–	·03	–	–	–	–	·04	·25	·001		30
31	·18	✕	–	✕	·06	✕	–	–	✕	·19	✕	·39	21·32	31
TOTAL	3.24	·395	·31	·075	2.425	·335	·91	1.96	1.59	3.27	3.011	3.806	Year's Total 21.312	
* Days with .01 in. or more.	~~22~~	~~7~~	~~4~~	~~3~~ 4	~~12~~ 12	~~3~~	~~9~~	~~11~~	~~12~~	~~18~~	~~14~~	~~16~~ 17	133 ~~138~~	
* Days with .04 in. or more.	19	5	3	1	10	3	6	9	10	15	12	13	106	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

HOSPITAL & CLINIC ST. ALBANS JAN 1939 CONTROLLER

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at HILL END HOSPITAL
ST. ALBANS. HERTS.
in the County of Herts.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
„ Ground „ Sea Level about 295 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	–	–	·42	·75	–	·11	–	·50	–	–	–		1
2	SNOW ·03	–	–	·03	–	–	–	·36	·40	–	·08	·06		2
3	·33	–	–	·16	–	–	–	·39	–	·005	·29	·22		3
4	–	–	·26	·48	–	–	·02	·28	–	·26	·03	·21		4
5	–	–	–	·72	·08	–	–	·25	–	·17	·38	·12		5
6	·86	–	–	·20	–	–	·39	·27	–	–	·33	·08		6
7	·41	·05	·03	–	–	–	–	·01	–	–	·90	·18		7
8	·01	·08	·06	–	–	–	·03	·24	–	·40	·23	·30		8
9	·03	–	–	–	–	–	–	·03	–	·20	–	·45		9
10	·21	–	–	–	–	·59	–	·10	·01	·07	–	·19		10
11	–	–	·20	–	–	·18	–	–	·02	·10	·14	·01		11
12	–	·16	–	–	–	–	–	–	·03	·20	–	–		12
13	–	–	·01	·02	–	–	–	–	·05	·60	–	–		13
14	·62	–	·01	–	·21	·01	·03	–	·06	·36	·34	–		14
15	·24	–	–	–	·60	·26	·13	–	·04	1·18	–	–		15
16	·32	–	·12	·02	·09	·09	·08	–	·02	·005	·38	–		16
17	·21	·02	·02	·03	·09	–	·03	–	–	–	·04	–		17
18	·24	–	·06	–	–	·13	·15	–	–	·005	·33	–		18
19	·20	–	·07	–	–	–	·05	–	–	·24	–	–		19
20	·15	–	–	–	–	·04	·45	·10	–	–	–	·01		20
21	·09	–	·30	–	–	·06	·12	·50	·005	–	–	–		21
22	·12	·16	·11	–	–	–	–	–	·01	–	·48	–		22
23	·10	–	–	·005	–	–	–	–	–	·80	·83	–		23
24	·03	–	·03	–	–	–	·05	–	–	·12	–	·01		24
25	SNOW ·90	·10	·05	–	–	–	–	–	–	–	·49	–		25
26	SNOW ·50	·04	·01	–	–	·03	–	·19	–	·27	·50	·05		26
27	SNOW ·55	·04	·13	·07	–	–	–	–	–	·50	·30	–		27
28	·05	·16	·08	·03	–	–	·60	–	–	·16	·17	SNOW ·005		28
29	–	X	–	·38	–	–	·02	–	–	·15	–	–		29
30	–	✕	–	·92	–	–	–	–	–	·005	·21	–		30
31	–	✕	–	✕	–	✕	·04	–	✕	–	✕	–		31
TOTAL	6·36	·81	1·55	3·485	1·82	1·39	2·20	2·72	1·145	~~4~~5·80	6·45	1·895	Year's Total 3~~4~~5·725	✓
* Days with .01 in. or more.	23	9	17	13	6	9	16	12	10	17	19	13	164	✓
* Days with .04 in. or more.	19	8	11	8	6	7	11	10	5	17	18	10	130	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 923

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at HILL END HOSPITAL, ST. ALBANS.
in the County of HERTFORDSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" Ground " Sea Level ABT. 295 ft.

Jan 27th + 28th est'd from nearby stns

Rain days estimated from nearby stations

annual total corrected 1/6/48

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	-	-	-	-	-	-	-		1
2	-	-	-	·10	-	-	·10	-	-	·13	·08	-		2
3	-	SNOW ·23	-	·16	-	-	-	-	-	·10	·70	·10		3
4	-	PART SNOW ·24	-	·11	-	-	-	-	-	·24	·73	-		4
5	-	-	-	-	-	-	-	-	-	·10	·07	·12		5
6	SNOW ·18	SNOW ·40	-	-	·10	-	·37	-	-	-	·46	-		6
7	SNOW ·24	SNOW ·11	-	·01	·08	-	·30	-	-	·20	·20	-		7
8	-	-	-	-	-	-	-	-	-	·23	-	·24		8
9	-	-	-	-	-	·005	-	-	-	·08	·17	·04		9
10	-	-	-	-	-	-	·25	-	·01	-	·10	·05		10
11	-	-	-	-	-	-	-	-	-	-	·94	-		11
12	-	-	-	-	-	·005	·05	-	·08	-	·01			12
13	-	-	SNOW ·62	·01	-	-	-	-	·07	-	PART SNOW ·15	-		13
14	-	-	·20	·10	·02	-	-	-	-	·07	-	[illegible]		14
15	-	-	·28	-	·19	-	·10	-	·30	-	·48	-		15
16	-	SNOW ·19	·32	-	-	-	·39	-	·15	1·06	·50	·37		16
17	-	-	·65	-	-	-	-	-	·04	-	·92	-		17
18	-	·41	·25	·32	-	-	-	-	-	·14	·22	-		18
19	-	·21	·02	·08	-	-	·10	-	·50	-	·21	-		19
20	-	·06	-	·02	-	-	-	·005	-	-	·28	-		20
21	-	-	-	-	·20	-	·11	-	-	·05	·32	-		21
22	-	-	·05	·01	·30	·40	-	-	·12	·01	-	-		22
23	-	·08	·06	·10	·12	·005	-	·005	-	-	·09	-		23
24	-	-	-	-	·10	-	·16	-	-	-	-	-		24
25	SNOW ·07	-	·25	·12	·32	-	·25	-	-	-	-	-		25
26	PART SNOW ·62	·12	·10	·005	-	-	-	-	-	-	·01	-		26
27	(·50)	·22	·08	·11	-	-	·35	·005	-	-	-	-		27
28	-	·04	-	-	·08	-	-	-	-	-	-	-		28
29	PART SNOW ·25	·02	·45	-	·04	-	-	-	-	-	-	·30		29
30	-	×	-	-	-	-	-	-	-	·25	-	·02		30
31	SNOW ·28	×	-	·10	-	×	-	-	×	·50	×	-	26 97	31
TOTAL	~~1·64~~ 2·14	2·33	3·33	1·355	1·55	~~·415~~ ·42	2·53	·015	1·27	3·16	7·64	1·24	Year's Total 26·975	
* Days with .01 in. or more.	~~8~~ 6 11	1~~3~~6	1~~3~~4	~~15~~ [illegible]	11	~~x~~3	~~12~~13	- 1	8	17	20	10	~~12~~	~~125~~ 139
* Days with .04 in. or more.	~~4~~ 6 4	12	1~~3~~2	10	~~8~~ 10	1	12	- 0	7	13	18	7.	~~108.~~	108

stet

stet

* See Instruction 3 (f) on other side. 15 stet

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

924

924

ST. ALBANS.

THE MUSEUM

1931 - 1939

780205

Section **A** for the entry of Da

AIR MINISTRY.— NFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGIST 1931 .

Kept at The Museum

in the County of Hertfor

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASUR S DAY.

An observer who does not conform to th of the following year in the space on the right of this paragraph.

Jan. 1, following
02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	—	—	18	—	13	—	—	04	—	—	—	1
2	05	01	—	40	—	—	—	—	69	02	—	14	2
3	—	—	—	15	—	—	—	51	56	—	10	20	3
4	—	—	—	06	40	—	05	32	08	—	05	—	4
5	—	13	—	12	—	39	03	23	03	—	—	41	5
6	—	03	—	07	13	—	—	—	—	28	45	—	6
7	01	07	09	—	—	06	—	47	—	05	17	04	7
8	—	13	—	—	—	16	—	94	—	—	06	—	8
9	—	02	—	.03	—	—	—	—	—	—	40	—	9
10	18	35	—	—	—	05	12	16	—	—	31	—	10
11	—	03	—	—	—	—	—	—	05	—	03	—	11
12	—	—	—	—	—	—	—	—	34	—	—	—	12
13	04	10	—	—	—	—	12	—	—	—	—	—	13
14	—	01	—	—	—	01	103	54	—	—	—	—	14
15	—	07	—	12	17	—	18	27	—	—	—	02	15
16	12	03	—	11	23	04	—	43	24	—	—	—	16
17	03	08	—	16	31	—	09	—	05	—	—	—	17
18	—	—	—	24	—	09	07	42	—	—	—	—	18
19	—	—	—	40	—	24	02	03	04	—	—	—	19
20	03	—	—	06	—	—	19	20	—	—	67	—	20
21	27	—	—	—	62	—	—	—	—	—	—	—	21
22	20	01	—	—	—	—	—	—	05	—	—	—	22
23	—	—	—	—	42	08	—	—	—	—	—	04	23
24	02	—	—	35	103	01	11	—	—	—	—	—	24
25	—	—	—	39	14	—	32	02	—	—	31	02	25
26	17	—	—	—	—	—	89	—	—	24	07	—	26
27	10	42	—	21	18	—	01	—	—	—	20	—	27
28	11	13	—	02	—	—	—	—	—	—	06	18	28
29	07	—	—	06	02	—	13	—	—	—	—	—	29
30	25	×	—	—	—	—	—	—	—	—	—	13	30
31	07	×	—	×	—	×	—	05	×	[illegible]	×	02	31
TOTAL	1.83	1.62	09	3.13	3.65	1.26	3.36	4.59	2.16	.59	2.88	1.20	YEAR'S TOTAL 26.36
*Days with ·01 in. or more.	17	16	1	18	11	11	15	14	11	4	13	10	141
*Days with ·04 in. or more.	13	9	1	16	10	9	12	12	10	3	12	7	114

40-9999

(Signed) H Hamnett

*See Instruction 2 (*f*) on other side.

[P.T.O.

924

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Museum St Albans

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	—	—	18	—	13	—	—	04	—	—	—	1
2	05	01	—	40	—	—	—	—	69	02	—	14	2
3	—	—	—	15	—	—	—	51	56	—	10	20	3
4	—	—	—	06	40	—	05	32	08	—	05	—	4
5	—	13	—	12	—	39	03	23	03	—	—	41	5
6	—	03	—	07	13	—	—	—	—	28	45	—	6
7	01	07	09	—	—	06	—	47	—	05	17	04	7
8	—	13	—	—	—	16	—	94	—	—	06	—	8
9	—	02	—	·03	—	—	—	—	—	—	40	—	9
10	18	35	—	—	—	05	12	16	—	—	31	—	10
11	—	03	—	—	—	—	—	—	05	—	03	—	11
12	—	—	—	—	—	—	—	—	34	—	—	—	12
13	04	10	—	—	—	—	12	—	—	—	—	—	13
14	—	01	—	—	—	01	103	54	—	—	—	—	14
15	—	07	—	12	17	—	18	27	—	—	—	02	15
16	12	03	—	11	23	04	—	43	24	—	—	—	16
17	03	08	—	16	31	—	09	—	05	—	—	—	17
18	—	—	—	24	—	09	07	42	—	—	—	—	18
19	—	—	—	40	—	24	02	03	04	—	—	—	19
20	03	—	—	06	—	—	19	20	—	—	67	—	20
21	27	—	—	—	62	—	—	—	—	—	—	—	21
22	26	01	—	—	—	—	—	—	05	—	—	—	22
23	—	—	—	—	42	08	—	—	—	—	—	04	23
24	02	—	—	35	103	01	11	—	—	—	—	—	24
25	—	—	—	39	14	—	32	02	—	—	31	02	25
26	17	—	—	—	—	—	89	—	—	24	07	—	26
27	10	42	—	21	18	—	01	—	—	—	20	—	27
28	11	13	—	02	—	—	—	—	—	—	06	18	28
29	07	—	—	06	02	—	13	—	—	—	—	—	29
30	25	×	—	—	—	—	—	—	—	—	—	13	30
31	07	×	—	×	—	×	—	05	×	[illegible]	×	02	31
TOTAL	1·83	1.62	09	3.13	3.65	1·26	3·36	4·59	2.16	·59	2.88	1·20	YEAR'S TOTAL 26·36
*Days with ·01 in. or more.	17	16	1	18	11	11	15	14	11	4	13	10	141
*Days with ·04 in. or more.	13	9	1	16	10	9	12	12	10	3	12	7	114

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H Hammett

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Museum St Albans

in the County of Hertford

Diameter of Funnel of Gauge 5·½ in.

Height of top of Gauge above Ground 1 ft ...... in.

„ Ground „ Sea Level ...... ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
0 8

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	—	—	12	63	—	03	—	—	06	09	—	1
2	02	—	—	15	08	04	—	01	44	10	02	18	2
3	03	—	—	11	13	—	—	—	10	—	—	—	3
4	01	—	—	—	—	—	—	—	—	—	14	—	4
5	27	—	01	—	04	—	13	—	10	—	—	—	5
6	47	—	01	06	05	—	—	—	06	—	—	—	6
7	—	—	17	—	—	—	10	—	04	—	—	—	7
8	—	—	—	09	12	—	—	—	10	21	—	—	8
9	17	01	03	08	50	—	—	—	—	03	—	—	9
10	42	11	04	19	09	01	—	—	04	07	07	—	10
11	—	—	—	01	03	—	29	91	01	35	08	01	11
12	12	—	—	02	08	—	—	06	04	12	02	—	12
13	—	—	—	29	—	—	06	—	—	05	06	01	13
14	17	—	—	07	03	—	—	—	01	02	—	—	14
15	—	—	—	06	03	—	01	—	—	08	—	—	15
16	14	—	—	21	24	—	—	—	—	—	—	—	16
17	—	—	—	02	12	—	06	—	—	09	—	—	17
18	—	—	—	—	—	—	—	—	15	—	13	—	18
19	—	—	—	—	—	—	—	—	—	23	—	—	19
20	—	—	—	28	—	—	—	36	08	72	12	—	20
21	03	—	07	26	02	—	06	50	—	29	—	05	21
22	—	01	35	—	60	—	18	—	24	14	37	—	22
23	—	09	—	—	04	—	—	—	06	61	—	12	23
24	—	—	—	—	—	—	17	—	03	04	09	—	24
25	—	01	—	—	—	—	37	—	—	28	05	—	25
26	—	—	06	22	—	—	05	—	—	07	—	—	26
27	—	0·0	37	17	12	—	35	—	—	06	17	—	27
28	—	—	20	01	40	12	15	—	—	23	—	—	28
29	01	—	37	04	14	05	—	12	03	46	12	01	29
30	—	×	17	—	09	83	—	04	10	05	23	14	30
31	—	×	22	×	—	×	11	—	×	—	×	08	31
TOTAL	1·87	0·23	2·07	2·46	3·58	1·05	2·12	2·00	1·63	4·36	1·70	·60	YEAR'S TOTAL 23·67
*Days with ·01 in. or more.	13	5	13	20	21	5	15	7	17	23	15	8	162
*Days with .04 in. or more.	7	2	10	16	17	4	13	6	13	21	13	5	127

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H Hammett

[P.T O.

/159

Section **A** for the entry of Daily Observations. **COPY FOR OFFICIAL USE.** Station No. 924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Museum — St Albans

in the County of Hertford

Diameter of Funnel of Gauge 5 in. ½

Height of top of Gauge above Ground ...... ft ...... in

,, Ground ,, Sea Level ...... ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following —

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	05	—	11	02	03	—	—	—	—	—	—	—		1
2	41	11	37	—	08	—	—	—	—	—	—	—		2
3	—	—	25	—	09	—	—	—	—	—	—	—		3
4	24	15	03	—	24	—	—	—	—	—	11	—		4
5	03	02	29	—	05	—	—	—	—	—	—	—		5
6	—	—	04	—	34	—	—	—	—	07	—	—		6
7	15	11	05	—	—	—	—	—	—	04	09	03		7
8	—	06	04	—	08	—	04	—	—	01	05	—		8
9	—	—	—	—	07	—	17	—	—	06	01	—		9
10	—	—	—	—	02	—	34	—	—	26	09	—		10
11	10	27	—	—	02	—	04	—	—	—	—	—		11
12	—	—	—	—	11	04	08	09	—	—	—	—		12
13	05	—	—	13	01	01	20	—	41	—	—	—		13
14	10	—	—	—	—	03	—	—	13	02	11	—		14
15	53	—	19	—	—	02	—	—	—	—	54	03		15
16	02	—	60	—	—	—	05	07	—	06	03	~~[illegible]~~		16
17	03	—	32	—	—	25	—	—	—	—	03	~~[illegible]~~		17
18	06	02	29	—	—	14	02	—	06	—	01	~~08~~		18
19	—	09	30	01	—	05	—	—	—	—	02	~~[illegible]~~		19
20	—	—	05	21	—	02	—	—	25	—	—	—	3	20
21	—	03	—	—	—	08	—	—	—	—	02	—	3	21
22	—	—	—	—	05	14	—	·01 ~~[illegible]~~	24	20	—	—		22
23	—	·03 ~~[illegible]~~	—	21	06	06	—	24	—	—	04	—		23
24	—	27	—	14	—	06	—	—	38	—	[illegible]	—		24
25	—	03	—	31	—	—	—	—	54	—	18	16		25
26	—	34	—	05	·19	13	—	—	06	11	—	15		26
27	—	—	—	—	11	—	—	—	09	06	01	08		27
28	—	—	—	—	—	33	—	—	01	24	—	04		28
29	08		—	09	—	—	—	—	—	11	—	—		29
30	10	×	05	—	—	—	·16 ~~06~~	—	—	—	—	09		30
31	16	×	02	×	—	×	04	15	×	—	×	—		31
													Year's Total	
TOTAL	2 ~~2·41~~	1·53 ~~1·58~~	3·00	1·17	1·65	1·36	1·14 ~~1·04~~	0·56 ~~0·57~~	2·17	1·23	1·34	0·58	~~17·82~~	17·94
*Days with ·01 in. or more.	15	13 ~~12~~	16	9	16	14	10	5	10	12	15	7	142	
*Days with ·04 in. or more.	12	8	14	7	12	10	9	4	9	10	8	5	108	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) The above record taken by ~~H. Hammett~~ Caretaker

[P.T.O.

✓ ✓ ✓ Ck.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Herts County Museum St. Albans Herts.

in the County of Hertfordshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

Totals + Days 400

Circ sent 31/1/35.
Observer replies 4/2/35

W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·06

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·03	10	—	—	—	—	·02	—	·05	16	—		1
2	·06	—	—	—	—	—	—	22	10	—	—	39		2
3	15	—	·09	—	·05	—	—	—	12	14	—	14		3
4	·02	·04	—	17	—	—	—	·01	·01	31	—	11		4
5	10	—	·04	—	—	—	—	—	—	10	·09	21		5
6	—	—	·09	—	—	—	—	·03	—	—	—	30		6
7	·03	—	13	·02	40	16	—	19	—	17	—	60		7
8	·03	—	—	—	—	—	—	·01	—	·05	—	28		8
9	—	—	—	—	·07	—	—	·03	·07	—	26	17		9
10	·02	—	·04	—	—	—	—	—	—	—	76	12		10
11	11	—	14	·09	—	—	—	·02	—	—	20	·02		11
12	34	—	26	·05	—	—	·04	·04	—	—	·01	11		12
13	—	—	·03	·01	—	—	28	35	—	—	—	·06		13
14	39	—	·02	·02	—	—	—	·03	—	—	·03	22		14
15	·04	—	35	—	—	—	—	·01	—	·03	27	29		15
16	·09	—	16	—	·09	—	—	—	44	·02	·06	17		16
17	18	—	23	—	—	—	—	—	—	17	—	—		17
18	·05	—	—	·09	—	—	—	—	—	·06	·03	20		18
19	10	—	·05	29	—	—	21	—	—	—	—	·08		19
20	—	—	18	—	—	·03	—	—	·07	—	·02	11		20
21	—	—	27	—	—	—	19	—	—	—	—	—		21
22	—	—	·02	·04	—	·06	—	·05	—	·07	—	—		22
23	—	—	—	—	—	—	·06	14	27	—	·01	·07		23
24	—	—	—	—	—	18	—	—	·06	—	—	·05		24
25	—	·06	·05	27	—	·05	17	·03	13	—	—	—		25
26	16	·05	—	24	—	60	—	—	·01	·05	—	31		26
27	·08	·01	—	·07	—	·01	—	—	·03	·02	—	16		27
28	—	16	—	·02	—	·06	—	—	—	—	—	48		28
29	—		—	25	—	34	—	82	—	—	·06	21		29
30	—	×	—	—	—	—	—	·01	11	—	—	·03		30
31	·05	× ·10	—	×	—	×	·02 ·02	—	× ·05	·16	×	·07 ·06		31
TOTAL	2·03 ✓	·42 ✓	2·15 ✓	1·63 ✓	·61 ✓	1·49 ✓	·99 ✓	1·99 ✓	1·47 ✓	1·35 ✓	1·80 ✓	5·02 ~~4·90~~ ✓	Year's Total ~~20·89~~	20·95 ✓
*Days with ·01 in. or more.	19 ✓	6 ✓	17 ✓	14 ✓	4 ✓	9 ✓	8 ✓	16 ✓	13 ✓	13 ✓	12 ✓	27 ~~26~~	~~157~~	158 ✓
*Days with ·04 in. or more.	14 ✓	5 ✓	14 ✓	10 ✓	4 ✓	7 ✓	6 ✓	7 ✓	10 ✓	10 ✓	7 ✓	25 ~~24~~	~~118~~	119 ✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed) Mary Bullen Curator of the Hertfordshire County Museum St: Albans

[P.T.O.

COPY FOR OFFICIAL USE. ~~···~~ GR

Section **A** for the entry of Daily Observations.

Station No. 924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Totals
Days.

Kept at The Hertfordshire County Museum St. Albans

in the County of Hertfordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

File No. 761699/27

400

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	–	·04	–	·07	–	–	–	–	·02	50	26		1
2	11	·02	–	·02	–	·09	12	–	·02	·08	34	–		2
3	–	11	–	·05	–	–	–	–	23	23	·03	–		3
4	–	–	·06	20 snow	–	11	–	–	41	89	14	·02		4
5	–	–	–	·01	–	19	–	–	·03	·06	–	·04		5
6	–	34	·05	·05	–	·02	–	–	34	–	–	–		6
7	·06	–	–	30	–	62	–	–	–	·01	·02	·02		7
8	–	·01	–	66	–	·06	–	–	–	19	116	15		8
9	–	–	–	15	–	–	–	·04	–	15	21	·09		9
10	–	–	–	35	–	46	–	–	–	83	·04	·03		10
11	·02	–	–	10	–	·02	–	–	–	–	·02	·06		11
12	24	–	–	–	–	·06	–	–	–	–	23	·01		12
13	·02	·05	–	–	–	20	–	·07	·02	–	45	·01		13
14	12	17	–	47	11	–	–	–	–	–	·02	–		14
15	–	14	–	–	18	·04	–	–	52	–	21	·07		15
16	–	11	–	43	–	25	–	–	·02	–	32	11		16
17	–	·07	·05	·04	–	27	·02	–	24	–	55	·08		17
18	–	–	–	·04	–	17	–	–	·09	–	34	–		18
19	–	–	–	29	42	·02	20	–	56	–	12	–		19
20	–	–	–	25	–	·03	·09	–	20	–	12	15		20
21	–	16	–	·09	36	·08	14	–	–	–	·06	–		21
22	·02	21	–	–	–	–	–	–	14	·03	13	–		22
23	–	·02	11	–	–	–	–	26	·03	–	–	–		23
24	·02	·02	21	–	–	–	–	29	·06	·04	–	12	Snow	24
25	·06	44	·02	–	–	–	–	·02	62	–	–	26		25
26	·08	20	–	22	–	Storm ·55"	–	–	·02	–	–	13		26
Snow 27	·08	23	–	–	–	–	–	24	10	–	–	35		27
28	·05	12	–	–	13	–	–	–	21	–	20	20		28
29	–		–	–	·05	–	–	·02	35	·04	–	·08		29
30	–	✕	–	–	–	–	–	–	31	–	·02	21		30
31	·05	✕	–	✕	50	✕	–	68	✕	·05	✕	34		31
TOTAL	✓ ·99	✓ 2·42	✓ ·54	✓ 3·72	✓ 1·82	✓ 3·24	✓ ·57	✓ 1·62	✓ 4·62	✓ 2·12	5·23 ✓	✓ 2·79	Year's Total 29·58	✓
* Days with .01 in. or more.	14 ✓	17 ✓	7 ✓	18 ✓	8 ✓	19 ✓	5 ✓	8 ✓	21 ✓	13 ✓	22 ✓	22 ✓	173 ✓	
* Days with .04 in. or more.	10 ✓	13 ✓	6 ✓	16 ✓	8 ✓	14 ✓	4 ✓	6 ✓	15 ✓	10 ✓	17 ✓	17 ✓	136 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Mary Bullen [P.T.O.

x Curator.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Hertfordshire County Museum St Albans

in the County of Hertford

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	22	50	12	23	–	–	21	10	–	–	29	–		1
2	30	15	05	21	–	06	16	–	–	–	05	05		2
3	07	04	–	02	–	35	39	05	–	–	14	–		3
4	–	–	–	07	·01	06	–	–	23	–	29	–		4
5	–	–	-11	–	–	25	–	–	65	–	09	06		5
6	16	–	·04	–	–	–	–	03	03	–	–	03		6
7	15	–	–	–	01	21	107	07	11	–	11	–		7
8	20	–	04	–	–	–	–	–	02	–	02	06		8
9	28	–	05	–	–	–	129	–	02	–	39	13		9
10	36	–	14	–	–	–	04	–	16	04	–	–		10
11	02	–	–	–	–	–	11	04	07	06	–	–		11
12	–	–	–	·08	–	–	04	–	–	–	85	–		12
13	–	–	–	14	–	40	83	–	17	–	51	12		13
14	–	–	–	01	–	34	–	–	–	03	14	22		14
15	–	10	–	–	–	08	48	–	05	03	–	38		15
16	–	07	–	–	–	–	–	02	–	–	–	11		16
17	29 snow	07	–	–	–	–	06	–	03	–	38	05		17
18	14	55	–	–	·06	08	–	–	–	–	18	11		18
19	–	14	–	–	–	28	15	–	–	34	02	05		19
20	28	06	–	–	–	13	–	06	–	05	–	–		20
21	07	07	–	18	~~07~~	259	05	–	120	–	–	–		21
22	–	–	–	21	07	25	–	–	05	–	–	–		22
23	09	35	·06	03	30	06	15	–	–	–	–	12		23
24	02	–	–	06	–	–	16	–	–	08	–	–		24
25	14	10	–	–	–	–	35	–	11	33	–	–		25
26	05	–	20	12	–	25	10	–	16	10	10	05		26
27	01	11	21	–	–	·01	–	–	01	08	02	02		27
28	09	02	01	02	–	–	–	–	22	10	–	–		28
29	78	–	18	–	–	03	68	–	02	–	–	11		29
30	25	✕	02	–	–	18	06	–	–	03	15	04		30
31	10	✕	–	✕	26	✕	10	–	✕	24	✕			31
													Year's Total	
TOTAL	4·07	2·33	1·23	1·38	·71	5·60	5·98	·37	3·31	1·51	3·73	1·71	31·93	✓
* Days with .01 in. or more.	22	14	13	13	6	18	20	7	18	13	17	17	178	✓
* Days with .04 in. or more.	19	13	11	9	4	16	20	5	12	10	14	15	148	✓

† Spare column, no entries required.

(*Signed*) M. Bullen Curator [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at The Herts County Museum. St Albans
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground I ft. in.
,, Ground ,, Sea Level 389 ft.

May 19th amended from return sent in by H.H.H.S. 761699/27

Circ D sent 10/2/38 GR.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	0I	-	-	-	-	03	-	49	42		1
2	-	I8	02	48	-	-	-	-	06	-	-	36		2
3	-	I2	-	-	-	-	-	-	-	-	-	I2		3
4	08	40	-	04	-	-	-	-	-	-	-	5I		4
5	20	-	I5	-	-	-	04	-	-	-	-	02		5
6	02	-	25	03	I2	-	I4	-	-	02	05	-		6
7	-	68	22	I4	0I	-	-	-	05	-	-	-		7
8	-	09	-	-	I8	-	-	-	-	-	-	I5		8
9	)-	-	-	25	09	05	07	-	2I	-	-	3I		9
10	-	-	50	03	09	32	05	04	-	-	-	25		10
11	-	-	II	-	6I	-	02	-	-	-	-	-		11
12	23	33	I3	-	I9	85	-	04	06	-	-	08		12
13	I5	06	30	-	0I	24	-	4I	02	-	-	54		13
14	02	0I	49	-	-	-	-	28	08	-	-	02		14
15	I6	I2	-	I5	-	09	30	-	2I	-	-	03		15
16	02	07	28	69	-	07	-	08	56	-	-	02		16
17	34	-	I6	I5	-	-	-	-	30	-	04	0I		17
18	33	I2	-	-	I7	09	-	-	I5	-	22	-		18
19	08	06	08	I2	~~6~~0I	I3	I6	-	I8	-	-	05		19
20	47	03	-	42	0I	-	-	-	05	-	-	05		20
21	29	33	06	06	-	-	05	-	-	-	04	04		21
22	38	03	04	-	06	30	I6	-	-	6I	22	03		22
23	25	-	04	-	38	-	20	-	-	5I	-	-		23
24	43	39	-	-	0I	-	-	-	I5	I4	-	-		24
25	03	45	07	-	49	-	-	-	-	I8	-	-		25
26	-	28	06	-	08	-	-	-	06	05	-	-		26
27	04	05	-	I0	-	-	-	-	0I	60	-	-		27
28	-	I4	-	-	-	-	-	-	-	09	-	03		28
29	-	//	-	-	-	0I	-	0	-	06	04	05		29
30	3I	X	-	-	-	-	-	-	-	-	I4	0I		30
31	27	X	-	X	-	X	-	-	X	09	X	05		31
Total	4.I0	3.94	2.96	2.67	~~2.51~~ ~~3.II~~ stet.	2.I5	I.I9	.85	2.I8	2.35	I.24	3.I5	Year's Total ~~29.89~~	✓ ~~29.29~~ stet.
* Days with .01 in. or more.	20	20	I7	I4	I6	I0	I0	5	I6	I0	8	22	I68	✓
* Days with .04 in. or more.	I5	I7	I6	II	I2	9	9	5	I3	9	8	I4	I38	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. H. V. Poulton
Curator

THE CURATOR

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Herts County Museum St Albans
in the County of Hertfordshire
Diameter of Funnel of Gauge 5inches in.
Height of top of Gauge above Ground I ft. .... in.
,, Ground ,, Sea Level 389 ft.

Totals ✓ R

Return adjusted for Acc. + Snow. 19/2/39 CR.

Acc Snow.

H.H.H.S. record amended CR.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	.0I	-	-	.08	-	-	.06	-	-	.03		1
2	.I0	.0I	-	.0I	.I0	-	-	-	-	.25	-	-		2
3	-	.0I	-	-	.08	-	-	-	-	.97	.04	(x)		3
4	.07	-	-	-	-	-	-	-	.04	.06	-	(— .09)		4
5	-	-	-	-	-	-	.34	-	-	.08	-	-		5
6	.06	-	-	-	-	-	.05	-	.03	.09	-	-		6
7	.02	-	-	-	-	-	.05	.29	.05	.49	-	.02		7
8	.I9	-	-	-	-	-	.I2	.04	.03	.23	-	-		8
9	.07	-	-	-	-	-	.06	.09	-	-	-	.69		9
10	.I4	.04	-	-	-	-	.03	.I5	-	-	-	(—)		10 From oaklands Inst.
11	.30	-	-	-	-	-	. .03	-	-	-	.20	(.05)		11
12	.25	.05	-	-	-	-	-	.95	-	.32	-	-		12
13	.06	.03	-	-	-	-	-	-	-	-	-	.I4		13
14	.27	-	-	-	.03	-	.03	-	.06	-	.0I	.03		14
15	(x)	.03	-	-	-	-	.09	2-	-	.22	-	.29		15
16	(x .50)	.0I	.0I	-	-	-	-	.0I	-	,06	.02	.24		16
17	.03	.07	-	-	.I8	-	.02	-	-	.II	-	-		17
18	.08	-	-	-	.08	-	-	-	.05	.04	.26	-		18
19	-	.0I	-	-	-	-	-	.I0	.I2	-	(x)	-		19
20	-	.0I	-	-	-	-	-	-	.0I	-	(x .60)	Snow 4		20
21	.03	-	-	-	-	-	-	.03	-	-	.2I	snow 4		21
22	)-	-	-	-	-	-	-	.03	-	-	.02	snow -		22
23	-	-	-	.05	-	-	-	-	-	-	.03	snow -		23
24	-	-	.09	-	.0I	-	-	-	.32	-	.05	snow -		24
25	.08	.03	.07	-	.63	-	.0I	.07	-	.03	.78	snow 4		25
26	.22	.I8	.09	-	-	-	-	-	.I7	.I8	-	snow 4		26
27	.08	.05	-	.0I	.06	.I7	.23	.0I	.56	-	.32	I.09s -		27
28	.I4	.04	-	.04	.75	.I0	-	.36	.04	-	.03	.06		28
29	.28	-	-	-	.26	-	-	-	.02	-	.I6	.I8		29
30	.02	✕	-	.02	.I5	.03	-	-	.0I	.03	.22	.02		30
31	.I7	✕	-	✕	.05	✕	-	-	✕	.I6	✕	.39		31
TOTAL	3.I9	.5~~8~~ 7	.27	.I3	2.38	.38	I.06	2.I3	I.60	3.32	2.95	3.32	Year's Total 21.30	✓
* Days with .01 in. or more.	24 ✓	I4	5	5	I2	4	I2	I2	I6	I6	I6 ✓	~~I6~~ 17	153	✓
* Days with .04 in. or more.	I9 ✓	6	3	2	I0	3	7	8	I0	I4	II ✓	~~I0~~ 13	106	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. H. V. Paulton

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 924

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at COUNTY MUSEUM ST ALBANS

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 389 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	-	·01	·38	·46	-	·18	-	·81	-	-	·03		1
2	·03	-	-	·01	·02	-	-	·37	-	-	·07	✓		2
3	·24	-	-	·15	-	-	·03	·40	-	·01	·25	✗ ·24		3
4	·15	-	·24	·52	-	-	-	·35	-	-	-	·01		4
5	-	-	-	1·04	·10	-	-	·32	-	·20	·41	·12		5
6	·62	·01	-	-	-	-	·40	·04	-	·01	·30	·02		6
7	·07	·04	-	·01	-	-	-	·02	-	-	·10	·16		7
8	-	·06	·11	-	-	-	·03	·29	-	·36	·23	·38		8
9	·03	·05	-	-	-	-	-	·04	-	·29	·21	✗		9
10	·21	-	-	-	-	·67	-	·10	-	·06	·07	·20 ✗		10
11	-	·01	-	-	·01	·19	-	-	·05	·05	-	·02		11
12	·02	·16	-	-	·01	-	-	-	·04	-	-	-		12
13	-	-	-	·04	-	-	·01	-	·07	·44	-	-		13
14	·61	-	·02	-	✗ ·23	·03	·04	-	·03	·20	·24	-		14
15	·18	-	-	-	·52	·24	·33	-	·04	·96	·06	·02		15
16	·05	-	·11	·03	·11	·11	·19	-	-	-	·34	-		16
17	·23	·01	·02	·02	·19	-	·09	-	-	·02	·03	-		17
18	·19	·01	·05	-	-	·20	·14	-	-	·05	✗	-		18
19	·19	·01	·03	-	-	-	·16		-	·11	·35	-		19
20	·21	·02	·01	-	-	·09	·39	✗ ·08	-	-	-	·04		20
21	·04	-	·29	-	-	·04	·24	·33	·02	-	-	-		21
22	·10	·16	·11	-	-	-	-	-	·04	-	·09	-		22
23	·07	-	-	·02	-	-	·01	-	-	·05	·48	-		23
24	·02	-	·05	·05	-	-	·06		-	·15	-	-		24
25	·30	-	·05	-	-	-	·02	·20	-	-	- ✗	-		25
26	1·02	·04	·02	·01	-	-	-	·11	-	·26	✗ ·45	·04		26
27	·25	·06	·10	·09	-	-	-	-	-	·05	·24	-		27
28	-	·14	·07	·06	-	·03	·08	-	-	-	·16	-		28
29	-	-	-	✗	-	-	·04	-	-	·28	·08	-		29
30	-		-	✗ 1·32	-	·03	-	-	-	·01	·10	-		30
31	-		-		-		·06	-		-		-		31
TOTAL	4·92	·84	1·29	3·45	1·65	1·66	2·50	2·65	1·10	3·89	4·86	1·31	Year's Total 30·42	
* Days with .01 in. or more.	23	14	16	16 ~~15~~	9	10	19	13	8	19	21 ~~20~~	14 ~~12~~	~~146~~	182
* Days with .04 in. or more.	18	8	10	10 ~~9~~	6	7	14	12	6	15	19 ~~18~~	8 7	~~130~~	133

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

* See Instruction 3 (f) on other side.

Section **A** for the entry of D

AIR MINISTRY. FALL ORGANIZATION.

FOR OFFICIAL USE. 925

110

FORM 1090.

REGIST 31 .

925

ST. ALBANS

HERTS

1931 – 1940

7802.05

Kept at St. Al

in the County of Hertf

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·60				2
3									·60				3
4													4
5						·56						·36	5
6										·30			6
7													7
8			·06					·72					8
9													9
10													10
11													11
12													12
13													13
14							1·06						14
15													15
16													16
17													17
18											·55		18
19													19
20													20
21					·61								21
22													22
23	·30												23
24													24
25				·43									25
26													26
27		·37											27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·58	1·58	0·11	3·17	2·66	1·46	3·02	4·72	2·12	0·60	2·80	0·90	YEAR'S TOTAL 24·72
Days with ·01 in. or more.	16	18	3	21	12	9	15	13	12	5	15	9	148
Days with ·04 in. or more.	11	11	2	16	10	7	12	11	9	2	12	4	107
40-9999	40·2	40·1	2·9	80·4	67·6	37·1	76·7	119·9	53·8	15·2	71·0	22·8	627·7

(Signed)

[P.T.O.

925

110

Section **A** for the entry of [redacted] **FOR OFFICIAL USE.**

AIR MINISTRY [redacted] FALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at St. Albans

in the County of Hertford

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·60				2
3									·60				3
4													4
5						·56						·36	5
6										·30			6
7													7
8			·06					·72					8
9													9
10													10
11													11
12													12
13													13
14							1·06						14
15													15
16													16
17													17
18											·55		18
19													19
20													20
21					·61								21
22													22
23	·30												23
24													24
25				·43									25
26													26
27		·37											27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·58	1·58	0·11	3.17	2·66	1·46	2·02	4·72	2·12	0·60	2·80	0·90	YEAR'S TOTAL 24·72
Days with ·01 in. or more.	16	18	3	21	12	9	15	13	12	5	15	9	148
Days with ·04 in. or more.	11	11	2	16	10	7	12	11	9	2	12	4	107
40-9999	40·2	40·1	2·9	80·4	67·6	37·1	76·7	119·9	53·8	15·2	71·0	22·8	627·7

(Signed).......... [P.T.O.

Section **A** **for the entry of Daily Observations.** FOR OFFICIAL USE. 925

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

110

Kept at St. Albans

in the County of Hertford

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·47			·15	2
3													3
4													4
5													5
6	·45												6
7													7
8													8
9													9
10													10
11								·96					11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20										·75			20
21					·66								21
22			·38								·35		22
23		·09											23
24													24
25							·49						25
26				·24									26
27													27
28													28
29													29
30		×				·76							30
31		×		×		×			×		×		31
TOTAL	1·78	0·15	1·75	2·16	3·79	·96	1·89	2·07	1·59	4·52	1·62	0·52	YEAR'S TOTAL 22·80
*Days with ·01 in. or more.	14	5	13	21	19	5	16	6	19	22	16	9	165
*Days with ·04 in. or more.	9	1	8	16	16	3	12	4	11	20	13	4	117

40-9999 45·2 3·7 44·4 54·9 96·3 24·3 48·0 52·7 40·5 114·7 41·1 13·3

(Signed)..........

[P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

925

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

110

Kept St. Albans

in the County of Hertford

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground 1 ft..........in.

,, Ground ,, Sea Level 272 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6					·39								6
7													7
8													8
9													9
10							·43						10
11													11
12													12
13													13
14											·51		14
15	0·46												15
16			·71										16
17													17
18													18
19													19
20						·46							20
21													21
22								·23					22
23													23
24									·59				24
25				·30									25
26		·39											26
27													27
28										·24			28
29													29
30		×										·11	30
31		×		×		×			×		×		31
TOTAL	1·81	1·42	2·89	0·86	1·46	1·61	1·17	0·53	2·14	1·02	1·10	0·31	YEAR'S TOTAL 16·32
*Days with ·01 in. or more.	15	12	16	6	14	11	10	4	10	11	13	6	128
*Days with ·04 in. or more.	11	9	11	6	11	8	7	3	7	9	8	3	93
40-9999	45·9	36·1	73·4	21·8	37·1	41·0	29·8	13·5	54·4	25·8	28·1	7·9	~~414·8~~

(Signed)..........

*See Instruction 2 (*f*) on other side.

D

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~110~~ 925

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at St. Albans

in the County of Hertford

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. .... in.

,, Ground ,, Sea Level 272 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3										·27				3
4														4
5														5
6					·39							·48		6
7														7
8														8
9											·96			9
10														10
11														11
12														12
13	·41													13
14														14
15									·77					15
16														16
17														17
18				·32			·41							18
19														19
20			·33											20
21														21
22														22
23														23
24														24
25						·67								25
26														26
27														27
28		·18						·84						28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	1·85	·27	2·11	1·65	·57	1·45	1·09	2·18	2·55	1·26	1·91	4·50	Year's Total 21·39	
*Days with ·01 in. or more.	20	4	16	13	5	11	8	13	11	13	12	25	151	
*Days with ·04 in. or more.	11	2	13	10	3	7	6	8	8	9	7	22	106	

40-9999

*See Instruction 2 (*f*) on other side. M

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 925

110

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

T.L.

Kept at St Albans

in the County of Herts

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 272 ft.

mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				0·24										1
2														2
3														3
4														4
5														5
6								0·08						6
7														7
8														8
9							0·77							9
10														10
11											·77			11
12														12
13														13
14												·36		14
15														15
16														16
17		0·55												17
18										0·47				18
19														19
20									1·54					20
21						3·97								21
22					0·20									22
23														23
24														24
25														25
26			0·18											26
27														27
28	0·83													28
29													accept for BR	29
30		×												30
31		×		×		×			×		×			31
													Year's Total.	
TOTAL	4·22	1·98	1·11	1·07	0·38	7·30	3·70	0·23	3·72	2·04	3·50	1·83	31·08	(31·10)
* Days with .01 in. or more.	21	14	14	10	6	17	19	5	15	14	19	19	173	
* Days with .04 in. or more.	19	13	10	9	3	15	17	4	12	11	14	15	142	
40-9999	107·1	50·2	28·3	27·3	9·7	185·4	94·0	5·9	94·6	51·7	89·0	46·6	789·8	

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

[P.T.O.

FOR OFFICIAL USE.

Stn No 925 ~~110~~

Section **A** **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1937.

T.L.

Kept at St. Albans (Oaklands Inst)

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 272 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1											·54		1
2													2
3													3
4												·69	4
5													5
6													6
7		·72											7
8													8
9													9
10			·50										10
11													11
12						·61							12
13													13
14								1·10					14
15													15
16				·81					·48				16
17													17
18													18
19							·54						19
20					·61								20
21													21
22										·61			22
23													23
24	·47												24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	4·37	4·03	3·04	2·93	2·78	2·07	1·41	2·15	2·03	2·52	1·31	3·08	YEAR'S TOTAL 31·72
Days with 0·2 mm. or more.	23	24	20	18	13	11	12	5	14	14	10	25	189
Days with 1·0 mm. or more.	17	19	14	11	11	10	7	4	13	8	6	11	131
(144w)	111·0	102·3	77·1	74·4	70·6	52·5	35·8	54·7	51·5	63·9	33·4	78·3	805·5

40-9999

(Signed) [P.T.O.

110

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 925

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM .

REGISTER OF RAINFALL IN 1938 .

Kept at St Albans (Oaklands Inst)

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 272 ft.

Rain-days corrected by M.W.R. section 19/2/39.

T-L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3										·91				3
4														4
5							·21							5
6														6
7														7
8														8
9												·59		9
10														10
11														11
12								·48						12
13														13
14														14
15														15
16	·44													16
17														17
18														18
19														19
20														20
21														21
22														22
23				·04										23
24			·10											24
25											·74			25
26		·15												26
27						·16			·63					27
28					·67									28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	76·2	10·6	8·1	2·6	56·5	10·1	19·6	53·9	39·7	82·4	79·2	81·0	519·9	
* Days with 0.2 mm. or more.	23	10	5	5	14 ~~15~~	6	12 ~~14~~	17	~~18~~ 17	18	18	19	~~168~~ 164	
* Days with 1.0 mm. or more.	20	4	3	0	12	4	6	10	9	14	12	11	105	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 3·00 ·42 ·32 ·10 2·22 ·40 ·77 (*Signed*) 2·12 1·56 3·24 3·12 3·19 20·46 [P.T.O.

925

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939 .

Kept at St Albans (Oaklands Inst.)

in the County of Herts

T.L.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 272 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1									·54				1
2													2
3													3
4													4
5													5
6													6
7													7
8												·33	8
9													9
10						·63							10
11													11
12		·19											12
13													13
14													14
15					·61					·96			15
16													16
17													17
18													18
19													19
20							·36						20
21			·31					·49					21
22													22
23											·79		23
24													24
25	1·41												25
26													26
27													27
28													28
29		×											29
30		×		·87									30
31		×		×		×			×		×		31
TOTAL	131·0	22·2	40·3	84·2	38·2	38·3	37·9	62·8	30·6	105·3	123·3	32·6	YEAR'S TOTAL 746·7
Days with 0·2 mm. or more.	23	11	17	16	7	11	18	13	11	20	22	13	182
Days with 1·0 mm. or more.	17	8	11	8	6	6	11	9	3	18	19	9	125
	5·16	·87	1·59	3·31	1·50	1·51	1·49	2·47	1·20	4·15	4·85	1·28	29·38

(144W)

40-9999

(Signed)

P.T.O.

110

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 925

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1940

Kept at St. Albans (Oaklands Inst.)

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 272 ft.

T.J.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4														4
5														5
6							·39							6
7														7
8														8
9								·02						9
10														10
11														11
12														12
13			·67								1·27			13
14														14
15														15
16										1·09				16
17														17
18		·43		·33										18
19									·49					19
20														20
21														21
22					·42	·34								22
23														23
24														24
25														25
26	·85													26
27														27
28														28
29												·28		29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	48·2	43·6	70·8	36·1	46·3	11·4	60·7	0·5	24·8	82·2	186·0	33·0	643·6	
* Days with 0.2 mm. or more.	12	17	13	16	14	4	13	1	8	16	22	17	153	
* Days with 1.0 mm. or more.	6	12	13	11	9	2	13	0	5	12	17	8	108	

(141w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except years total.

(Signed) .... [P.T.O.

1·90 1·72 2·79 1·42 1·82 ·45 2·39 ·02 ·98 3·24 7·32 1·30 25·35

926

926

GORHAMBURY

1931 – 40

780205

Section **A** for the ent

AIR MIN

COPY FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090. **REC** l.

Kept at Gorham

in the County of He

Diameter of Funnel of Gauge

Height of top of Gauge above

,, Ground ,,

THE MORNING M Y.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·16	—	·10	—	·12	—	·02	·10	—	—	—	**1**
2	·09	·07	—	·46	—	—	—	—	·58	—	·02	—	**2**
3	·05	—	—	·10	·44	—	—	·39	·53	—	·16	·30	**3**
4	—	·02	—	·07	—	—	·13	·15	·09	—	·10	—	**4**
5	—	—	—	·12	·09	·45	·05	·21	·05	—	·04	·41	**5**
6	—	·12	—	·09	—	—	—	—	—	·30	·35	—	**6**
7	—	—	—	·01	·02	·12	—	·52	—	·07	·12	·05	**7**
8	·02	·02	·10	—	—	·18	—	·78	—	·06	·11	·02	**8**
9	—	·12	—	·07	—	·01	—	·02	—	·01	·40	—	**9**
10	·04	·06	—	—	—	·05	·20	·18	—	—	·39	·01	**10**
11	·13	·31	—	—	—	·02	—	—	·05	—	·04	—	**11**
12	—	·09	—	—	—	—	—	·03	·36	—	—	—	**12**
13	·02	—	—	—	—	—	·33	·02	—	—	—	—	**13**
14	·05	·05	—	—	—	·04	1·07	·47	—	—	—	—	**14**
15	—	—	—	·15	·15	—	·17	·49	—	—	·02	·03	**15**
16	—	·13	—	·14	·28	·05	—	·54	·27	—	—	—	**16**
17	·01	·02	—	·35	·33	—	·12	—	·05	—	—	—	**17**
18	·04	·09	—	·25	—	·23	—	·41	—	—	·63	—	**18**
19	·01	—	—	·34	—	·20	·16	·05	·04	—	—	—	**19**
20	—	—	—	·12	—	—	·09	·30	—	—	·02	—	**20**
21	·02	—	·04	—	·61	—	—	—	—	—	—	—	**21**
22	·28	—	—	·05	—	—	—	—	·05	—	—	—	**22**
23	·33	—	—	·02	·40	·08	—	—	·02	—	·32	·05	**23**
24	—	—	—	·47	·05	—	·11	—	—	—	—	—	**24**
25	·03	—	—	·38	·10	—	·40	—	—	—	—	—	**25**
26	—	·05	—	·21	·04	—	1·10	—	—	—	·25	—	**26**
27	·17	·40	—	·03	·20	—	·06	—	—	—	·13	—	**27**
28	·10	·18	—	·08	·02	—	—	—	—	·03	·02	·20	**28**
29	·12		—	—	·05	—	·14	—	—	·28	—	—	**29**
30	—	✕	—	—	·02	—	·02	·12	—	—	—	—	**30**
31	·14	✕	—	✕	—	✕	—	·02	✕	—	✕	—	**31**
TOTAL	1·65	1·89	·14	3·61	2·80	1·55	4·15	4·72	2·19	·75	3·12	1·07	YEAR'S TOTAL 27·~~5~~64
*Days with ·01 in. or more.	18	16	2	21	15	12	15	18	12	6	17	8	160
*Days with ·04 in. or more.	12	13	2	18	12	10	14	13	11	4	13	5	127

40-9999

(Signed) O. Twitchett

[P.T.O.

*See Instruction 2 (*f*) on other side.

926

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Gorhambury

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 423 ft.

Corr for arith

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·16	—	·10	—	·12	—	·02	·10	—	—	—	1
2	·09	·07	—	·46	—	—	—	—	·58	—	·02	—	2
3	·05	—	—	·10	·44	—	—	·39	·53	—	·16	·30	3
4	—	·02	—	·07	—	—	·13	·15	·09	—	·10	—	4
5	—	—	—	·12	·09	·45	·05	·21	·05	—	·04	·41	5
6	—	·12	—	·09	—	—	—	—	—	·30	·35	—	6
7	—	—	—	·01	·02	·12	—	·52	—	·07	·12	·05	7
8	·02	·02	·10	—	—	·18	—	·78	—	·06	·11	·02	8
9	—	·12	—	·07	—	·01	—	·02	—	·01	·40	—	9
10	·04	·06	—	—	—	·05	·20	·18	—	—	·39	·01	10
11	·13	·31	—	—	—	·02	—	—	·05	—	·04	—	11
12	—	·09	—	—	—	—	—	·03	·36	—	—	—	12
13	·02	—	—	—	—	—	·33	·02	—	—	—	—	13
14	·05	·05	—	—	—	·04	1·07	·47	—	—	—	—	14
15	—	—	—	·15	·15	—	·17	·49	—	—	·02	·03	15
16	—	·13	—	·14	·28	·05	—	·54	·27	—	—	—	16
17	·01	·02	—	·35	·33	—	·12	—	·05	—	—	—	17
18	·04	·09	—	·25	—	·23	—	·41	—	—	·63	—	18
19	·01	—	—	·34	—	·20	·16	·05	·04	—	—	—	19
20	—	—	—	·12	—	—	·09	·30	—	—	·02	—	20
21	·02	—	·04	—	·61	—	—	—	—	—	—	—	21
22	·28	—	—	·05	—	—	—	—	·05	—	—	—	22
23	·33	—	—	·02	·40	·08	—	—	·02	—	·32	·05	23
24	—	—	—	·47	·05	—	·11	—	—	—	—	—	24
25	·03	—	—	·38	·10	—	·40	—	—	—	—	—	25
26	—	·05	—	·21	·04	—	1·10	—	—	—	·25	—	26
27	·17	·40	—	·03	·20	—	·06	—	—	—	·13	—	27
28	·10	·18	—	·08	·02	—	—	—	—	·03	·02	·20	28
29	·12		—	—	·05	—	·14	—	—	·28	—	—	29
30	—	×	—	—	·02	—	·02	·12	—	—	—	—	30
31	·14	×	—	×	—	×	—	·02	×	—	×	—	31
TOTAL	1·65	1·89	·14	3·61	2·80	1·55	4·15	4·72	2·19	·75	3·12	1·07	YEAR'S TOTAL 27·~~5~~64
*Days with ·01 in. or more.	18	16	2	21	15	12	15	18	12	6	17	8	160
*Days with ·04 in. or more.	12	13	2	18	12	10	14	13	11	4	13	5	127

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) O. Twitchett

P.T.O.

926

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Gorhambury
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 423 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	TR	TR	·12	·60	·01	·04	·02	·03	·10	·2	TR	1
2	—	—	—	·18	·08	—	—	·01	·44	·07	·10	·34	2
3	—	TR	—	·09	·13	—	TR	TR	·13	·01	TR	—	3
4	·07	—	—	—	TR	TR	—	—	—	—	·22	TR	4
5	·36	TR	·02	—	·08	—	·24	TR	11	—	—	—	5
6	·60	—	TR	·12	·05	—	TR	—	11	—	—	TR	6
7	·02	—	·16	·04	·03	TR	·10	—	·11	·02	—	—	7
8	—	—	·05	·09	·01	—	—	—	·16	·23	—	—	8
9	·19	·01	TR	·06	56	—	—	—	TR	·06	—	—	9
10	·37	·02	·03	·04	·04	·01	—	—	·03	·10	·8	—	10
11	—	·04	TR	TR	·02	·01	·40	1·12	·03	·38	·8	—	11
12	·11	—	—	—	·10	—	TR	·05	·04	·20	·2	·01	12
13	—	·01	—	·25	TR	—	·06	—	TR	·05	·5	·2	13
14	·20	TR	TR	·12	·02	—	TR	TR	—	·03	·1	TR	14
15	TR	—	—	·05	·30	—	·02	—	—	·09	TR	—	15
16	·22	TR	—	·24	·23	—	—	—	—	TR	—	TR	16
17	·01	—	—	·01	—	—	·04	—	TR	·07	TR	—	17
18	—	—	—	—	·02	—	·02	—	·14	—	·13	—	18
19	—	—	—	TR	—	TR	—	—	TR	·28	·1	TR	19
20	·01	TR	—	·24	·01	—	·01	1·20	·6	·40	·10	TR	20
21	·01	TR	·02	—	·40	—	·04	·18	—	·31	TR	·06	21
22	—	TR	·34	—	·11	—	·18	—	·36	·14	·39	TR	22
23	—	·09	TR	TR	TR	—	TR	—	·06	·62	TR	·14	23
24	—	·01	—	—	TR	TR	·22	—	·4	TR	·13	TR	24
25	—	·03	—	·01	—	TR	·16	—	—	·05	—	·02	25
26	—	—	·08	·21	·11	—	·05	—	—	·31	·1	TR	26
27	—	—	·38	·20	·09	—	·35	—	·03	·10	·15	·01	27
28	—	—	·19	·01	·04	·24	·15	—	—	·20	TR	TR	28
29	—	—	·33	·04	·30	·04	TR	·11	·03	·49	·17	·02	29
30	·01	×	·12	—	TR	·40	TR	·2	·18	·11	·26	·18	30
31	—	×	·01	×	—	×	·20	TR	×	TR	×	·15	31
TOTAL	2·30	·18	1·91	2·15	3·66	1·08	2·48	3·31	2·02	4·79	1·99	·85	YEAR'S TOTAL 25·54
*Days with ·01 in. or more.	14	8	12	19	22	6	17	8	18	24	19	10	175
*Days with ·04 in. or more.	9	1	8	16	16	3	14	5	13	21	13	5	124

40-9999

*See Instruction 2 (f) on other side.

(Signed) R. W

X. THE HEAD GARDENER X

P.T.O.

Station No. ~~[illegible]~~ 926

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Gorhambury

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 432 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·11	·10	—	—	—	—	—	—	TR	TR	—		1
2	TR	TR	·41	—	·04	—	—	—	—	—	TR	—		2
3	·30	·15	·27	—	·15	—	—	—	—	—	—	TR		3
4	TR	·03	·03	—	·10	—	—	—	—	—	·03	·01		4
5	·21	·31	[illegible]	—	·05	—	—	—	—	·04	·06	·02		5
6	·03	·11	·11	—	·20	—	—	—	—	TR	·12	·04		6
7	·21	·07	·07	—	·10	—	—	—	—	·02	TR	TR		7
8	·15	TR	·04	—	·03	—	TR	—	—	·01	—	—		8
9	TR	·02	—	—	·05	—	05	—	—	·19	·02	—		9
10	TR	·31	—	—	·03	—	·10	·20	—	·38	·04	·02		10
11	·01	—	—	TR	—	—	TR	TR	—	—	TR	TR		11
12	·10	TR	—	—	—	[illegible]	·04	—	·48	—	TR	—		12
13	TR	—	—	—	—	·10	·48	—	·16	—	·09	—		13
14	·04	—	—	—	—	—	—	—	—	·02	·12	—		14
15	·59	—	·25	—	—	·10	—	·10	—	·04	·21	—		15
16	TR	TR	·31	—	—	·15	—	—	TR	·08	—	—		16
17	TR	·04	·48	—	—	·09	—	—	TR	—	—	—		17
18	·10	·12	·26	—	—	·02	—	—	·01	—	TR	—		18
19	TR	—	·28	·01	—	·04	—	·02	·33	·04	—	—		19
20	TR	TR	·03	·13	—	·19	—	—	—	·13	—	—		20
21	—	TR	—	—	TR	TR	—	·22	·14	·10	—	—		21
22	—	—	—	—	—	·21	—	—	·02	—	—	—		22
23	—	TR	—	·26	—	·03	—	—	·38	TR	—	—		23
24	—	·33	—	·19	·01	·05	[illegible]	—	·30	·02	·04	·02		24
25	—	·16	—	·20	—	·02	—	—	·04	·04	·05	·03		25
26	—	·60	—	·09	—	·50	—	—	·08	·03	·02	·28		26
27	—	TR	—	—	—	—	TR	—	·01	·09	TR	·20		27
28	—	TR	—	—	·44	—	—	—	—	—	TR	·04		28
29	·02	TR	·02	·16	·04	—	·37	—	—	·02	—	·02		29
30	·05	×	·04	·15	—	—	—	—	TR	·03	—	·11		30
31	·45	×	—	×	—	×	—	·15	×	—	×	—		31
TOTAL	2·26	2·06	2·74	1·13	1·46	1·61	1·34	·69	1·90	1·08	·80	·79	Year's Total ~~17·60~~	17·80.
*Days with ·01 in. or more.	13	13	16	8	12	13	5	5	11	14	11	11	135	
*Days with ·04 in. or more.	10	10	12	4	10	10	5	4	9	9	3	5	99	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) R

[P.T.O.

926

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 926

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at GORHAMBURY

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

„ Ground „ Sea Level 432 ft.

B.A.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	TR	·01	TR	—	—	—	·22	·11	·01	—	·34		1
2	·21	·01	·10	TR	—	—	—	—	·42	·19	—	·17		2
3	·01	·05	·02	·10	·09	—	—	—	TR	·42	·09	·02		3
4	·13	TR	·05	·03	·02	—	—	—	—	·19	—	·49		4
5	—	—	·10	·01	·03	·01	—	·05	—	—	TR	·34		5
6	·04	—	·15	·01	·47	—	—	·12	—	·18	—	·50		6
7	·04	·01	—	—	TR	·13	—	·12	—	—	—	·31		7
8	—	TR	·06	—	·10	·04	—	·04	·14	—	·24	·02		8
9	·01	TR	·02	·01	TR	—	—	—	TR	—	·81	·31		9
10	·11	—	·20	·10	[illegible]	—	—	·02	—	·06	·22	TR		10
11	·33	TR	·30	·05	—	—	—	·07	—	—	TR	·15		11
12	·01	·01	·12	·04	—	—	·06	·40	—	—	—	·15		12
13	·35	—	·07	—	—	—	·47	·04	—	—	·04	·45		13
14	·05	—	·48	—	·04	·01	—	·01	—	—	·26	·35		14
15	·10	—	·18	—	·09	—	—	—	1·34	TR	·07	·19		15
16	·18	TR	·21	—	·04	—	—	TR	—	·20	·01	TR		16
17	·10	—	TR	·01	·01	—	·16	—	—	·11	—	·25		17
18	·22	—	TR	·25	—	TR	—	—	·02	—	TR	·15		18
19	—	—	·19	·01	—	·05	—	—	·09	·01	·01	·12		19
20	—	—	·28	·04	·01	·01	·21	·02	—	·01	TR	—		20
21	—	—	·14	·08	—	·10	·02	—	—	·10	TR	TR		21
22	—	—	·01	TR	—	—	—	—	—	TR	·01	TR		22
23	·01	TR	—	·30	·02	·35	·02	·13	·35	—	—	·12		23
24	—	·02	·08	·25	—	·05	·24	—	·20	—	—	TR		24
25	·18	·11	—	·23	—	·51	—	—	—	·02	TR	·39		25
26	·08	·05	TR	·13	—	·02	·02	—	—	—	·01	·36		26
27	—	—	—	·03	—	·15	—	—	—	—	·01	·30		27
28	—	·15	TR	·26	—	·22	TR	·73	—	TR	·08	·37		28
29	TR	·30	—	TR	—	—	·01	·01	·17	·04	·03	·15		29
30	·05	×	—	—	—	—	·01	—	—	·01	—	·11		30
31	·05	×	TR	×	TR	×	TR	—	×	·26	×	·06		31
TOTAL	2·24	·71	~~2·68~~ 2·44	1·97	·92	1·68	1·25	1·92	3·14	1·81	1·89	6·23	Year's Total 26·47	26·56
*Days with ·01 in. or more.	21	9	20	19	11	13	10	14	9	15	14	25	180	✓
*Days with ·04 in. or more.	16	5	16	11	6	9	5	9	8	10	8	23	126	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) C. R. Upton

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 926

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at GORHAMBURY

in the County of HERTFORSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 432? ft.

April cond. for B.A. GR.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·16	·04	TR	·04	·01	·09	—	—	·02	·06	·24	—		1
2	TR	—	TR	·03	—	·01	·12	—	·09	·23	·02	·02		2
3	—	·15	·08	·05	—	·05	—	—	·25	·33	·09	·03		3
4	—	·07	—	·12	—	·09	—	—	·28	·11	TR	·13		4
5	TR	·35	·03	·04	—	·13	—	—	·38	TR	·04	TR		5
6	·02	·01	·01	·41	—	·63	—	—	—	·01	·03	·03		6
7	·01	TR	—	·55	—	TR	—	—	—	·03	1.17	·15		7
8	TR	—	TR	·07	—	—	—	—	—	·33	·22	·15		8
9	TR	—	TR	·41	TR	·52	—	—	—	·93	·09	·02		9
10	TR	TR	TR	·21	—	·01	·05	—	—	TR	·03	·05		10
11	·40	—	—	·01	—	·11	—	—	—	—	·29	·02		11
12	TR	·04	TR	—	—	·33	—	·05	·05	—	·45	TR		12
13	·14	·20	—	·24	·15	TR	—	—	·01	—	·02	TR		13
14	TR	·01	TR	·15	·25	·03	—	—	·03	·01	·27	·03		14
15	—	·25	—	·48	·01	·33	—	—	·25	TR	·32	·15		15
16	—	·15	·04	·04	—	·23	·01	—	·26	·02	·53	TR		16
17	TR	—	—	·02	·10	·21	—	—	·15	—	·63	—		17
18	TR	TR	—	·29	·29	·04	·21	—	·63	TR	·15	·01		18
19	·01	·01	—	·20	·11	·05	·10	—	·23	—	·15	·27		19
20	·01	·18	—	·10	—	·10	·08	—	—	—	·07	·04		20
21	·01	·25	·05	·06	—	—	—	—	·05	·05	·14	—		21
22	—	·05	·27	·07	—	—	—	·50	·02	—	—	—		22
23	—	·05	·24	·01	—	—	—	·23	·14	·09	TR	—		23
24	·05	·50	·03	TR	—	·33	—	·03	·45	—	—	·25		24
25	·15	·36	TR	·23	TR	TR	—	—	TR	TR	—	·10		25
26	·08	·10	—	TR	—	—	—	·23	·14	—	TR	·28		26
27	·04	·26	—	—	·15	—	—	·05	·23	·04	·21	·27		27
28	TR	·09	—	—	·04	—	—	—	·22	·06	·02	·07		28
29	·01	×	TR	—	—	—	—	—	·87	·02	TR	·33		29
30	·05	×	—	·07	·45	—	—	·82	·02	·09	·33	·32		30
31	TR	×	—	×	·01	×	—	—	×	·51	×	·25		31
TOTAL	1.14	3.06	·78	6 3.98	1.57	3.29	·57	1.91	5.07	2.92	5.54	2.94	Year's Total. 33.28 ~~30.80~~	
* Days with .01 in. or more.	14	20	8	24	11	18	6	7	22	17	23	22	192 ~~202~~	
* Days with .04 in. or more.	8	16	5	20	8	15	5	6	17	12	19	16	144	

40-9999

† Spare column, no entries required.

(*Signed*) C. H. Upton

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Station No. ~~924~~ 926

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at GORHAMBURY

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 432 423 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·15	·09	—	—	—	·19	·04	—	—	·06	·05		1
2	·04	·04	·01	·25	—	·20	·44	—	—	TR	·02	—		2
3	·02	·02	—	—	·02	·33	·02	·01	·25	—	·30	—		3
4	TR	—	·15	—	·01	·04	·01	—	·20	—	·10	·05		4
5	·10	—	·05	—	—	·46	—	·04	·17	—	·05	—		5
6	·27	—	—	—	·13	—	—	·11	·15	·01	·11	·0[illegible]		6
7	·24	—	·02	TR	·02	—	·41	—	·05	—	·05	—		7
8	·32	—	·11	—	—	—	·01	—	·14	TR	·50	·[illegible]9		8
9	·35	—	·09	TR	—	—	·42	—	·02	·03	·01	—		9
10	·05	—	TR	—	—	—	·33	·04	·05	·06	·02	·01		10
11	—	—	TR	·21	—	—	·04	—	·01	—	1·10	·02		11
12	—	—	—	·09	—	·45	·47	—	·17	—	·56	·14		12
13	—	—	—	·31	—	·71	·79	—	·02	·02	·09	·31		13
14	—	·12	—	TR	—	·04	—	—	·10	·06	·07	·50		14
15	—	·12	—	—	—	—	TR	—	·02	—	·05	·14		15
16	·25	·10	—	—	—	—	—	—	·01	—	·42	·06		16
17	·17	·57	—	—	·15	·05	·04	—	TR	—	·20	·20		17
18	TR	·13	—	—	—	·35	—	·09	TR	·40	·02	·09		18
19	·37	·04	·01	·02	—	—	·16	—	—	·11	TR	—		19
20	·04	·12	—	·20	—	·07	—	—	1·15	·01	—	—		20
21	—	—	—	·22	·02	2·50	·04	—	·02	TR	TR	—		21
22	·11	·42	·07	·02	·49	·04	—	—	TR	—	TR	·11		22
23	TR	TR	TR	·08	—	·05	·15	—	·02	·09	—	—		23
24	·15	·12	TR	TR	—	—	·27	—	·12	·28	TR	—		24
25	·06	·01	·18	—	—	·35	·42	—	·21	·11	·06	—		25
26	TR	·16	·25	—	—	—	·10	—	·07	·10	·01	·10		26
27	·19	·02	·02	—	—	—	—	—	·20	·09	TR	·02		27
28	·80	TR	·05	—	—	·05	—	—	·01	—	—	·15		28
29	·15	·15	·20	—	—	·10	·67	—	TR	TR	·09	·12		29
30	·11	✕	TR	—	·09	·25	·16	—	·01	·28	TR	TR		30
31	·53	✕	·19	✕	·10	✕	·09	—	✕	·46	✕	·29		31
TOTAL	4·55	2·39	1·49	1·40	1·03	6·04	5·95	·36	~~3·23~~ 3·17	2·11	3·89	2·59	Year's Total ~~34·86~~ 35·00	
* Days with .01 in. or more.	21	16	15	9	9	14	21	6	23	15	21	19	192	
* Days with .04 in. or more.	20	13	11	7	5	14	18	5	13	11	16	15	154	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) C. R. Upton [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station ~~No.~~ ~~927~~ 926

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937

Kept at GORHAMBURY

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 432 ft.

Feb. Mar, June, July + Sep corrected for Auth 10/2/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	TR	·02	·02	—	—	—	—	·02	—	·54	·64		1
2	·02	·25	TR	·29	—	—	—	—	·10	—	—	·12		2
3	·05	·13	—	—	—	—	—	—	—	—	—	—		3
4	·10	·52	·01	·08	—	—	—	—	—	—	—	·72		4
5	·23	·03	·21	—	—	—	·04	—	—	—	·04	·01		5
6	·03	—	·42	·02	—	—	·10	—	—	—	·02	—		6
7	—	·72	·22	·15	—	—	·01	—	·04	·01	·21	·27		7
8	—	·05	TR	—	·13	·02	—	—	—	—	—	·19		8
9	—	·05	—	·24	·09	—	·10	—	·25	—	—	·30		9
10	—	TR	·62	·07	·19	·26	·02	TR	TR	—	·01	·06		10
11	—	—	·25	—	·75	·01	·04	—	—	TR	—	—		11
12	·19	·36	·09	—	·20	1.01	—	·02	·04	—	—	·19		12
13	·14	·04	·24	—	·02	·27	—	·30	·03	—	—	—		13
14	·04	·02	·56	·24	·03	·02	—	·92	·05	—	—	—		14
15	·21	·14	—	·17	—	—	·78	—	·45	—	TR	·08		15
16	·02	·13	·36	·74	—	·01	—	·09	·4~~8~~5	—	—	·56		16
17	·38	·02	·22	·23	—	·02	—	—	·77	—	·04	—		17
18	·40	·14	·10	TR	·14	·16	·40	—	·04	—	·25	—		18
19	·10	·09	·09	·17	—	·25	—	—	·15	·01	·02	—		19
20	·44	·09	·02	·57	·60	—	—	—	·05	—	TR	·09		20
21	·30	·36	·07	·03	·03	—	—	·02	—	—	—	·03		21
22	·46	·03	·05	—	·10	·27	·09	—	—	·46	·20	·07		22
23	·25	·02	—	—	·50	—	·18	—	—	·48	—	—		23
24	·40	·51	·07	—	·02	—	·01	—	·15	·19	TR	—		24
25	·03	·46	·01	—	·70	—	—	—	·09	·25	—	TR		25
26	·01	·34	·08	—	·11	—	—	—	—	·07	—	·03		26
27	·02	·32	—	·10	—	—	—	—	—	·65	—	—		27
28	·02	·12	—	·01	—	·01	—	—	·01	·05	—	·04		28
29	·01	X	—	—	—	—	—	—	·02	·07	·05	·01		29
30	·29	✕	—	—	—	·01	—	—	·01	·25	·19	—		30
31	·28	✕	—	✕	—	✕	—	—	✕	—	✕	·02		31
TOTAL	4.60	4.9~~8~~7	3.7~~8~~1	3.16	3.61	~~2.29~~ 2.32	~~1.75~~ 1.77	1.35	~~2.72~~ 2.74	2.49	1.57	3.34	Year's Total ~~35.58~~	35.63
* Days with .01 in. or more.	26	24	20	16	15	13	11	5	18	11	11	13	188	✓
* Days with .04 in. or more.	18	19	16	12	11	6	8	3	13	9	8	12	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. R. Upton

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 926

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at GORHAMBURY ST ALBANS

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 432 423 ft.

Erase Dec entry on 2nd record

H.W.H.S. return amended 19/2/39 C.R.

corr for Dec 19–26 snow w.J.R.

notified 20/4/39.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.02	—	—	.01	.25	—	—	TR	—	—	—		1
2	—	.03	—	—	.12	.04	—	—	—	.04	—	.04		2
3	.01	—	TR	—	.10	—	—	—	.12	.10	.02	—		3
4	.09	.01	—	—	—	—	.35	—	—	1.00	—	.18		4
5	—	—	—	—	—	—	—	—	—	.05	—	.02		5
– 6	.08	—	—	—	—	—	—	—	—	.10	.02	TR		6
7	—	—	—	—	—	—	.48	.38	.05	.50	—	—		7
8	.17	—	—	—	—	—	.01	—	—	—	—	.02		8
9	.11	.04	—	—	—	—	.09	.12	—	—	—	.80		9
10	.16	—	—	—	—	—	.05	.12	—	.04	—	.01		10
11	.02	—	—	—	—	—	—	—	—	—	24	—		11
12	.10	.06	—	—	.03	—	—	1.00	.04	.34	.03	.02		12
13	.17	.03	—	—	—	—	—	.02	—	—	.12	.20		13
14	.32	—	—	—	.09	—	.05	—	.08	TR	—	.04		14
15	.01	—	—	—	TR	—	.12	—	—	.19	.02	.30		15
16	.42	.02	.03	—	—	—	—	—	—	.02	—	+		16
17	.04	.08	—	—	.08	—	—	—	—	.10	—	—		17
18	.02	—	—	TR	.09	—	—	—	.04	—	.21	—		18
19	.11	.02	—	—	TR	—	—	.12	.07	.02	.18	—		19
20	—	—	—	—	—	—	—	—	.19	TR	.48	~~.06~~		20
21	—	—	—	—	—	.02	—	.13	.04	—	—	~~.50~~		21
22	.02	—	—	—	—	—	—	—	.04	.02	.28	~~1.00~~		22
23	—	—	—	.04	—	—	—	—	—	—	.04	(1.20)		23
24	—	.01	.10	—	.25	—	—	—	.38	.04	.08	~~.02~~		24
25	.14	—	.08	—	—	—	—	.12	TR	.20	.88	—		25
26	.25	.20	.06	—	—	—	—	—	.18	.01	—	~~.02~~		26
27	.11	.07	—	—	.02	.25	.28	—	—	.06	.48	.04		27
28	.25	.05	—	.02	.86	.11	—	.46	—	—	.02	.48		28
29	.07	✕	—	—	.38	—	—	—	—	.02	.28	.20		29
30	.12	✕	—	TR	—	.12	—	—	—	—	.26	.06		30
31	.25	✕	—	✕	—	✕	—	—	✕	—	✕	.40		31
TOTAL	3.13	.64	.27	.06	2.03	.79	1.43	2.48	1.23	2.85	3.64	(4.01) ~~[illegible]~~	Year's Total ~~[illegible]~~	22.56
* Days with .01 in. or more.	24	13	4	2	11	6	8	9	11	18	17	20	143	
* Days with .04 in. or more.	19	6	3	1	8	5	9	8	11	12	12	~~14~~ 15	~~106~~	107

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) R. Mylton

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 926

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Gorhambury

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 432 ft. ? 423

Corr'd for arith

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	—	·01	—	·38	—	—	·10	·24	—	—	·01		1
2	—	—	—	·24	—	—	·22	·35	—	·01	·05	—		2
3	·50	—	—	·01	·02	—	—	·44	—	·02	·24	·26		3
4	·04	—	·25	·21	·03	—	—	·42	—	·25	—	TR		4
5	—	·04	—	·46	·14	—	·01	·18	—	·15	·02	·16		5
6	·60	—	—	—	TR	—	TR	·09	—	—	·55	·15		6
7	·11	·24	—	—	—	—	—	·04	—	—	·14	·05		7
8	·04	·10	·14	—	—	—	—	·34	—	·62	·15	·38		8
9	—	·09	—	—	—	—	·04	·08	—	·11	·04	·02		9
10	·24	—	—	—	[illegible]	·65	—	·19	—	—	—	—		10
11	·06	—	·21	—	·02	·20	—	—	·03	—	—	·26		11
12	TR	·10	·01	—	—	·01	—	·01	·06	·04	—	TR		12
13	—	—	—	—	—	·02	—	—	·05	·94	—	—		13
14	·56	—	—	·05	·25	·16	·01	—	·06	·23	·36	—		14
15	·20	—	TR	—	·48	·32	—	—	—	·03	·14	—		15
16	·25	—	·13	—	·11	·25	·26	—	—	—	·25	·01		16
17	·32	—	·01	—	·14	—	·06	·02	·01	—	—	—		17
18	·20	·04	·05	·02	—	·15	·12	—	—	·14	·40	—		18
19	·20	—	·01	—	—	·12	·10	—	—	—	—	—		19
20	·19	—	—	—	—	—	·28	—	—	—	—	—		20
21	·11	·05	·24	—	—	·01	·29	·16	·02	—	—	—		21
22	·19	·24	·05	—	—	·05	·03	—	·10	—	·20	—		22
23	·06	—	—	·05	—	—	·24	·02	—	·11	·40	·02		23
24	·16	·05	·02	·03	—	—	—	—	—	·15	TR	—		24
25	1·60	·10	·12	·05	—	—	TR	—	—	·04	·50	—		25
26	TR	·02	·05	—	—	·01	·01	—	TR	·08	·40	—		26
27	·03	·09	·10	·18	—	—	—	·05	—	·20	·10	—		27
28	·01	·10	·10	·02	—	—	—	—	—	·38	·16	·14		28
29	—	X	—	·45	—	—	·15	—	—	·08	·14	—		29
30	—	✕	—	·69	—	·24	—	—	—	—	·12	·02		30
31	—	✕	·01	✕	—	✕	·01	·42	✕	—	✕	—		31
TOTAL	5.~~[illegible]~~ 69	1.26	1.64	2.4~~5~~ 4	1.6	2.20	1.83	2.91	·57	4.2~~6~~ 7	4.69	1.48	Year's Total 30.~~44~~ 48	✓
* Days with .01 in. or more.	2~~[illegible]~~2	13	17	13	9	13	15	16	8	18	19	12	144	✓
* Days with .04 in. or more.	18	12	11	9	6	9	10	13	5	16	18	4	134	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. P. Upton

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 926

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at CORHAMBURY

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 432 ft.

Jan 26-31st & Feb 4th pt apportioned & [illegible]

? Snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	·01	·02	—	—	—	—	—	·10	—		1
2	—	—	—	·21	·20	—	—	—	—	·16	·54	—		2
3	—	—	—	·16	—	—	—	·10	—	·36	·84	·02		3
4	—	(·40) ~~·80~~	—	·16	—	—	—	—	—	·03	·07	—		4
5	—	·18	—	—	TR	—	·11	—	—	·12	·33	·22		5
6	·15	·12	—	—	·07	—	·44	—	—	·28	·14	—		6
7	·29	—	—	—	·08	—	—	—	—	—	·18	—		7
8	—	—	—	—	—	—	—	—	·05	·16	·02	·22		8
9	—	—	—	—	—	·12	TR	—	—	—	·12	·04		9
10	—	—	—	—	—	—	·82	—	—	·03	·14	—		10
11	—	—	—	·01	—	~~·02~~	TR	—	—	—	1·05	·06		11
12	—	—	·08	—	—	—	·08	—	·06	—	TR	—		12
13	—	—	·51	—	—	—	—	—	·05	·08	1·63	—		13
14	—	—	·25	·10	—	—	—	—	—	·07	—	·28		14
15	TR	—	·02	·04	·24	—	·18	—	·02	·24	·34	·01		15
16	—	—	·27	·14	—	—	·50	—	·25	·93	·66	·01		16
17	—	—	·47	—	—	—	·02	—	—	—	·54	·04		17
18	·05	·56	·85	—	—	—	·04	—	·01	—	·26	·14		18
19	—	·16	·05	—	—	—	·14	—	·24	—	·19	—		19
20	—	·04	·02	—	—	—	—	—	—	·04	·07	—		20
21	·15	·02	—	—	·27	—	·10	—	—	·03	·51	—		21
22	—	TR	·05	—	·31	·30	·14	—	·20	TR	—	·01		22
23	—	·05	·09	·14	—	·02	TR	—	—	TR	—	—		23
24	~~·15~~	—	—	—	—	—	·15	—	—	·06	—	—		24
25	—	TR	·36	·07	·04	—	·30	—	—	TR	—	—		25
26	—	·16	·15	TR	·20	—	·08	—	—	—	—	—		26
27	—	·28	·05	·26	·08	—	—	—	—	—	—	—		27
28	(1·70) —	·05	—	·01	·11	—	—	·02	—	—	—	—		28
29	—	·04	·12	—	·03	—	—	—	—	·03	—	·34		29
30	—	✗	—	·20	—	—	—	—	—	·19	—	·05		30
31	(2·34) —	✗	—	✗	—	✗	—	—	✗	·40	✗	·01		31
TOTAL	~~·79~~ ~~·64~~	2·06 ~~2·46~~	2·74	1·54	1·6~~4~~ 5	·46	3·13 ~~3·05~~	·12	·88	3·31	7·94	1·45	Year's Total ~~26·03~~	27·42 ~~26·27~~
* Days with .01 in. or more.	9 ~~8~~	12	15	13	12	4	14	2	8	17	19	14	13~~5~~ 9	~~27·62~~
* Days with .04 in. or more.	~~5~~ 7	11	13	10	10	2	13	1	6	13	18	9	11~~1~~ 3	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. R. Upton

Head gardener.

P.T.O.

927

Section **A** for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—M … FALL ORGANIZATION.

FORM 1090.

REGISTE … 931 .

927

HATFIELD P.S.

1931-1940

780205

Kept at Hatfield Pumpin

in the County of Hertfor

Diameter of Funnel of Gauge 5"

Height of top of Gauge above Ground –

,, Ground ,, Sea Level

THE MORNING MEASUREME … DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	02	·	18	·	03	01	tr	05	·	·	·	1
2	10	06	·	39	·	tr	tr	·	54	01	tr	04	2
3	05	01	·	40	44	·	·	49	61	·	04	21	3
4	tr	tr	·	09	01	·	03	20	12	tr	04	tr	4
5	·	·	·	12	07	37	03	25	08	·	tr	29	5
6	·	11	·	06	·	tr	·	tr	·	28	43	tr	6
7	·	·	·	·	tr	07	05	57	·	01	15	04	7
8	02	04	04	tr	tr	16	·	1·04	·	03	09	tr	8
9	·	10	09	·	·	01	tr	01	18	tr	34	01	9
10	02	05	·	·	tr	03	09	17	04	01	32	·	10
11	13	27	·	·	·	·	·	·	·	tr	08	·	11
12	01	01	·	tr	·	·	·	14	28	tr	tr	tr	12
13	tr	·	·	·	·	·	23	01	tr	·	tr	·	13
14	03	11	·	·	02	tr	1·15	63	·	·	01	·	14
15	02	02	·	14	09	·	11	12	·	·	01	01	15
16	·	19	·	11	26	01	·	38	18	·	·	·	16
17	01	01	·	20	31	·	10	01	11	·	·	·	17
18	04	06	·	24	·	13	01	43	tr	tr	51	·	18
19	01	·	·	35	·	57	04	04	12	·	tr	·	19
20	01	01	tr	04	·	·	03	17	tr	tr	01	·	20
21	01	·	·	04	61	·	·	tr	tr	·	01	·	21
22	21	·	·	tr	·	·	·	·	04	·	01	·	22
23	20	·	tr	03	57	12	·	·	03	·	19	03	23
24	tr	·	·	35	07	01	06	·	01	·	tr	02	24
25	·	·	·	40	08	·	34	·	tr	·	05	01	25
26	·	04	·	17	·	·	73	·	·	·	12	·	26
27	13	36	·	02	·	·	01	·	·	·	21	·	27
28	06	07	·	01	11	·	·	·	·	01	01	08	28
29	10	X	·	tr	03	·	12	·	·	25	01	04	29
30	07	X	·	·	01	·	tr	06	·	·	tr	·	30
31	27	X	·	X	·	X	·	tr	X	·	X	tr	31
													YEAR'S TOTAL
TOTAL	1·51	1·54	0·13	3·34	2·68	1·51	3·14	4·72	2·39	0·60	2·64	0·78	24·98
*Days with ·01 in. or more.	21	18	2	19	14	11	17	17	14	7	20	11	171
*Days with ·04 in. or more.	11	12	2	16	10	6	11	14	12	2	13	6	115

40-9999

(Signed) J. Haseldine

[P.T.O.

*See Instruction 2 (*f*) on other side.

927

Section **A** for the entry of Dail

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hatfield Pumping Station.
in the County of Hertford
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground - ft 11 in.
,, Ground ,, Sea Level 334 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	02	·	18	·	03	01	tr	05	·	·	·	1
2	10	06	·	39	·	tr	tr	·	54	01	tr	04	2
3	05	01	·	40	44	·	·	49	61	·	04	21	3
4	tr	tr	·	09	01	·	03	20	12	tr	04	tr	4
5	·	·	·	12	07	37	03	25	08	·	tr	29	5
6	·	11	·	06	·	tr	·	tr	·	28	43	tr	6
7	·	·	·	·	tr	07	05	57	·	01	15	04	7
8	02	04	04	tr	tr	16	·	1·04	·	03	09	tr	8
9	·	10	09	·	·	01	tr	01	18	tr	34	01	9
10	02	05	·	·	tr	03	09	17	04	01	32	·	10
11	13	27	·	·	·	·	·	·	·	tr	08	·	11
12	01	01	·	tr	·	·	·	14	28	tr	tr	tr	12
13	tr	·	·	·	·	·	23	01	tr	·	tr	·	13
14	03	11	·	·	02	tr	1·15	63	·	·	01	·	14
15	02	02	·	14	09	·	11	12	·	·	01	01	15
16	·	19	·	11	26	01	·	38	18	·	·	·	16
17	01	01	·	20	31	·	10	01	11	·	·	·	17
18	04	06	·	24	·	13	01	43	tr	tr	51	·	18
19	01	·	·	35	·	57	04	04	12	·	tr	·	19
20	01	01	tr	04	·	·	03	17	tr	tr	01	·	20
21	01	·	·	04	61	·	·	tr	tr	·	01	·	21
22	21	·	·	tr	·	·	·	·	04	·	01	·	22
23	20	·	tr	03	57	12	·	·	03	·	19	03	23
24	tr	·	·	35	07	01	06	·	01	·	tr	02	24
25	·	·	·	40	08	·	34	·	tr	·	05	01	25
26	·	04	·	17	·	·	73	·	·	·	12	·	26
27	13	36	·	02	·	·	01	·	·	·	21	·	27
28	06	07	·	01	11	·	·	·	·	01	01	08	28
29	10	×		tr	03	·	12	·	·	25	01	04	29
30	07	×	·	·	01	·	tr	06	·	·	tr	·	30
31	27	×	·	×	·	×	·	tr	×	·	×	tr	31
TOTAL	1·51	1·54	0·13	3·34	2·68	1·51	3·14	4·72	2·39	0·60	2·64	0·78	YEAR'S TOTAL 24·98
*Days with ·01 in. or more.	21	18	2	19	14	11	17	17	14	7	20	11	171
*Days with ·04 in. or more.	11	12	2	16	10	6	11	14	12	2	13	6	115

40-9999

(Signed) J. Haseldine

*See Instruction 2 (*f*) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 927

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hatfield Pumping Station

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 11 in.

,, Ground ,, Sea Level 334 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	·	·	10	56	03	05	01	04	06	03	01	1
2	06	·	·	12	06	·	·	·	45	05	07	12	2
3	tr	tr	·	15	12	·	·	·	14	tr	tr	·	3
4	01	01	·	tr	·	tr	·	tr	·	·	06	tr	4
5	23	tr	01	·	tr	·	11	·	05	·	·	tr	5
6	38	·	01	05	09	·	·	·	04	·	·	·	6
7	01	·	15	04	·	·	16	·	04	tr	·	01	7
8	·	·	02	03	13	·	·	·	09	16	·	·	8
9	08	01	·	09	58	·	·	·	·	02	·	·	9
10	47	tr	tr	20	05	03	·	·	03	06	03	·	10
11	01	tr	03	07	02	01	34	·89	05	28	07	01	11
12	06	·	·	tr	06	·	·	03	03	19	02	·	12
13	02	·	·	16	01	·	01	·	01	04	05	01	13
14	17	01	·	03	01	·	·	·	·	05	tr	·	14
15	tr	01	·	05	23	·	tr	·	·	08	·	·	15
16	17	·	·	20	08	·	·	·	·	·	·	·	16
17	tr	·	·	·	·	·	15	·	·	10	tr	·	17
18	tr	·	·	·	tr	·	tr	·	13	tr	10	·	18
19	·	·	·	·	·	·	·	·	tr	21	tr	·	19
20	tr	·	·	10	01	·	01	27	07	75	12	·	20
21	01	·	tr	12	58	·	06	46	·	31	·	03	21
22	·	tr	34	02	04	·	16	·	21	18	30	·	22
23	·	07	05	·	·	·	·	·	04	63	·	09	23
24	·	tr	·	tr	·	·	16	·	04	05	10	tr	24
25	·	02	·	01	·	·	27	·	03	28	03	01	25
26	·	·	07	25	09	·	09	·	·	tr	07	·	26
27	·	·	27	14	55	·	25	·	tr	15	17	01	27
28	·	·	27	tr	02	08	15	·	·	21	tr	tr	28
29	·	·	34	06	15	03	tr	44	03	39	04	01	29
30	tr	×	24	02	·	83	·	tr	13	09	18	15	30
31	·	×	04	×	·	×	04	·	×	tr	×	04	31
TOTAL	1·73	0·13	1·84	2·01	3·44	1·01	2·01	2·10	1·65	4·34	1·44	0·50	YEAR'S TOTAL 22·20
*Days with ·01 in. or more.	14	6	13	21	20	6	15	6	19	22	16	12	170
*Days with .04 in. or more.	9	1	9	16	15	2	13	4	14	21	12	4	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J F Haseldine

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 927

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at HATFIELD Pumping Station

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 11 in.

,, Ground ,, Sea Level 334 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	15	14	.	03	.	.	.	.	.	02	.	1
2	35	.	29	.	01	.	.	-	-	.	.	.	2
3	t	13	12	.	03	.	.	.	.	.	02	.	3
4	28	01	06	.	25	.	.	.	.	.	02	.	4
5	02	01	19	.	09	.	.	.	.	.	t	.	5
6	.	08	03	.	52	.	.	.	.	06	07	t	6
7	12	07	02	.	01	.	.	.	.	07	t	t	7
8	05	t	02	.	05	.	03	.	.	t	.	.	8
9	.	t	.	.	09	.	15	.	.	04	08	t	9
10	.	04	.	.	01	05	38	.	.	20	.	.	10
11	06	.	01	.	t	03	06	06	02	01	02	.	11
12	.	.	.	02	02	04	06	.	40	.	.	.	12
13	04	.	.	.	08	.	28	.	04	.	11	.	13
14	.	.	.	.	t	.	t	01	.	.	46	01	14
15	46	.	17	.	t	35	11	04	.	.	10	.	15
16	02	t	66	.	.	18	01	.	.	09	03	.	16
17	02	t	30	.	.	02	04	.	05	.	01	.	17
18	03	03	25	.	.	03	.	.	.	.	t	.	18
19	t	03	24	t	.	15	.	.	37	.	t	08	19
20	.	04	01	13	.	36	t	t	.	.	t	t	20
21	.	01	.	.	01	t	.	01	28	t	t	t	21
22	.	t	.	.	.	01	.	19	.	22	02	.	22
23	.	t	.	16	14	t	.	.	45	.	t	.	23
24	.	14	.	12	05	19	.	.	59	.	04	.	24
25	.	22	.	26	t	.	.	.	04	t	05	06	25
26	.	44	.	02	.	21	.	.	09	08	.	11	26
27	.	t	.	02	32	.	01	.	05	11	.	09	27
28	.	.	.	01	22	.	.	.	01	34	.	03	28
29	05	X	t	08	.	.	13	.	.	12	.	.	29
30	15	X	09	.	.	.	04	.	02	t	.	11	30
31	09	X	01	X	.	X	.	15	X	.	X	t	31
TOTAL	1·77	1·40	2·61	0·82	1·93	1·62	1·30	0·46	2·41	1·34	1·05	0·49	YEAR'S TOTAL 17·20
*Days with ·01 in. or more.	15	14	17	9	17	12	12	6	13	11	14	7	147
*Days with .04 in. or more.	10	9	11	5	10	8	9	4	10	10	7	5	98

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) F. Haseldine

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 927

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hatfield P.S.

in the County of Hertford.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground – ft 11 in.

,, Ground ,, Sea Level 334 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	·	t	·	t	·	·	22	13	01	·	25		1
2	15	·	08	·	02	·	·	01	51	16	·	19		2
3	01	03	·	·	·	·	·	·	·	18	·	t		3
4	11	·	04	14	t	·	·	·	·	11	08	40		4
5	01	·	08	t	03	·	·	01	·	·	t	32		5
6	t	·	15	t	38	16	·	11	·	13	·	45		6
7	01	·	·	·	t	08	·	06	·	04	·	21		7
8	·	·	·	·	04	·	·	03	·	·	26	01		8
9	01	·	03	·	·	·	·	·	·	·	81	39		9
10	03	·	13	12	·	·	·	06	·	01	31	t		10
11	32	·	32	02	·	·	01	02	·	·	03	11		11
12	03	·	11	·	·	·	04	55	·	·	t	03		12
13	40	·	02	02	·	·	28	03	·	·	03	04		13
14	04	·	30	·	05	t	·	·	·	06	23	39		14
15	09	t	23	·	04	·	·	·	46	t	05	22		15
16	15	t	18	·	t	·	·	·	·	20	t	t		16
17	02	t	·	01	·	·	·	·	·	18	t	09		17
18	04	t	·	20	·	·	40	·	·	·	t	08		18
19	·	·	20	t	·	03	·	·	05	01	t	14		19
20	·	·	38	·	·	·	15	·	·	·	t	·		20
21	·	t	02	04	·	08	·	06	·	03	·	t		21
22	·	·	t	·	·	·	04	16	31	·	t	·		22
23	·	t	·	24	01	19	01	·	t	·	t	11		23
24	t	t	04	13	·	02	11	·	16	·	·	·		24
25	·10	05	·	06	·	·	·	·	·	03	·	31		25
26	·04	·	·	14	·	02	01	·	03	01	·	16		26
27	t	·05	·	04	·	04	·	·	·	t	·	30		27
28	·	·16	·	18		04	·	89	·	·	10	30		28
29	·	×		·	·	·	09	05	13	·	t	05		29
30	04	×		·	·	·	·	22	01	·	·	04		30
31	02	×		×	·	×	·	·	×	20	×	08		31
TOTAL	1·40	0·29	2·31	1·40	0·63	0·42	1·14	2·48	1·49	1·39	1·90	4·43	Year's Total. 20·51	✓
* Days with .01 in. or more.	20	4	16	13	4	9	10	15	9	15	9	24	151	
* Days with .04 in. or more.	11	3	13	10	4	6	4	10	4	9	4	22	109	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. F. Haseldine

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 927

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hatfield Waterworks Pumping Station

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 334 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	03	.	03	.	16	31	.	t	10	20	t		1
2	01	.	.	02	.	.	.	.	26	19	04	.		2
3	.	14	10	06	.	12	.	t	26	60	13	t		3
4	.	.	.	18	.	15	.	.	10	11	.	03		4
5	.	31	06	09	.	13	.	.	35	t	01	t		5
6	05	t	t	33	.	50	.	.	.	.	t	01		6
7	.	.	.	57	.	09	.	.	.	05	1.20	16		7
8	.	.	.	25	.	.	.	01	.	30	13	10		8
9	.	.	.	33	.	64	.	.	.	91	11	06		9
10	t	t	.	21	.	02	.	.	.	.	25	04		10
11	23	.	.	.	.	08	.	.	.	.	23	t		11
12	t	03	.	.	.	14	.	09	t	.	38	.		12
13	15	20	.	25	14	01	.	.	01	.	t	.		13
14	.	.	.	21	27	04	.	.	31	.	11	08		14
15	.	25	.	41	01	33	.	.	14	.	18	12		15
16	.	12	02	04	.	30	t	.	21	.	54	10		16
17	.	.	01	01	.	15	.	.	13	.	49	t		17
18	.	.	.	25	30	08	17	.	47	03	10	t		18
19	.	.	.	22	15	05	08	.	14	.	12	08		19
20	01	18	.	09	45	11	15	.	08	.	06	.		20
21	01	28	01	t	.	t	.	.	02	03	16	.		21
22	.	.	08	.	.	.	.	36	25	.	t	.		22
23	.	01	28	t	.	.	.	37	02	01	t	20		23
24	07	44	01	.	.	.	.	01	60	.	t	25		24
25	14	20	.	24	.	51	.	.	.	.	t	14		25
26	10	08	.	t	.	.	.	30	08	01	.	36		26
27	01	30	.	.	10	.	04	.	15	01	16	29		27
28	.	t	.	.	07	.	.	03	13	03	01	10		28
29	01	X	.	.	.	.	.	.	61	.	.	18		29
30	07	✕	.	11	56	.	.	66	.	10	24	30		30
31	.	✕	.	✕	t	✕	.	t	✕	49	✕	26		31
TOTAL	1·03	2·57	0·57	3·90	2·05	3·61	0·75	1·83	4·32	2·07	4·85	2·86	Year's Total 31·31	
* Days with .01 in. or more.	13	14	8	20	9	19	5	8	20	15	21	19	171	
* Days with .04 in. or more.	8	11	4	17	8	17	5	5	17	9	19	17	137	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. F. Haseldine [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 927

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Hatfield Waterworks Pumping Station

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft. 11 in.

,, Ground ,, Sea Level 334 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·39	·23	·04	·29	·	·11	·21	·01	·	·	·05	·10		1
2	·09	·04	t	·01	·	·24	·34	·06	t	·	·12	t		2
3	t	·	t	·06	·01	·02	t	t	·26	·	·33	·		3
4	t	·	·09	·	t	·38	·	·	·28	·	·08	·06		4
5	·10	·	·03	·	·	t	·	·02	·65	·	·04	·04		5
6	·28	·	t	·	·41	·21	·	·01	·11	·	·06	t		6
7	·24	·	·04	·	t	t	·24	t	·02	·	·03	·01		7
8	·21	·	·04	·	t	t	·05	·	·02	·01	·40	·18		8
9	·32	·	·04	·	·01	·	·55	·	·19	·11	t	·01		9
10	·01	·	t	·	·01	·	·12	·11	·10	·	t	·		10
11	·	·	·	·20	·	·	·05	·	·	·01	·40	·		11
12	·	·	·	·13	·	·41	·28	·	·16	t	·59	·11		12
13	·	·	·	t	·	·19	·	·	·	·02	·09	·18		13
14	·	·11	·	·	·	·18	·43	·	·03	·06	·09	·36		14
15	·	·08	·	·	·	·	·02	·	·08	t	t	·04		15
16	·16	·05	·	·	·	·	·03	·	·04	·	·34	·03		16
17	·11	·54	·	·	·02	·06	t	·	t	t	·24	·14		17
18	·	·12	·	·	·	·43	·15	·	·	·29	·02	·02		18
19	·32	·05	t	t		·09	·	·06	·	·05	·	t		19
20	·11	·10	·02	·20	·	·04	·04	·	1·23	·	·	·		20
21	t	·	·	·23	·01	·40	t	·	·14	·	t	·		21
22	·13	·42	·06	·04	·15	·01	·14	·	·01	·	·01	·14		22
23	t	t	·	·04	t	·	·14	·	·	·10	t	t		23
24	·14	·09	·	t	·	·	·15	·	·15	·36	t	·01		24
25	·06	t	·20	·15	·	·40	·06	·	·20	·04	·10	·03		25
26	t	·09	·14	t	·	·02	t	·	·02	·12	·01	·02		26
27	·09	·03	·03	·04	·	·	·02	t	·15	·10	t	·		27
28	·85	t	·06	·	·	·11	·42	·	·	t	·	·06		28
29	·12	·12	·12	·	·	·13	·20	·	·	·02	·14	·02		29
30	·09	✕	t	·	·11	·22	·09	·	·	·23	·01	t		30
31	·49	✕	·18	✕	·01	✕	·12	·	✕	·46	✕	·21		31
													Year's Total	
TOTAL	4·31	2·10	1·15	1·42	0·44	3·95	3·94	0·24	3·84	2·01	3·48	1·80	29·01	✓
* Days with .01 in. or more.	20	14	14	11	9	19	22	6	19	15	20	20	189	✓
* Days with .04 in. or more.	19	13	11	10	3	16	19	3	14	11	15	12	146	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 927

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at HATFIELD WATERWORKS PUMPING STATION

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ' in.

,, Ground ,, Sea Level 334 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	19	t	03	02	.	.	.	.	02	.	59	48		1
2	01	16	.	44	.	.	.	.	05	.	t	18		2
3	t	13	05	01	.	.	-	.	.	.	.	14		3
4	08	31	t	01	.	.	.	.	.	.	.	63		4
5	25	02	16	.	.	.	02	.	.	t	01	05		5
6	01	.	28	t	13	.	17	-	.	03	05	01		6
7	.	72	03	10	01	.	01	.	05	t	t	.		7
8	t	09	.	t	09	08	-	.	.	.	11	29		8
9	t	08	.	30	16	t	09	.	22	t	.	09		9
10	.	t	58	04	21	44	05	11	.	.	t	25		10
11	.	t	18	.	44	.	03	.	.	-	.	03		11
12	19	39	08	.	23	52	.	13	07	.	t	11		12
13	14	06	35	t	t	11	.	1·92	t	.	.	72		13
14	02	05	31	23	.	t	.	1·25	06	-	.	01		14
15	11	14	.	14	.	11	67	-	09	.	.	02		15
16	09	10	30	75	.	01	.	09	22	.	.	02		16
17	36	03	15	23	.	.	.	.	20	t	07	02		17
18	32	10	01	t	20	18	.	.	29	01	19	03		18
19	10	09	08	09	01	15	48	.	10	01	01	01		19
20	46	t	t	37	62	16	.	.	11	01	.	02		20
21	26	33	06	06	t	t	04	.	t	01	01	02		21
22	30	02	02	.	04	13	07	.	t	54	27	03		22
23	27	01	03	.	19	.	19	.	t	66	t	t		23
24	44	42	t	.	t	.	t	.	19	21	t	t		24
25	04	30	02	.	12	.	.	.	05	36	.	02		25
26	t	22	07	.	29	.	.	.	t	05	t	.		26
27	01	10	t	17	.	.	.	.	t	59	.	.		27
28	01	06	.	02	.	t	.	.	.	10	t	02		28
29	01	×	.	.	.	07	.	.	.	11	04	04		29
30	28	×	.	t	.	.	.	t	.	t	11	t		30
31	30	×	t	×	.	×	.	.	×	06	×	03		31
TOTAL	4·25	3·93	2·79	2·98	2·74	1·96	1·82	3·50	1·72	2·75	1·46	3·27	Year's Total 33·17	✓ ✓
* Days with .01 in. or more.	24	23	19	16	14	11	11	5	14	14	11	25	187	✓ ✓
* Days with .04 in. or more.	18	19	13	12	12	10	8	5	13	9	8	11	138	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F. Haseldine [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 927

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at HATFIELD WATERWORKS.

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 334 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	09	t	01	·	·	10	06	·	05	t	t	02		1
2	10	t	·	·	08	t	01	·	·	17	t	t		2
3	t	·	t	·	05	·	01	·	06	83	03	·		3
4	05	·	t	t	·	t	02	t	·	06	t	11		4
5	t	·	·	·	·	·	70	·	t	08	t	t		5
6	05	·	·	·	·	·	04	·	t	02	t	·		6
7	04	·	·	·	·	·	06	37	02	44	·	02		7
8	16	·	t	·	·	·	06	37	02	25	t	t		8
9	05	t	·	·	·	·	09	43	t	02	t	67		9
10	09	·	·	·	·	·	04	16	t	t	·	02		10
11	30	08	·	·	·	·	02	01	·	·	16	03		11
12	26	02	·	·	01	·	·	30	t	31	03	01		12
13	08	04	·	·	·	·	·	·	·	t	18	14		13
14	29	·	·	·	09	·	t	t	09	·	01	01		14
15	05	01	·	·	·	·	12	01	·	23	01	32		15
16	41	t	02	·	·	·	05	01	·	06	01	35		16
17	t	06	·	·	29	·	07	·	t	05	t	t		17
18	06	t	·	·	09	·	03	01	03	03	30	·		18
19	t	01	·	t	·	·	·	07	06	·	18	·		19
20	·	·	·	·	·	·	·	·	01	·	50	01		20
21	02	t	·	·	·	·	·	01	02	·	03	44		21
22	t	·	t	t	·	02	·	03	·	·	20	21		22
23	t	·	·	02	·	·	·	·	·	t	04	t		23
24	·	·	12	t	01	·	·	·	43	t	05	·		24
25	08	02	10	04	41	·	01	03	01	04	79	14	–	25
26	22	17	11	t	t	·	·	07	16	20	t	22		26
27	11	06	t	02	05	16	20	01	84	19	33	t ~~06~~		27
28	21	05	·	02	67	10	t	32	04	·	03	06		28
29	27	×	·	02	24	·	·	t	·	t	13	19		29
30	01	×	·	t	04	03	·	·	02	05	25	01		30
31	21	×	·	×	07	×	·	·	×	17	×	38		31
													Year's Total	
TOTAL	3·21	0·52	0·36	0·12	2·15	0·41	1·59	2·21	1·86	3·20	3·26	3·36	22·25	✓
* Days with .01 in. or more.	23	10	5	5	13	5	17	16	15	18	19	20	166	✓
* Days with .04 in. or more.	21	6	3	1	11	3	11	8	8	15	12	12	111	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 927

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at HATFIELD WATERWORKS

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

,, Ground ,, Sea Level 334 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	·	01	30	60	·	02	t	51	·	·	02		1
2	03	·	·	t	01	·	t	41	79	·	04	03		2
3	37	·	·	16	t	·	·	51	t	·02	39	20		3
4	01	·	28	09	t	·	01	56	·	32	03	t		4
5	·	·	t	79	07	·	t	27	·	10	30	14		5
6	62	·	·	05	t	·	37	06	·	t	36	08		6
7	09	04	·	t	·	·	t	t	·	·	06	12		7
8	01	09	13	·	·	·	04	25	·	38	21	·22		8
9	·	05	t	·	·	·	01	03	·	25	13	19		9
10	24	t	·	·	·	60	·	10	01	03	t	t		10
11	01	·	22	·	02	39	·	t	02	25	·01	t		11
12	·	18	t	·	·	02	·	·	02	t	·	·		12
13	·	t	01	03	·	·	05	·	07	84	·	·		13
14	56	t	02	·	24	02	02	·	02	21	34	t		14
15	28	t	·	·	59	27	07	·	04	1·21	09	t		15
16	32	t	16	06	07	09	t	·	06	t	30	01		16
17	16	02	05	07	09	t	05	t	·	·	03	nil		17
18	32	01	04	·	t	15	14	·	·	17	37	·		18
19	19	·	t	·	·	·	22	·	·	15	t	t		19
20	23	·	t	·	·	06	65	27	·	·	·	01		20
21	06	·	32	·	·	05	35	22	02	t	·	·		21
22	12	28	22	·	·	·	01	·	01	·	11	·		22
23	09	t	t	t	·	t	03	t	·	01	66	01		23
24	20	02	02	03	·	·	02	·	·	12	t	t		24
25	1·43	10	04	05	·	·	·	11	·	05	58	t		25
26	19	05	01	07	·	·	t	03	·	33	42	07		26
27	02	03	15	02	·	·	t	t	·	13	13	·		27
28	·	17	09	01	·	03	10	·	·	23	13	Snow 06		28
29	t	✕	01	42	·	·	t	·	·	12	10	·		29
30	·	✕	·	99	·	10	t	·	·	t	09	·		30
31	·	✕	·	✕	·	✕	09	t	✕	t	✕	·		31
TOTAL	5·87	1·04	1·78	3·14	1·69	1·78	2·25	2·82	1·57	4·92	4·88	1·16	Year's Total 32·90	
* Days with .01 in. or more.	23	12	17	15	8	11	18	12	11	19	22	13	181	
* Days with .04 in. or more.	17	8	11	11	6	8	11	10	5	16	19	8	130	

† Spare column, no entries required.

(*Signed*) J. F. Haseldine

P.T.O.

* See Instruction 3 (f) on other side.

Section **A** **for the entry of Daily Observations** **Station No.** 927

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at HATFIELD WATERWORKS

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	snow 01	·	t	02	·	·	·	·	·	08	·		1
2	·	snow 04	·	09	·	·	10	·	·	12	72	·		2
3	·	15	·	20	·	·	t	·	·	16	67	05		3
4	·	15	·	17	·	·	t	·	·	20	13	·		4
5	·	02	·	t	t	·	t	·	·	09	52	20		5
6	15	12	·	·	03	·	61	·	·	35	24	t		6
7	23	13	·	01	05	·	16	·	t	t	01	02		7
8	t	t	·	t	·	·	t	·	·	25	·	24		8
9	·	·	·	t	·	·	t	02	04	09	12	06		9
10	·	·	·	·	·	·	37	·	·	08	23	t		10
11	·	·	·	02	·	03	·	·	·	t	90	09		11
12	·	snow 01	06	·	·	·	06	·	06	·	01	·		12
13	·	snow t	r & snow 83	·	·	·	01	·	61	t	& snow 1·19	·		13
14	·	·	snow 19	12	15	·	·	·	t	01	t	23		14
15	sleet 01	·	02	02	23	03	14	·	07	·	12	t		15
16	snow 03	snow 08	34	05	·	01	46	·	10	1·00	67	02		16
17	·	t	35	·	·	·	03	·	t	t	54	t		17
18	snow t	40	16	35	·	·	·	t	·	·11	21	13		18
19	·	14	06	08	·	·	07	t	40	·01	15	02		19
20	·	02	01	02	·	t	·	t	t	t	08	·		20
21	snow 09	01	t	·	29	·	14	t	·	05	34	·		21
22	snow 02	·	04	·	52	38	·	·	09	t	t	·		22
23	·	06	04	13	·	01	t	·	·	06	01	·		23
24	·	·	t	14	·	·	17	·	·	·	t	·		24
25	·	t	53	·	02	·	19	·	·	t	·	·		25
26	snow 89	10	31	·	32	06	t	·	·	·	t	·		26
27	snow 31	13	·	01	03	·	14	t	·	·	·	·		27
28	snow 53	04	·	t	t	·	t	·	·	·	·	·		28
29	snow 07	05	08	·	31	·	·	·	·	·	·	32		29
30	sleet 02	✕	t	06	·	·	·	·	·	10	01	03		30
31	snow 02	✕	·	✕	·	✕	·	·	✕	59	✕	·		31
TOTAL	2·31	1·66	3·02	1·47	1·97	0·52	2·65	0·02	1·37	3·27	6·95	1·41	Year's Total 26·62	
* Days with .01 in. or more.	12	18	14	15	11	6	14	1	7	16	21	12	147	
* Days with .04 in. or more.	6	13	12	10	7	2	12	0	7	14	17	8	108	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Hasdaine

[P.T.O.

X ST. ALBANS (TOWNSEND DRIVE) X

926/3
ST. ALBANS
TOWNSEND DRIVE
1936 ONLY

Station No. 926/3

Section **A** for the entry of I
AIR MINISTRY
RAINFALL ORGANIZATION.

Form 1090.

REGIS 1936.

532426/36

Kept at ~~33 Townsend Drive~~ S
in the County of Hertfords
Diameter of Funnel of Gauge...... 5
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEASURE DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·05	·08	·01	–	~	·02			1
2						·35	·55	–	7	–	·09			2
3						·05	·09	·04	–	–	·35			3
4						·27	–	–	–	–	·12			4
5						–	–	–	–	–	·04			5
6						–	–	·11	–	tr	·02			6
7						·14	·89	–	–	–	·09			7
8						·05	·69	·1	–	–	·48			8
9						–	·45	–	·15	·02	·01			9
10						tr	·12	–	·08	·14	tr			10
11						–	·04	–	·17	tr	·95			11
12						·44	·34	–	·01	·01	·61			12
13					–	·46	–	–	–	·01	·05			13
14					–	·07	·4	·05	·06	·04	·05			14
15					–	·01	·17	–	tr	tr	tr			15
16					–	–	·14	–	·02	–	·39			16
17					·09	–	–	–	–		·03			17
18					–	·39	·18	–	–	·06	·3			18
19					–	·15	–	·1	–	·43	tr			19
20					–	tr	·06	–	1·42	tr	·01			20
21					·07	4·41	·15	–	·14	tr	–			21
22					·33	·05	–	–	tr	·16	–			22
23					tr	–	·19	–	·01		·02			23
24					–	–	·28	–	·12	·4	·05			24
25					–	·24	·11	–	·15	·02	–			25
26					–	·09	·02	–	·01	·16	–			26
27					–	–	·01	–	·27	·15	–			27
28					–	·09	·67	–	·02	tr	·04			28
29					–	·15	·09	–	–	·02	–			29
30		✕			·3	·22	·10	–	–	·36	·2			30
31		✕		✕	·09	✕	·11	–	✕	·3	✕			31
TOTAL					imp	7·71	5·98	·41	2·63	2·34	3·92	–	Year's Total imp	
* Days with .01 in. or more.						19	24	6	14	15	21	–		
* Days with .04 in. or more.						18	22	5	9	10	15	✓		

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

M

(*Signed*) Joan M. Wilson [P.T.O.

X MISS J. M. WILSON X

X ST. ALBANS (TOWNSEND DRIVE) X ~~COPY FOR~~ 5/2

Section **A** for the entry of Daily Observations.

Station No. 926/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

532426/36

Kept at ~~33 Townsend Drive St. Albans~~

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·05	·08	·01	–	–	·02			1
2						·35	·55	–	–	–	·09			2
3						·05	·09	·04	–	–	·35			3
4						·27	–	–	–	–	·12			4
5						–	–	–	–	–	·04			5
6						–	–	·11	–	tr	·02			6
7						·14	·89	–	–	–	·09			7
8						·05	·69	·1	–	–	·48			8
9						–	·45	–	·15	·02	·01			9
10						tr	·12	–	·08	·14	tr			10
11						–	·04	–	·17	tr	·95			11
12						·44	·34	–	·01	·01	·61			12
13					–	·46	–	–	–	·61	·05			13
14					–	·07	·4	·05	·06	·04	·05			14
15					–	·01	·17	–	tr	tr	tr			15
16					–	–	·14	–	·02	–	·39			16
17					·09	–	–	–	–		·03			17
18					–	·39	·18	–	–	·06 }	·3			18
19					–	·15	–	·1	–	·43	tr			19
20					–	tr	·06	–	1·42	tr	·01			20
21					·07	4·41	·15	–	·14	tr	–			21
22					·33	·05	–	–	tr	·16 }	–			22
23					tr	–	·19	–	·01		·02			23
24					–	–	·28	–	·12	·4	·05			24
25					–	·24	·11	–	·15	·02	–			25
26					–	·09	·02	–	·01	·16	–			26
27					–	–	·01	–	·27	·15	–			27
28					–	·09	·67	–	·02	tr	·04			28
29					–	·15	·09	–	–	·02	–			29
30		✕			·3	·22	·10	–	–	·36	·2			30
31		✕		✕	·09	✕	·11	–	✕	·3	✕			31
TOTAL					incp	7·71	5·98	·41	2·63	2·34	3·92	–	Year's Total incomp	
* Days with .01 in. or more.						19	24	6	14	15	21	–		
* Days with .04 in. or more.						18	22	5	9	10	15	✓		

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) Joan M. Wilson [P.T.O.

X MISS J. M. WILSON X

928

928

BERKHAMSTEAD
(ROSSWAY)

1931-1940

78 02 05

Section **A** for the entry of
AIR MINISTR

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGIS

1931.

Kept at Rossway, B

in the County of H

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU **OUS DAY.**

An observer who does not conform to *reading made on January 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·16	·01	·08	·11	·08	Nil	Nil	·09	Nil	Nil	Nil	1
2	·10	·11	Nil	·43	·26	·01	·04	Nil	·51	Nil	·02	Trace	2
3	·04	·03	·02	·18	·59	Nil	Nil	·27	·90	Nil	·16	·35	3
4	Nil	·01	Nil	·06	·01	Nil	·16	storm 1·78	·25	·02	·19	·02	4
5	·01	·02	Nil	·04	·09	·43	·05	·01	·09	·01	Trace	·42	5
6	·02	·01	Nil	·19	Nil	Trace	·04	Nil	·07	·33	·28	Trace	6
7	·02	·11	Nil	·18	·01	·11	·26	·58	Trace	·08	·26	·09	7
8	·01	·13	Nil	·02	Nil	·09	Trace	·15	Nil	·03	·25	Nil	8
9	·01	·10	Nil	Nil	Nil	·08	·02	·02	Nil	·04	·49	·03	9
10	·02	·33	·10	Nil	Trace	·03	·15	·26	·06	·01	·42	Nil	10
11	·17	·06	Nil	·03	Nil	Nil	Nil	·02	Nil	·01	·01	Trace	11
12	·01	Nil	Nil	Nil	Nil	Nil	·05	·06	·46	Nil	Trace	·03	12
13	·02	·05	Nil	Nil	Nil	Nil	·30	·18	Trace	Nil	Nil	·01	13
14	·03	·04	Nil	·08	·03	·04	1·25	·58	Nil	Trace	·01	Nil	14
15	·01	·16	Nil	·15	·15	Nil	·27	·24	Nil	Nil	·02	·08	15
16	·02	·03	Nil	·59	·25	·09	·01	·78	·05	Trace	Nil	Nil	16
17	·03	·09	Nil	·16	·19	Nil	·15	Nil	·23	·01	Nil	·01	17
18	·05	·06	·03	·21	Trace	·13	Trace	·35	Trace	Nil	·56	Nil	18
19	·04	·04	Nil	·11	Nil	·10	·23	·04	·07	Nil	Nil	Trace	19
20	·01	Nil	Nil	·20	·01	Nil	·06	·31	·25	Nil	·01	Nil	20
21	·12	Trace	Nil	Nil	Nil	Nil	Nil	·12	Nil	Nil	Trace	Nil	21
22	·42	Nil	Nil	·06	·43	Nil	Nil	Trace	·07	Nil	·01	Nil	22
23	·17	·02	Nil	·08	·37	·09	Nil	Nil	·01	Trace	·30	·03	23
24	Trace	·01	Nil	·36	·18	·05	·04	Nil	·02	Nil	·01	Nil	24
25	·08	·02	Nil	·33	·06	Nil	·48	Nil	Nil	Nil	·07	·02	25
26	Nil	·03	Nil	·13	Nil	Nil	·94	Nil	Nil	Nil	·36	Nil	26
27	·18	·48	Nil	·08	·21	Nil	·09	Nil	Nil	Trace	·34	Nil	27
28	·13	·32	Nil	·11	·13	Nil	Nil	Nil	Nil	·01	·02	·11	28
29	·08		Nil	·02	·08	Nil	·17	Nil	Nil	·03	·01	·01	29
30	·05	×	Nil	Nil	Nil	Nil	·02	·05	Nil	·31	·01	·02	30
31	·39	×	Nil	×	·01	×	Nil	·02	×	Nil	×	·28	31
TOTAL	2·25	2·42	·16	3·88	3·17	1·33	4·78	5·82	3·13	·89	3·81	1·51	YEAR'S TOTAL 33·15
*Days with ·01 in. or more.	28	24	4	24	19	13	21	19	15	12	22	15	215
*Days with ·04 in. or more.	14	15	1	21	14	11	18	15	13	4	12	6	144

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Oliver Hayles

P.T.O.

928.

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rossway. Berkhamstead

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" Ground " Sea Level 590 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·16	·01	·08	·11	·08	Nil	Nil	·09	Nil	Nil	Nil	1
2	·10	·11	Nil	·43	·26	·01	·04	Nil	·51	Nil	·02	Trace	2
3	·04	·03	·02	·18	·59	Nil	Nil	·27	·90	Nil	·16	·35	3
4	Nil	·01	Nil	·06	·01	Nil	·16	storm 1·78	·25	·02	·19	·02	4
5	·01	·02	Nil	·04	·09	·43	·05	·01	·09	·01	Trace	·42	5
6	·02	·01	Nil	·19	Nil	Trace	·04	Nil	·07	·33	·28	Trace	6
7	·02	·11	Nil	·18	·01	·11	·26	·58	Trace	·08	·26	·09	7
8	·01	·13	Nil	·02	Nil	·09	Trace	·15	Nil	·03	·25	Nil	8
9	·01	·10	Nil	Nil	Nil	·08	·02	·02	Nil	·04	·49	·03	9
10	·02	·33	·10	Nil	Trace	·03	·15	·26	·06	·01	·42	Nil	10
11	·17	·06	Nil	·03	Nil	Nil	Nil	·02	Nil	·01	·01	Trace	11
12	·01	Nil	Nil	Nil	Nil	Nil	·05	·06	·46	Nil	Trace	·03	12
13	·02	·05	Nil	Nil	Nil	Nil	·30	·[illegible]8	Trace	Nil	Nil	·01	13
14	·03	·04	Nil	·08	·03	·04	1·25	·58	Nil	Trace	·01	Nil	14
15	·01	·16	Nil	·15	·15	Nil	·27	·24	Nil	Nil	·02	·08	15
16	·02	·03	Nil	·59	·25	·09	·01	·78	·05	Trace	Nil	Nil	16
17	·03	·09	Nil	·16	·19	Nil	·15	Nil	·23	·01	Nil	·01	17
18	·05	·06	·03	·21	Trace	·13	Trace	·35	Trace	Nil	·56	Nil	18
19	·04	·04	Nil	·11	Nil	·10	·23	·04	·07	Nil	Nil	Trace	19
20	·01	Nil	Nil	·20	·01	Nil	·06	·31	·25	Nil	·01	Nil	20
21	·12	Trace	Nil	Nil	Nil	Nil	Nil	·12	Nil	Nil	Trace	Nil	21
22	·42	Nil	Nil	·06	·43	Nil	Nil	Trace	·07	Nil	·01	Nil	22
23	·17	·02	Nil	·08	·37	·09	Nil	Nil	·01	Trace	·30	·03	23
24	Trace	·01	Nil	·36	·18	·05	·04	Nil	·02	Nil	·01	Nil	24
25	·08	·02	Nil	·33	·06	Nil	·48	Nil	Nil	Nil	·07	·02	25
26	Nil	·03	Nil	·13	Nil	Nil	·94	Nil	Nil	Nil	·36	Nil	26
27	·18	·48	Nil	·08	·21	Nil	·09	Nil	Nil	Trace	·34	Nil	27
28	·13	·32	Nil	·11	·13	Nil	Nil	Nil	Nil	·01	·02	·11	28
29	·08		Nil	·02	·08	Nil	·17	Nil	Nil	·03	·01	·01	29
30	·05	×	Nil	Nil	Nil	Nil	·02	·05	Nil	·31	·01	·02	30
31	·39	×	Nil	×	·01	×	Nil	·02	×	Nil	×	·28	31
TOTAL	2·25	2·42	·16	3·88	3·17	1·33	4·78	5·82	3·13	·89	3·81	1·51	YEAR'S TOTAL 33.15
*Days with ·01 in. or more.	28	24	4	24	19	13	21	19	15	12	22	15	215
*Days with ·04 in. or more.	14	15	1	21	14	11	18	15	13	4	12	6	·144

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Oliver Hayles

P.T.O.

928

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rossway. Berkhamstead

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 590 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·03	Nil	·12	·48	Nil	·13	·11	·04	·09	·10	·03	1
2	·09	Trace	Nil	·17	·08	Nil	Nil	·01	·26	·10	·09	·27	2
3	·04	·01	Nil	·20	·12	·01	Nil	Nil	·20	·08	·01	·01	3
4	·03	Trace	Nil	Nil	Trace	·03	Nil	·02	Nil	Trace	·30	·01	4
5	·46	Trace	Nil	Trace	·05	Nil	·20	Nil	·13	Nil	·01	Trace	5
6	·60	Nil	·03	·11	·02	Nil	·01	Nil	·22	Nil	Nil	Nil	6
7	·04	Nil	·01	·08	Nil	Nil	·11	Nil	·08	·03	Trace	Nil	7
8	·01	Nil	·06	·23	·02	Nil	Nil	Nil	·63	·19	Nil	Trace	8
9	·37	·01	·18	·05	·35	Nil	Nil	Nil	Trace	·04	Nil	Nil	9
10	·40	·05	·01	·30	·07	·02	Nil	Nil	Nil	·09	·08	Nil	10
11	Nil	·03	·03	·04	·08	·04	·70	·10	·03	·20	·07	·02	11
12	·17	·01	Nil	Nil	·14	Nil	·02	·02	·02	·41	·05	·01	12
13	·14	·01	Nil	·32	·02	Nil	Nil	Nil	·03	·07	·12	·02	13
14	·28	·01	Nil	·06	·01	Nil	Nil	·01	Nil	·03	Nil	·01	14
15	·02	·02	Nil	·06	·44	Nil	·05	·01	Trace	·06	·01	·01	15
16	·31	Nil	Nil	·29	·09	Nil	·01	Nil	Nil	Trace	Nil	Nil	16
17	Trace	Nil	Nil	·02	Nil	Nil	·07	Nil	Nil	·10	·01	Nil	17
18	Nil	Trace	Nil	Trace	Nil	Nil	·01	Nil	·25	·01	·13	Nil	18
19	·01	Nil	Nil	Nil	·02	Nil	Nil	Nil	·01	·34	·02	Trace	19
20	Trace	Trace	Nil	·08	·26	Nil	·02	1·12	·02	·73	·05	·02	20
21	·02	Nil	Nil	·27	1·62	Nil	·02	·92	Nil	·36	·01	·04	21
22	·02	·02	·42	·02	·23	Nil	·16	·01	·38	·14	·52	Trace	22
23	Nil	·07	·02	Nil	·08	Nil	Nil	Nil	·07	·70	·02	Nil	23
24	Trace	·05	Nil	Nil	Nil	Nil	·64	Nil	·06	·04	·09	·08	24
25	Nil	·01	Nil	Nil	·01	Nil	·16	Nil	·10	·65	·05	·03	25
26	Nil	Trace	·03	·23	·07	Nil	·17	Nil	·01	·08	Trace	·01	26
27	Nil	Nil	·53	·19	·37	Nil	·36	Nil	Nil	·13	·10	Nil	27
28	Nil	Nil	·29	·06	·47	·53	·20	Nil	Nil	Nil	·01	Nil	28
29	Nil	Nil	·67	·12	·16	·03	Nil	·01	·06	·47	·17	·05	29
30	Nil	×	·26	·19	·01	·70	·02	·02	·16	·06	·51	·16	30
31	Trace	×	·03	×	Trace	×	·12	Nil	×	Nil	×	·10	31
TOTAL	3·08	·33	2·57	3·21	4·97	1·36	3·18	2·36	2·76	5·20	2·53	·88	YEAR'S TOTAL 32.43
*Days with ·01 in. or more.	18	13	14	22	25	7	20	12	20	25	23	17	216
*Days with .04 in. or more.	12	3	7	20	18	3	13	4	14	22	15	6	137

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Oliver Hayles

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rossway, Berkhamstead

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 590 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·20	·11	Nil	·14	Nil	Nil	Nil	Nil	Nil	·03	Nil		1
2	·42	Nil	·43	Nil	·19	Nil	Nil	Nil	Nil	Nil	·02	Nil		2
3	·02	·23	·29	Nil	·46	Nil	Nil	Nil	Nil	Nil	Trace	Nil		3
4	·31	·02	·09	Nil	·11	Nil	Nil	Nil	Nil	Nil	·01	Nil		4
5	·03	·03	·37	Nil	·12	Nil	Nil	Nil	Nil	Nil	·05	Nil		5
6	·01	·12	·15	Nil	·26	Nil	Nil	Nil	Nil	·09	·03	·01		6
7	·14	·11	·06	Nil	·01	Nil	Nil	Nil	Nil	·04	·01	Nil		7
8	·09	·01	·07	Nil	·11	Nil	·17	Nil	Nil	·01	Nil	Nil		8
9	·01	Nil	Nil	Nil	·10	Nil	·23	Nil	Nil	·18	·15	Nil		9
10	Nil	·15	Nil	Nil	·01	·04	·14	·02	Nil	·42	·11	Nil		10
11	Nil	Nil	Nil	Nil	·03	·10	·02	·19	Nil	·05	Trace	·01		11
12	·01	·01	Nil	Nil	·01	·22	·16	Nil	·47	Trace	Nil	Nil		12
13	·01	Trace	Nil	Nil	·18	·12	·62	Nil	·09	·01	·12	·03		13
14	·01	Nil	Nil	Nil	·02	Nil	·01	Nil	Nil	·07	·59	Nil		14
15	·35	·02	·14	Nil	·01	·03	·09	·20	Nil	·01	·14	·02		15
16	·15	Nil	1·08	Nil	·02	·10	·23	Nil	Nil	·06	·03	Nil		16
17	·06	·03	·30	Nil	Nil	·27	·03	Nil	·06	Trace	·03	Nil		17
18	·06	·06	·16	Nil	Nil	·11	Trace	Nil	Nil	Nil	·07	Nil		18
19	·05	Nil	·26	Nil	Nil	·17	Nil	Trace	·56	Nil	·04	·02		19
20	·02	·07	·05	·06	·02	·09	Nil	Nil	·01	Nil	·01	Nil		20
21	Nil	·01	Nil	Nil	·01	Nil	Nil	·11	·27	·07	Nil	Nil		21
22	Nil	·02	Nil	Nil	·02	·51	Nil	·18	·01	·20	·07	·02		22
23	Nil	Nil	Nil	·22	·25	·09	Nil	Nil	·43	Trace	·01	Nil		23
24	Nil	·51	Nil	·15	·01	·11	Nil	Nil	·53	·01	·06	Nil		24
25	Nil	1·20	Nil	·30	Nil	Nil	Nil	Nil	·04	·02	·04	·09		25
26	Nil	·46	Nil	·08	·01	Nil	Nil	Nil	·13	·13	Trace	·07		26
27	Nil	·01	Nil	Trace	·25	Nil	Trace	Nil	·04	·20	Nil	·15		27
28	Nil	Nil	Nil	Nil	·01	Nil	Nil	Nil	·01	·37	Nil	·05		28
29	·11	·01	·02	·61	Nil	Nil	·12	Nil	Nil	·16	Nil	·02		29
30	·01	×	·10	·03	Nil	Nil	·08	Nil	·01	·01	Nil	·16		30
31	·30	×	·03	×	Nil	×	Trace	·11	×	·02	×	Trace		31
TOTAL	2·37	3·28	3·71	1·45	2·36	1·95	1·84	·81	2·66	2·13	1·62	·65	Year's Total 24.83	
*Days with ·01 in. or more.	21	20	17	7	24	13	12	6	14	20	20	12	186	
*Days with .04 in. or more.	12	10	15	6	11	12	9	5	10	13	11	5	119	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Olive Hayles

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rossway, Berkhamsted

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 590 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	Nil	·02	Nil	Nil	Nil	Nil	·34	·50	Trace	Nil	·41		1
2	·27	Nil	·10	Nil	·03	Nil	Nil	·01	·88	·51	Trace	·29		2
3	·05	·11	Nil	·08	Nil	Nil	Nil	Nil	Trace	·12	Nil	·29		3
4	·11	·02	·07	·17	Nil	Nil	Nil	·02	Nil	Nil	·10	·36		4
5	·02	Nil	·08	Trace	·10	Nil	Nil	·12	Nil	Nil	·04	·37		5
6	·06	Nil	·14	·01	·42	·08	Nil	·02	Nil	·18	Nil	·62		6
7	·07	·02	Trace	·01	Trace	·03	Nil	·26	Nil	·15	·37	·37		7
8	Trace	Nil	Nil	Nil	·10	Nil	Nil	·04	Nil	Nil	·60	·02		8
9	·01	Nil	·07	Nil	Nil	Nil	Nil	·03	·12	Trace	·43	·45		9
10	·05	Nil	·33	·19	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·03		10
11	·55	·01	·32	·11	·02	Nil	Nil	·01	Nil	Nil	Trace	·19		11
12	·01	Nil	·33	·03	Nil	Nil	·05	·21	Nil	Nil	Nil	·12		12
13	·53	Nil	·10	·02	Nil	Nil	·26	·09	Trace	·02	·07	·62		13
14	·06	Trace	·45	Nil	Nil	Nil	Nil	·02	Nil	·01	·35	·30		14
15	·12	Nil	·09	Trace	·10	Nil	Nil	Nil	·02	·05	·09	·26		15
16	·18	·01	·28	Nil	·05	Nil	Nil	Nil	Trace	·13	Trace	Nil		16
17	·03	Nil	·02	Nil	·01	Nil	Nil	Nil	Nil	·09	·02	·29		17
18	·24	Nil	Nil	·36	Nil	Nil	·12	Trace	·04	Trace	Nil	·05		18
19	Trace	Nil	·23	·02	Nil	·06	Nil	Nil	·10	·01	Nil	·09		19
20	Nil	Nil	·17	·06	Nil	Nil	·07	Trace	Trace	Nil	Nil	Nil		20
21	Nil	Nil	·06	Nil	Nil	·14	Nil	·09	Nil	·20	Nil	Nil		21
22	Nil	Nil	·01	Nil	Nil	Nil	·10	·08	·32	Nil	Nil	·03		22
23	Nil	·01	Nil	·28	Nil	·27	Nil	Trace	·01	Nil	Trace	·04		23
24	Nil	·03	·10	·08	Nil	·08	·87	Nil	·21	Trace	Nil	Nil		24
25	·24	·11	·01	·25	Nil	·09	Trace	Nil	Nil	·12	Nil	·38		25
26	·09	·01	Nil	·09	Nil	·01	Nil	Nil	·05	·03	Nil	·06		26
27	·01	·01	Nil	·01	Nil	·10	Nil	Nil	Nil	·01	Nil	·35		27
28	Nil	·03	Nil	·24	Nil	·32	Nil	·90	Nil	Nil	·07	·43		28
29	·02	Nil	Nil	Trace	Nil	Nil	Trace	·05	·15	Nil	·02	Trace		29
30	·07	×	Nil	Nil	Nil	Nil	Nil	Nil	·04	·01	Nil	·12		30
31	·04	×	Nil	×	Nil	×	Nil	Nil	×	·38	×	·06		31
TOTAL	2·90	·37	2·98	2·01	·83	1·18	1·47	2·29	2·44	2·02	2·16	6·6	Year's Total 27·25 ✓	
*Days with ·01 in. or more.	23	11	20	17	8	10	6	16	12	16	11	26	176	
*Days with .04 in. or more.	17	2	16	11	5	8	6	10	10	10	9	23	127	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) O. Hayles

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations. **Station No.** 928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935

[illegible]

Kept at Rossway, Berkhamsted

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 590 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24	Trace	Nil	Nil	·15	·15	Nil	Nil	·03	·15	·50	·04		1
2	·01	Nil	·07	Nil	Nil	·10	Nil	Nil	Nil	·32	·19	Nil		2
3	Nil	·16	Nil	Nil	Nil	Nil	Nil	Nil	·28	·62	·22	Nil		3
4	Nil	Nil	Nil	·25	Nil	·09	Nil	Nil	·45	·23	Nil	Nil		4
5	Nil	·49	Nil	Nil	Nil	·18	Nil	Nil	·40	Nil	Nil	Nil		5
6	Trace	Trace	Nil	·48	Nil	·45	Nil	Nil	Nil	Nil	Nil	Nil		6
7	Trace	Nil	Nil	·55	Nil	Trace	Nil	Nil	Nil	Trace	1·10	Nil		7
8	Nil	Nil	Nil	·35	Nil	Nil	Nil	Nil	Nil	·50	·28	·40		8
9	Nil	Nil	Nil	·30	Nil	·65	Nil	Nil	Nil	1·05	Nil	·13		9
10	·01	Nil	Nil	·26	Nil	Trace	Nil	Nil	Nil	Nil	·10	Nil		10
11	·30	Nil	Nil	Nil	Nil	·12	·51	Nil	Nil	Nil	·30	·10		11
12	Nil	Nil	Nil	Nil	Nil	·35	Nil	Nil	Nil	Nil	·10	Nil		12
13	·13	·20	Nil	Nil	Nil	·06	Nil	Nil	Nil	Nil	·40	Nil		13
14	Trace	Nil	Nil	·20	·45	Nil	Nil	Nil	Nil	Nil	·30	Nil		14
15	Nil	·23	Nil	·18	Nil	·14	Nil	Nil	·23	Nil	·55	Nil		15
16	Nil	·12	·10	·55	Nil	·48	Nil	Nil	Nil	Nil	·52	Nil		16
17	Nil	Nil	Nil	·10	Nil	·19	Nil	Nil	·53	Nil	·15	Nil		17
18	Nil	Nil	Nil	·05	·15	·27	·53	Nil	·15	Nil	·08	Nil		18
19	Trace	Nil	Nil	·53	·15	Trace	·18	Nil	Nil	Nil	·23	Nil		19
20	·02	·15	Nil	·06	·90	·15	·12	Nil	·25	Nil	·10	Nil		20
21	·02	·30	Nil	·20	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil		21
22	Nil	Nil	·23	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·06		22
23	Nil	Nil	·20	Nil	Nil	Nil	Nil	1·00	Trace	·25	Nil	·40		23
24	·03	·60	Nil	Nil	Nil	Nil	Nil	Nil	·80	Nil	Nil	·45		24
25	·04	·17	Nil	·30	·15	Nil	Nil	Nil	Nil	Nil	Nil	·38		25
26	·04	Nil	Nil	Nil	Nil	·48	Nil	Nil	·15	Nil	Nil	·52		26
27	Trace	·37	Nil	Nil	Nil	Nil	Nil	Nil	·14	Nil	·07	·52		27
28	·02	·17	Nil	Nil	Nil	Nil	Nil	Nil	·39	Nil	Nil	·07		28
29	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·75	·15	·03	·48		29
30	·03	×	Nil	Nil	Nil	Nil	Nil	·89	Nil	·45	·49	·47		30
31	Nil	×	Nil	×	Nil	×	Nil	Nil	×	Nil	×	·29		31
TOTAL	·92	2·96	·60	4·36	1·95	4·16	1·34	1·89	4·55	3·72	5·71	4·31	Year's Total. 36·47	
* Days with .01 in. or more.	12	11	4	15	6	15	4	2	13	9	19	14	124	
* Days with .04 in. or more.	5 ~~4~~	11	4	15	6	15	4	2	12	9	18	14	115	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. T. Walker · Head Gardener [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations   Station No. 928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Rossway, Berkhamsted

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 590 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following /

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24	·32	·30	·40	Nil	·18	·12	Nil	Nil	Nil	·09	·02		1
2	·06	·16	Nil	Nil	Nil	·40	·60	·06	Nil	Nil	·05	Nil		2
3	Nil	Nil	Nil	·14	Nil	Nil	Nil	Nil	·17	Nil	·30	·02		3
4	Nil	Nil	·18	Nil	Nil	·09	Nil	Nil	·38	Nil	·09	·03		4
5	·22	Nil	Nil	Nil	Nil	·20	Nil	Nil	·12	Nil	·21	·14		5
6	·32	Nil	·09	Nil	Nil	Nil	·10	·22	·20	Nil	·07	·12		6
7	·33	Nil	Nil	Nil	Nil	Nil	·55	Nil	Nil	Nil	·50	·05		7
8	·27	Nil	·06	Nil	Nil	Nil	Nil	Nil	·06	Nil	1·00	·12		8
9	·43	Nil	·18	Nil	Nil	Nil	·32	Nil	·21	Nil	Nil	Nil		9
10	·05	Nil	Nil	Nil	Nil	Nil	·25	Nil	·10	Nil	·12	·03		10
11	Nil	Nil	Nil	·06	Nil	Nil	·05	Nil	Nil	Nil	Nil	Nil		11
12	Nil	Nil	Nil	·34	Nil	·33	·49	Nil	·25	Nil	·98	·20		12
13	Nil	Nil	Nil	Nil	Nil	1·02	Nil	Nil	·12	Nil	Nil	·33		13
14	Nil	·08	Nil	Nil	Nil	·11	·71	Nil	·12	·20	Nil	·57		14
15	Nil	Nil	Nil	Nil	Nil	·20	Nil	Nil	Nil	Nil	Nil	·18		15
16	Nil	·10	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·48	·28		16
17	·40	·80	Nil	Nil	·12	Nil	Nil	Nil	Nil	Nil	Nil	Nil		17
18	Nil	·29	Nil	Nil	Nil	Nil	·27	Nil	Nil	Nil	·20	·34		18
19	·38	Nil	Nil	Nil	Nil	·30	Nil	·06	Nil	·13	Nil	·10		19
20	Nil	Nil	Nil	Nil	Nil	Nil	·10	Nil	Nil	Nil	Nil	Nil		20
21	Nil	Nil	Nil	·50	·05	·85	Nil	Nil	Nil	Nil	Nil	Nil		21
22	·13	·61	·12	Nil	·20	Nil	·28	Nil	Nil	Nil	Nil	Nil		22
23	Nil	Nil	Nil	Nil	Nil	Nil	·25	Nil	3·30	·15	Nil	·12		23
24	·20	·08	Nil	Nil	Nil	Nil	·04	Nil	·11	·50	Nil	Nil		24
25	Nil	·16	·10	Nil	Nil	Nil	·30	Nil	·18	Nil	·09	Nil		25
26	·11	Nil	·30	·20	Nil	Nil	·05	Nil	·20	Nil	Nil	Nil		26
27	·75	Nil	Nil	Nil	Nil	·06	Nil	Nil	Nil	·10	·03	·05		27
28	·32	Nil	·15	Nil	Nil	·05	·25	Nil	Nil	Nil	Nil	Nil		28
29	·52	·08	·11	Nil	Nil	·38	·05	Nil	Nil	·30	·05	·20		29
30	Nil	✕	Nil	Nil	·10	·26	Nil	Nil	Nil	Nil	·19	·09		30
31	Nil	✕	·17	✕	Nil	✕	·23	Nil	✕	·42	✕	·40		31 "d"
TOTAL	~~16~~	~~10~~	~~11~~	~~6~~	~~4~~	~~14~~	~~19~~	~~3~~	~~14~~	~~7~~	~~16~~	~~20~~	Year's Total ~~140~~	
* Days with .01 in. or more.	4·73	2·68	1·76	1·64	·47	4·43	5·01	·34	5·52	1·80	4·45	3·39	36·22	
* Days with .04 in. or more.	16	10	11	6	4	14	19	3	14	7	15	16	135	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) O. Hayles

[P.T.O.

File No. 759902/27

COPY FOR OFFICIAL USE

Station No. 928

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Rossway, Berkhamsted

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

„ Ground „ Sea Level 590 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·26	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·50	·75		1
2	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·43		2
3	Nil	·36	Nil	·60	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·20		3
4	·15	·20	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·48		4
5	·22	·38	·10	Nil	Nil	Nil	·30	Nil	Nil	Nil	Nil	Nil		5
6	·09	·03	·05	Nil	·14	Nil	Nil	Nil	Nil	Nil	Nil	Nil		6
7	Nil	·85	·65	·20	Nil	Nil	·10	Nil	Nil	Nil	Nil	Nil		7
8	Nil	·10	Nil	Nil	·18	Nil	Nil	Nil	Nil	Nil	·35	·55		8
9	Nil	Nil	Nil	·20	·10	Nil	Nil	Nil	·54	Nil	Nil	·22		9
10	Nil	Nil	·78	·10	Nil	·25	Nil	Nil	Nil	Nil	Nil	Nil		10
11	Nil	Nil	·18	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·15		11
12	·22	·30	·10	Nil	·48	·72	Nil	Nil	·10	Nil	Nil	·35		12
13	·19	·16	·18	Nil	·54	·35	Nil	·30	·40	Nil	Nil	Nil		13
14	·05	Nil	·76	·25	Nil	Nil	Nil	·72	·05	Nil	Nil	Nil		14
15	·28	·25	Nil	·20	Nil	Nil	·63	·10	·18	Nil	Nil	Nil		15
16	·09	·09	·79	·78	Nil	Nil	Nil	Nil	·16	Nil	Nil	Nil		16
17	·55	Nil	·22	·35	Nil	Nil	Nil	Nil	·80	Nil	Nil	Nil		17
18	·60	·18	·05	·12	·06	·25	Nil	Nil	Nil	Nil	Nil	Nil		18
19	·10	·10	·09	·60	Nil	Nil	·41	Nil	·34	Nil	Nil	Nil		19
20	·75	Nil	Nil	·07	·54	·15	Nil	Nil	·10	Nil	Nil	Nil		20
21	·40	·49	·15	Nil	·05	Nil	Nil	Nil	Nil	Nil	·39	Nil		21
22	·58	·03	·04	Nil	Nil	·15	Nil	Nil	Nil	·54	·05	·12		22
23	·21	Nil	·10	Nil	·20	Nil	·32	Nil	Nil	·64	Nil	Nil		23
24	·36	·55	Nil	Nil	·70	Nil	Nil	Nil	·10	·45	·30	Nil		24
25	·08	·75	Nil	Nil	1·12	Nil	Nil	Nil	·08	·40	Nil	Nil		25
26	Nil	·45	·10	·20	·25	Nil	Nil	Nil	Nil	·10	Nil	Nil		26
27	·02	·16	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·85	Nil	Nil		27
28	Nil	·67	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·08	Nil	·06		28
29	·28	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·05	Nil	Nil		29
30	·45	×	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·40	Nil		30
31	·38	×	Nil	×	Nil	×	Nil	Nil	×	·20	×	·12		31
·01 on more ~~TOTAL~~	~~22~~	~~19~~	~~16~~	~~12~~	~~12~~	~~6~~	~~5~~	~~3~~	~~11~~	~~9~~	~~6~~	~~11~~	Year's Total ~~132~~	
~~* Days with .01 in. or more.~~ Total	6·31	6·10	4·34	3·67	4·36	1·87	1·76	1·12	2·85	3·31	1·99	3·43	41·11	
* Days with .04 in. or more.	21	17	16	12	12	6	5	3	11	9	6	11	129	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Rossway, Berkhamsted

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level approx. 400 ft.

Aug

T Hals
W.E.S.R.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	JAN 1939	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Nil	Nil	Nil	Nil	·09	·30	Nil	Nil.	·2	·6	·13	·8	·5	1
2	·18	Nil	Nil	Nil	·09	Nil	Nil	Nil	·3	·46	·5	·1		2
3	Nil	Nil	Nil	Nil	·13	Nil	·9	Nil.	Nil	·96	·8	Nil		3
4	·10	Nil	Nil	Nil	Nil	Nil	Nil	Nil.	Nil	·12	Nil	·20		4
5	Nil	Nil	Nil	Nil	Nil	Nil	·13	Nil	Nil	·20	Nil	·1		5
6	·10	Nil	Nil	Nil	Nil	Nil	·4	Nil	·4	·01	Nil	Nil		6
7	Nil	Nil	Nil	Nil	Nil	Nil	·62	·42	Nil	·73	Nil	·01		7
8	·18	Nil	Nil	Nil	Nil	Nil	·24	·13	·6	·28	Nil	·1		8
9	·10	Nil	Nil	Nil	Nil	Nil	·13	·28	Nil	·005	Nil	1·08		9
10	·10	·05	Nil	Nil	Nil	·8	·5	·23	Nil	Nil	Nil	·8		10
11	·30	Nil	Nil	Nil	Nil	Nil	Nil	·16	Nil	Nil	·12	·3		11
12	·40	Nil	Nil	Nil	Nil	Nil	Nil	·18	Nil	·37	Nil	Nil		12
13	Nil	Nil	Nil	Nil	·02	Nil	Nil.	Nil	Nil	·4	·30	·20		13
14	·30	Nil	Nil	Nil	·01	Nil	·4	Nil	·8	Nil	Nil	·5		14
15	Nil	Nil	Nil	Nil	Nil.	Nil	·20	Nil.	Nil.	·14	·01	·26		15
16	·75	·06	Nil	Nil	·005	Nil	Nil.	·02	Nil	·7	·3	·19		16
17	Nil	·08	Nil	Nil	Nil	Nil	·1	Nil	·3	·9	Nil.			17
18	·12	Nil	Nil	Nil	·9	Nil	Nil.	Nil	·005	·01	·34			18
19	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·17	·21	Nil	·19			19
20	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·8	Nil	·61	✓		20
21	Nil	Nil	Nil	Nil	Nil	Nil	Nil.	·10	·3	Nil	·6	✓		21
22	Nil	Nil	Nil	Nil	Nil	·01	Nil.	·5	Nil	Nil	·25	✓		22
23	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	·6			23
24	Nil	Nil	·28	Nil	·5	Nil	Nil	Nil.	·20	Nil	·4			24
25	Nil	Nil	·15	Nil	·9	Nil	·01	·11	·4	·01	·89	✓		25
26	·40	·40	·12	Nil	Nil	Nil	Nil	Nil	·15	·26	Nil	✓		26
27	·10	·06	Nil	Nil	·2	·50	·33		·56	·10	·55			27
28	·20	Nil	Nil	Nil	·72	·16	Nil	·63	·4	Nil	Nil	1·24 ✓	✓	28
29	·42	Nil	Nil	·08	·39	Nil	Nil	·5	·8	·005	·17	—		29
30	Nil	✕	Nil		·5	·8	Nil	Nil		·2	·25	·5		30
31	·31	✕	Nil	✕	·23	✕	Nil	Nil.	✕	·14	✕	·37	2	31
TOTAL	4·05	·65 ~~·45~~	·55 ✓	·08	2·04 ~~1·94·005~~	1·13 ~~1·12·01~~	1·89 ~~1·88·01~~	2·53 ~~2·51~~	1·64·005 1·64	4·08 4·4 ·04	4·13 4·12·01	3·87 ~~3·86~~	Year's Total 26·64	
* Days with .01 in. or more.	~~16~~	~~5~~	~~3~~	~~1~~	~~13~~	~~6~~	~~12~~	~~13~~	~~16~~	~~21~~	~~18~~	~~18~~ 21	145 ✓	
* Days with .04 in. or more.	16	5	3	1	13	5	11	12	16	18	17	~~15~~ 19	136 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E. J. Parsons
for Lady Hadden

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Rossway: Berkhamsted

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 590 ft.

af

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	Nil	·01	·45	·45	Nil	tr	·05	·08	Nil	Nil	·04		1
2	Nil	Nil	Nil	·01	Nil	Nil	Nil	·32	·35	Nil	·03	·04		2
3	·54	Nil	Nil	·16	Nil	Nil	Nil	·52	Nil	·01	·23	·30		3
4	·03	Nil	·40	·12	Nil	Nil	·04	·18	Nil	·15	·04	·03		4
5	Nil	Nil	·01	·29	·15	Nil	·02	·53	Nil	·15	·48	·39		5
6	·62	Nil	Nil	·14	Nil	Nil	·44	·06	Nil	·01	·18	Nil		6
7	·9	·07	Nil	Nil	Nil	Nil	·05	·04	Nil	tr	·18	·15		7
8	·01	·13	·16	Nil	Nil	Nil	·8	·73	Nil	·36	·29	·46		8
9	·02	·17	Nil	Nil	Nil	Nil	Nil	·14	Nil	·44	·07	·20		9
10	·30	Nil	Nil	Nil	Nil	·41	Nil	·23	·02	·01	·01	tr		10
11	tr	Nil	·25	Nil	Nil	·25	Nil	Nil	·01	·05	Nil	·01		11
12	tr	·13	·01	Nil	·02	·04	Nil	Nil	Nil	Nil	·01	Nil		12
13	Nil	Nil	·01	·01	Nil	tr	Nil	Nil	·06	·67	tr	Nil		13
14	·59	Nil	·01	Nil	·20	·04	·18	Nil	·06	·23	·37	tr		14
15	·18	Nil	·07	Nil	·77	·32	tr	Nil	·10	·68	·04	·01		15
16	·56	Nil	·13	·02	·24	·37	·19	Nil	Nil	·07	·44	Nil		16
17	·28	·01	·02	·07	·20	Nil	tr	Nil	Nil	·06	·06	Nil		17
18	·22	·02	·8	Nil	·01	·18	·15	Nil	tr	·01	·42	Nil		18
19	·22	Nil	·01	Nil	Nil	Nil	·33	Nil	Nil	·27	tr	Nil		19
20	·15	Nil	Nil	Nil	Nil	·41	·11	Nil	Nil	Nil	Nil	·02		20
21	·12	·06	·40	Nil	Nil	·04	·64	·06	·06	Nil	Nil	Nil		21
22	·23	·41	·20	Nil	Nil	·06	·06	Nil	·06	Nil	·13	Nil		22
23	·02	Nil	·01	·8	Nil	·02	·08	Nil	Nil	·05	·97	Nil		23
24	x	Nil	tr	·17	Nil	Nil	·07	·01	·01	·16	Nil	Nil		24
25	x	·09	·12	Nil	Nil	Nil	·13	Nil	Nil	Nil	·61	Nil		25
26	2·19	·06	·03	·5	Nil	·02	Nil	·10	Nil	·19	·22	·10		26
27	tr	·01	·14	·3	Nil	Nil	tr	Nil	Nil	·06	·32	Nil		27
28	·01	·29	·07	Nil	Nil	·05	·02	Nil	Nil	·12	·20	·12		28
29	Nil	✗	Nil	·28	Nil	Nil	·34	Nil	Nil	·23	·11	Nil		29
30	Nil	✗	Nil	·77	Nil	·14	Nil	Nil	Nil	tr	·17	·04		30
31	Nil	✗	Nil	✗	Nil	✗	tr	·01	✗	tr	✗	Nil		31
TOTAL	6·42	1·45	1·87	2·65	2·04	2·35	2·93	2·98	·81	3·98	5·48	1·91	Year's Total 34·87	
* Days with .01 in. or more.	~~20~~ 22	12	20	15	8	14	17	14	10	21	23	14	190 ~~188~~	
* Days with .04 in. or more.	~~15~~ 17	9	10	11	6	12	15	12	7	17	20	10	146 ~~144~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F.W. Hadden.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 928

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Rossway Gardens
in the County of Herts
Diameter of Funnel of Gauge 5 ins
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 550 ft.

Acks.

Jan 28th est'd from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	nil	–	nil	nil	'02	nil	nil	nil	nil	nil	'10	nil		1
2	nil	x	nil	'22	nil	nil	'11	nil	nil	'07	'88	nil		2
3	nil	x '40	nil	'24	nil	nil	nil	nil	nil	'21	'73	'02		3
4	nil	'13	nil	'10	nil	nil	'04	nil	nil	'34	'27	'02		4
5	nil	'01	nil	nil	nil	nil	'01	nil	nil	'17	'55	'18		5
6	'22	'15	nil	nil	'08	nil	'41	nil	nil	'22	'57	nil		6
7	'21	'34	nil	nil	'05	nil	'03	nil	'07	tr	nil	nil		7
8	tr	'01	nil	'06	nil	nil	nil	nil	nil	'20	'03	'33		8
9	nil	nil	nil	'01	nil	'25	nil	'15	'12	'02	'11	'04		9
10	nil	nil	nil	nil	nil	nil	'31	'03	tr	'03	'21	'06		10
11	nil	nil	tr	'05	nil	nil	'01	nil	nil	nil	1'07	'03		11
12	nil	x	'07	'01	nil	nil	'11	nil	'09	nil	'03	nil		12
13	nil	x '09	'54	nil	nil	'03	nil	nil	'05	nil	1'36	nil		13
14	nil	nil	'33	'09	tr	nil	nil	nil	'04	'09	nil	'34		14
15	nil	nil	'01	'04	'12	nil	'03	nil	nil	'10	'20	'01		15
16	'10	x –	'20	'07	nil	nil	'34	nil	'25	1'10	'75	'02		16
17	nil	'20	'50	nil	nil	nil	'08	nil	'04	'01	'26	nil		17
18	nil	'61	'34	'30	nil	nil	'05	nil	nil	'13	'33	'18		18
19	nil	'16	'08	'24	nil	nil	'03	nil	'20	nil	'19	'04		19
20	nil	'02	'05	nil	nil	nil	'14	'01	nil	'10	'07	nil		20
21	x	'02	'02	'01	'21	nil	'13	nil	tr	'09	'67	nil		21
22	x '21	tr	'05	'01	'46	'51	nil	nil	'47	'01	nil	nil		22
23	nil	'13	'05	'10	'04	'15	tr	'01	nil	nil	'02	'02		23
24	nil	nil	nil	'13	tr	nil	'14	nil	nil	nil	tr	nil		24
25	nil	'01	'22	nil	tr	nil	'26	nil	nil	nil	nil	nil		25
26	'94	'16	'09	'01	'14	'14	tr	nil	nil	nil	nil	'05		26
27	'90	'28	nil	'25	'49	nil	'01	nil	nil	'01	nil	nil		27
28	~~'84~~ '37	'10	nil	'01	'08	nil	nil	nil	nil	nil	nil	nil		28
29	–	'03	'13	'01	'24	nil	nil	nil	nil	nil	nil	'35		29
30	'22	✕	nil	'50	nil	nil	nil	nil	nil	'20	nil	'04		30
31	'12	✕	nil	✕	nil	✕	nil	nil	✕	1'00	✕	'01		31
													Year's Total	
TOTAL	~~3'89~~ 3·39	2'85	2'48	2'42	1'93	1'08	2'24	'20	1'33	3'90	8'40	1'74	~~32'46~~	31·96
* Days with .01 in. or more.	~~9~~ 10	~~18~~ 20	15	21	11	5	17	4	9	19	20	17	16~~5~~8	
* Days with .04 in. or more.	~~9~~ 10	~~12~~ 13	13	14	10	4	12	1	9	14	17	10	12~~5~~7	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) J M Hadden [P.T.O.

TV 85

929

Section **A** for the entry of

AIR MINISTR

FORM 1090.

REGIST

929 —

BERKHAMSTEAD
ANGLEFIELD

1931- 1938

FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

1931 .

Kept at Berkhamsted

in the County of Hertford

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUR **US DAY.**

An observer who does not conform to th *the reading made on January 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·14		·10	·06	·07	·02		·11				1
2	·08	07		·42	·23				·44	·02		·13	2
3	·04			·15	·54			·22	1·42		·15	18	3
4		01		·04	·04		·24	1·13	·21	·01	·10	·01	4
5				·17	·02	·42	·03		·05		·03	·40	5
6		·14		·16					·01	·25	·29		6
7					·01	·09	·32	64		·05	·23	·07	7
8	01	·06	·01	·02		·16		·88		·06	·12		8
9		·14		·02			·01	·02		·04	·60	·01	9
10	·02	·05	·04			·03	·15	·25			·37		10
11	·16	·34							·06		·01		11
12		·05					·08	·05	·39				12
13	01						10	·08					13
14	·03	·08			·02	·05	1·07	40					14
15	·01	·02		·14	·15		·32	·35				·04	15
16		·18		·15	·24	·08		·50	·28				16
17	·02	·02		·52	·25		13		·02				17
18	·05	·10	·02	·21		·10		·33			·51		18
19	·01			·63		·10	·24	·02	·04				19
20		·02	·01	·12			·19	·30			·01		20
21	·03		·01		·49			·11	trace				21
22	·21			04					·04				22
23	·25			·09	·33	·03			·01		·30	·03	23
24				·40	·20		·08		·01				24
25	·05			·27	·04		·43				·06	·01	25
26		·03		·13	·01		·97				·29		26
27	18	·44		01	·29		·06				·27		27
28	11	·35		15	·01					·01	·01	·08	28
29	10				·02		·14			·28		·03	29
30	·10	×						·05	trace				30
31	28	×		×	·04	×		·01	×		×	·03	31
TOTAL	1·75	2·24	·09	3·94	2·99	1·13	4·58	5·34	3·09	·72	3·35	1·02	YEAR'S TOTAL 30·24
*Days with ·01 in. or more.	20	18	5	21	19	10	18	17	14	8	16	12	178
*Days with ·04 in. or more.	12	13	1	18	13	8	15	14	10	5	12	6	127

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. T. Browne

[P.T.O.

TV 85 929

Section | **A** | for the entry of

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Berkhamsted, Anglefield
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·14		10	·06	·07	·02		·11				1
2	·08	07		·42	·23				44	·02		·13	2
3	·04			·15	·54			·22	1·42		·15	18	3
4		·01		·04	·04		·24	1·13	·21	·01	·10	·01	4
5				·17	·02	·42	·03		·05		·03	·40	5
6		·14		16					·01	·25	·29		6
7					·01	·09	32	64		·05	·23	·07	7
8	·01	06	·01	·02		·16		·88		06	·12		8
9		·14		·02			·01	·02		·04	·60	01	9
10	·02	05	·04			·03	·15	·25			·37		10
11	·16	·34							·06		·01		11
12		·05					·08	·05	·39				12
13	01						·10	·08					13
14	·03	·08			·02	·05	1·07	·40					14
15	·01	·02		·14	·15		·32	·35				·04	15
16		·18		·15	·24	·08		·50	·28				16
17	·02	·02		·52	·25		·13		·02				17
18	·05	·10	·02	·21		·10		·33			·51		18
19	·01			·63		·10	·24	·02	·04				19
20		·02	·01	·12			·19	·30			·01		20
21	·03		·01		·49			·11	trace				21
22	·21			·04					·04				22
23	·25			·09	·33	·03			·01		·30	·03	23
24				·40	·20		·08		·01				24
25	·05			·27	·04		·43				·06	·01	25
26		·03		·13	·01		·97				·29		26
27	·18	·44		·01	·29		·06				·27		27
28	·11	·35		·15	·01					·01	·01	·08	28
29	·10				·02		·14			·28		·03	29
30	·10	×						·05	trace				30
31	28	×		×	·04	×		·01	×		×	·03	31
TOTAL	1·75	2·24	·09	3·94	2·99	1·13	4·58	5·34	3·09	·72	3·35	1·02	YEAR'S TOTAL 30·24
*Days with ·01 in. or more.	20	18	5	21	19	10	18	17	14	8	16	12	178
*Days with ·04 in. or more.	12	13	1	18	13	8	15	14	10	5	12	6	127

40-9999

(*Signed*) E. T. Browne [P.T.O.

*See Instruction 2 (*f*) on other side.

897442/20

Stat. No 929

929

Section A **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Inglefield. Berkhamsted.

in the County of Herts.

Station No. 929.

Diameter of Funnel of Gauge 5 ins in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	— Tr	·14	—	·10	·06	·07	·02	—	·11	—	—	—	1
2	·08	·07	—	·42	·23	Tr —	—	—	·44	·02	—	·13	2
3	·04	Tr —	—	·15	·54	—	—	·22	1·42	—	·15	·18	3
4	—	·01	—	·04	·04	—	·24	1·13	·21	·01	·10	·01	4
5	—	—	—	·17	·02	·42	·03	Tr —	·05	—	·03	·40	5
6	—	·14	—	·16	—	—	—	—	·01	·25	·29	—	6
7	—	Tr —	—	Tr —	·01	·09	32	·64	—	·05	23	·07	7
8	·01	·06	·01	·02	—	·16	Tr —	·88	—	·06	·12	—	8
9	—	·14	Tr —	·02	—	—	·01	·02	—	·04	·60	·01	9
10	·02	·05	·04	—	—	·03	·15	·25	—	Tr —	·37	—	10
11	·16	·34	—	—	—	—	—	—	·06	—	·01	—	11
12	—	·05	—	Tr —	—	—	·08	·05	·39	—	—	Tr —	12
13	·01	Tr —	—	—	—	—	·10	·08	—	—	—	—	13
14	·03	·08	—	—	·02	·05	1·07	·40	—	—	Tr —	—	14
15	·01	·02	—	·14	·15	—	·32	·35	—	—	—	·04	15
16	—	·18	—	·15	·24	·08	—	·50	·28	—	—	—	16
17	·02	·02	—	·52	·25	—	13	—	·02	—	—	—	17
18	·06	·10	·02	·21	Tr —	·10	—	·33	—	—	·51	—	18
19	·01	Tr —	—	·63	—	·10	24	·02	·04	—	—	—	19
20	—	·02	·01	·12	—	—	·19	·30	—	—	·01	—	20
21	·03	—	·01	—	·49	—	—	·11	Tr —	—	—	—	21
22	·21	—	—	·04	—	—	—	—	·04	—	Tr —	—	22
23	·25	—	—	·09	·33	·03	—	—	·01	—	·30	·03	23
24	—	—	—	·40	·20	Tr —	·08	—	·01	—	Tr —	—	24
25	·05	—	—	·27	·04	—	·43	—	—	—	·06	·01	25
26	—	·03	—	·13	·01	—	·97	—	—	—	·29	—	26
27	·18	·44	—	·01	·29	—	·06	—	—	— Tr	·27	—	27
28	·11	·35	—	·15	·01	—	—	—	—	·01	·01	·08	28
29	·10	x	—	—	·02	—	·14	—	—	·28	—	·03	29
30	·10	X	—	—	—	—	—	·05	—	—	—	—	30
31	·28	X	—	X	·04	X	—	·01	X	—	X	·03	31
TOTAL	1·75	2·24	·09	3·94	2·99	1·13	4·58	5·34	3·09	·72	3·35	1·02	YEAR'S TOTAL 30. 24
*Days with ·01 in. or more.	20	18	5	21	19	10	18	17	14	8	16	12	178
*Days with ·04 in. or more.	12	13	1	18	13	8	15	14	10	5	12	6	127

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) Edward T. Browne

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Berkhamsted (Anglefields)

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·02	-	·10	·49	·02	·24	·19	·03	·06	·01	Tr -	1
2	·04	-	-	·17	·10	-	-	·01	·36	·05	·13	·24	2
3	Tr -	Tr -	-	·12	·09	-	-	-	·10	·06	Tr -	-	3
4	·02	-	-	-	-	·01	-	-	-	-	·27	-	4
5	·35	Tr -	·03	-	·05	-	·18	-	·15	-	-	-	5
6	·58	-	·01	·15	·03	-	·01	-	·15	-	-	-	6
7	·02	-	·17	·04	·02	Tr -	·04	-	·08	-	-	·01	7
8	-	-	·05	·08	·03	-	-	-	49	·20	-	-	8
9	·27	Tr -	Tr -	·09	·35	-	-	-	Tr -	-	Tr -	-	9
10	·46	·04	·02	·25	·08	·01	-	-	02	·10	·05	-	10
11	Tr -	·02	-	·01	·04	·05	·79	·19	·01	·31	·07	·01	11
12	48	-	-	-	·11	-	-	·03	·03	·32	·02	-	12
13	·03	·01	-	·33	Tr -	-	Tr -	-	-	·05	·10	·01	13
14	·21	Tr -	-	-	-	-	-	-	-	·06	Tr -	Tr -	14
15	·02	·01	-	·06	·53	-	·01	Tr -	-	·06	-	Tr -	15
16	·30	-	-	·30	·13	-	-	-	-	-	-	-	16
17	Tr -	-	-	·01	-	-	·04	-	-	·09	Tr -	-	17
18	-	-	-	-	·01	Tr -	Tr -	-	·17	-	·13	-	18
19	-	-	-	-	-	-	-	-	-	·30	·01	-	19
20	-	Tr -	-	·08	·24	-	·02	1·38	·02	·72	·05	-	20
21	·01	-	·06	·28	1·41	-	·01	·44	-	30	-	·04	21
22	·01	·02	·35	·01	·17	-	·09	-	·38	11	·43	-	22
23	-	·12	Tr -	-	·06	-	-	-	·04	64	·01	·09	23
24	-	Tr -	-	-	-	-	·49	-	·06	02	·08	Tr -	24
25	-	-	-	-	-	Tr -	·10	-	·03	47	·05	Tr -	25
26	-	-	·03	·22	·09	-	·18	Tr -	·01	·12	·01	-	26
27	-	-	·42	·17	·34	-	·54	-	-	05	·11	-	27
28	-	-	·24	·03	·16	·50	·18	-	-	·17	-	-	28
29	-	-	·57	·14	·17	·04	·01	·01	·05	·43	·15	·02	29
30	-	×	·26	46	Tr -	·50	Tr -	·01	·12	·10	·40	·15	30
31	-	×	·02	×	Tr -	×	·11	-	×	-	×	·11	31
TOTAL	2·57	·24	2·23	2·80	4·70	1·13	3·04	2·26	2·30	4·79	2·08	·68	YEAR'S TOTAL 28·82
*Days with ·01 in. or more.	15	7	13	21	22	7	17	8	19	23	18	9	179
*Days with .04 in. or more.	9	2	8	17	18	4	12	4	12	22	13	5	126

40-9999

M

*See Instruction 2 (f) on other side.

(Signed) Edward T. Browne

P.T.O.

Examined by Cards for T.V.

√ 159

Section A **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No. ~~929~~ 929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at "Anglefield" Berkhamsted
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 450 ft.

Day

TV

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	†	
1	·20	·21	·10	-	·06	-	-	-	-	tr -	·03	-		1
2	·38	-	·40	-	·33	-	-	-	-	-	·01	-		2
3	-	·19	·28	-	·05	-	-	-	-	-	-	-		3
4	·25	·03	·02	-	·38	-	-	-	-	tr -	-	-		4
5	·02	·01	·36	-	·01	-	-	-	-	-	tr -	-		5
6	-	·18	·06	-	·27	-	-	-	-	·07	·06	-		6
7	·17	·06	·03	-	-	-	-	-	-	·03	·01	·01		7
8	·03	-	·05	-	07	-	·15	-	-	tr -	-	-		8
9	-	-	-	-	·12	-	·21	-	-	·13	·12	-		9
10	tr -	·14	-	-	tr -	·05	·32	-	-	·32	·07	-		10
11	·16	tr -	-	-	tr -	·01	·05	·30	·01	·05	-	-		11
12	·01	-	-	-	·03	·14	·11	-	·47	-	-	·01		12
13	·02	-	-	-	·13	·05	·50	-	·12	tr -	·12	tr -		13
14	tr -	-	-	-	·01	tr -	tr -	·01	-	·05	·50	·04		14
15	·49	-	·16	-	-	·01	·03	·18	-	·01	·23	-		15
16	·04	·02	·84	-	·01	·24	·06	-	·01	·05	·03	-		16
17	·06	-	·32	-	-	·08	-	-	·07	-	·01	-		17
18	·06	·10	·18	-	-	·15	-	-	-	-	·01	-		18
19	tr -	·02	·24	tr -	-	·05	-	-	·54	-	·02	·01		19
20	-	·02	·08	·04	-	·13	-	·01	-	-	·01	-		20
21	-	·04	-	-	-	-	-	·09	27	·02	-	-		21
22	-	-	-	-	tr -	·30	-	·16	·01	·19	·05	-		22
23	-	-	-	·24	·14	-	-	-	·34	tr -	tr -	-		23
24	-	·45	-	·14	·03	·08	-	-	·38	-	·06	-		24
25	-	1·05	-	·25	-	-	-	-	·03	·01	·03	07		25
26	-	·43	-	·08	·01	-	tr -	-	13	·15	-	·07		26
27	-	tr -	-	-	·39	-	-	-	02	·10	-	·10		27
28	-	-	-	-	·01	-	-	-	-	·35	-	·04		28
29	·11	X	·01	·31	-	-	·16	-	-	·12	-	·02		29
30	·11	X	·10	-	-	-	·06	-	·01	-	-	11		30
31	·12	X	·01	X	-	X	tr -	·12	X	·04	X	-		31
TOTAL	2·23	2·95	3·24	1·06	2·05	1·29	1·65	·87	2·39	1·69	1·37	·48	Year's Total 21·27 √	
*Days with ·01 in. or more.	16 √	15 √	17 √	6 √	17 √	12 √	10 √	7 √	14 √	16 √	17 √	10 √	157	
*Days with .04 in. or more.	12 √	10 √	13 √	6 √	10 √	10 √	9 √	5 √	8 √	12 √	8 √	6 √	109	

40-9999
*See Instruction 2 (*f*) on other side.

D M

† Spare column, no entries required.
(*Signed*) Edward J. Browne

[P. T. O.

Ex. by Cards for T. V.

929

Section A **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at Berkhamsted, Anglefield
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 450 ft.

Duplicate.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20	·21	·10	-	·06	-					·03		1
2	·38		·40		·33						·01		2
3		·19	·28		·05								3
4	·25	·03	·02		·38								4
5	·02	·01	·36		·01								5
6		·18	·06		·27					·07	·06		6
7	·17	·06	·03							·03	·01	·01	7
8	·03		·05		·07		·15						8
9					·12		·21			·13	·12		9
10		·14				·05	·32			·32	·07		10
11	·16					·01	·05	·30	·01	·05			11
12	·01				·03	·14	·11		·47			·01	12
13	·02				·13	·05	·50		·12		·12		13
14					·01			·01		·05	·50	·04	14
15	·49		·16			·01	·03	·18		·01	·23		15
16	·04	·02	·84		·01	·24	·06		·01	·05	·03		16
17	·06		·32			·08			·07		·01		17
18	·06	·10	·18			·15					·01		18
19		·02	·24			·05			·54		·02	·01	19
20		·02	·08	·04		·13		·01			·01		20
21		·04						·09	·27	·02			21
22						·30		·16	·01	·19	·05		22
23				·24	·14				·34				23
24		·45		·14	·03	·08			·36		·06		24
25		1·05		·25					·03	·01	·03	·07	25
26		·43		·08	·01				·13	·15		·07	26
27					·39				·02	·10		·10	27
28					·01					·35		·04	28
29	·11		·01	·31			·16			·12		·02	29
30	·11	×	·10				·06		·01			·11	30
31	·12	×	·01	×		×		·12	×	·04	×		31
TOTAL	2·23	2·95	3·24	1·06	2·05	1·29	1·65	·87	2·39	1·69	1·37	·48	YEAR'S TOTAL 21·27
*Days with ·01 in. or more.	16	15	17	6	17	12	10	7	14	16	17	10	157
*Days with ·04 in. or more.	12	10	13	6	10	10	9	5	8	12	8	6	109

40-9999

(Signed) E. J. Browne

[P.T.O.

*See Instruction 2 (*f*) on other side.

M

Esc DL

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Berkhamsted. (Anglefield)
in the County of Herts

T.V.
T.L.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	Tr -	-	-	-	-	-	·37	·43	·01	-	·44		1
2	·19	-	·08	-	Tr -	-	-	Tr -	·82	·09	-	·23		2
3	·02	08	-	·12	-	-	-	Tr -	-	·52	-	·05		3
4	·10	·01	·05	·13	·03	-	-	-	-	·11	·09	·40		4
5	-	-	·05	Tr -	03	-	-	·11	-	-	·02	·33		5
6	·02	-	·14	·01	·42	06	-	·14	-	·18	-	·57		6
7	·04	01	-	-	-	·02	-	·08	-	·10	-	·35		7
8	-	-	-	-	06	-	-	·03	·11	-	·25	·01		8
9	·02	-	·05	-	-	-	-	-	-	-	1·07	·43		9
10	·04	-	·27	·21	-	-	-	·03	-	-	08	·02		10
11	·49	-	29	·12	-	-	-	·01	-	-	-	·20		11
12	-	Tr -	26	·02	-	-	·05	·34	-	-	-	·08		12
13	·45	-	·10	·03	-	-	·19	·09	-	·01	06	·64		13
14	·05	-	·44	·01	Tr -	-	-	-	-	·01	39	·30		14
15	·11	-	·11	-	·09	-	-	-	·02	Tr -	·06	·24		15
16	·16	-	·29	-	·03	-	-	Tr -	-	·17	Tr -	-		16
17	·06	-	-	·02	·01	-	-	-	·02	·09	·02	·35		17
18	·21	-	·02	·25	-	-	·17	-	·06	-	-	·04		18
19	-	-	·16	·05	-	·05	-	-	·07	·02	-	·05		19
20	-	-	·21	·04	-	Tr -	·04	Tr -	Tr -	-	-	-		20
21	-	-	·07	·08	-	11	-	·08	-	·18	-	Tr -		21
22	-	-	-	Tr -	-	-	·05	·07	·30	-	-	-		22
23	-	-	-	·27	-	23	-	-	·01	-	·01	06		23
24	-	·06	·08	·02	-	·05	·92	-	·19	-	-	-		24
25	·21	·06	-	·30	-	·10	-	-	-	·10	-	·35		25
26	·10	Tr -	·04	·09	-	·01	-	-	·04	·02	-	·08		26
27	·07	·02	-	-	-	·10	-	-	-	·01	-	·33		27
28	-	·04	-	·64	-	·12	-	·85	-	-	·04	·38		28
29	-	x	-	-	-	-	-	·09	·13	-	·01	·01		29
30	·06	x	-	-	-	-	-	-	·04	·01	-	·11		30
31	·05	x	-	x	-	x	·05		x	·42	x	·05		31
TOTAL	2·52	·28	2·71	2·41	·67	·85	1·47	2·29	2·24	2·05	2·10	6·10	Year's Total. 25·	69
* Days with .01 in. or more.	20	7	18	18	7	10	7	13	13	17	12	26	168	
* Days with .04 in. or more.	17	4	17	12	3	8	7	10	10	10	8	20^{3}	126 9	

40-9999

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required

(*Signed*) Edward Y. Browne

[P.T.O.

At

RAINFALL IN 193

Edward T. Browne

Anglefield. Berkhamsted. Herts

Hour of observation by the clock—in Winter 9. in Summer 9. GMT

in the County of Hertfordshire

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

T.V.
T.L

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07							·37	·43	·01		·44		1
2	·19		·08						·82	·09		·23		2
3	·02	·08		·12						52		·05		3
4	·10	·01	·05	·13	·03					·11	·09	·40		4
5			·05		·03			·11			·02	·33		5
6	02		·14	·01	·42	·06		·14		·18		·57		6
7	·04	·01				·02		·08		·10		·35		7
8					06			·03	·11		·25	·01		8
9	02		·05								1·07	·43		9
10	·04		·27	·21				03			·08	·02		10
11	·49		·29	·12				·01				·20		11
12			·26	·02			·05	·34				·08		12
13	·45		·10	·03			·19	·09		01	·06	·64		13
14	·05		·44	·01						·01	39	·30		14
15	·11		·11		·09				·02		·06	·24		15
16	16		·29		·03					·17				16
17	·06			·02	·01				·02	·09	·02	·35		17
18	·21		02	·25			·17		·06			·04		18
19			·16	·05		·05			·07	·02		·05		19
20			·21	·04			·04							20
21			07	·08		·11		·08		·18				21
22							·05	·07	·30					22
23				·27		·23			·01		·01	·06		23
24		·06	·08	·02		·05	·92		·19					24
25	·21	·06		·30		·10				·10		·35		25
26	·10		·04	·09		01			·04	·02		·08		26
27	·07	·02				·10				·01		·33		27
28		·04		·64		·12		·85			·04	·38		28
29								·09	·13		·01	·01		29
30	·06	✕							·04	·01		·11		30
31	·05	✕		✕		✕	·05		✕	·42	✕	·05		31
													Year's Total	
TOTAL	2·52	·28	2·71	2·41	·67	·85	1·47	2·29	2·24	2·05	2·10	6·10	25·69	
*Days with ·01 in. or more.	20	7	18	18	7	10	7	13	13	17	12	26	168	
*Days with .04 in. or more.	17	4	17	12	3	8	7	10	10	10	8	23	129	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) E. T. Browne

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Anglefield Berkhamsted
in the County of Herts
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" Ground " Sea Level 450 ft.

File No 897442/29.

TV TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	23	-	-	·02	·01	05	·02	-	02	·04	·12	tr -		1
2	·01	-	-	tr -	-	·06	-	·01	·03	·22	·11	·01		2
3	-	·18	·07	·16	-	·01	-	-	·42	·55	·22	·09		3
4	-	-	-	·14	-	·01	-	-	·18	·31	-	·08		4
5	tr -	·40	·03	·07	-	·43	·01	-	·41	tr -	-	·01		5
6	-	-	-	·39	-	·75	-	-	-	·04	·04	01		6
7	tr -	tr -	-	·50	-	·01	-	-	-	·06	1·08	·16		7
8	-	-	-	·41	-	-	-	-	-	·31	·35	·15		8
9	tr -	-	-	·31	-	·57	-	-	-	·99	06	·05		9
10	tr -	-	-	25	-	·02	-	-	-	-	·05	02		10
11	·31	-	-	-	-	·07	·21	-	-	tr -	·32	·01		11
12	tr -	·03	-	-	-	·29	-	·01	·03	-	·14	-		12
13	13	·18	-	·31	·20	·07	-	-	-	tr -	-	-		13
14	-	tr -	-	·07	·28	·03	-	-	-	tr -	·40	·14		14
15	-	·24	-	53	·03	·17	-	-	·20	-	·36	·11		15
16	-	·13	·05	·07	-	·21	-	-	·42	·03	·50	·07		16
17	tr -	-	tr -	·03	·01	·19	tr -	-	·18	-	·45	-		17
18	-	tr -	-	·61	·11	·18	·41	-	·56	·02	·19	·05		18
19	-	-	-	·06	·15	04	·12	-	·17	01	·15	·08		19
20	·01	·10	-	25	·33	·09	09	-	·02	-	·14	-		20
21	·01	·28	·02	01	-	-	-	-	·07	·04	·11	-		21
22	-	·03	·25	-	-	-	-	·32	11	-	-	-		22
23	-	·02	·21	-	·	-	-	·65	·03	·14	-	·22		23
24	02	·47	·02	-	·	-	-	03	·76	-	-	·17		24
25	·12	13	-	·22	·	·56	-	-	-	-	-	·15		25
26	tr -	·07	-	-	-	·02	-	·22	13	tr -	tr -	·42		26
27	tr -	·30	-	-	·07	-	-	-	·12	·02	22	·50		27
28	tr -	·17	-	-	·02	-	-	tr -	·38	·05	·02	·03		28
29	-	x	-	-	-	-	-	-	·73	-	·01	·42		29
30	·05	✕	-	16	·07	-	-	·65	·01	·06	·43	·41		30
31	-	✕	-	✕	·01	✕	-	-	✕	·80	✕	·32		31
													Year's Total	
Total	·89	2·73	·65	4·57	1·29	3·83	·86	1·89	4·98	3·69	5·47	3·68	34·53	
* Days with .01 in. or more.	9	15	7	20	12	21	6	7	21	17	22	24	181	
* Days with .04 in. or more.	5	12	4	17	7	15	4	4	15	13	20	18	134	

40-9999.

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) Edward S. Browne [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Berkhamsted, Anglefield

in the County of Hertfordshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

Out

Oct. corrd. for W.D. by Obsr. 21.11.35

T.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23			·02	·01	·05	·02		·02		·12			1
2	·01					·06		·01	·03	·04	11	·01		2
3		18	·07	16		·01			·42	·22	·22	09		3
4				·14		·01			·18	55		·08		4
5		·40	·03	·07		·43	·01		·41	·31		·01		5
6				·39		·75					04	·01		6
7				·50		·01				04	1·08	16		7
8				·41						·06	·35	·15		8
9				·31		·57				·31	·06	·05		9
10				·25		·02				99	·05	·02		10
11	·31					·07	·21				32	·01		11
12		03				·29		·01	·03		·14			12
13	·13	·18		·31	·20	·07								13
14				07	·28	·03					·40	·14		14
15		·24		·53	·03	·17			·20		·36	11		15
16		·13	·05	·07		·21			42		·50	·07		16
17				·03	·01	19			18	·03	·45			17
18				·61	·11	·18	·41		·56		·19	·05		18
19				·06	15	·04	·12		17	·02	·15	·08		19
20	·01	·10		·25	·33	·09	·09		·02	·01	·14			20
21	·01	·28	·02	·01					·07		·11			21
22		·03	·25					32	·11	·04				22
23		·02	·21					·65	·03			·22		23
24	·02	·47	·02					·03	·76	·14		17		24
25	·12	·13		·22		·56						·15		25
26		·07				·02		22	13			·42		26
27		·30			·07				·12	5 ~~·005~~	·22	50		27
28		·17			·02				·38	·02	·02	·03		28
29									·73	·05	·01	·42		29
30	·05	×		·16	·07			·65	·01	·06	·43	·41		30
31		×		×	01	×			×	·80 ~~·06~~	×	·32		31
TOTAL	·89	2·73	·65	4·57	1·29	3·83	·86	1·89	4·98	3·69 ~~2·895~~	5·47	3·68	Year's Total 34·53	
*Days with ·01 in. or more.	9	15	7	20	12	21	6	7	21	17 ~~16~~	22	24	181	
*Days with .04 in. or more.	5	12	4	17	7	15	4	4	15	13 ~~12~~	20	18	134	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) E. T. Browne

[P.T.O.

query for June
cut 3/7
6ths agrees

COPY FOR OFFICIAL ~~/~~ USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1936.

TL. TV.

Copy by B.R.O.

Kept at Berkhamsted, Anglefield

in the County of Hertfordshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·28	·16	·38		·11	·12	·01	—	-	·04	·03		1
2	·03	·20		·02		·45	·55	·04	—	-	·11	tr		2
3				·12	·01	·04	·08	·01	·46	-	·25	—		3
4			·16			·17			·23	-	·09	·09		4
5	·24		·02					·03	·03	-	—	·12		5
6	·24				·50	·21		·10	·18	-	·16	·05		6
7	·18		·05				·91		·02	-	·01	·03		7
8	·26		·07						·05	-	·54	·13		8
9	·44		·08				·30		·18	·01	—	·01		9
10	·04						·16	·02	·04	-	·07	—		10
11				·09			·06		—	-	·85	—		11
12				·27		·42	·47		·22	-	1·17	·18		12
13				·02		·69			—	·03	·11	·45		13
14		·07				·09	·71		·07	·08	—	·54		14
15		·03				·02			·12	-	—	·22		15
16	·20	·07					·03		·02	-	·45	·04		16
17	·17	·80			·10	·10			—	-	·20	·20		17
18		·24				·14	·22		—	·16	tr	·08		18
19	·37	·06	·03	·02		·26		·07	—	·03	—	—		19
20	·03	·07	·02	·20			·07		3·13 ✓	-	—	—		20
21				·24	·06	1·47			·06	-	—	—		21
22	·07	·56	·07		·29	·02	·23		—	-	—	·11		22
23	·02		·01	·07			·25		—	·12	—	—		23
24	·12	·12					·10		·12	·44	—	—		24
25	·02	·01	·16	·14		·08	·29		·19	·08	·08	tr		25
26	·01	·13	·20	·01		·09	·03		—	·11	—	tr		26
27	·11		·01						·26	·11	—	—		27
28	·78		·09				·32		—	—	—	·17		28
29	·24	·20	·15			·14	·02		—	·03	·20	·08		29
30	·13	×			·05	·52	·16		—	·23	—	—		30
31	·49	×	·13	×		×	·11		×	·38	×	·39		31
TOTAL	4·44	2·84	1·41	1·58	1·01	~~4·92~~ 5·02	5·19	·28	5·38	1·81	4·27	2·92	Year's Total. 36·15	✓
* Days with .01 in. or more.	22	14	16	12	6	18	21	7	17	13	15	18	179	✓
* Days with .04 in. or more.	17	12	11	8	5	16	18	3	14	9	13	15	141	

40-9999

† Spare column, no entries required.

(*Signed*) E. T. Browne

[P.T.O.

* See Instruction 2 (f) on other side.

adjusted by [illegible]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1030.

REGISTER OF RAINFALL IN 1937.

Kept at Berkhamsted, Anglefield

in the County of Hertfordshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft...........in.

,, Ground ,, Sea Level ....ft.

Query sent 6.1.38 re Dec.
Observer agreed 14/1/38

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·20	–	–	·01		–	–	–	·03	–	·47	·80		1
2	·01	·27	·01	·50		–	–	–	·15	–	–	·28		2
3	–	·08	–	–		–	–	–	–	–	–	·15		3
4	·12	·39	–	·01		–	–	–	–	–	–	·50		4
5	·22	·01	·18	–		–	·06	–	–	–	–	·01		5
6	·10	–	·42	–	·14	–	·25	–	–	·01	·04			6
7	–	·72	·12	·18		–	·05	–	·05	–	–			7
8	–	·07	–	–	·09	·04	–	–	–	–	·23	·24		8
9	–	–	–	·17	·16	·01	·10	–	·29	–	–	·15		9
10	–	–	·50	·11	·12	·25	·05	·01	–	–	–	·30		10
11	–	–	·32	–	·45	–	·03	–	–	–	–			11
12	·31	·29	·10	–	·17	·90	·02	–	·06	–	–	·20		12
13	·18	·08	·27	–		·18	–	1·00	·22	–	–	·32		13
14	·06	·01	·46	·23		–	–	·82	·06	–	–	·02		14
15	·26	·10	–	·17		·02	·43	–	·17	–	–	·03		15
16	·01	·10	·50	·76		·08	–	·08	·42	–	–	~~·70~~	·07	16
17	·56	·11	·18	·34		·01	–	–	·40	–	·02			17
18	·59	·18	·01	·04	·06	·10	–	–	·02	–	·26			18
19	·11	·02	·05	·13		·14	·33	–	·35	–	·03	·10		19
20	·62	·02	–	·52	·59	–	–	–	·02	–	–			20
21	·35	·37	·02	·03	·04	–	·06	–	–	–	–	·03		21
22	·55	·01	·02	–	·16	·20	·09	–	–	·70	·26	~~·50~~	·05	22
23	·15	·01	·06	–	·57	–	·18	–	–	·43	·01			23
24	·41	·47	·02	–		–	·01	–	·12	·60	–			24
25	·06	·43	·01	–	·77	–	–	–	·07	·23	–			25
26	–	·36	·04	–	·22	–	–	–	–	·16	–			26
27	·02	·28	·02	·18		–	–	–	·02	·73	–			27
28	–	·11	–	–		–	–	–	–	·09	–	~~·50~~	·05	28
29	–	–	–	–		–	–	–	–	·08	·03	·02		29
30	·45	✕	–	–		–	–	–	–	·02	·30			30
31	·30	✕	–	✕		✕	–	–	✕	·23	✕	~~·80~~ ·08		31
TOTAL	5·64	4·38	3·31	3·38	3·54	1·93	1·66	1·91	2·45	3·28	1·65	3·40 ~~5·64~~	36·52 ~~38·77~~	36·53
* Days with .01 in. or more.	22	22	20	15	13	11	13	4	16	11	10	19 ~~18~~	175	
* Days with .04 in. or more.	19	16	13	12	13	8	10	3	12	9	6	14	135	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE See letter in file for Mar. 22nd.

Section **A** for the entry of Daily Observations

Station No. 929

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1

REGISTER OF RAINFALL IN 1938

Copy by D.

W. D. Jan. Terminated

Obs. will measure on right day in future 8-4-38

Kept at Berkhamsted, Anglefield

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·33	–											1
2	·01	–	–	·04										2
3	·09	·04	–											3
4	–	–	–											4
5	·10	–	–											5
6	–	–	–											6
7	·08	–	–											7
8	·05	–	–											8
9	·17	–	–											9
10	·11	·02	–											10
11	·19	·07	–											11
12	·35	–	–											12
13	·34	·04	–											13
14	·04	·02	–											14
15	·28	–	–											15
16	·10	–	–											16
17	·59	·01	·02											17
18	–	·09	–											18
19	·11	–	–											19
20	–	–	–											20
21	–	–	–											21
22	·02	–	–	·005										22
23	–	–	·12	·005										23
24	–	–	–											24
25	–	–	·18	·005										25
26	·09	·04	·12											26
27	·27	·32	·15											27
28	·08	·06	–											28
29	·23	·02	–	·03										29
30	·35	✕	–	·06	✕									30
31	·01	✕	–	✕		✕			✕		✕			31
TOTAL	·33 3·99	·73	·59	·135									Year's Total	
* Days with .01 in. or more.	22	11	5	~~3~~4										
* Days with .04 in. or more.	19	7	4	2										

GB 4/4/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. Osborn

P.T.O.

TRING (CHAMPNEYS)

Section A for the entry of
AIR MINISTR

FORM 1090

REGIS

929/7

TRING (CHAMPNEYS)

1938. 1940

78 02 05

Station No. 929/7

RAINFALL ORGANIZATION

1938.

741337/38

Kept at CHAMPNEYS-

in the County of HERTFORD

Diameter of Funnel of Gauge F

Height of top of Gauge above Gr

,, Ground ,, Sea

est.

by stns.

THE MORNING MEASURE … **REVIOUS DAY**

An observer who does not conform t … 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			–	–	T	·18	–	–	·01	·04	–	·04		1
2			–	·03	·10	–	T	–	–	·35	·02	·01		2
3			–	–	·10	–	T	–	·04	·80	·06	–		3
4			–	–	–	–	·02	–	–	·18	T	·17		4
5			–	–	–	T	·23	–	T	·12	T	T		5
6			–	–	–	–	·03	–	·02	·25	T	T		6
7			–	–	–	–	·50	·34	·03	·50	–	·01		7
8			–	–	–	–	·49	·05	·06	·21	–	·01		8
9			–	–	–	·03	·15	·22	–	–	–	1·07		9
10			–	–	–	·06	·04	·15	–	–	–	·07		10
11			–	–	–	–	–	·18	–	–	·12	·02		11
12			–	–	·01	T	–	·13	–	·39	T	–		12
13		(·30)	–	–	T	–	–	T	–	T	·30	·18		13
14			–	–	·05	–	·07	–	·09	–	T	·05		14
15			–	–	T	–	·13	T	–	·13	–	·23		15
16			·01	–	–	–	·01	T	–	·05	·02	·15		16
17			–	–	–	–	·01	–	·02	·11	–	–		17
18			–	–	·07	–	–	·06	·20	·04	·33	–		18
19			–	–	–	–	–	·11	·08	–	·20	–		19
20			–	–	T	–	–	–	·01	–	·60	·07		20
21			–	–	–	–	–	·08	·03	–	·03	1·23		21
22			·01	·01	–	·01	–	·03	–	–	·24	·30		22
23			–	T	–	–	–	–	–	–	·05	T		23
24			·17	–	·08	–	–	–	·23	–	·03	–		24
25			·15	–	·08	–	·01	·16	T	·01	·67	·15		25
26		·32	·13	–	–	–	·01	T	·14	·25	–	·16		26
27		·05	–	–	·04	·30	·31	·01	·52	·11	·51	–		27
28		·02	–	–	·75	·13	–	·64	·05	–	–	·09		28
29		–	–	·02	·35	–	–	·01	·05	·01	·17	·19		29
30		✕	–	·05	·18	·07	–	–	·08	·02	·26	·05		30
31		✕	–	✕	·23	✕	–	–	✕	·21	✕	·32	"d"	31
TOTAL	(4·00)	(·69)	·47	·11	2·04	·78	2·01	2·17	1·66	3·78	3·61	4·57	Year's Total 21·20	(25·89)
* Days with .01 in. or more.	(21)	(9)	5	4	12	7	14	14	17	19	16	21	~~120~~	(159)
* Days with .04 in. or more.	(20)	(7)	3	1	11	5	8	11	11	16	12	17	~~95~~	(122)

months only

Print so 21/3/39

PERCY E. FORT ESQ.

* See Instruction 3 (f) on other side.

Gauge Installed 26 Feby. 1938.

N

† Spare column, no entries required.

(Signed) Percy E. Fort

[P.T.O.

TRING (CHAMPNEYS)

Section **A** for the entry of Daily Observations

Station No. 929/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at CHAMPNEYS - TRING.

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground ONE ft. – in.

,, Ground ,, Sea Level 600 ft.

741337/38

Jan 1st – Feb 25th estd. from nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			–	–	T	·18	–	–	·01	·04	–	·04		1
2			–	·03	·10	–	T	–	–	·35	·02	·01		2
3			–	–	·10	–	T	–	·04	·80	·06	–		3
4			–	–	–	–	·02	–	–	·18	T	·17		4
5			–	–	–	T	·23	–	T	·12	T	T		5
6			–	–	–	–	·03	–	·02	·25	T	T		6
7			–	–	–	–	·50	·34	·03	·50	–	·01		7
8			–	–	–	–	·49	·05	·06	·21	–	·01		8
9			–	–	–	·03	·15	·22	–	–	–	1·07		9
10			–	–	–	·06	·04	·15	–	–	–	·07		10
11			–	–	–	–	–	·18	–	–	·12	·02		11
12			–	–	·01	T	–	·13	–	·39	T	–		12
13		(·30)	–	–	T	–	–	T	–	T	·30	·18		13
14			–	–	·05	–	·07	–	·09	–	T	·05		14
15			–	–	T	–	·13	T	–	·13	–	·23		15
16			·01	–	–	–	·01	T	–	·05	·02	·15		16
17			–	–	–	–	·01	–	·02	·11	–	–		17
18			–	–	·07	–	–	·06	·20	·04	·33	–		18
19			–	–	–	–	–	·11	·08	–	·20	–		19
20			–	–	T	–	–	–	·01	–	·60	·07		20
21			–	–	–	–	–	·08	·03	–	·03	1·23		21
22			·01	·01	–	·01	–	·03	–	–	·24	·30		22
23			–	T	–	–	–	–	–	–	·05	T		23
24			·17	–	·08	–	–	–	·23	–	·03	–		24
25			·15	–	·08	–	·01	·16	T	·01	·67	·15		25
26		·32	·13	–	–	–	·01	T	·14	·25	–	·16		26
27		·05	–	–	·04	·30	·31	·01	·52	·11	·51	–		27
28		·02	–	–	·75	·13	–	·64	·05	–	–	·09		28
29		–	–	·02	·35	–	–	·01	·05	·01	·17	·19		29
30		✕	–	·05	·18	·07	–	–	·08	·02	·26	·05		30
31		✕	–	✕	·23	✕	–	–	✕	·21	✕	·32	"d"	31
TOTAL	(4·00)	(·69)	·47	·11	2·04	·78	2·01	2·17	1·66	3·78	3·61	4·57	Year's Total 21·20	(25·89)
* Days with .01 in. or more.	(21)	(9)	5	4	12	7	14	14	17	19	16	21	~~120~~	(159) months
* Days with .04 in. or more.	(20)	(7)	3	1	11	5	8	11	11	16	12	17	~~95~~	(122) only

Proof gp 21/3/39

PERCY E. FORT ESQ.

* See Instruction 3 (f) on other side.

Gauge Installed 26 Feby. 1938.

N

† Spare column, no entries required.

(*Signed*) Percy E. Fort

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~926/5~~ 929/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at CHAMPNEYS.

in the County of HERTS

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ONE ft. – in.

" Ground " Sea Level 600 ft.

~~£ 741837/38~~

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	–	·02	·49	·35	–	T	·07	·10	–	T	·05		1
2	·03	–	T	·01	T	–	–	·39	·26	–	·03	·04		2
3	·38	–	–	·14	–	–	–	·38	–	·03	·21	·32		3
4	·02	–	·37	·15	–	–	·03	·16	–	·15	·02	·03		4
5	–	T	–	·35	·14	–	·11	·88	–	·12	·46	·46		5
6	·56	T	T	·02	·01	–	·39	·02	–	T	·16	–		6
7	·07	·05	–	–	–	–	·01	·02	–	T	·20	·18		7
8	T	·15	·09	–	–	–	·10	·60	–	·51	·39	·40		8
9	·02	·16	–	–	–	–	–	·11	–	·21	T	·18		9
10	·31	T	–	–	–	·38	–	·27	·02	·01	–	T		10
11	T	–	·23	–	–	·14	–	–	·01	·02	·01	·01		11
12	–	·21	T	–	·03	·03	–	–	–	T	–	–		12
13	T	–	T	·01	–	·01	·14	–	·05	·80	–	–		13
14	·51	–	·01	·04	·24	·02	·04	–	·07	·09	·34	–		14
15	·59	–	·07	T	·68	·50	·02	–	·08	·61	·13	·01		15
16	·28	–	·13	·04	·19	·19	·12	–	T	·07	·34	–		16
17	·28	·01	·01	·06	·14	·01	·08	–	–	·09	·05	–		17
18	·19	·02	·07	–	T	·24	·14	–	T	·18	·40	T		18
19	·22	–	T	–	–	T	·23	–	–	·12	–	T		19
20	·17	–	·01	–	T	·45	·17	·03	–	–	–	·02		20
21	·10	·10	·34	T	–	·8	·48	·02	·06	T	–	–		21
22	·19	·37	·15	·01	–	·01	·08	–	·04	–	·19	–		22
23	·01	T	T	·08	–	·01	·09	–	–	·04	·83	–		23
24	·21	–	·01	·13	–	T	·07	T	T	·13	T	–		24
25	1·50	·09	·08	T	–	–	·16	–	–	·03	·53	·01		25
26	·36	·07	·02	·03	–	·01	–	·12	–	·12	·22	·08		26
27	T	·04	·14	·01	–	T	T	·01	–	·02	·30	–		27
28	·01	·23	·08	–	–	·03	·02	–	–	·17	·18	·12		28
29	–	–	–	·40	–	–	·32	–	–	·13	·10	–		29
30	–	✕	–	·73	–	·10	–	–	–	T	·17	·03		30
31	–	✕	–	✕	–	✕	·07	·01	✕	T	✕	T		31
TOTAL	6·05	1·50	1·83	2·70	1·78	2·21	287	3·09	0·69	3·65	5·26	1·94	Year's Total 33·57	
Days with .01 in. or more.	22	12	17	17	8	16	21	15	9	21	21	15	194	
Days with .04 in. or more.	17	10	11	11	6	8	17	9	7	16	18	9	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

~~(Signed)~~ .... Percy E. Foor .... [P.T.O.

929/7

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~926/5~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at CHAMPNEYS

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground ONE ft. – in.

,, Ground ,, Sea Level 609 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	T	-	·02	·01	-	-	-	-	-	·12	-		1
2	T	·13	-	·19	-	-	·11	-	-	·14	·97	-		2
3	-	·22	-	·15	-	-	-	-	-	·13	·81	·01		3
4	T	·11	-	·13	-	-	·03	-	-	·28	·28	·02		4
5	T	·01	-	-	·01	-	T	-	-	·13	·67	·16		5
6	·18	·15	-	-	·06	-	·42	-	-	·23	·40	-		6
7	·18	·31	-	T	·05	-	·09	-	·08	-	·01	·01		7
8	T	T	-	·06	-	-	T	-	·02	·22	·02	·23		8
9	-	-	-	T	-	·32	-	·07	·06	T	·11	·04		9
10	-	-	T	-	-	T	·26	·01	-	·05	·25	·08		10
11	-	-	-	·05	-	-	·04	-	-	-	·92	T		11
12	-	·03	·06	-	-	-	·14	-	·16	-	·02	-		12
13	-	·04	·61	·01	-	T	·02	T	·04	-	1·25	·01		13
14	-	-	·12	·08	-	-	-	-	·04	·07	T	·31		14
15	-	-	-	·03	·14	T	·04	-	·02	·10	·20	T		15
16	·19	·14	·39	·03	T	·01	·36	-	·20	1·06	·72	T		16
17	-	-	·35	-	-	-	·03	-	T	·01	·22	·01		17
18	-	·56	·34	·30	-	-	·01	-	-	·11	·30	·16		18
19	-	·15	·07	·24	-	-	·09	-	·16	·01	·17	·04		19
20	-	·01	·05	·01	-	·01	-	·02	T	·11	·06	T		20
21	·16	·01	T	-	·43	-	·19	·01	-	·02	·54	-		21
22	T	T	·03	·01	·21	·46	-	-	·37	·01	T	-		22
23	-	·15	·03	·10	·04	·13	-	·01	-	-	·01	-		23
24	-	T	T	·10	-	T	·14	-	-	-	T	·03		24
25	T	T	·22	-	-	T	·25	-	-	-	T	T		25
26	·86	·13	·06	T	·14	·03	·02	-	-	-	T	·02		26
27	·52	·23	-	·28	·19	-	·02	-	-	·03	-	T		27
28	·94	·07	-	·01	·10	-	-	-	-	-	-	-		28
29	T	·02	·12	T	·16	T	T	-	-	-	T	·34		29
30	·13	✕	-	·37	-	-	T	-	-	·17	-	·02		30
31	·03	✕	T	✕	-	✕	-	-	✕	·96	✕	·01		31
TOTAL	3·19	2·47	2·45	2·17	1·54	·96	2·26	0·12	1·15	3·84	8·05	1·50	Year's Total 29·70	
* Days with .01 in. or more.	9	18	13	19	12	6	18	5	10	19	21	17	167	
* Days with .04 in. or more.	8	13	11	12	10	3	12	1	8	14	17	8	117	

† Spare column, no entries required.

*See Instruction 3 (*f*) on other side.

(*Signed*) Percy E. Fort

[P.T.O.

NR 1930)
1931
1932 } No reply to application
1933 Deleted on [illegible]

929/8

County No. III Herts
River Dist. 2
Station No.

FORM 1090. METEOROLOGICAL ANIZATION.

REGIST 34.

929/8

BERKHAMSTED
(AMERSFORT)

1934 - 1940

1935, 1938, MISSING.

31' W

Kept at (Amersfort), Berk

Winter 10 A.M. Summer

erkhamsted L.M.S. Ry

in the County of Herts.

Gauge 5 in.

Ground 1 ft. — in.

by Gardener

Sea Level 510 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	—	—	—	—	—	—	·32	·41	—	—	·45	1
2	·18	—	·09	—	—	—	—	—	—	·15	—	·18	2
3	tr	·13	—	·15	—	—	—	—	·75	·52	—	tr	3
4	·10	—	·09	·13	—	—	—	—	—	·10	·17	·40	4
5	—	—	·07	—	·06	—	—	·09	—	—	—	·31	5
6	tr	—	—	—	·34	·06	—	·15	—	·17	—	·55	6
7	·05	—	—	—	—	·05	—	—	—	·09	—	—	7
8	—	—	—	—	·08	—	—	tr	·09	—	·22	·31	8
9	—	—	·16	—	—	—	—	—	—	—	·90	·50	9
10	·07	—	·25	—	—	—	—	tr	—	—	·15	·05	10
11	·45	—	·32	·09	—	—	—	—	—	—	tr	·16	11
12	—	—	·09	·05	—	—	tr	·40	—	—	—	·09	12
13	·41	—	·11	·05	—	—	·20	·12	—	tr	—	·60	13
14	·05	—	·45	—	·05	—	—	—	—	—	·37	·26	14
15	—	—	·12	—	·08	—	—	—	tr	—	·08	·25	15
16	·23	—	·28	—	—	—	—	—	—	·20	·05	—	16
17	tr	—	—	—	—	—	—	—	·05	·15	—	·27	17
18	·23	—	—	·25	—	—	·32	—	·06	—	—	·07	18
19	—	—	·25	·09	—	·07	—	—	·07	—	—	·08	19
20	—	—	·05	—	—	—	—	—	—	—	—	—	20
21	—	—	·12	·21	—	·09	—	·09	—	·16	—	—	21
22	—	—	—	—	—	—	·13	·11	·27	—	—	·06	22
23	—	—	·25	·25	·06	·26	—	—	—	—	—	·06	23
24	—	—	·23	·21	—	·07	·45	—	·20	—	—	·35	24
25	·38	—	·06	·20	—	·06	—	—	—	·10	—	—	25
26	·11	·15	·10	·26	—	tr	tr	—	—	—	—	·11	26
27	—	—	—	·10	—	·10	—	—	—	·07	—	·30	27
28	—	S ·10	·32	·32	—	·10	—	·87	—	—	—	·40	28
29	—	—	—	—	—	—	—	·15	·20	—	—	·09	29
30	·09	X	—	—	—	—	—	—	—	—	—	·12	30
31	—	X	—	X	—	X	—	—	X	S ·36	X	·06	31 "d"
TOTAL	2·43	·38	3·41	2·53	·67	·86	1·10	2·30	2·10	2·07	1·94	6·08	YEAR'S TOTAL 25·87
Days with ·01 in. or more				no entries	< ·04								—
Days with ·04 in. or more	~~13~~	~~3~~	~~19~~	~~15~~	~~6~~	~~9~~	~~4~~	~~9~~	~~9~~	~~11~~	~~7~~	~~25~~	~~—130~~

N X MRS WALTER COHEN. X

929/8

N R 1930
1931
1932
1933 } No reply to [illegible]
Deleted on file P.A.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. III Herts
River Dist. 2
Station No.

REGISTER OF RAINFALL IN 19~~3~~34.

Kept at (Amersfort), Berkhamsted
in the County of Herts.
by Gardener

Lat. 51°46′ N. Long. 31′ W
Time of Observation 9 A.M Winter 10 A.M. Summer
Nearest Railway Station Berkhamsted L.M.S.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 510 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	—	—	—	—	—	—	·32	·41	—	—	·45	1
2	·18	—	·09	—	—	—	—	—	—	·15	—	·18	2
3	tr	·13	—	·15	—	—	—	—	·75	·52	—	tr	3
4	·10	—	·09	·13	—	—	—	—	—	·10	·17	·40	4
5	—	—	·07	—	·06	—	—	·09	—	—	—	·31	5
6	tr	—	—	—	·34	·06	—	·15	—	·17	—	·55	6
7	·05	—	—	—	—	·05	—	—	—	·09	—	—	7
8	—	—	—	—	·08	—	—	tr	·09	—	·22	·31	8
9	—	—	·16	—	—	—	—	—	—	—	·90	·50	9
10	·07	—	·25	—	—	—	—	tr	—	—	·15	·05	10
11	·45	—	·32	·09	—	—	—	—	—	—	tr	·16	11
12	—	—	·09	·05	—	—	tr	·40	—	—	—	·09	12
13	·41	—	·11	·05	—	—	·20	·12	—	tr	—	·60	13
14	·05	—	·45	—	·05	—	—	—	—	—	·37	·26	14
15	—	—	·12	—	·08	—	—	—	tr	—	·08	·25	15
16	·23	—	·28	—	—	—	—	—	—	·20	·05	—	16
17	tr	—	—	—	—	—	—	—	·05	·15	—	·27	17
18	·23	—	—	·25	—	—	·32	—	·06	—	—	·07	18
19	—	—	·25	·09	—	·07	—	—	·07	—	—	·08	19
20	—	—	·05	—	—	—	—	—	—	—	—	—	20
21	—	—	·12	·21	—	·09	—	·09	—	·16	—	—	21
22	—	—	—	—	—	—	·13	·11	·27	—	—	·06	22
23	—	—	·25	·25	·06	·26	—	—	—	—	—	·06	23
24	—	—	·23	·21	—	·07	·45	—	·20	—	—	·35	24
25	·38	—	·06	·20	—	·06	—	—	—	·10	—	—	25
26	·11	·15	·10	·26	—	tr	tr	—	—	—	—	·11	26
27	—	—	—	·10	—	·10	—	—	—	·07	—	·30	27
28	—	S ·10	·32	·32	—	·10	—	·87	—	—	—	·40	28
29	—	—	—	—	—	—	—	·15	·20	—	—	·09	29
30	·09	X	—	—	—	—	—	—	—	—	—	·12	30
31	—	X	—	X	—	X	—	—	X	S ·36	X	·06	31 "d"
TOTAL	2·43	·38	3·41	2·53	·67	·86	1·10	2·30	2·10	2·07	1·94	6·08	YEAR'S TOTAL 25·87
Days with ·01 in. or more.					no entries	< ·0[illegible]							—
Days with ·04 in. or more	~~13~~	~~3~~	~~19~~	~~15~~	~~6~~	~~9~~	~~4~~	~~9~~	~~9~~	~~11~~	~~7~~	~~25~~	~~—130~~

N X M^rs WALTER COHEN. X

1

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Station No. 929/8

Form 1010

REGISTER OF RAINFALL IN 1936.

Kept at (Amersfort) Berkhamsted
in the County of Herts 2
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 510 ft.

94650 9/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.28	.25	.2	.45		.1	.23				.05	.06		1
2	.08	.13				1.01	.47				.08			2
3	—							.08	.22		.3			3
4	Tr		.15			.18	.05		.35		.09	.08		4
5	.23		.05					.06	.3					5
6	.22				.95	.17		.1	.18		.15			6
7	.09						.9		TR	TR				7
8	.31		.1						.08		.5	.2		8
9	.45		.07				.31		.18			.15		9
10							.1							10
11				3 .18			.07				.7			11
12				.2		.45	.45	TR			1.08			12
13						.65			.25	.07	.12	.48		13
14		.09					.75		.15	.06		.5		14
15									.09			.2		15
16	.08	.10							TR		.48	TR		16
17	.2	.68			.15	.15	TR				.2	.28		17
18		.18					.2			.32		.1		18
19	.3	.09	TR	.05		.55				.66				19
20		.1	.06	.17			.06		3.26					20
21				.23	.09	1.03			.12					21
22	3	.5	.09			.05						.08		22
23	.06				.4		.42			.12				23
24	.18	.1					.12		.12	.41				24
25	.06	Tr	.07	.05		.06	.32		.28	.05	.08			25
26		.14	.25	.1		.09			.06	.13				26
27	.12		TR						.26	.07				27
28	.81		.09				.4				.23	.2		28
29	.27	.12	.15			.08				.05		.08		29
30	.12	✕			.08	.38	.19			.3		TR		30
31	1.09	✕		✕		✕	.05		✕	.28	✕	.27	36·64	31
TOTAL	4.04	2.48	1.28	1.43	1.67	4·95 ~~3.95~~	5.09	.24	5.90	1·92	4.06	2.68	Year's Total 34·64	
* Days with .01 in. or more.	~~18~~	~~12~~	~~11~~	~~8~~	~~5~~	~~14~~	~~17~~	~~3~~	~~13~~	~~12~~	~~13~~	~~13~~	..	
* Days with .04 in. or more.	18	12	11	8	5	14	17	3	15	12	13	13	141	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) X Mrs Walter Coker X

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 929/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Corrected by [illegible] KJ. 26/4/38.

Kept at Amersfort Berkhamsted

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 1.0 in.

" Ground " Sea Level 5.10 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.26										.58	.72		1
2	.05	.25	.06	.45					.05	~~.05~~		.41		2
3	TR	.08			.05				.17	~~.17~~		(.36) ~~.26~~		3
4	.11	(.35) ~~.05~~		TR								S.42		4
5	.22	TR	S.09				.08							5
6	.08		S.4		.18		(.24) ~~.24~~							6
7		.63	(.50)	.15			.06		(.10)					7
8					.09	TR					.21	S.09		8
9		S.05		.21	.19		.15	.05	.3	~~.3~~				9
10			S.82	.08	.18	.25	.08					S.6		10
11			.25		.35	TR	TR							11
12	.25	(.25) ~~.05~~	.09		.15	.6			.08	~~.06~~		.15		12
13	.15	.07	S.2			(.59) ~~.39~~		(.95) ~~.45~~	.16	.10		.38		13
14	TR	.05	S.46	.24				.85	.06					14
15	.2	.15		.12			.49	.08	.15					15
16	.05	.11	.51	.72		.07			.3					16
17	.5		.15	.48					(.51) ~~.21~~					17
18	.59	.13	TR		.08	.10			.06		.26	(.10)		18
19	.1	.07	.05	.15		.14	.92		.26		.06			19
20	.68			.51	.6				TR					20
21	.28	.36	S.06	.05	.06		.06							21
22	.4		TR		.15	.2	.11			.41	~~.11~~			22
23	.25		S.06		.5					.66	.20			23
24	.40 ~~.07~~	.42	TR						.15	.4	~~.4~~			24
25	.07	.41			.86				.1	.35	~~.35~~			25
26		.48	S.1		.17					.26	~~.24~~			26
27	TR	S.12		.15						(.78) ~~.57~~	~~.07~~			27
28		S.11								.05	~~.05~~	.25		28
29	S.05										.05			29
30	.48	✕									.28			30
31	.3	✕		✕		✕			✕	.24	✕	.10	(37.28)	31
TOTAL	(5.47) ~~5.07~~	(4.09) ~~3.59~~	(3.80) ~~3.30~~	3.31	3.60	(1.95) ~~1.75~~	(2.19) ~~1.99~~	(1.93) 1.43	2.47 ~~2.17~~	(3.28) ~~2.45~~	1.64	(3.58) ~~3.28~~	Year's Total ~~33.58~~	
* Days with .01 in. or more.	~~20~~	~~16~~	~~14~~	~~12~~	~~14~~	~~7~~	~~9~~	~~4~~	~~13~~	~~8~~	~~7~~	~~10~~	~~136~~	
* Days with .04 in. or more.	20	16	14	12	14	7	9	4	13	8	7	10	136	

4/38

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 929/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~30~~ 39

Kept at Amersfort Berkhamsted

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 510 ft.

NR 1938

94609/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						~~·07~~				·61				1
2		·49				·07	·15			·05		·35		2
3												·15		3
4			~~·35~~	·35	·22	·13	·3					·37		4
5					·37	·17	·1			·55		·1		5
6					·07	·09		·3		·05	·25	·37		6
7										·32	·37	·5		7
8										·25		·38		8
9										TR		·63		9
10	S ·85		~~·18~~	·18						·06	·1	~~·07~~		10
11			S		·21						1·08	·13		11
12			S ~~·35~~	S ·35	·2	·16								12
13			~~·1~~	·1	·1									13
14					·24	·18						·16		14
15											·32			15
16											·82			16
17										·09				17
18											·35			18
19											·28			19
20							·58			·98				20
21										~~·98~~		·55		21
22										TR	·23	·08		22
23										~~TR~~	·75	·44		23
24										·94	·65	·42		24
25		·25			·83						·1			25
26				·05								·15		26
27				·15	·54					·06	·65	·08		27
28	·1						·38			·32	·42	·72		28
29	·5			·25					·19		·35	·07		29
30		×							·08		·3	·1		30
31	·45	×		×		×	·38		×		×			31
TOTAL	1·9	·74	0	1·43	2·78	·8	1·87	·3	·27	4·28	7·02	6·42	Year's Total 27·81	NO Wtt
* Days with .01 in. or more.	4	2	0	7	9	6	6	1	2	12	16	20	85	
* Days with .04 in. or more.	4	2	0	7	9	6	6	1	2	12	16	20	85	

"d"

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 929/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Amersfort

in the County of Berkhamsted Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 510 ft.

rp unreliable . 1939

adj. for accum. omissions & searches.

no need to notify of & Cus 22.1.41 946509/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.09			1
2				.18	.06		(.10)			.16	.80			2
3		(.54)		.15		~~.1~~				.16	.75	TR		3
4		~~.64~~ S		.14			(.03)			.30	.16	~~.18~~		4
5										.15	.61	.18		5
6		.16					.31			.20	.28			6
7	.35	.34			.10				.07			.09		7
8				.06						.16	~~.21~~	.29		8
9						.10			TR	TR	.10	.06		9
10							.40	.22			.24	.06		10
11				.08							.86			11
12		.22 S	.06				.08		.06		TR			12
13			.50			.25			.04		1.27			13
14			.23 S	.16	~~(.05)~~				~~(.02)~~	.07		.30		14
15	.20 S			~~(.07)~~	.23					.10	.20			15
16			.26	~~(.05)~~		~~(.04)~~	.45		.20	.90	.68	TR		16
17		(.512)	.45 ~~[illegible]~~	~~.11~~					TR		.31			17
18		~~.15~~	.22	.30						.15	.39	.18		18
19		.15	.08	.23			.13		.15		.15	.05		19
20		~~(.02)~~	~~(.02)~~	.05				~~(.02)~~		.05	.05			20
21					.45		.15				.55			21
22	.10 S		.08		.23	.60			.44		TR			22
23		.11		.23	.20	.08		~~(.02)~~				TR		23
24				.12			.13							24
25	(.78) S		.31				.31							25
26		.14	.10		.18	.05	TR.							26
27	(.60)	.20		.11						~~(.04)~~				27
28	.50 S	.06	.08		.50									28 d
29	(.03")	TR			.23							.33		29
30	(~~.10~~ .07)	✕		.30						.22		(.03)		30 Print
31		✕		✕		✕			✕	.82	✕	TR		31 W
TOTAL	2.68 ~~1.93~~	~~2.55~~ ~~2.17~~	2.39 ~~2.37~~	2.183 ~~2.13~~	~~2.23~~ ~~2.18~~	1.08 ~~1.18~~	2.09 ~~1.96~~	.26 ~~.22~~	.996 ~~.96~~	3.484 ~~3.44~~	7.49	1.57 ~~1.54~~	Year's Total ~~27.67~~	~~28.59~~ 28.59 ~~29.00~~ d
* Days with .01 in. or more.	—	—	—	—	—	—	—	—	—	—	—	—		
* Days with .04 in. or more.	5	10	11	13	9	6	8	1	6	13	17	9	108	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Thurgood Colven

[P.T.O.

86

930

Section **A** for the entry of Daily O

AIR MINISTRY.—MET

FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REGISTER

31.

930

BERKHAMSTED

1 GOLF CLUB1

1931- 1932

78 02 05

Kept at Berkhamsted Golf C

in the County of Hertfordshire

Diameter of Funnel of Gauge..................in

Height of top of Gauge above Ground..................

,, Ground ,, Sea Level ....

adjust ~~[illegible]~~ by Leighbourne, 8 this

see memo, 27 7/3/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07	·25						·08				1
2				·11	·09		·01		–				2
3	·24	·58		·40	·15		·02		·52			·30	3
4				·15	·67			·17	1·16		·44	·40	4
5				·02	·02		·31	·20	·18				5
6				·14	·04	·65	·09	·02	·05			·52	6
7		·12							·01		·38		7
8				·15		·10	·25	·70		·02		·08	8
9		·03				·16		·93		·31	·30		9
10		·18									·53		10
11				·04			·15	·23			·40		11
12	·22	·23							·02				12
13		·08						·06	·40				13
14							·29	·02					14
15		·13					·97	·54					15
16	·06	·04		·15	·16		·35	·40					16
17		·20	·05		·27	·14		·40	·04				17
18				·50	·37		·14		·35				18
19	·04			·32		·13		·32			·55		19
20		·13		·45		·13	·20		·02				20
21				·35			·05	·27					21
22	·09				·64			·08					22
23	·20								·05				23
24	·20			·08	·45						·40	·12	24
25				·40		·03			·03				25
26	·02				·25		·58						26
27				·47	·03		·88			✓	·42		27
28		·50			·20					✓	·43		28
29	·12	✕		·10						#(·50)✓		·03	29
30							·02						30
31	·04	✕		✕		✕	·15		✕		✕		30·24 31
TOTAL	·07 ~~1·23~~ 1·30	·25 ~~2·29~~ 2·54	– ~~·30~~ ·05	3·83	3·34	1·34	4·46 ~~4·36~~	·08 ~~4·34~~ 4·42	~~2·91~~ 2·83	(·83) ~~·33~~	3·85	1·45	YEAR'S TOTAL ~~[illegible]~~
*Days with ·01 in. or more.	11 ~~10~~	12	2	16	13	7	16	14	13	~~2~~5	9	6	~~[illegible]~~
*Days with ·04 in. or more.	~~10 9~~	~~11~~	~~2~~	~~15~~	~~11~~	~~6~~	~~13~~	~~12~~	~~9~~	~~12~~	~~9~~	~~5~~	~~106~~

40-9999

M

*See Instruction 2 (f) on other side

(*Signed*) The Secretary

[P.T.O.

86

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE. 930

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Berkhamsted Golf Club

in the County of Hertfordshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

accept August Thunderstorm on 22nd which apparently missed the Golf Club. Glasspoole 1/3/32.

~~August by Neighbouring Stns~~ ~~Glasspoole~~

see memo, 27 17/3/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07	·25						·08				1
2				·11	·09		·01		–				2
3	·24	·58		·40	·15		·02		·52			·30	3
4				·15	·67			·17	1·16		·44	·40	4
5				·02	·02		·31	·20	·18				5
6				·14	·04	·65	·09	·02	·05			·52	6
7		·12							·01		·38		7
8				·15		·10	·25	·70		·02		·08	8
9		·03				·16		·93		·31	·30		9
10		·18									·53		10
11				·04			·15	·23			·40		11
12	·22	·23							·02				12
13		·08						·06	·40				13
14							·29	·02					14
15		·13					·97	·54					15
16	·06	·04		·15	·16		·35	·40					16
17		·20	·05		·27	·14		·40	·04				17
18				·50	·37		·14		·35				18
19	·04			·32		·13		·32			·55		19
20		·13		·45		·13	·20		·02				20
21				·35			·05	·27					21
22	·09				·64			·08					22
23	·20								·05				23
24	·20			·08	·45						·40	·12	24
25				·40		·03			·03				25
26	·02				·25		·58						26
27				·47	·03		·88			✓	·42		27
28		·50			·20					✓	·43		28
29	·12			·10						(·50) ✓		·03	29
30		×					·02						30
31	·04	×		×		×	·15		×		×		30.24 31
TOTAL	·07 ~~1·23~~ 1·30	·25 ~~2·29~~ 2·54	– ~~·30~~ ·05	3·83	3·34	1·34	4·46 ~~4·36~~	·08 ~~4·34~~ 4·42	~~2·91~~ 2·83	(·83) ~~·33~~	3·85	1·45	YEAR'S TOTAL ~~29·67~~
*Days with ·01 in. or more.	11 ~~10~~	12	2	16	13	7	16	14	13	~~2~~ 5	9	6	~~124~~
*Days with ·04 in. or more.	~~10 9~~	~~11~~	~~2~~	~~15~~	~~11~~	~~6~~	~~13~~	~~12~~	~~9~~	~~1~~ 2	9	~~5~~	~~104~~

40-9999 M

(Signed) The Secretary [P.T.O.

*See Instruction 2 (f) on other side

FORM 1090.

B Monthly Summary.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Berkhamsted

In the County of Herts.

Rain Gauge
Diameter of Funnel 8 in.
Height of Top above Ground 1/2 *ft.* 6" *in.*
Height of Ground above Sea Level 565 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1.29	·24	3	9	9
FEB.	2.29	·58	3	12	12
MAR.	·30	·25	1	2	2
APRIL	3.30	6.0	18	17	16
MAY	3.07	64	22	12	11
JUNE	1.33	65	6	6	5
JULY	4.36	·88	27	13	12
AUG.	4.44	93	9	14	14
SEPT.	2.96	·52	3	12	12
OCT.	·33	·31	9	2	2
NOV.	3.85	·55	19	10	10
DEC.	1.48	·52	6	6	6
Total	29.47				

Signature H.C.

M

*See Instruction 2 (*f*) below.

C Particulars of Station.

~~930~~

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
The Secretary, The Golf Club
Berkhamsted

Hour of observation by the clock—in Winter 9 in Summer 9

Nearest Railway Station Berkhamsted Distance 1 mile Direction from gauge W

Nearest Parish Church at " Distance 1 mile Direction from gauge WSW

Nature of objects nearest to gauge	Hedge	Trees	Trees.	House.
Heights of objects	6ft.	25ft.	20ft.	25ft.
Distances ..	10yds	30yds.	20yds	10 yds
Directions from gauge ..	NW	N	SW	N

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.

If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

930

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Berkhamsted Golf Club

in the County of Hertfordshire

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground............ft............in.

,, Ground ,, Sea Level............ft.

W.D

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	·18	·06											2
3													3
4													4
5													5
6	·40												6
7	·60												7
8													8
9													9
10													10
11													11
12													12
13	·20												13
14													14
15	·40												15
16													16
17	·44												17
18													18
19													19
20													20
21													21
22													22
23													23
24		·22											24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	2·22	·28											YEAR'S TOTAL
*Days with ·01 in. or more.	6	2											
*Days with ·04 in. or more.	6	2											

No reply to application for monthly records

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)............

[P.T.O.

X BERKHAMSTED (DUDSW

Herts/2

930/2

BERKHAMSTED

DUDSWELL

1936-38

780205

Section **A** for the entry of
AIR MINISTRY

Station No. 930/2

AINFALL ORGANIZATION

FORM 1090

REGIS 193

22.4.37
Query returned
Adjustments accepted.
falls on Sept 3rd
4 when no rain occurred.

Kept at ~~St Wi...now~~ D

in the County of ....Hertfor

Diameter of Funnel of Gauge.....5

Height of top of Gauge above Grou

,, Ground ,, Sea

point on Feb: 16th, 22nd; March 7th

19.4.37

THE MORNING MEASURE ... VIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Certain inconsistencies in observer's as result of query

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·28	·18	·26	–	·19	·16	tr	–		·04	·03		1
2	·03	·20	·01	·02	–	·39	·64	·09	–		·12	–		2
3	tr	–	–	·10	·02	·03	·07	·02	(·30) ~~·25~~	~~·67~~	·23	·02		3
4	–	–	·18	–	–	·07	tr	–	·23		·10	·08		4
5	·24	–	·05	–	–	–	–	·03	·03	–	–	·12		5
6	·35	–	–	–	·72	·91	–	·18	·18	tr	·18	·03		6
7	·17	–	·055	–	–	tr	·79	·01	·02	–	TR ·54	·02		7
8	·25	–	·055	–	–	–	–	–	·08	tr	tr	·13		8
9	·37	–	·08	–	tr	–	·45	–	·18	–	tr	·01		9
10	·05	–	–	–	–	–	·11	·01	·04	–	tr	–		10
11	–	–	–	·12	–	–	·12	·01	–	–	·94	–		11
12	–	–	–	·25	tr	·38	·48	–	·24	–	·89	·19		12
13	–	–	–	·02	–	·71	–	–	tr	·04	·09	·49		13
14	–	·07	–	–	–	·08	·65	–	·09	·06	–	·53		14
15	–	·8	–	–	–	·15	·01	–	·19	–	–	·20		15
16	·20	·08 ·80	–	–	–	–	·01	–	·02	–	·45	·04		16
17	·17	·80	–	–	·12	·10	·01	–	–	·01	·19	·04		17
18	–	·18	–	–	–	16	·22	–	–	·30	tr	·13		18
19	·37	·05	·03	·07	–	·23	–	·08	–	·03	–	–		19
20	·03	·10	·01	·08	–	tr	·07	–	1·40	–	–	–		20
21	–	·03	–	·17	·07	1·26	–	–	·06	–	–	–		21
22	·97	·50 ·05	·09	tr	·28	·01	·22	–	–	–	·01	·09		22
23	·02	·01	·01	·08	tr	–	·20	–	–	·11	–	–		23
24	·12	·03	–	–	–	–	·02	–	·13	·45	–	–		24
25	·07	·02	·19	·11	–	·17	·25	–	·19	·15	·08	·02		25
26	·01	+ (·Tr)	·19	–	–	·04	·10	–	–	·05	·01	·05		26
27	·11	–	·01	–	–	–	tr	–	·26	·09	–	–		27
28	·78	·02	·13	–	–	–	·23	–	tr	–	·01	·18		28
29	·24	·16	·10	–	·09	·10	·03	–	–	·03	·20	·09		29
30	·13	✕	–	–	·08	·30	·12	–	–	·39	tr	–		30
31	·49	✕	·22	✕	tr	✕	·11	–	✕	·29	✕	·46		31
TOTAL	4·52	(2·69) ~~2·87~~	1·58 ~~2·58~~	1·28 ~~1·19~~	1·3~~9~~8	4·58	5·07	·40	3·70 ~~4·59~~	2·09 ~~2·67~~	4·08	2·95	Year's Total (34·23)	~~37·00~~
* Days with .01 in. or more.	22	16	17	11	7	~~19~~ 18	23	~~7~~ 8	17	13 ~~15~~	16	21	~~191~~	(189)
* Days with .04 in. or more.	18	~~12~~ 11	12	~~8~~ 9	6	~~17~~ 16	18	3	14	10 ~~12~~	13	15	~~146~~	(145)

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

N.

(Signed) A. Du Boulay ~~Hill~~ [P.T.O.

X REV. A. Du B. HILL X

X BERKHAMSTED (DUDSW Herts/2

Query sent 20/4.37

Section A for the entry of Daily Observations Station No. 930/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

22.4.37 Query returned — adjustments accepted.

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at ~~[illegible] Dudswell near Berk~~hamsted

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 390 ft.

? Heavy falls on Sept 3rd acc: for Oct 1–4 when no rain occurred.

Acc. B.A.

misplacing of dec: point on Feb: 16th, 22nd; March 7th 28th.

? sent 19.4.37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Certain [illegible] by observers [illegible] of query

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·28	·18	·26	–	·19	·16	tr	–		·04	·03		1
2	·03	·20	·01	·02	–	·39	·64	·09	–		·12	–		2
3	tr	–	–	~~·0~~·10	·02	·03	·07	·02	(·36) ~~·25~~		·23	·02		3
4	–	–	·18	–	–	·07	tr	–	·23	~~·65~~	·10	·08		4
5	·24	–	·05	–	–	–	–	·03	·03	–	–	·12		5
6	·35	–	–	–	·72	·21	–	·15	·18	tr	·18	·03		6
7	·17	–	·05⑤	–	–	tr	·79	·01	·02	–	TR (·54	·02		7
8	·25	–	·05⑤	–	–	–	–	–	·08	tr	tr	·13		8
9	·37	–	·08	–	tr	–	·45	–	·18	–	tr	·01		9
10	·05	–	–	–	–	–	·11	·01	·04	–	tr	–		10
11	–	–	–	·12	–	–	·12	·01	–	–	·94	–		11
12	–	–	–	·25	tr	·38	·48	–	·24	–	·89	·19		12
13	–	–	–	·02	–	·71	–	–	tr	·04	·09	·49		13
14	–	·07	–	–	–	·08	·65	–	·09	·06	–	·53		14
15	–	~~·8~~	–	–	–	·15	·01	–	·19	–	–	·20		15
16	·20	·80 ·08	–	–	–	–	·01	–	·02	–	·45	·04		16
17	·17	·80	–	–	·12	·10	·01	–	–	·01	·19	·04		17
18	–	·18	–	–	–	·16	·22	–	–	·30	tr	·13		18
19	·37	·05	·03	·07	–	·23	–	·08	–	·03	–	–		19
20	·03	·10	·01	·08	–	tr	·07	–	1·40	–	–	–		20
21	–	·03	–	·17	·07	1·26	–	–	·06	–	–	–		21
22	·97	·50 ·05	·09	tr	·28	·01	·22	–	–	–	·01	·09		22
23	·02	·01	·01	·08	tr	–	·20	–	–	·11	–	–		23
24	·12	·03	–	–	–	–	·02	–	·13	·45	–	–		24
25	·07	·02	·19	·11	–	·17	·25	–	·19	·15	·08	·02		25
26	·01	+ (·76)	·19	–	–	·04	·10	–	–	·05	·01	·05		26
27	·11	–	·01	–	–	–	tr	–	·26	·09	–	–		27
28	·78	·02	·13	–	–	–	·23	–	tr	–	·01	·18		28
29	·24	·16	·10	–	·09	·10	·03	–	–	·03	·20	·09		29
30	·13	✕	–	–	·08	·30	·12	–	–	(·39	tr	–		30
31	·49	✕	·22	✕	tr	✕	·11	–	✕	·29	✕	·46		31
TOTAL	4·52	(2·69) ~~2·87~~	1·58 ~~2·58~~	1·28 ~~1·19~~	1·3~~9~~ 8	4·58	5·07	·40	3·70 ~~4·59~~	2·09 ~~2·67~~	4·08	2·95	Year's Total (34·23)	~~37·00~~ in
* Days with .01 in. or more.	22	16	17	11	7	~~19~~ 18	23	~~7~~ 8	17	13 ~~15~~	16	21	~~191~~	189
* Days with .04 in. or more.	18	~~12~~ 11	12	~~8~~ 9	6	~~17~~ 16	18	3	14	10 ~~12~~	13	15	~~146~~	145

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

N.

(*Signed*) A. Du Boulay Hill [P.T.O.

X REV. A. Du B. HILL X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 930/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at [illegible] Dudswell
in the County of Hertford Berkhamsted
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 390 ft.

File No. 472306/35

absences. 14 days in May
8 days in Sept.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·23	–	–	·02	–	–	–	–	– ✓	–	·47	·78		1
2	·01	·25	·01	·49	–	–	–	–	– ✗	–	–	·39		2
3	·01	·14	·01	–	–	–	–	–	·16	–	–	·42		3
4	·14	·33	–	·02	–	–	–	–	–	·	–	·50		4
5	·20	·02	·20	–	–		·05	–	–	–	·01	·01		5
6	·10	·02	1·50	·09	[illegible] ✗	–	·23	–	–	·01	·03	–		6
7	–	·73	·36	·09	1·13	–	·02	–	·07	–	–	–		7
8	–	·09	–	–	– ✗	·04	–	–	–	–	·33	·20		8
9	–	–	–	·23	– ✗	·04	·07	–	·29	–	–	·20		9
10	·01	–	·62	·14	– ✗	·23	·05	–	–	–	–	·24		10
11	·01	–	·20	–	– ✗	·01	·02	–	–	–	–	·03		11
12	·21	·29	·10	–	– ✗	·70	·02	–	·08	–	–	·20		12
13	·19	·08	·36	·	–	·65	–	·74	[illegible] ✗	–	–	·32		13
14	·01	·02	·43	·24	–	–	–	·73	✗	–	–	·02		14
15	·25	·14	–	·16	–	–	·42	–	·92 ✗	–	–	·02		15
16	·01	·10	·55	·78	–	·10	–	·10	✗	–	·01	·04		16
17	·57	·01	·23	·35	–	·03	–	–	·62	–	·02	–		17
18	·46	·08	·02	–	·04	·08	–	–	·03	–	·30	·09		18
19	·13	·12	·05	·15	–	·16	·26	–	·37	·01	·05	–		19
20	·65	·01	–	·51	·63	·01	–	–	·07	–	–	·01		20
21	·32	·40	·05	·04	·04	–	·05	–	–	–	·01	·03		21
22	·51	·01	·03	–	·17	·14	·09	–	–	·67	·28	·06		22
23	·13	·01	·03	–	·55	–	·19	–	–	·41	·01	·01		23
24	·33	·54	·02	–	–	–	·01	–	·11	·45	–	·01		24
25	·06	·54	–	–	1·05	–	–	–	·07	·30	–	·01		25
26	–	·32	·06	–	·35	–	–	–	–	·18	–	–		26
27	·02	·39	·04	·20	–	–	–	–	·03	·78	–	–		27
28	·11	·05	–	–	–	–	–	–	–	·08	–	·06		28
29	·61	✕	–	–	–	–	–	–	–	·04	·04	·03		29
30	·30	✕	–	–	–	–	–	–	–	·02	·24	·02		30
31	·30	✕	–	✕	–	✕	–	–	✕	·23	✕	·08		31
TOTAL	5·88	4·80	4·87	3·51	3·96	2·19	1·48	1·57	2·80	3·18	1·80	3·78	Year's Total 39·82	
* Days with .01 in. or more.	27	24	20	15	13	12	13	3	~~12~~ 16	12	13	25	~~176~~	193
* Days with .04 in. or more.	20	17	14	13	13	9	11	3	~~10~~ 13	9	7	15	~~128~~	144

14 days absence

8 days absent

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. D. Hill [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 930/2.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at St Wmnow-Dudswell. Nr Berkhamsted

in the County of Hertford

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Entries in October, Nov & Dec totals } estimated from nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·29	–	–	–	·26	–	–	·03	·10				1
2	·07	·02	–	·01	·11	Tr	·04	–	–	·30				2
3	·04	·04	–	–	·09	–	–	–	·04	·84				3
4	·08	–	–	–	–	–	·03	–	–	·20				4
5	–	–	–	–	–	–	·42	–	·01	·13				5
6	·09	–	–	–	–	–	·15	–	·02	·26				6
7	·05	–	–	–	–	–	·58	·54	·03	·53				7
8	·16	–	–	–	–	–	·35	:	·05	·22				8
9	·13	–	–	–	–	·02	·04	X	–	–				9
10	·18	·02	–	–	–	·03	·06	X	–	–				10
11	·33	·06	–	–	–	–	·01		–	–				11
12	·30	·01	–	–	tr	–	–	Total for 8 days	–	·41				12
13	·04	·05	–	–	tr	–	–		–	tr				13
14	·27	·04	–	–	·07	–	·06		·12	–				14
15	·10	·01	–	–	tr	–	·16	·66	–	·14				15
16	·50	·01	·01	–	–	–	·01	·02	–	·64				16
17	–	·02	–	–	tr	–	·02	–	·03	·12				17
18	·09	·10	–	–	·07	–	–	·03	·20	·06				18
19	–	–	–	–	–	–	–	·13	·09	–				19
20	–	–	–	–	–	–	–	–	·02	–				20
21	·03	–	–	–	–	–	–	·12	·04	–				21
22	–	–	tr –	·01	–	·01	–	·04	–	–				22
23	–	–	–	·01	–	–	–	–	–	–				23
24	–	–	·17	–	·04	–	–	–	·23	–	Observer died			24
25	·01	–	·14	–	·06	–	·01	·20	·09	(·01)	19/10/38			25
26	·31	·03	·16	–	–	–	·04	–	·14	(·30)				26
27	·09	·35	–	–	·04	·31	·29	·01	·47	(·13)				27
28	·22	·05	–	–	·87	·13	–	·62	·04	–				28
29	·30	X	–	·04	·34	–	–	·01	·04	(·01)				29
30	·01	X	–	·09	·17	·08	–	–	·08	(·03)				30
31	·29	X	–	X	·22	X	–	–	X	(·17)	X			31
TOTAL	3·71	1·10	·48	·16	2·08	·84	2·27	2·38	1·77	(4·00)	(4·10)	(3·90)	Year's Total (26·79)	Print
* Days with .01 in. or more.	24	15	4	5	11	7	16	12	19	(19)	(19)	(21)	(172)	Gp
* Days with .04 in. or more.	20	8	3	2	11	4	11	8	13	(16)	(17)	(20)	(133)	11/4/39

Do not print

Gp

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

BERKHAMSTED (FRIT

930/5

BERKHAMSTED

| FRITHESDEN COPSE|

1937-1940

780205

Section A for the entry of Daily

AIR MINISTRY.—

Station No. 930/5

INFALL ORGANIZATION

FORM 1090

REGISTE 1937

Kept at Black down Be

in the County of Herts

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·31	·05	·01	-	-	-	-	·22	-	·28	·75		1
2	Tr		·01	·48	-	-	-	-	-	-	·60	·40		2
3	Tr	·10	-	-	-	-	-	-	-	-	-	·16		3
4	·18	·37	-	-	·05	-	-	-	-	-	-	-		4
5	·07	·01	·20	-	-	-	·06	-	-	-	-	·30		5
6	-		·40	Tr	-	-	·25	-	-	-	·06	·18		6
7	-	·63	-	·16	·04	-	·01	-	·05	-	-	-		7
8	-	·06	-	-	·21	·04	-	-	-	-	·21	·30		8
9	Tr	·06	-	·21	·04	-	·09	-	·30	-	-	·18		9
10			·45	·14	·20	·23	-	-	-	-	-	·25		10
11	-	·36	·40	-	·05	-	·24	-	-	-	-	Tr		11
12	·18	·06	·08	-	·64	·33	·02	-	·09	-	-	-		12
13	·15		·75	-	·16	·74	-	-	·39	-	-	·48		13
14	·03	·15	-	·23	-	-	-	·68	·06	-	-	-		14
15	·14	·10	-	·17	-	·02	·49	·83	·15	-	-	-		15
16	·09		·41	-	-	·03	-	-	·31	-	-	-		16
17	·48	·09	·20	-	-	·01	-	·08	·31	-	·03	-		17
18	·50	·10	·01	·01	·08	·08	-	-	·04	-	·29	-		18
19	·05		·05	·11	-	-	·50	-	·31	Tr	-	·18		19
20	·62	·04	-	-	·60	·01	-	-	-	Tr	·08	-		20
21	·25	·35	·03	·45	·08	-	·07	-	-	Tr	·01	·02		21
22	·43	·02	-	·05	·16	-	·07	-	·25	Tr	·22	-		22
23	·21	Tr	·03	-	·46	·20	·22	-	-	·58	-	-		23
24	·40	·44	·02	-	-	-	·02	-	-	·52	-	-		24
25	·05	·41	·04	-	·75	-	-	-	-	·22	-	-		25
26	-	·01	·06	-	·16	-	-	-	-	·50	-	-		26
27	·01	·39	·01	·18	-	-	-	-	-	·05	-	-		27
28	-	·25	-	-	-	Tr	-	-	-	·80	-	-		28
29	-		-	-	-	-	-	-	-	·08	·05	·02		29
30	·05	✕	-	-	-	-	-	-	·05	·05	·30	Tr		30
31	·41	✕	-	✕	-	✕	-	-	✕	·01	✕	Tr	'd'	31
TOTAL	4·55	4·31	3·20	2·20	3·68	1·69	2·04	1·59	2·53	2·81	2·03	3·22	Year's Total 33·85	
* Days with .01 in. or more.	20	21	18	12	15	10	12	3	13	9	11	12	156	
* Days with .04 in. or more.	17	18	12	10	15	6	9	3	13	8	9	10	130	

Calc too low

up late

N

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Harold W. Gray

BERKHAMSTED (FRIT

Section **A** for the entry of Daily Observations

Station No. 930/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Blackdown Berkhamsted

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 7 in.

,, Ground ,, Sea Level 550 ft.

Dolfs

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·31	·05	·01	–	–	–	–	·22	–	·28	·75		1
2	Tr		·01	·48	–	–	–	–	–	–	·60	·40		2
3	Tr	·10	–	–	–	–	–	–	–	–	–	·16		3
4	·18	·37	–	–	·05	–	–	–	–	–	–	–		4
5	·07	·01	·20	–	–	–	·06	–	–	–	–	·30		5
6	–		·40	Tr	–	–	·25	–	–	–	·06	·18		6
7	–	·63	–	·16	·04	–	·01	–	·05	–	–	–		7
8	–	·06	–	–	·21	·04	–	–	–	–	·21	·30		8
9	Tr	·06	–	·21	·04	–	·09	–	·30	–	–	·18		9
10			·45	·14	·20	·23	–	–	–	–	–	·25		10
11	–	·36	·40	–	·05	–	·24	–	–	–	–	Tr		11
12	·18	·06	·08	–	·64	·33	·02	–	·09	–	–	–		12
13	·15		·75	–	·16	·74	–	–	·39	–	–	·48		13
14	·03	·15	–	·23	–	–	–	·68	·06	–	–	–		14
15	·14	·10	–	·17	–	·02	·49	·83	·15	–	–	–		15
16	·09		·41	–	–	·03	–	–	·31	–	–	–		16
17	·48	·09	·20	–	–	·01	–	·08	·31	–	·03	–		17
18	·50	·10	·01	·01	·08	·08	–	–	·04	–	·29	–		18
19	·05		·05	·11	–	–	·50	–	·31	Tr	–	·18		19
20	·62	·04	–	–	·60	·01	–	–	–	Tr	·08	–		20
21	·25	·35	·03	·45	·08	–	·07	–	–	Tr	·01	·02		21
22	·43	·02	–	·05	·16	–	·07	–	·25	Tr	·22	–		22
23	·21	Tr	·03	–	·46	·20	·22	–	–	·58	–	–		23
24	·40	·44	·02	–	–	–	·02	–	–	·52	–	–		24
25	·05	·41	·04	–	·75	–	–	–	–	·22	–	–		25
26	–	·01	·06	–	·16	–	–	–	–	·50	–	–		26
27	·01	·39	·01	·18	–	–	–	–	–	·05	–	–		27
28	–	·25	–	–	–	Tr	–	–	–	·80	–	–		28
29	–		–	–	–	–	–	–	–	·08	·05	·02		29
30	·05	✕	–	–	–	–	–	–	·05	·05	·30	Tr		30
31	·41	✕	–	✕	–	✕	–	–	✕	·01	✕	Tr	'd'	31
TOTAL	4·55	4·31	3·20	2·20	3·68	1·69	2·04	1·59	2·53	2·81	2·03	3·22	Year's Total 33·85	
* Days with .01 in. or more.	~~20~~	~~21~~	~~18~~	~~12~~	~~15~~	~~10~~	~~12~~	~~3~~	~~13~~	~~9~~	~~11~~	~~12~~	156	
* Days with .04 in. or more.	17	18	12	10	15	6	9	3	13	8	9	10	130	

Cat too low

up late

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Harold H. Gray

N

BERKHAMSTED (FRITHSDEN [illegible])

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 930/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Berkhamstead

in the County of Herts /2

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. – in.

,, Ground ,, Sea Level 550 ft.

r/p 1937

792364/38

To Lyles ✓ ck.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	·12	·26			Trace	Trace			·02	Trace	·05	·02		1	
2				·01	·10	·15	Trace			·36	·01	·05		2	
3		·06			Trace	Trace	Trace		·03	·76	·04			3	
4										·17		·11		4	
5						·02	·36			·13		·02		5	
6							·04	Trace	·03	·04				6	
7	·08						·43	·14	·01	·62		·02		7	
8	·15					·08	·21	·08	·05	·20		Trace		8	
9	·10	Trace					·12	·70		Trace		·82		9	
10	·15	·07					·04	·20				·05		10	
11	·35	·01						·51			·14	·03		11	
12	·04	·01			·01			·18		·35	·02			12	
13	·25	·01			·01					·01	·14	·17		13	
14	·35	Trace			·08		·01		·12			·04		14	
15	·10	Trace					·14			·15		·24		15	
16		·01	·02		·05		Trace	Trace		·05	·03	·16		16	
17		·09			·09		·03		·02	·05		·04		17	
18										·05	·29			18	
19	·10							·11	·24		·20			19	
20									·04		·56			20	
21								·21	·03		·06	·85		21	
22	·04		·01	Trace		·03		·05			·24	·10		22	
23				·01					Trace		·04			23	
24			·12		·02				·20		·04			24	
25		·05	·14	Trace	·08		·01	·10	·03	·02	·77			25	
26		·30	·22			Trace	Trace		·16	·20		·30		26	
27	·34	·08	Trace	Trace		·42	·31		·42	·09	·41			27	
28	·08				1·17	·10		·64			·11	·10		28	Wp
29	·12			·09	·31				·03	·01	·29	·18		29	Low
30	·32	✕			·17	·08		·04	·09	·02	·06	·05		30	GB
31	·01	✕		✕	·15	✕			✕	·15	✕	·31		31	21/3/39
TOTAL	2·70	·95	·51	·11	2·24	·88	1·70	2·96	1·52	3·43	3·50	3·66	Year's Total 24·16	✓	
* Days with .01 in. or more.	17	11	5	3	12	7	11	12	16	19	19	20	152	✓	
* Days with .04 in. or more.	16	7	3	1	9	5	8	12	8	15	16	16	116	✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H.V. GRAY

[P.T.O.

BERKHAMSTED (FRITHESDEN COPSE)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 930/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Blackdown Berkhamsted

in the County of Herts

Diameter of Funnel of Gauge 5 in.

||| Height of top of Gauge above Ground 1 ft. – in.

Position altered " Ground " Sea Level 575 ft.

1938 [illegible]

Entries from Jan – May 16th corrected for wrong day of entry

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	·37 in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	Tr	·46	Tr	-	Tr	·02	-	-	-	·02		1
2	·54	-	-	·15	-	-	Tr	·35	·47	Tr	·04	·06		2
3	-	-	·41	·15	-	-	-	·47	-	·08	·25	·26		3
4	-	-	-	·43	-	-	·06	·12	-	·12	·04	·02		4
5	·68	-	-	·02	·11	-	·06	·65	-	·30	·45	·44		5
6	·08	·06	-	-	-	-	·33	·06	-	-	·16	-		6
7	Tr	·09	·15	-	-	-	Tr	·03	-	·05	·17	·14		7
8	·02	·09	-	-	-	-	·08	·52	-	·43	·28	·40		8
9	·27	-	-	-	-	-	-	·06	-	·38	-	-		9
10	-	-	·27	-	-	·43	-	·20	·02	·02	-	-		10
11	-	·15	-	-	·02	·15	-	-	-	·10	·01	·01		11
12	-	-	·02	-	-	·03	-	-	·01	·05	-	-		12
13	·48	-	·03	·01	·25	·04	·01	-	·10	·75	·01	-		13
14	·19	-	·04	·01	·65	-	·22	-	·04	·08	·31	-		14
15	·50	-	·18	·03	·18	·28	·09	-	·12	·61	·09	·02		15
16	·27	·01	·05	-	·22	·33	·09	-	-	·04	·36	-		16
17	·23	·02	-			-	·10	-	-	·02	·02	-		17
18	·22	-	·03		-	·18	·32	-	Tr	·12	·40	-		18
19	·18	-	·04	-	-	·10	·16	-	-	·18	-	-		19
20	·27	·06	·36	-	-	-	·02	-	-	-	-	·02		20
21	·17	·32	·24	Tr	-	·01	·02	·12	·08	-	-	-		21
22	·06	-	-	·05	-	·01	·03	-	·06	-	·14	-		22
23	·15	-	·05	·16		Tr	·08	-	Tr	·06	·80	-		23
24	1·15	·08	·11	Tr	-	-	·18	Tr	-	·20	-	-		24
25	·27	·05	·05	·02	-	-	·09	Tr	-	-	·45	·01		25
26	-	·02	·12	-	-	·05	Tr	·14	-	·34	·21	·08		26
27	-	·19	·06	-	-	-	·03	Tr	-	·10	·28	-		27
28	-	Tr	-	·38		·08	Tr	-	-	·15	·18	·12		28
29	-	-	-	·90	-	-	·26	-	-	·18	·06	-		29
30	-		-	~~·37~~	-	·12	Tr	-	-	Tr	·12	·03		30
31	-		– ~~·46~~		-		·02	·01		-		-		31
TOTAL	5·75	1·14	2·21 ~~2·67~~	2·77 ~~2·68~~	1·80 ~~1·43~~	1·81	2·25	2·75	·90	4·36	4·83	1·63	Year's Total 32·20	Print [illegible]
* Days with .01 in. or more.	19	12	~~18~~ 17	13	17	13	20	13	8	22	22	14	180	
* Days with .04 in. or more.	17	9	~~15~~ 14	8	6	10	14	10	6	20	19	7	140	

H. V. GRAY, Esq.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Harold V. Gray

P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations**

Station No. 930/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 193 40

Kept at Blackdown Berkhamsted

in the County of Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 550 ft.

Totals July + Dec corrected by [illegible] — not notified ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·05	·04	Trace	·05						·11			1
2		·20		·16			·10				·73			2
3		·25		·20						·06	·80	·01		3
4		·06		·16			·02			·30	·23			4
5										·12	·55	( )		5
6	·18	·14		·10	·06		·35			·16	·37	·15		6
7	·24	·37			·06		Trace		·03			·02		7
8										·20		·29		8
9				Trace		·18	·03		·03	·02	·10	·03		9
10							·47	·16			·26	(·03)		10
11				·06							·82			11
12		·05	·05			Trace	·10		·16		·02			12
13		·04	·71	·02		·20			·06		1·35			13
14			·14	·18	·03			Trace	·03	·09		·31		14
15			·03	·04	·25				Trace	·11	·24			15
16	·11	·17	·36	·05		·03	·50		·16	·95	·70	·01		16
17			·42						·03		·29			17
18		·57	·28	·27			·01	Trace	(·18)	·15	·42	·18		18
19		·14	·06	·26			·14				·16			19
20		·02	·03	·03				·02		·06	·04			20
21	·15				·29		(·10)	Trace			·55			21
22	·08		·06		·40	·39			·60					22
23		·09	·04	·10	·14	·19		·03				·01		23
24				·15			·14					·01		24
25			·26		·01		·23							25
26	1·22	·14	Trace	Trace	·18		·03				Trace			26
27	·52	·20	Trace	·12	·34					·03				27
28	·37	·06			·07									28 Print
29	·01	·04	·10		·15							·33		29
30		X		·32			Trace			·18		·03		30 WH
31		X		X		X			X	·89	X	Trace		31
TOTAL	2·88	2·59	2·58	2·22	2·03	·99	2·22 ~~2·12~~	·21	1·28	3·32	7·74	1·41 ~~1·38~~	Year's Total ~~29·34~~	29·47
* Days with .01 in. or more.	9	17	14	16	13	5	12	3	9	14	18	12	142	
* Days with .04 in. or more.	8	16	12	14	11	4	8	1	5	12	17	5	113	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Harold W Gray

[P.T.O.

Section **A** for the entry of D

AIR MINISTRY.-

FORM 1090.

931

COWROAST LOCK

N° 46

1931 - 1933

780205

FOR OFFICIAL USE.

NFALL ORGANIZATION.

931

REGIST 1931.

84

Kept at Cowroast Loc

in the County of Hertfords

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·15		·05	·11				·07				1
2	·09	·09		·41	·11		·02		·49			·06	2
3	·04	·02		·19	·61			·05	·71		·12	·24	3
4				·02	·03		·13	·67	·15		·17	·02	4
5				·16	·03	·42	·08		·04			·35	5
6		·11		·14					·02	·26	·29		6
7						·09	·19	·60		·12	·16	·05	7
8		·06		·02		·11		1·20			·13		8
9		·13				·02					·48	·02	9
10	·02	·11	·04			·02	·14	·21			·36		10
11	·15	·33							·05				11
12		·04						·09	·31				12
13		~~0~~					·24	·05					13
14	·05	·07			·02	·03	1·13	·50					14
15				·13	·17		·25	·21				·05	15
16		·12		·15	·23	·05		1·11	·14				16
17		·09		·49	·29		·13		·09				17
18	·05	·10		·25		·15		·32			·50		18
19				·63		·08	·28	·02	·05				19
20		·02		·18			·05	·22					20
21	·02				·47			·09	·06				21
22	·19								·05				22
23	·22			·03	·32	·02					·23	·03	23
24				·29	·18	·02	·06		·02				24
25	·04			·33	·06		·46				·07	·02	25
26		·02		·12			·85				·36		26
27	·14	·50			·29		·03				·25		27
28	·10	·25		·14	·04					·03		·05	28
29	·10				·04		·10			·22			29
30	·08	×						·02					30
31	·22	×		×		×		·05	×		×		31
TOTAL	1.51	2.21	·04	3.73	3.00	1.01	4.14	5.40	2.25	0.63	3.12	0.89	YEAR'S TOTAL 27·93
*Days with ·01 in. or more.	15	14	1	18	16	11	16	16	14	4	12	10	150
*Days with ·04 in. or more.	13	14	1	15	13	6	14	14	12	3	12	6	123

40-9999

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

931

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Cowroast Lock 46. OldG.
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft 6 in.
,, Ground ,, Sea Level ft.

Aw 284

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·15		·05	·11				·07				1
2	·09	·09		·41	·11		·02		·49			·06	2
3	·04	·02		·19	·61			·05	·71		·12	·24	3
4				·02	·03		·13	·67	·15		·17	·02	4
5				·16	·03	·42	·08		·04			·35	5
6		·11		·14					·02	·26	·29		6
7						·09	·19	·60		·12	·16	·05	7
8		·06		·02		·11		1·20			·13		8
9		·13				·02					·48	·02	9
10	·02	·11	·04			·02	·14	·21			·36		10
11	·15	·33							·05				11
12		·04						·08	·31				12
13		~~0~~					·24	·05					13
14	·05	·07			·02	·03	1·13	·50					14
15				·13	·17		·25	·21				·05	15
16		·12		·15	·23	·05		1·11	·14				16
17		·09		·49	·29		·13		·09				17
18	·05	·10		·25		·15		·32			·50		18
19				·63		·08	·28	·02	·05				19
20		·02		·18			·05	·22					20
21	·02				·47			·09	·06				21
22	·19				··				·05				22
23	·22			·03	·32	·02					·23	·03	23
24				·29	·18	·02	·06		·02				24
25	·04			·33	·06		·46				·07	·02	25
26		·02		·12			·85				·36		26
27	·14	·50			·29		·03				·25		27
28	·10	·25		·14	·04					·03		·05	28
29	·10				·04		·10			·22			29
30	·08	✕						·02					30
31	·22	✕		✕		✕		·05	✕		✕		31
TOTAL	1·51	2·21	·04	3·43	3·00	1·01	4·14	5·40	2·25	0·63	3·12	0·89	YEAR'S TOTAL 27·93
*Days with ·01 in. or more.	15	14	1	18	16	11	16	16	14	4	12	10	150
*Days with ·04 in. or more.	13	14	1	15	13	6	14	14	12	3	12	6	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 931

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Cowroast Lock 46

in the County of Hertfordshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 3 ft 6 in.

,, Ground ,, Sea Level .... ft.

Old Gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·03		·09	·50	·03	·07	·31	·03	·16	·02		1
2	·03			·17	·03			·03	·20	·06	·09	·20	2
3				·18	·12				·15	·06			3
4											·24		4
5	·32		·02		·04		·19		·09				5
6	·62			·05	·02		·04		·17				6
7			·11	·03			·07		·04				7
8			·07	·11					·55	·17			8
9	·33	·02		·04	·29				·02				9
10	·36	·04	·02	·24	·07				·02	·09	·04		10
11		·02		·02	·04	·05	·67	·08	·05	·27	·06		11
12	·14				·14			·02	·02	·31	·02		12
13	·14	·02		·29					·02	·05	·09		13
14	·20									·07			14
15		·02		·07	·41					·04			15
16	·27			·30	·08								16
17							·08			·13			17
18									·21		·09		18
19										·23			19
20				·06	·24			1·07		·70	·05		20
21			·04	·26	1·46			·48		·33		·04	21
22		·02	·33		·19		·13		·46	·14	·37		22
23		·08							·08	·69		·05	23
24		·03					·75		·06	·04	·06		24
25		·02					·11		·07	·33	·02		25
26			·04	·28	·08		·13				·02		26
27			·44	·14	·34		·26			·08	·07		27
28			·16	·06	·14	·26	·17			·15			28
29			·49	·10	·19	·03			·04	·35	·14	·03	29
30		×	·20	·13		·49		·03	·17	·07	·45	·16	30
31		×		×		×	·06		×		×	·07	31
TOTAL	2·48	·30	1·92	2·62	4·38	·86	2·73	2·02	2·45	4·52	1·83	·55	YEAR'S TOTAL 26·66
*Days with ·01 in. or more.	10 27 days with	10	11 ·01	19	18	5	13	7	19	22	16	6	156
*Days with ·04 in. or more.	9	2	9	17	16	3	13	4	14	22	12	4	125

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J Hatcher P.T.O.

per pro GRAND UNION CANAL

ASSISTANT MANAGER

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 931

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Lock 46, Cowroast.
in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft 6 in.
,, Ground ,, Sea Level ft.

Old Gauge.

NP Check

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·25	0·18	0·10	—	·03	—	—	—	—	—	·02	—	1
2	0·34	—	0·35	—	·09	—	—	—	—	—	—	—	2
3	·02	0·16	0·22	—	0·25	—	—	—	—	—	—	—	3
4	0·18	—	·04	—	0·27	—	—	—	—	—	—	—	4
5	·02	·02	0·31	—	·08	—	—	—	—	—	—	—	5
6	—	·08	0·14	—	0·25	—	—	—	—	·07	04	—	6
7	0·10	·09	·04	—	—	—	—	—	—	0·12	—	—	7
8	·06	—	·06	—	·04	—	0·15	—	—	·02	—	—	8
9	—	—	—	—	·09	—	0·22	—	—	0·16	0·13	—	9
10	—	0·24	—	—	—	·04	0·29	—	—	0·30	·07	—	10
11	0·15	—	—	—	—	·04	·06	0·11	·02	·02	—	—	11
12	—	—	—	—	—	0·21	·03	—	0·43	—	—	·02	12
13	·05	—	—	—	0·16	·07	0·34	—	·08	—	·07	—	13
14	—	—	—	—	·02	—	—	·03	—	·05	0·53	·04	14
15	0·41	—	0·10	—	—	—	—	0·13	—	—	0·18	—	15
16	·02	—	0·88	—	—	0·22	0·16	—	—	·08	·02	—	16
17	·05	·02	0·29	—	—	·06	—	—	·05	—	—	—	17
18	·05	0·13	0·12	—	—	·06	—	—	—	—	—	—	18
19	—	·02	0·24	—	—	0·16	—	—	0·39	—	·02	—	19
20	—	—	0·11	0·14	—	·07	—	—	—	—	—	—	20
21	—	·04	—	—	—	·02	—	0·12	0·28	·03	—	—	21
22	—	—	—	—	—	0·53	—	0·14	·02	0·22	·05	—	22
23	—	—	—	0·18	·02	—	—	—	0·33	—	—	—	23
24	—	0·44	—	0·15	·03	·09	—	—	0·25	—	·08	—	24
25	—	1·12	—	0·30	—	—	—	—	·04	—	·02	·09	25
26	—	0·43	—	·05	—	—	—	—	·05	0·11	—	·03	26
27	—	—	—	—	0·32	—	—	—	·04	0·10	—	0·10	27
28	—	—	—	—	·02	—	—	—	—	0·30	—	·03	28
29	·06	—	—	0·44	—	—	0·11	—	—	0·10	—	—	29
30	0·12	×	0·16	—	—	—	·04	—	—	—	—	0·11	30 doubt
31	·09	×	·05	×	—	×	—	0·12	×	·06	×	—	31
TOTAL	1·97	2·97	3·21	1·26	1·67	1·57	1·40	0·65	1·98	1·74	1·23	0·42	YEAR'S TOTAL 20·07
*Days with ·01 in. or more.	16	13	16	6	14	12	9	6	12	15	12	7	138
*Days with ·04 in. or more.	13	10	16	6	9	11	8	5	10	12	8	4	112

40-9999
*See Instruction 2 (*f*) on other side, D

(*Signed*) [P.T.O.

932.

Section **A** for the en

COPY FOR OFFICIAL USE.

AIR MIN

ALL ORGANIZATION.

FORM 1090.

REC

3/.

932

COWROAST LOCK.

1931 -40.

780205

Kept at Cowroast

in the County of Hertf

Diameter of Funnel of Gaug

Height of top of Gauge above

,, Ground ,,

THE MORNING M

AY.

An observer who does not conf *the reading made on January 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·16		·06	·12				·08				1
2	·10	·10		·42	·12		·02		·50		·13	·07	2
3	·05	·03		·20	·62			·06	·72		·18	·25	3
4				·02	·04		·14	·68	·16			·02	4
5				·17	·04	·43	·09		·05			·36	5
6		·12		·15					·03	·27	·30		6
7						·10	·20	·61		·13	·17	·06	7
8		·07		·03		·12		1·23			·14		8
9		·14				·02					·49	·03	9
10	·02	·12	snow ·05			·02	·15	·22			·37		10
11	·16	·33							·06				11
12		·05						·09	·32				12
13							·25	·06					13
14	·06	·08			·03	·04	1·15	·51					14
15				·14	·18		·26	·22				·06	15
16		·13		·16	·24	·06		1·12	·15				16
17		·10		·50	·30		·14		·10				17
18	·06	·11		·26		·16		·33			·51		18
19				·64		·09	·29	·02	·06				19
20		·02		·19			·06	·23					20
21	·02				·48			·10	·07				21
22	·20								·05				22
23	·23			·04	·33	·03					·24	·04	23
24				·30	·19	·02	·07		·02				24
25	·05			·34	·07		·47				·07	·02	25
26		·02		·13			·87				·37		26
27	·15	·51			·30		·04				·26		27
28	·11	·27		·15	·05					·03		·06	28
29	·11	×			·05		·11			·23			29
30	·09	×						·03					30
31	·23	×		×		×		·06	×		×		31
TOTAL	1·64	2·36	·05	3·90	3·16	1·09	4·31	5·57	2·37	·66	3·23	·97	YEAR'S TOTAL 29·31
*Days with ·01 in. or more.	15	17	1	18	16	11	16	16	14	4	12	10	150
*Days with ·04 in. or more.	13	14	1	16	15	7.	15	14	12	3	12	7	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

Section **A** for the en

932.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Cowroast Lock 46. New G

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·16		·06	·12				·08				1
2	·10	·10		·42	·12		·02		·50		·13	·07	2
3	·05	·03		·20	·62			·06	·42		·18	·25	3
4				·02	·04		·14	·68	·16			·02	4
5				·14	·04	·43	·09		·05			·36	5
6		·12		·15					·03	·24	·30		6
7						·10	·20	·61		·13	·17	·06	7
8		·07		·03		·12		1·23			·14		8
9		·14				·02					·49	·03	9
10	·02	·12	snow ·05			·02	·15	·22			·37		10
11	·16	·33							·06				11
12		·05						·09	·32				12
13							·25	·06					13
14	·06	·08			·03	·04	1·15	·51					14
15				·14	·18		·26	·22				·06	15
16		·13		·16	·24	·06		1·12	·15				16
17		·10		·50	·30		·14		·10				17
18	·06	·11		·26		·16		·33			·51		18
19				·64		·09	·29	·02	·06				19
20		·02		·19			·06	·23					20
21	·02				·48			·10	·07				21
22	·20								·05				22
23	·23			·04	·33	·03					·24	·04	23
24				·30	·19	·02	·07		·02				24
25	·05			·34	·07		·44				·07	·02	25
26		·02		·13			·84				·37		26
27	·15	·51			·30		·04				·26		27
28	·11	·27		·15	·05					·03		·06	28
29	·11	×			·05		·11			·23			29
30	·09	×						·03					30
31	·23	×		×		×		·06	×		×		31
TOTAL	1·64	2·36	·05	3·90	3·16	1·09	4·31	5·54	2·34	·66	3·23	·97	YEAR'S TOTAL 29·31
*Days with ·01 in. or more.	15	14	1	18	16	11	16	16	14	4	12	10	150
*Days with ·04 in. or more.	13	14	1	16	15	7	15	14	12	3	12	7	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Cowroast Lk. 46
in the County of Hertfordshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level ft.

New Gauge
AV 29·7

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·04		·10	·51	·03	·08	·32	·03	·17	·02		1
2	·04			·18	·04			·03	·21	·07	·10	·21	2
3				·19	·13				·16	·07			3
4											·25		4
5	·33		·03		·05		·20		·10				5
6	·63			·06	·02		·05		·18				6
7			·12	·03			·08		·05				7
8			·08	·12					·56	·18			8
9	·34	·02		·05	·30				·03				9
10	·37	·05	·03	·25	·08				·02	·10	·05		10
11		·02		·02	·05	·05	·70	·09	·06	·28	·07		11
12	·15				·15			·03	·02	·32	·02		12
13	·15	·02		·30					·02	·06	·10		13
14	·21									·08			14
15		·02		·08	·42					·05			15
16	·28			·31	·09								16
17							·08			·14			17
18									·22		·10		18
19										·24			19
20				·07	·25			1·09		·72	·06		20
21			·05	·27	1·47			·49		·34		·04	21
22		·02	·34		·20		·14		·47	·15	·38		22
23		·09							·09	·70		·06	23
24		·03					·77		·07	·05	·07		24
25		·02					·12		·08	·34	·02		25
26			·05	·29	·08		·14				·02		26
27			·45	·15	·35		·27			·09	·08		27
28			·17	·07	·15	·27	·18			·16			28
29			·50	·11	·20	·04			·05	·36	·15	·03	29
30		×	·21	·14		·51		·04	·18	·08	·46	·17	30
31		×		×		×	·07		×		×	·08	31
TOTAL	2·58	·33	2·03	2·79	4·54	·90	2·88	2·09	2·60	4·75	1·94	·59	YEAR'S TOTAL 28·02
*Days with ·01 in. or more.	10	19	11	19	18	5	13	7	19	22	16	6	156
*Days with .04 in. or more.	10	3	9	17	17	4	13	5	[illegible]	[illegible]	[illegible]	5	131

per pro GRAND UNION CANAL CO.

(Signed) Thatcher

P.T.O.

ASSISTANT MANAGER

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Lock No. 46 Cowroast

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ft.

New Gauge

AV 29·7

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·26	0·19	0·11	–	·03	–	–	–	–	–	·03	–		**1**
2	0·35	–	·36	–	·10	–	–	–	–	–	–	–		**2**
3	·02	·17	·23	–	·26	–	–	–	–	–	–	–		**3**
4	·19	–	·05	–	·28	–	–	–	–	–	–	–		**4**
5	·02	·02	·33	–	·09	–	–	–	–	–	–	–		**5**
6	–	·09	·15	–	·26	–	–	–	–	·08	·05	–		**6**
7	·11	·10	·04	–	–	–	–	–	–	·13	–	–		**7**
8	·07	–	·07	–	·05	–	·16	–	–	·02	–	–		**8**
9	–	–	–	–	·10	–	·23	–	–	·17	·14	–		**9**
10	–	·25	–	–	–	·04	·30	–	–	·31	·08	–		**10**
11	·16	–	–	–	–	·05	·07	·12	·02	·02	–	–		**11**
12	–	–	–	–	–	·22	·03	–	·44	–	–	·03		**12**
13	·06	–	–	–	·17	·08	·35	–	·09	–	·08	–		**13**
14	–	–	–	–	·03	–	–	·03	–	·06	·54	·05		**14**
15	·42	–	·11	–	–	–	–	·14	–	–	·19	–		**15**
16	·02	–	·91	–	–	·23	·17	–	–	·09	·02	–		**16**
17	·06	·02	·30	–	–	·07	–	–	·06	–	–	–		**17**
18	·06	·13	·13	–	–	·07	–	–	–	–	–	–		**18**
19	–	·02	·25	–	–	·17	–	–	·40	–	·02	–		**19**
20	–	–	·12	·15	–	·08	–	–	–	–	–			**20**
21	–	·05	–	–	–	·03	–	·13	·29	·03	–	–		**21**
22	–	–	–	–	–	·54	–	·15	·02	·23	·06	–		**22**
23	–	–	–	·19	·02	–	–	–	·34	–	–	–		**23**
24	–	·45	–	·16	·04	·10	–	–	·26	–	·09	–		**24**
25	–	1·15	–	·31	–	–	–	–	·05	–	·02	·10		**25**
26	–	·45	–	·06	–	–	–	–	·06	·12	–	·04		**26**
27	–	–	–	–	·32	–	–	–	·05	·10	–	·11		**27**
28	–	–	–	–	·03	–	–	–	–	·31	–	·04		**28**
29	·07	×	–	·45	–	–	·12	–	–	·11	–	–		**29**
30	·13	×	·17	–	–	–	·05	–	–	–	–	·12		**30**
31	·10	×	·06	×	–	×	–	·13	×	·04	×	–		**31**
TOTAL	2·10	3·09	3·39	1·32	1·78	1·68	1·48	·70	2·08	1·8~~5~~2	1·32	·49	Year's Total 21·28	
*Days with ·01 in. or more.	16	13	16	6	14	12	9	6	12	15	12	7	138	
*Days with .04 in. or more.	13	10	16	6	10	11	8	5	10	12	8	6	115	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at COWROAST LOCK 46

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·08	—	—	—	—	—	—	0·28	0·28	0·02	—	0·40		1
2	0·19	—	0·09	—	0·04	—	—	—	0·71	0·09	—	0·20		2
3	0·03	0·12	—	0·08	—	—	—	—	—	0·26	—	0·02		3
4	0·08	—	0·06	0·18	0·02	—	—	—	—	0·16	0·10	0·43		4
5	—	—	0·09	—	0·04	—	—	0·11	—	—	0·06	0·34		5
6	0·02	—	0·14	—	0·35	0·07	—	—	—	0·18	—	0·52		6
7	0·04	—	—	—	—	0·04	—	0·25	—	0·14	—	0·31		7
8	—	—	—	—	0·06	—	—	0·04	0·11	—	0·23	0·02		8
9	—	—	0·05	—	—	—	—	—	—	—	1·05	0·37		9
10	0·03	—	0·32	0·17	—	—	—	0·03	—	—	0·10	0·03		10
11	0·45	—	0·30	0·10	—	—	—	—	—	—	—	0·16		11
12	—	—	0·33	0·02	—	—	0·04	0·43	—	—	—	0·06		12
13	0·50	—	0·07	0·02	—	—	0·10	0·08	—	—	0·08	0·65		13
14	0·06	—	0·40	—	—	—	—	—	—	—	0·31	0·31		14
15	0·12	—	0·12	—	0·10	—	—	—	—	0·02	0·10	0·26		15
16	0·15	—	0·21	—	0·03	—	—	—	—	0·14	—	—		16
17	0·02	—	—	—	0·05	—	—	—	—	0·09	0·06	0·20		17
18	0·12	—	—	0·28	—	—	0·46	—	0·04	—	—	0·05		18
19	—	—	0·25	0·02	—	0·09	—	—	0·09	0·02	—	0·06		19
20	—	—	0·15	0·05	—	—	0·03	0·02	—	—	—	—		20
21	—	—	0·05	0·08	—	0·09	—	0·08	—	0·16	—	—		21
22	—	—	—	—	—	—	0·04	0·09	0·31	—	0·02	0·02		22
23	—	—	—	0·28	—	0·23	—	—	—	—	—	0·07		23
24	—	0·03	0·10	—	—	0·03	0·78	—	0·15	—	—	—		24
25	0·25	0·04	—	0·17	—	0·19	—	—	—	0·04	—	0·34		25
26	0·06	—	—	0·05	—	—	—	—	0·06	0·03	—	0·08		26
27	0·07	—	—	—	—	0·14	—	—	—	—	—	0·35		27
28	—	0·02	—	0·32	—	0·11	—	0·82	—	—	0·02	0·33		28
29	—	×	—	—	—	—	—	0·10	0·15	—	0·02	0·04		29
30	0·07	×	—	—	—	—	—	—	0·02	—	—	0·09		30
31	0·03	×	—	×	—	×	—	—	×	0·35	×	0·06		31
TOTAL	2·37	0·21	2·73	1·82	0·69	0·99	1·45	2·33	1·92	1·75	2·21	5·77	Year's Total. 24·24	
* Days with .01 in. or more.	19	4	16	14	8	9	6	12	10	14	12	27	151	
* Days with .04 in. or more.	14	2	16	11	6	8	5	10	9	10	9	23	123	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE. /

Sec[illegible] **A** for the entry of Daily Observations. Station No. 925

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

110

T.L.

Kept at St Albans

in the County of Herts

Diameter of Funnel of Gauge .... in

Height of top of Gauge above Ground 1 ft .... in.

,, Ground ,, Sea Level 292 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							0.22							1
2														2
3														3
4														4
5														5
6														6
7				0.57							1·18			7
8														8
9						0.60				·98				9
10														10
11	0.24													11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23			0.26											23
24		0·36							0·63					24
25														25
26												·37		26
27														27
28														28
29														29
30		×			0.53			0.64						30
31		×		×		×			×		×			31
TOTAL	1·00	2·20	0·52	3·86	1·80	3·48	0·65	1·79	4·59	2·86	4·87	2·74	Year's Total 30·$\overset{3}{2}$6	
*Days with ·01 in. or more.	12	16	9	19	8	18	6	8	21	13	20	19	169	
*Days with ·04 in. or more.	7	11	4	17	7	13	4	6	17	9	18	16	129	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE.✓

Section **A** for the entry of Daily Observations.

Station No. 932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at COWROAST LOCK 46

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	-	-	.03	.02	.05	.04	-	.03	.03	.25	-		1
2	-	-	-	-	-	.07	-	-	.02	.24	.10	-		2
3	-	.16	.07	.10	-	-	-	.02	.14	.65	.19	.02		3
4	-	-	-	.12	-	-	-	-	.40	.25	-	.14		4
5	-	.46	.06	.06	-	.34	.06	-	.40	-	-	-		5
6	-	.02	-	.39	-	.66	-	-	-	-	-	-		6
7	-	-	-	.52	-	.02	-	-	-	.08	1.01	.18		7
8	-	-	-	.27	-	-	-	-	-	.30	.19	.12		8
9	-	-	-	.40	-	.64	-	-	-	1.04	.09	.05		9
10	-	-	-	.17	-	.04	-	-	-	-	.06	.03		10
11	.36	-	-	.02	-	.09	.46	-	-	-	.30	-		11
12	-	.04	-	-	-	.26	-	.04	.03	-	.09	-		12
13	.11	.17	-	.32	.21	.08	-	-	-	-	-	-		13
14	-	-	-	.02	.23	-	-	-	.04	-	.35	.14		14
15	-	.20	-	.52	.12	.21	-	-	.17	-	.32	.15		15
16	-	.08	.06	.08	-	.24	-	-	.31	.07	.52	.07		16
17	-	-	-	.03	-	.15	-	-	.06	-	.37	-		17
18	-	-	-	.51	.08	.23	.44	-	.58	.04	.18	.02		18
19	-	-	-	.07	.16	.03	.20	-	.09	-	.15	.06		19
20	.03	.17	-	.20	.28	.10	.10	-	.05	-	.13	-		20
21	.02	.28	-	-	-	-	-	-	.04	.03	.13	-		21
22	-	.02	.15	.05	-	-	-	.29	.26	-	-	-		22
23	-	.04	.16	-	-	-	-	.56	.02	.15	-	.15		23
24	.03	.45	.02	-	-	-	-	.04	.54	-	-	.18		24
25	.10	.32	-	.24	-	.45	-	-	-	-	-	.14		25
26	-	.08	-	-	-	.03	-	.18	.13	-	-	.45		26
27	-	.28	-	-	.10	-	-	-	.19	.02	.22	.52		27
28	-	.09	-	-	.03	-	-	-	.27	.05	.02	.05		28
29	-	X	-	-	-	-	-	-	.87	-	-	.38		29
30	.07	✖	-	.14	.15	-	-	.68	-	.06	.39	.44		30
31	-	✖	-	✖	-	✖	-	-	✖	.65	✖	.23		31
													Year's Total	
TOTAL	.93	2.86	.52	4.26	1.38	3.69	1.30	1.81	4.64	3.66	5.06	3.52	33.63	
* Days with .01 in. or more.	8	16	6	21	10	18	6	7	21	15	20	20	168	
* Days with .04 in. or more.	5	14	5	17	8	15	6	6	17	12	19	17	141	

† Spare column, no entries required.

(*Signed*) C. G. Wilson Engineer [P.T.O.

40-9999.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Cowroast Lock.

in the County of Hertfordshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 390.4 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.25	0.31	0.15	0.33	-	0.11	0.12	-	-	-	0.04	0.03		1
2	0.15	0.11	-	0.02	-	0.47	0.76	0.10	-	-	0.05	-		2
3	-	-	-	0.10	0.02	0.03	0.08	0.02	0.16	-	0.29	0.02		3
4	-	-	0.19	-	-	0.08	-	-	0.37	-	0.07	0.08		4
5	0.19	-	0.05	-	-	-	-	0.03	0.23	-	-	0.07		5
6	0.32	-	-	-	0.47	0.19	-	0.15	0.18	-	0.16	0.06		6
7	0.25	-	0.05	-	-	0.03	0.42	-	0.02	-	0.02	0.02		7
8	0.25	-	0.06	-	-	-	-	-	0.05	-	0.48	0.12		8
9	0.45	-	0.06	-	-	-	0.30	-	0.12	0.02	-	-		9
10	0.08	-	-	-	-	-	0.13	-	0.17	-	-	-		10
11	-	-	-	0.11	-	-	0.12	-	-	-	0.98	-		11
12	-	-	-	0.17	-	0.35	0.45	-	0.22	-	0.51	0.18		12
13	-	-	-	-	-	0.72	-	-	-	0.05	0.10	0.45		13
14	-	0.08	-	-	-	0.06	0.62	-	0.14	0.04	-	0.56		14
15	-	0.03	-	-	-	0.03	0.04	-	0.09	-	-	0.20		15
16	0.20	0.08	-	-	-	-	-	-	0.02	-	0.41	0.02		16
17	0.16	0.78	-	-	0.11	-	-	-	-	-	0.17	0.24		17
18	-	0.20	-	-	-	0.25	0.19	-	-	0.32	-	0.18		18
19	0.35	0.05	-	0.06	-	0.27	-	0.05	-	0.02	-	-		19
20	-	0.10	0.05	0.19	-	-	0.09	-	1.28	-	-	-		20
21	-	-	-	0.28	0.05	1.02	-	-	0.14	-	-	-		21
22	0.10	0.53	0.09	-	0.20	-	0.18	-	-	-	0.02	0.12		22
23	-	-	0.02	0.09	-	-	0.21	-	-	0.12	-	0.02		23
24	0.10	0.34	-	-	-	-	0.03	-	0.13	0.40	-	-		24
25	0.04	0.03	0.16	0.10	-	0.04	0.12	-	0.27	0.10	0.09	0.02		25
26	-	0.16	0.23	-	-	0.17	0.14	-	-	0.11	-	-		26
27	0.08	-	-	-	-	-	-	-	0.18	0.09	-	-		27
28	0.70	-	0.08	-	-	-	0.22	-	-	-	-	0.17		28
29	0.32	0.17	0.12	-	-	0.08	0.04	-	-	0.02	0.18	0.09		29
30	0.09	✕	-	-	0.11	0.25	0.10	-	-	0.31	-	-		30
31	0.50	✕	0.18	✕	-	✕	0.10	-	✕	0.40	✕	0.29		31
TOTAL	4.58	2.97	1.49	1.45	0.96	4.15	4.46	0.35	3.77	2.00	3.57	2.94	Year's Total 32.69	✓
* Days with .01 in. or more.	19	14	14	10	6	17	21	5	17	13	15	20	171	
* Days with .04 in. or more.	19	12	13	9	5	14	20	3	15	10	13	14	147	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) William Crawford.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Cowroast Lock No 46

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level ……… ft.

Depo

WR

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·25	...	...	...	...	...	...	...	0·03	...	0·45	0·75		1
2	...	0·26	...	0·50	...	...	...	...	0·12	...	...	0·46		2
3	...	0·13	...	...	...	...	...	...	...	...	...	0·17		3
4	0·16	0·30	...	...	...	...	...	...	...	...	...	0·48		4
5	0·18	0·04	0·15	...	...	...	0·05	...	...	...	...	...		5
6	0·08	0·02	0·45	...	0·13	...	0·21	...	...	...	0·03	...		6
7	...	0·69	...	0·14	...	...	...	...	0·05	...	...	...		7
8	...	0·10	...	...	0·07	0·04	...	...	...	...	0·23	0·34		8
9	...	0·03	...	0·20	0·15	...	0·06	...	0·26	...	...	0·24		9
10	...	...	0·63	0·16	0·04	0·22	0·08	...	...	...	...	0·22		10
11	...	...	0·24	...	0·51	...	0·02	...	...	...	...	0·03		11
12	0·21	0·32	0·10	...	0·20	0·42	...	...	0·08	...	...	0·15		12
13	0·16	0·09	0·32	...	...	1·03	...	0·40	0·38	...	...	0·33		13
14	0·02	0·02	0·46	0·23	...	...	...	0·65	0·04	...	...	0·02		14
15	0·23	0·13	...	0·15	...	...	0·49	...	0·14	...	...	0·03		15
16	0·06	0·10	0·55	0·79	...	0·09	...	0·07	0·26	...	...	0·03		16
17	0·55	...	0·23	0·27	...	0·03	...	...	0·63	...	...	...		17
18	0·49	0·13	0·02	...	0·04	0·08	...	...	0·07	...	0·32	...		18
19	0·11	0·05	0·04	0·15	...	0·15	0·15	...	0·37	...	0·06	...		19
20	0·62	0·02	...	0·44	0·60	...	...	...	0·11	...	...	...		20
21	0·28	0·37	0·08	0·03	0·05	...	0·03	...	...	...	...	0·12		21
22	0·45	...	0·03	...	0·16	0·18	0·05	...	...	0·46	0·28	0·06		22
23	0·18	...	0·07	...	0·68	...	0·20	...	...	0·70	...	...		23
24	0·31	0·48	...	...	...	...	0·02	...	0·14	0·41	...	...		24
25	0·06	0·42	0·02	...	1·18	...	...	...	0·05	0·35	...	...		25
26	...	0·41	0·05	...	0·23	...	...	...	...	0·11	...	...		26
27	0·03	0·34	0·05	0·20	...	...	...	...	0·03	0·82	...	...		27
28	...	0·08	...	...	...	...	...	...	...	0·11	...	0·06		28
29	0·03	✕	...	...	...	...	...	...	...	0·04	0·03	0·03		29
30	0·40	✕	...	...	...	...	...	...	...	0·02	0·22	...		30
31	0·30	✕	...	✕	...	✕	...	...	✕	0·22	✕	0·08		31
TOTAL	5·16	4·53	3·49	3·26	4·04	2·24	1·36	1·12	2·76	3·24	1·62	3·60	Year's Total 36·42	✓
* Days with .01 in. or more.	22 ~~5~~	22 ~~4~~	17 ~~3~~	12 ~~1~~	13	9 ~~2~~	~~3~~ 11	~~1~~ 3	~~2~~ 16	~~1~~ 10	~~2~~ 8	~~4~~ 18	~~25~~	161 ✓
* Days with .04 in. or more.	19	18	14	11	13	7	8	3	14	9	6	14	136	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. Bell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Cowroast Lock 46

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 389·4 ft.

Days
w.J.B.

Bell

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	...	...	...	...	...	0·29	...	...	0·02	...	...	0·05		1
2	0·20	0·04	...	...	0·07	...	...	...	...	0·34	...	...		2
3	...	...	...	...	0·11	...	...	...	0·03	0·79	0·07	...		3
4	0·12	...	...	...	...	...	...	...	...	0·19	...	0·18		4
5	...	...	...	...	...	...	0·45	...	...	0·12	...	...		5
6	0·08	...	...	...	...	...	0·03	...	0·03	0·09	...	...		6
7	0·04	...	...	...	...	...	0·55	0·25	0·03	0·70	...	...		7
8	0·15	...	...	...	...	...	0·40	0·08	0·07	0·15	...	...		8
9	0·10	...	...	...	...	...	0·12	0·18	...	...	...	0·95		9
10	0·15	0·07	...	...	...	0·03	0·06	0·15	...	...	...	0·05		10
11	0·31	...	...	...	...	...	...	0·20	...	...	0·11	0·03		11
12	0·33	0·05	...	...	...	...	...	0·14	...	0·38	...	...		12
13	0·03	0·04	...	...	...	...	...	...	...	...	0·25	0·17		13
14	0·28	...	...	...	0·05	...	0·03	...	0·10	...	...	0·04		14
15	0·04	...	...	...	...	...	0·15	...	...	0·12	...	0·20		15
16	0·48	0·02	...	...	...	...	...	...	...	0·05	0·02	0·17		16
17	...	0·08	...	...	...	...	...	...	0·03	0·11	...	...		17
18	0·09	...	...	...	0·08	...	...	0·02	0·07	0·05	0·37	...		18
19	...	...	...	...	...	...	...	0·15	0·18	...	0·19	...		19
20	...	...	...	...	...	...	...	...	0·03	...	0·58	0·08		20
21	0·04	...	...	...	...	...	...	0·12	0·03	...	0·02	0·85		21
22	...	...	...	...	...	...	...	0·03	...	...	0·23	0·25		22
23	...	...	...	...	...	...	...	...	...	...	0·04	...		23
24	...	...	0·18	...	0·03	...	...	...	0·20	...	0·04	...		24
25	0·08	0·02	0·13	...	0·07	...	...	0·19	0·04	...	0·68	0·15		25
26	0·33	0·31	0·14	...	...	...	0·04	...	0·14	0·20	...	0·10		26
27	0·08	0·06	...	...	0·03	0·29	0·30	...	0·46	0·09	0·52	...		27
28	0·20	0·02	...	...	0·77	0·13	...	0·64	0·06	...	...	0·08		28
29	0·28	×	...	0·03	0·33	...	...	0·02	0·04	...	0·19	0·19		29
30	...	×	...	0·07	0·17	0·07	...	...	0·07	0·02	0·27	0·04		30
31	0·27	×	...	×	0·20	×	...	...	×	0·21	×	0·33		31
													Year's Total	
TOTAL	3·68	0·71	0·45	0·10	1·91	0·81	2·13	2·17	1·63	3·61	3·58	391	24·69	✓
* Days with .01 in. or more.	21	10	3	2	11	5	10	13	18	16	15	18	142	✓
* Days with .04 in. or more.	20	7	3	1	9	4	8	10	11	15	13	17	118	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E. Bell.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Cowroast Lock

in the County of Herts.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 390.40 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.45	.36		.05	.08						1
2	.07							.35	.35		.03	.08		2
3	.52			.13				.45		.04	.20	.31		3
4	.02		.35	.14			.03	.20		.14	.03	.04		4
5				.31	.10		.03	.88		.13	.43	.45		5
6	.56			.03			.49	.02			.15			6
7	.05	.05						.02			.19	.16		7
8		.09	.11				.13	.61		.45	.28	.46		8
9	.04	.14						.10		.27		.18		9
10	.30					.40		.21	.02					10
11			.24			.08				.02				11
12	~~.22~~	.12			.02	.05								12
13							.02		.07	.73				13
14	.52			.05	.19	.02	.15		.04	.06	.28			14
15	.57		.05		.66	.40	.02		.08	.58	.06			15
16	.25		.10	.05	.21	.27	.17			.04	.41			16
17	.29		.02	.07	.11		.03			.08	.03	.02		17
18	.17	.02	.10			.19	.13			.06	.37			18
19	.23					.03	.30			.27				19
20	.16					.70	.24	.03				.02		20
21	.10	.10	.32			.11	.29	.08	.07					21
22	.17	.38	.19				.04		.05		.15			22
23				.07			.08			.05	.77			23
24	.20			.15			.16			.20				24
25	.83	.09	.10				.23				.51	.02		25
26	.40	.06	.02	.04		.03		.09		.15	.29	.06		26
27		.04	.15	.02				.02		.03	.31			27
28	.02	.23	.09			.02				.11	.17	.12		28
29				.43			.34			.22	.08			29
30		✕		.73		.11					.14	.03		30
31		✕		✕		✕	.11		✕		✕			31
TOTAL	5.47	1.32	1.84	2.67	1.65	2.41	3.04	3.14	.68	3.63	4.88	1.95	Year's Total 32.68	
* Days with .01 in. or more.	21	10	13	14	7	13	20	14	7	19	20	13	171	
* Days with .04 in. or more.	19	9	11	12	6	9	15	10	6	17	17	9	140	

† Spare column, no entries required.

(*Signed*) C. A. Wilson

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 932

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~ 40

Kept at LOCK 46. COWROAST.
in the County of HERTFORDSHIRE.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level ft.

November 2nd corrected from Herts. Natural Hist. Soc. and by ref. to nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.02						.13			1
2		.07		.14			.08			.17	1.10			2
3		.25		.19						.20	.75			3
4		.08		.21						.28	.40	.03		4
5		.02					.02			.11	.59	.18		5
6	.18	.16			.06		.40			.25	.38			6
7	.18	.28			.05		.05		.03					7
8		.02		.06						.18	.02	.28		8
9						.90		.03	.05	.02	.10	.05		9
10							.33	.02		.04	.26	.04		10
11				.03			.02				.90	.03		11
12		.04	.05				.15		.22		.02			12
13		.03	.60			.04			.04		1.41			13
14			.10	.20					.03	.08		.31		14
15			.02	.02	.18		.05			.10	.19			15
16	.12	.16	.25	.02		.02	.44		.18	.91	.75			16
17			.46								.23			17
18		.52	.33	.28			.05			.10	.33	.15		18
19		.13	.06	.22			.12		.14		.18	.04		19
20		.02	.02	.02			.05			.07	.08			20
21	.11				.25		.22			.06	.54			21
22	.04		.03		.40	.46			.34		.02			22
23		.11	.02	.10	.06	.13						.02		23
24				.11			.12					.03		24
25			.21				.19							25
26	1.15	.13	.09		.15	.13	.03					.04		26
27	.50	.21		.03	.27					.03				27
28	.30	.06		.02	.09									28
29		.04	.12		.06							.32		29
30	.12	×		.37						.17		.03		30
31	.02	×		×		×			×	.98	×			31
TOTAL	2.72	2.33	2.36	2.02	1.59	1.68	2.32	.05	1.03	3.75	8.38	1.55	Year's Total 29.78	
* Days with .01 in. or more.	10	18	14	16	11	6	16	2	8	17	20	14	152	
* Days with .04 in. or more.	9	14	10	10	10	5	13	–	6	15	17	9	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. A. Wilson
Engineer

[P.T.O.

Form 1090.

B Mo
Su

ation.

932/1

—

932/1
BERHAMSTED
NORSETT HILL
1939 - 40

. The following register of mont
&c., is NOT required if daily
values are given on the othe

section and also the space for

g to this register should be sent:—

RAINFALL IN 193

....

....

At ...Norcott Hill,............

..........in Summer..........

In the County of Berkhamsted

Distance..........Direction from gauge..........

Rain Gauge
Diameter of Funnel.......................in.
Height of Top above Ground.........*ft*...........*in.*
Height of Ground above Sea Level.................*ft.*

Nearest Parish Church at.......................... Distance..........Direction from gauge..........

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
Jan.	6·02	1·25	25		
Feb.	1·29	·37	22		
Mar.	1·87	·36	4		
April	2·76	·72	30		
May	1·80	·71	15		
June	2·20	·42	20		
July	2·80	·46	6		
Aug.	3·23	·74	8		
Sept.	·67	·25	2		
Oct.	3·79	·70	13		
Nov.	5·13	·87	23		
Dec.	1·88	·48	8		
Total	33·44 ✓				

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.............................. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature ......T. G. Blackwell......

Copy by B.R.O.

* See Instruction 3 *(f)* below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

932/1 ~~[illegible]~~

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Norcott Hill

In the County of Berkhamsted, Herts

Rain Gauge
- Diameter of Funnel.........................in.
- *Height of Top above Ground.........ft.............in.*
- *Height of Ground above Sea Level.................ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	6·02	1·25	25		
FEB.	1·29	·37	22		
MAR.	1·87	·36	4		
APRIL	2·76	·72	30		
MAY	1·80	·71	15		
JUNE	2·20	·42	20		
JULY	2·80	·46	6		
AUG.	3·23	·74	8		
SEPT.	·67	·25	2		
OCT.	3·79	·70	13		
NOV.	5·13	·87	23		
DEC.	1·88	·48	8		
TOTAL	33·44 ✓				

Signature T. G. Blackwell

Copy by B.R.O.

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter.......................in Summer....................

Nearest Railway Station............................ Distance................Direction from gauge...........

Nearest Parish Church at............................ Distance................Direction from gauge...........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090. **B** Monthly Summary. **C** Particulars of Station. 932/1.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

TRING

RAINFALL IN 19~~3~~40

At Norcott Hill ~~[illegible]~~

In the County of Herts

Rain Gauge
- Diameter of Funnel.......................in.
- *Height of Top above Ground........ft............in.*
- *Height of Ground above Sea Level...............ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with 01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·36	·87	26.27		8
FEB.	2·51	·52	18th		13
MAR.	2·72	·73	13th		10
APRIL	2·19	·39	30th		12
MAY	1·76	·46	22nd		8
JUNE	1·83	·87	9th		5
JULY	2·26	·05	16th		11
AUG.	0·13	·35	10th		2
SEPT.	1·05	·94	22nd		7
OCT.	3·68	1·32	16th.31st		15
NOV.	8·30	·33	13th		17
DEC.	1·56	1·32	29th		8
TOTAL	31·35				116

Signature ......T. G. Blackwell...
per. Herts. Nat. Hist. Soc.

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter.......................in Summer.....................

Nearest Railway Station.............................. Distance................ Direction from gauge...........

Nearest Parish Church at.............................. Distance................ Direction from gauge...........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (a) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (b) What note was made of the times of beginning and end of this fall?
- (c) When was the measurement made?

[illegible]

Copy by B.R.O.

660624/26

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91 S.O. Code No. 40-9999

HARPENDEN (WEST COMMON W

932/8

HARPENDEN

| WEST COMMON WAY |

1938 - 1940

780205

Section **A** for the entry
AIR MINIST

Station No. 932/8
RAINFALL ORGANIZATION

FORM 1090

REG

1938 File 839510/38

Kept at Harpende

in the County of Hert

Diameter of Funnel of Gauge....

Height of top of Gauge above G

,, Ground ,, S

Sept 1–19th ests from nearby stns SD 28/3/39

THE MORNING MEASU ... PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·01	–	·03		1
2										·23	–	Trace		2
3										·86	·07	–		3
4										·11	Trace	·13		4
5										·09	–	–		5
6										·13	–	Trace		6
7										·41	–	·05		7
8										·22	–	–		8
9										–	–	·76		9
10										–	–	·03		10
11										–	·18	·02		11
12									(·50)	·42	Trace	–		12
13										–	·12	·14		13
14										–	–	·01		14
15										·16	–	·28		15
16										·07	Trace	·21		16
17										·04	–	–		17
18										·01	·41			18
19										–	·17			19
20									Trace	–	·45			20
21									·02	–	Trace	Snow		21
22									–	–	·22			22
23									–	–	·03	·93	✓	23
24									·35	–	·06			24
25									·01	·03	·65	snow		25
26									·13	·17	–	·31		26
27									·58	·08	·43	–		27
28									·04	–	·06	–		28
29									–	Trace	·22	·23		29
30		✕							·05	–	·34	Trace		30
31		✕		✕		✕			✕	·20	✕	·32		31
TOTAL									~~1·18~~ 1·68	3·24	3·41	3·45	Year's Total unp	NP unp GB 21/3/39
* Days with .01 in. or more.									7	17	14	14	..	
* Days with .04 in. or more.									5	14	13	10	..	

F. T. POTTER ESQ. O.B.E.

* See Instruction 3 (f) on other side.

N

† Spare column, no entries required.

(Signed) Frank T. Potter

[P.T.O.

HARPENDEN (WEST COMMON ~~COPY FOR OFFICIAL USE~~

Section **A** for the entry of Daily Observations

Station No. 932/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File 839510/38

Kept at Harpenden
in the County of Hertfordshire
Diameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground One ft. — in.
" Ground " Sea Level 420 ft.

Sept 1-19th ests from nearby stns SD 28/3/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·01	—	·03		1
2										·23	—	Trace		2
3										·86	·07	—		3
4										·11	Trace	·13		4
5										·09	—	—		5
6										·13	—	Trace		6
7										·41	—	·05		7
8										·22	—	—		8
9										—	—	·76		9
10										—	—	·03		10
11										—	·18	·02		11
12									(·50)	·42	Trace	—		12
13										—	·12	·14		13
14										—	—	·01		14
15										·16	—	·28		15
16										·07	Trace	·21		16
17										·04	—	—		17
18										·01	·41			18
19										—	·17			19
20									Trace	—	·45			20
21									·02	—	Trace	Snow		21
22									—	—	·22			22
23									—	—	·03	·93	✓	23
24									·35	—	·06			24
25									·01	·03	·65	Snow		25
26									·13	·17	—	·31		26
27									·58	·08	·43	—		27
28									·04	—	·06	—		28
29									—	Trace	·22	·23		29
30		✕							·05	—	·34	Trace		30
31		✕		✕		✕			✕	·20	✕	·32		31
TOTAL									~~1·18~~ 1·68	3·24	3·41	3·45	Year's Total mp	
* Days with .01 in. or more.									7	17	14	14		
* Days with .04 in. or more.									5	14	13	10		

HP
mk
GB
21/3/39

F.T. POTTER ESQ. O.B.E.

† Spare column, no entries required.

(*Signed*) Frank T. Potter

* See Instruction 3 (f) on other side.

[P.T.O.

HARPENDEN (WEST COMMON WAY)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 932/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at HARPENDEN West Common Way.

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground One ft. 0 in.

,, Ground ,, Sea Level 420 ft.

c 1938

File 839510/38

? 346927/34

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	-	.35	.37	-	.08	.02	.82	-	-	.02		1
2	.04	-	.01	.01	.01	-	.01	.45	.30	TRACE	.05	.05		2
3	.48	-	-	.17	-	-	-	.44	-	.05	.28	.30		3
4	-	-	.29	.13	-	-	.02	.19	-	.36	.01	.01		4
5	-	-	-	.43	.11	-	TRACE	.35	-	.12	.37	.18		5
6	.70	-	-	.12	-	-	.31	.06	-	TRACE	.21	.01		6
7	.07	.04	-	TRACE	-	-	TRACE	.01	-	-	.14	.14		7
8	-	.06	.14	-	-	-	.14	.32	-	.49	.07	.30		8
9	.04	.05	-	-	-	-	-	.06	-	.25	.01	.18		9
10	.24	-	-	-	-	.56	-	.20	.01	.05	.01	TRACE		10
11	-	-	.20	-	.01	.27	-	-	TRACE	.02	-	.01		11
12	-	-	-	-	.01	.03	-	-	.11	.01	-	-		12
13	-	-	-	.03	-	TRACE	.01	-	.02	.80	TRACE	-		13
14	.48	-	.02	.02	.35	.07	.04	-	.04	.15	.33	TRACE		14
15	.20	-	-	TRACE	.54	.30	.25	-	.09	.88	.08	.01		15
16	.36	-	.16	.06	.08	.26	.16	-	-	.01	.32	-		16
17	.32	-	-	.07	.36	TRACE	.09	-	-	.01	.03	TRACE		17
18	.15	.05	.07	-	-	.15	.15	-	TRACE	.14	.38	TRACE		18
19	.18	-	.02	-	-	.13	.10	-	-	.13	TRACE	-		19
20	.22	-	-	-	-	.14	.22	.32	-	TRACE	-	.01		20
21	.08	-	.31	TRACE	-	.08	.37	.42	.05	TRACE	-	-		21
22	.18	.24	.16	TRACE	TRACE	TRACE	.07	TRACE	.10	-	.08	-		22
23	.06	-	TRACE	.07	-	TRACE	.01	-	-	.04	.71	TRACE		23
24	-	-	.03	.11	-	-	TRACE	-	-	.14	TRACE	.01		24
25	1.04	.09	.09	TRACE	TRACE	-	.02	.16	-	.05	.55	TRACE		25
26	.80	-	.02	TRACE	-	-	-	.12	-	.23	.28	.08		26
27	.02	.09	.13	.08	-	-	-	.02	-	.13	.18	-		27
28	.01	.16	.10	.05	-	.02	.09	-	-	.34	.16	.10		28
29	-	-	TRACE	.45	TRACE	-	.06	-	-	.12	.10	-		29
30	-	×	-	.85	-	.08	-	-	-	TRACE	.11	-		30
31	-	×	TRACE	×	-	×	.01	TRACE	×	-	×	-		31
TOTAL	5.69	.78	1.75	3.00	1.84	2.09	2.21	3.14	1.54	4.52	4.46	1.41	Year's Total 32.43	
* Days with .01 in. or more.	21	8	15	16	9	12	20	15	9	22	22	15	184	
* Days with .04 in. or more.	18	8	10	13	6	10	14	12	7	18	18	8	142	

F. T. POTTER, Esq. O.B.E. M.C.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) F. T. Potter OBE, M.C. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 932/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at HARPENDEN.

in the County of HERTFORDSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground One ft. - in.

,, Ground ,, Sea Level 420 ft.

File No. 839510/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	Trace	.03	-	-	-	-	-	.11	-		1
2	-	Trace	-	.12	-	-	.06	-	-	.13	.91	-		2
3	-	.20	-	.18	-	-	-	-	-	.15	.69	.02		3
4	.01	.09	-	.17	-	-	-	-	-	.35	.28	.04		4
5	-	.02	-	-	Trace	-	.02	-	-	.10	.42	.16		5
6	.11	.13	-	Trace	.05	-	.46	-	-	.18	.43	Trace		6
7	.27	.15	-	.01	.12	-	.04	-	.03	-	-	.01		7
8	Trace	Trace	-	.03	-	-	-	-	.05	.18	.01	.26		8
9	-	-	-	Trace	-	.10	Trace	.21	.03	.04	.12	.06		9
10	-	-	-	-	-	Trace	.30	.02	-	.02	.22	.05		10
11	-	-	-	.02	-	.40	.01	-	-	Trace	.87	.04		11
12	-	.03	.05	Trace	-	Trace	.07	-	.22	Trace	.01	-		12
13	-	.02	.71	.02	-	-	-	-	.09	-	1.35	-		13
14	-	-	.14	.07	.01	-	-	.01	.01	.03	-	.25		14
15	-	-	.03	.01	.26	.01	.15	-	.01	.04	.32	.01		15
16	.03	.10	.34	.06	-	.01	.47	-	.19	.93	.73	.01		16
17	-	-	.37	-	-	-	.01	-	-	Trace	.50	-		17
18	.01	.42	.15	.35	-	-	.01	-	-	.13	.09	.17		18
19	-	.14	.08	.13	-	-	.05	-	.30	Trace	.14	.03		19
20	-	.02	.01	.03	-	Trace	.07	.01	Trace	.02	.05	Trace		20
21	.08	.01	.01	-	.22	-	.09	-	.01	.07	.48	-		21
22	.01	Trace	.03	.01	.45	.34	-	-	.21	Trace	Trace	-		22
23	-	.07	.04	.11	.05	.05	-	Trace	-	.04	.01	.01		23
24	-	-	Trace	.07	-	-	.14	-	-	-	Trace	-		24
25	-	-	.38	-	.02	-	.24	-	-	-	-	Trace		25
26	.91	.12	.18	Trace	.20	.03	-	-	-	-	Trace	-		26
27	.49	.24	Trace	.29	.41	-	.12	-	-	-	.02	Trace		27
28	.32	.03	-	.01	.18	-	-	-	-	-	-	-		28
29	.02	.03	.11	-	Trace	.01	-	-	.01	-	-	.34		29
30	.07	✕	Trace	.08	-	-	-	-	-	-	-	.04		30
31	.03	✕	Trace	✕	-	✕	-	-	✕	-	✕	Trace		31
Total	2.36	1.83	2.63	1.77	2.00	.95	2.31	.25	1.16	3.22	7.76	1.50	Year's Total 27.74	✓
* Days with .01 in. or more.	13	18	15	19	12	8	17	4	12	16	21	16	171	✓
* Days with .04 in. or more.	7	10	11	10	9	4	13	1	6	13	17	10	111	✓

† Spare column, no entries required

(*Signed*) Frank T. Potter.

* See Instruction 3 (f) on other side.

[P.T.O.

933.

933

ST. ALBANS

CRECY REDBOURN

1931 ONLY

Section **A** for the entry of Dai
AIR MINISTRY.—

FOR OFFICIAL USE.
INFALL ORGANIZATION.

FORM 1090.

REGISTE 193/ .

Kept at Crecy Redbourn

in the County of HERTFOR

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREI DAY.

An observer who does not conform to this of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·03	–	·05	·02	·01	·03	–	·06	–	–		1
2	–	·07	–	·18	–	–	–	–	·47	–	–		2
3	·06	–	–	·39	·54	–	–	·05	·82	–	·13		3
4	·06	Snow ·02	–	·08	–	–	·05	·23	·17	–	·06		4
5	–	–	–	·04	·06	·42	·10	·11	·06	–	·01		5
6	–	·10	–	·20	–	–	–	–	–	·27	·38		6
7	–	–	–	–	–	·24	·09	–	–	·07	·15		7
8	–	·07	Snow ·09	·01	–	·19	·04	·76	–	–	·10		8
9	–	–	–	–	–	–	–	·01	–	·02	·47		9
10	–	·15	–	–	–	–	·13	·24	–	–	·31		10
11	·05	·27	–	–	–	–	–	–	·04	·01	–		11
12	·10	·03	–	·04	–	–	–	–	·31	–	·01		12
13	–	–	–	–	–	–	·34	·02	–	–	–		13
14	·03	·08	–	·04	–	·05	1·30	·40	–	–	–		14
15	·02	·02	–	·20	·09	–	·28	·50	–	–	·01		15
16	·01	·15	–	·15	·29	·03	–	·18	·28	–	–		16
17	·01	–	–	·30	·25	–	·12	–	·03	–	–		17
18	–	·12	–	·37	–	–	–	·33	·04	–	·54		18
19	·02	–	–	·57	–	·35	·27	–	–	–	–		19
20	–	–	–	·07	–	–	·10	·26	–	·02	–		20
21	·02	–	·01	–	·59	–	–	·02	–	–	–		21
22	·21	·05	–	–	–	–	–	–	·04	–	–		22
23	·20	–	–	–	·35	·07	–	–	·05	–	·25		23
24	–	–	–	·38	·12	–	·01	–	–	–	–		24
25	·02	–	–	·45	–	–	·38	–	–	–	·05		25
26	–	·03	–	·27	·06	–	·89	–	–	–	·22		26
27	·14	·42	–	·03	–	–	–	–	–	–	·20		27
28	·08	Snow ·15	–	·10	–	–	–	–	–	–	·18		28
29	·09		–	·01	·03	–	·12	–	–	·25	·08		29
30	·08	✕	–	–	·01	–	–	·08	–	–	–		30
31	·22	✕	–	✕	–	✕	–	–	✕	–	✕		31 d
TOTAL	1·52	1·76	·10	3·93	2·41	1·36	3·25	3·19	2·37	·64	3·15	(1·00)	YEAR'S TOTAL (24·68)
*Days with ·01 in. or more.	19	16	2	21	12	8	16	14	12	6	17	(10)	(153)
*Days with ·04 in. or more.	12	11	1	18	9	6	14	11	11	3	14	(5)	(194)

NO Readings taken

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Roger M. Dixon [P.T.O.

933

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Crecy Redbourn St Albans

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·03	–	·05	·02	·01	·03	–	·06	–	–		1
2	–	·07	–	·18	–	–	–	–	·47	–	–		2
3	·06	–	–	·39	·54	–	–	·05	·82	–	·13		3
4	·06	Snow ·02	–	·08	–	–	·05	·23	·17	–	·06		4
5	–	–	–	·04	·06	·42	·10	·11	·06	–	·01		5
6	–	·10	–	·20	–	–	–	–	–	·27	·38		6
7	–	–	–	–	–	·24	·09	–	–	·07	·15		7
8	–	·07	Snow ·09	·01	–	·19	·04	·76	–	–	·10		8
9	–	–	–	–	–	–	–	·01	–	·02	·47		9
10	–	·15	–	–	–	–	·13	·24	–	–	·31		10
11	·05	·27	–	–	–	–	–	–	·04	·01	–		11
12	·10	·03	–	·04	–	–	–	–	·31	–	·01	No Readings taken	12
13	–	–	–	–	–	–	·34	·02	–	–	–		13
14	·03	·08	–	·04	–	·05	1·30	·40	–	–	–		14
15	·02	·02	–	·20	·09	–	·28	·50	–	–	·01		15
16	·01	·15	–	·15	·29	·03	–	·18	·28	–	–		16
17	·01	–	–	·30	·25	–	·12	–	·03	–	–		17
18	–	·12	–	·37	–	–	–	·33	·04	–	·54		18
19	·02	–	–	·57	–	·35	·27	–	–	–	–		19
20	–	–	–	·07	–	–	·10	·26	–	·02	–		20
21	·02	–	·01	–	·59	–	–	·02	–	–	–		21
22	·21	·05	–	–	–	–	–	–	·04	–	–		22
23	·20	–	–	–	·35	·07	–	–	·05	–	·25		23
24	–	–	–	·38	·12	–	·01	–	–	–	–		24
25	·02	–	–	·45	–	–	·38	–	–	–	·05		25
26	–	·03	–	·27	·06	–	·89	–	–	–	·22		26
27	·14	·42	–	·03	–	–	–	–	–	–	·20		27
28	·08	Snow ·15	–	·10	–	–	–	–	–	–	·18		28
29	·09		–	·01	·03	–	·12	–	–	·25	·08		29
30	·08	×	–	–	·01	–	–	·08	–	–	–		30
31	·22	×	–	×	–	×	–	–	×	–	×		31 d
TOTAL	1·52	1·76	·10	3·93	2·41	1·36	3·25	3·19	2·37	·64	3·15	(1·00)	YEAR'S TOTAL (24·68)
*Days with ·01 in. or more.	19	16	2	21	12	8	16	14	12	6	17	(10)	(153)
*Days with ·04 in. or more.	12	11	1	18	9	6	14	11	11	3	14	(5)	(194)

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Roger M Dixon

[P.T.O.

934

Section **A** for the entry of Dail

AIR MINISTRY.—M

FOR OFFICIAL USE.

L ORGANIZATION.

FORM 109

REGISTE

934

ROTHAMSTED (8")

1931 – 1940

Kept at Rothamsted

in the County of Herts

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREI

Y.

An observer who does not conform to this
year in the space on the right of this p

following

Ple

Jan. 1, following

Date	Jan.	Feb.	March	Ap							Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3									·57				3
4													4
5						·39						·41	5
6										·25			6
7													7
8			·07										8
9													9
10													10
11													11
12													12
13													13
14							1.14						14
15								·59					15
16													16
17													17
18											·59		18
19				·44									19
20													20
21					·60								21
22													22
23	·26												23
24													24
25													25
26													26
27		·39											27
28													28
29		×											29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·57	1·70	0·08	3·22	2·44	1·45	3·79	3·28	1·98	0·57	3·00	1.00	YEAR'S TOTAL 24·08
*Days with ·01 in. or more.	20	18	2	20	15	9	18	16	12	6	16	11	163
*Days with ·04 in. or more.	10	12	1	17	10	7	14	11	10	3	11	5	111
40-9999	39·9	43·2	2·0	81·8	62·0	36·8	96·3	83·3	50·3	14·5	76·2	25·4	611·7

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

934

Section A for the entry of Dai

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rothamsted KB

in the County of Herts

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3									·57				3
4													4
5						·39						·41	5
6										·25			6
7													7
8			·07										8
9													9
10													10
11													11
12													12
13													13
14							1.14						14
15								·59					15
16													16
17													17
18											·59		18
19				·44									19
20													20
21					·60								21
22													22
23	·26												23
24													24
25													25
26													26
27		·39											27
28													28
29		×											29
30		×											30
31		×		×		×			×		×		31
TOTAL	1.57	1.70	0.08	3.22	2.44	1.45	3.79	3.28	1.98	0.57	3.00	1.06	YEAR'S TOTAL 24.08
*Days with ·01 in. or more.	20	18	2	20	15	9	18	16	12	6	16	11	163
*Days with ·04 in. or more.	10	12	1	17	10	7	14	11	10	3	11	5	111
40-9999	39.9	43.2	2.0	81.8	62.0	36.8	96.3	83.3	50.3	14.5	76.2	25.4	611.7

(Signed) ....

P.T.O.

*See Instruction 2 (*f*) on other side.

660448/16 934

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1931.

Kept at ROTHAMSTED

in the County of Hertfordshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft. 9 in.

" Ground " Sea Level 420 ft.

Correct ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	TRACE	1·1	TRACE	2·1	0·4	TRACE	0·5	—	2·1	—	TRACE	—	1
2	2·1	1·4	TRACE	10·5	—	—	—	—	11·3	0·4	TRACE	1·6	2
3	0·9	TRACE	TRACE	2·0	11·9	—	—	0·8	14·4	—	3·1	4·6	3
4	0·1	0·5	TRACE	1·6	—	—	1·0	3·9	2·5	—	1·8	TRACE	4
5	—	—	TRACE	3·0	2·1	10·0	1·7	3·3	1·3	TRACE	0·2	10·4	5
6	—	3·0	—	2·0	—	—	—	—	—	6·3	8·4	—	6
7	TRACE	0·1	—	—	TRACE	4·5	0·7	9·9	—	1·0	3·5	0·8	7
8	0·3	1·4	1·7	0·2	—	5·0	1·2	13·2	—	0·4	2·1	TRACE	8
9	—	2·2	0·1	0·7	—	TRACE	0·4	0·2	—	TRACE	11·2	0·3	9
10	0·5	1·5	—	—	TRACE	1·2	3·2	5·2	—	(DEW) TRACE	7·3	—	10
11	4·7	7·1	—	—	TRACE	TRACE	—	—	1·2	(DEW) TRACE	0·5	—	11
12	—	0·3	—	TRACE	—	—	0·2	0·6	7·0	(DEW) TRACE	—	TRACE	12
13	0·4	—	—	—	—	—	9·1	TRACE	—	(DEW) TRACE	TRACE	—	13
14	0·7	2·6	—	—	0·2	0·3	28·9	10·7	—	—	0·2	—	14
15	0·3	0·2	TRACE	3·5	2·6	—	2·8	15·0	—	—	0·1	0·6	15
16	TRACE	5·4	—	3·2	6·5	0·7	—	3·9	7·9	—	TRACE	—	16
17	0·4	TRACE	—	5·6	5·1	—	3·1	—	0·3	TRACE	—	—	17
18	1·6	2·1	—	6·2	—	3·3	0·1	8·1	—	—	14·9	TRACE	18
19	0·2	TRACE	—	11·1	—	7·3	3·9	0·2	1·0	—	TRACE	TRACE	19
20	TRACE	0·2	TRACE	2·0	—	—	2·2	5·5	TRACE	TRACE	TRACE	(DEW) TRACE	20
21	0·4	TRACE	0·2	—	15·2	—	—	0·4	TRACE	—	TRACE	—	21
22	4·7	TRACE	—	—	—	—	—	—	1·0	—	0·2	—	22
23	6·6	0·5	—	0·2	7·9	4·5	—	—	0·2	—	5·6	1·3	23
24	—	—	—	9·5	2·9	TRACE	4·2	—	TRACE	TRACE	—	0·3	24
25	0·3	—	—	9·8	2·4	—	6·7	—	—	TRACE	0·9	TRACE	25
26	—	0·7	TRACE	5·7	0·3	—	23·3	—	—	TRACE	4·0	—	26
27	3·9	10·0	—	1·3	3·7	—	—	—	—	—	12·2	—	27
28	1·7	2·9	—	1·5	—	—	—	—	—	0·3	TRACE	5·1	28
29	1·6	X	—	TRACE	0·4	—	2·9	—	—	6·1	TRACE	0·2	29
30	2·3	X	—	—	0·3	—	TRACE	2·3	TRACE	—	—	—	24·09 30
31	6·3	X	—	X	TRACE	X	—	0·1	X	—	X	0·3	31
TOTAL	1·57 40·0	1·70 43·2	·08 2·0	3·22 81·7	2·44 61·9	1·45 36·8	3·79 96·1	3·28 83·3	1·98 50·2	·57 14·5	3·00 76·2	1·00 25·5	YEAR'S TOTAL 611·4 ~~568·2~~
Days with 0·2 mm. or more.	20	18	2	20	15	9	18	16	12	6	16	11	160·3
Days with 1·0 mm. or more.	10	12	1	17	10	7	14	11	10	3	11	5	111

(144w)

40—9999.

M

(Signed) W. C. Game [P.T.O.

934

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

AP

109

Kept at Rothamsted

in the County of Herts.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·80								1
2												·19	2
3													3
4													4
5													5
6	·45												6
7													7
8													8
9													9
10													10
11							·48	·68					11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20										·67			20
21													21
22									·43		·35		22
23		·09											23
24													24
25													25
26				·32									26
27													27
28													28
29			·38										29
30		×				·63							30
31		×		×		×			×		×		31
TOTAL	1·89 ✓	0·17 ✓	1·86 ✓	2·11 ✓	4·06	0·79 ✓	2·50 ✓	1·99 ✓	1·66	4·36 ✓	1·55 ✓	0·60 ✓	YEAR'S TOTAL 23·84
*Days with ·01 in. or more.	13	7	11	21	21	5	18	7	19	23	19	9	173
*Days with ·04 in. or more.	10	1	7	15	16	3	11	5	11	21	12	5	117
40-9999	48·0	4·3	47·2	53·6	103·1	20·1	63·5	50·5	42·2	110·7	39·4	15·2	597·8

(Signed) ....

P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 934

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at ROTHAMSTED

in the County of Hertfordshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground – ft. 9 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·043	0·012	—	0·095	0·799	0·012	0·132	0·076	0·028	0·082	0·010	(FROST) 0·012	1
2	0·047	—	(FROST) 0·004	0·143	0·114	—	—	0·004	0·256	0·067	0·055	0·186	2
3	—	(FROST + FOG) Trace	—	0·055	0·113	—	—	—	0·074	0·004	—	Trace	3
4	0·016	Trace	—	—	—	—	—	0·008	—	—	0·142	Trace	4
5	0·201	0·008	Trace	—	0·051	—	0·153	Trace	0·114	—	—	Trace	5
6	0·449	—	0·020	0·028	0·028	—	0·008	—	0·114	—	—	Trace	6
7	(FROST) Trace	—	0·138	0·047	0·028	—	0·032	—	0·034	0·012	—	Trace	7
8	—	0·004	0·020	0·074	0·061	—	—	—	0·146	0·180	—	—	8
9	0·146	0·004	Trace	0·059	0·522	—	—	—	—	0·039	—	—	9
10	0·370	0·008	0·014	0·124	0·051	0·006	—	—	0·028	0·055	0·020	—	10
11	0·008	0·004	—	0·030	0·024	—	0·480	0·681	0·008	0·134	0·074	(FROST) Trace	11
12	0·107	Trace	—	0·016	0·087	—	—	0·032	0·024	0·300	0·008	(FROST + FOG) Trace	12
13	0·074	0·004	—	0·207	—	—	0·014	—	Trace	0·032	0·071	0·010	13
14	0·182	0·008	(WET AIR) Trace	0·024	0·004	—	—	—	—	0·039	0·006	—	14
15	—	Trace	(FOG + MIST) Trace	0·049	0·321	—	0·010	Trace	Trace	0·074	(FROST + MIST) Trace	Trace	15
16	0·229	(WET AIR) Trace	—	0·232	0·126	—	—	—	—	—	—	—	16
17	—	(FROST + FOG) Trace	—	Trace	—	—	0·043	—	—	0·138	(FOG, DEW + WET AIR) Trace	—	17
18	—	(FROST) Trace	—	—	0·012	—	Trace	—	0·136	—	0·101	Trace	18
19	—	—	—	—	—	—	—	—	(FOG + DEW) Trace	0·213	0·006	0·008	19
20	(FOG + DEW) Trace	—	—	0·142	0·028	—	0·016	0·654	0·022	0·669	0·063	Trace	20
21	0·012	0·008	0·028	0·236	0·711	—	0·016	0·445	—	0·280	Trace	0·039	21
22	Trace	Trace	0·370	0·004	0·083	—	0·201	—	0·429	0·118	0·350	—	22
23	—	0·091	—	—	(DEW) Trace	—	—	—	0·035	0·615	Trace	0·099	23
24	—	Trace	—	0·008	—	—	0·321	—	0·043	0·039	0·138	Trace	24
25	—	0·016	—	—	—	—	0·188	—	0·039	0·422	0·039	(WET FOG) 0·010	25
26	—	Trace	0·079	0·321	0·093	—	0·146	(FOG + DEW) Trace	Trace	Trace	0·012	(WET FOG) Trace	26
27	—	—	0·337	0·164	0·461	—	0·429	—	0·043	0·079	0·124	Trace	27
28	—	—	0·229	0·006	0·122	0·099	0·240	—	—	0·205	(FOG + WET AIR) 0·006	Trace	28
29	0·004	—	0·384	0·057	0·236	0·039	Trace	0·091	0·020	0·418	0·124	Trace	29
30	Trace	×	0·244	—	—	0·632	0·008	0·004	0·083	0·164	0·205	0·150	30
31	(FROST) Trace	×	Trace	×	Trace	×	0·063	—	×	Trace	×	0·078	31
TOTAL	1·888	0·167	1·867	2·121	4·075	0·788	2·500	1·995	1·676	4·378	1·554	0·592	YEAR'S TOTAL 23·601
*Days with ·01 in. or more.	12	3	11	19	21	4	16	6	18	23	15	8	156
*Days with .04 in. or more.	10	1	7	15	16	2	11	5	10	18	11	4	110

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. C. Game

P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE. 934

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1933.

Kept at Rothamsted A.P.
in the County of Herts
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground ft. 9 in.
,, Ground ,, Sea Level 420 ft.

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6					·29								6
7													7
8													8
9													9
10							·34						10
11													11
12													12
13													13
14											·49		14
15	·45												15
16			·62			·19							16
17													17
18													18
19													19
20													20
21													21
22								·14					22
23													23
24									·59				24
25		·38		·26									25
26												·12	26
27													27
28										·29			28
29	·07												29
30	·14	✕											30
31	·11	✕		✕		✕			✕		✕		31
TOTAL	2·07	1·89	2·69	0·87	1·50	0·99	1·35	0·55	2·26	1·33	1·30	0·43	YEAR'S TOTAL 17·17
*Days with ·01 in. or more.	16	16	16	7	16	14	12	7	12	14	17	7	154
*Days with ·04 in. or more.	12	9	13	5	11	8	8	4	8	12	8	4.	102
40-9999	52·6	46·5	68·3	22·1	38·1	25·1	34·3	14·0.	57·4	33·8	33·0	10·9	

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

K7

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 934

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at ROTHAMSTED.

in the County of Hertfordshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 420 ft.

Check with M.W.R. for months which disagree

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

mwR

0·24

measurement

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·079	0·162 (FROST)	0·091	—	0·162	—	—	—	—	—	0·020	—		1
2	0·358	TRACE	0·370	—	0·088	—	—	—	—	—	—	—		2
3	TRACE	0·142	0·236	—	0·065	—	—	—	—	—	0·016	—		3
4	0·248	0·012	0·030	—	0·236	—	—	—	—	—	0·178	—		4
5	0·024	0·018	0·274	—	0·047	—	—	—	—	—	TRACE	—		5
6	—	0·088	0·045	—	0·290	—	—	—	—	0·091	0·055	TRACE		6
7	0·126	0·047	0·018	—	TRACE	—	—	—	—	0·041	TRACE	TRACE		7
8	0·043 (FROST)	TRACE	0·063	—	0·028	—	0·028	—	—	TRACE	—	—		8
9	0·010	—	—	—	0·071	—	0·170	—	—	0·061	0·095	—		9
10	—	0·246	—	—	0·016	0·059	0·339	TRACE	—	0·246	TRACE	—		10
11	0·090 (FROST)	—	TRACE	—	TRACE	0·016	0·091	0·122	—	0·078	0·006	—		11
12	TRACE	— (FROST)	—	—	0·020	0·020	0·073	—	0·488	TRACE	TRACE	0·024		12
13	0·030	TRACE	—	—	0·118	0·020	0·276	—	0·055	TRACE	0·109	—		13
14	TRACE	—	—	—	TRACE	—	TRACE	0·035	TRACE	0·051	0·492	0·022		14
15	(SNOW ALL MELTED) 0·445	—	0·105	—	—	0·012	0·081	0·079	TRACE	TRACE	0·122	TRACE		15
16	(SNOW ALL MELTED) 0·008	0·008	0·619	—	0·008	0·190	0·008	—	TRACE	0·043	0·047	TRACE		16
17	(SNOW ALL MELTED) 0·020	(SNOW MELTED) 0·032	0·292	—	—	0·008	0·039	—	0·043	—	0·006	—		17
18	(SNOW ALL MELTED) 0·043	(SNOW MELTED) 0·071	0·174	—	TRACE	0·057	—	—	—	—	0·006	—		18
19	—	(SNOW MELTED) 0·020	0·244	0·022	—	0·134	0·008	—	0·276	—	0·008	TRACE		19
20	—	(SNOW MELTED) 0·008	0·039	0·074	—	0·098	—	0·024	—	—	0·008	—		20
21	—	(SNOW MELTED) 0·010	—	—	TRACE	0·014	—	0·028	0·300	0·008	—	—		21
22	—	—	—	—	—	0·134	—	0·142	TRACE	0·138	0·032	—		22
23	—	—	—	0·186	0·012	—	—	TRACE	0·315	TRACE	TRACE	—		23
24	—	(SNOW MELTED) 0·209	—	0·126	0·095	0·059	—	TRACE	0·591	—	0·067	—		24
25	—	0·362	—	0·256	TRACE	—	—	—	0·028	0·012	0·024	0·079		25
26	—	0·374	—	0·024	—	0·174	—	—	0·142	0·109	TRACE	0·118		26
27	—	—	—	—	0·134	—	TRACE	—	0·008	0·045	TRACE	0·083		27
28	—	TRACE	—	—	0·104	—	—	—	0·008	0·290	—	0·022		28
29	0·074	×	—	0·178	—	—	0·197	—	—	0·091	TRACE	TRACE		29
30	0·138	×	0·074	TRACE	—	—	0·035	—	0·012	—	—	0·095		30
31	0·111	×	0·016	×	—	×	—	0·130	×	—	×	—		31
TOTAL	1·86 ~~1·847~~	1·81 ~~1·809~~	2·69 ~~2·690~~	·87 ~~0·866~~	1·49 ~~1·494~~	·99 ~~0·995~~	1·35 ~~1·345~~	·56 ~~0·560~~	2·27 ~~2·266~~	1·33 ~~1·334~~	1·29 ~~1·291~~	·44 ~~0·443~~	Year's Total 16·94 ~~16·940~~	
*Days with ·01 in. or more.	15 ✓	14 ✓	16 ✓	7 ✓	15 ✓	13 ✓	10 ✓	7 ✓	10 ✓	13	12 ✓	7 ✓	139	
*Days with ·04 in. or more.	11 ✓	9 ✓	12 ✓	5 ✓	11 ✓	8 ✓	7 ✓	4 ✓	8 ✓	12 ✓	~~9~~ 8	4 ✓	~~100~~ 99	

40-9999 1·85 1·81 2·69 ·87 1·49 ·99

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. C. Game

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 9.34

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at ROTHAMSTED.

in the County of Hertfordshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft 9 ins

,, Ground ,, Sea Level 420 ft.

24 T.L. Duplicate

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·049	—	(Frost) Trace	—	(Heavy Dew) Trace	—	—	0·170	0·211	(Heavy Dew) Trace	—	0·327		1
2	0·138	—	0·079	—	0·047	—	—	0·012	0·613	0·130	—	0·162		2
3	0·016	0·063	(Frost) Trace	0·142	—	—	—	—	—	0·650	—	0·010		3
4	0·091	Trace	0·047	0·012	0·020	—	—	—	—	0·126	0·059	0·358		4
5	(Frost) Trace	(Frost) Trace	0·057	—	0·028	—	—	0·032	—	(Heavy Dew) 0·004	0·006	0·244		5
6	0·008	(Frost) Trace	0·120	Trace	0·468	0·201	—	0·095	—	0·136	0·002	0·445		6
7	0·012	(Frost) Trace	(Frost) Trace	—	—	0·055	—	0·095	—	0·043	0·004	0·244		7
8	—	(Frost) Trace	(Frost) Trace	—	0·055	—	—	0·035	0·087	—	0·209	0·010		8
9	0·016	—	0·043	—	—	—	—	Trace	(Heavy Dew & Mist) Trace	—	0·744	0·335		9
10	0·075	(Frost & wet Fog) Trace	0·203	0·091	—	—	—	Trace	(Heavy Dew) 0·006	(Heavy Dew) Trace	0·240	0·008		10
11	0·354	(Frost) 0·008	0·280	0·035	—	—	—	0·012	—	(Heavy Dew) Trace	Trace	0·130		11
12	0·012	(Frost) Trace	0·074	0·024	—	—	0·028	0·166	(Heavy Dew) Trace	—	Trace	0·039		12
13	0·374	(Frost) Trace	(Snow all melted) 0·111	0·006	—	—	0·225	0·063	(Heavy Dew) Trace	—	0·043	0·276		13
14	0·032	—	0·402	—	0·055	0·010	—	—	(Heavy Dew) Trace	0·079	0·225	0·284		14
15	0·071	(Frost) Trace	0·114	—	0·071	—	—	—	0·980	0·006	0·095	0·174		15
16	0·138	(Heavy Dew) Trace	0·276	—	0·051	—	—	—	(Heavy Dew) Trace	0·184	Trace	0·008		16
17	0·020	—	—	0·006	0·006	—	—	—	0·010	0·073	0·008	0·217		17
18	0·217	(Frost) 0·008	Trace	0·205	—	—	0·311	—	0·006	—	0·004	0·067		18
19	—	(Frost) Trace	0·199	0·006	—	0·041	—	Trace	0·067	Trace	0·004	0·059		19
20	(Frost) Trace	—	0·236	0·035	—	Trace	0·300	—	—	—	Trace	0·004		20
21	(Frost) Trace	(Fog & Frost) 0·006	0·028	0·063	—	0·047	—	0·053	—	0·074	Trace	0·008		21
22	(Frost) Trace	(Fog & Frost) Trace	Trace	—	—	—	0·047	0·095	0·304	(Heavy Dew) Trace	0·008	0·006		22
23	(Frost) Trace	(Fog & Frost) Trace	—	0·225	0·035	0·211	0·010	(Dew) Trace	Trace	—	Trace	0·091		23
24	(Fog & Frost) 0·006	0·004	0·071	0·055	—	0·032	0·107	—	0·197	—	Trace	Trace		24
25	0·166	0·083	—	0·296	—	0·744	—	—	—	0·059	—	0·315		25
26	0·063	(Snow melted) Trace	—	0·158	—	0·012	0·008	—	0·024	0·012	—	0·209		26
27	—	(Snow melted) 0·158	—	—	—	0·085	—	—	—	0·012	—	0·296		27
28	—	(Snow melted) 0·122	—	0·504	—	0·229	0·006	0·701	—	—	0·074	0·323		28
29	—		—	—	—	—	0·026	0·244	0·118	0·035	0·028	0·039		29
30	0·051	×	—	(Heavy Dew) Trace	—	—	—	TRACE 0·002	0·028	(Frost) Trace	—	0·083		30
31	0·032	×	—	×	—	×	—	(Heavy Dew) Trace	×	0·260	×	0·055	15	31
TOTAL	1·941	0·452	2·340	1·86 ~~1·339~~	0·836	1·667	1·068	1·775	2·651	1·883	1·753	8 4·~~7~~26	Year's Total. ~~22451~~	~~23·055~~ see attached
* Days with .01 in. or more.	19	4	16	13	9	11	8	13	11	14	9	25	152	
* Days with .04 in. or more.	12	4	15	9	6	8	5	9	8	11	8	21	116	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W. C. Game (Met. Observer)

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 934

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rothamsted AP

in the County of Herts

24

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground - ft 9 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3										·65			3
4													4
5													5
6					·47							·4~~7~~5	6
7													7
8													8
9											·74		9
10													10
11	·35												11
12													12
13													13
14			·40										14
15									·98				15
16													16
17													17
18							·31						18
19													19
20													20
21													21
22													22
23													23
24													24
25						·74							25
26													26
27		·16											27
28				·50				·70					28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·94 ✓	0·45	2·34	1·86 ✓	0·83	1·66 ✓	1·09	1·74 ✓	2·66	1·87	18·18 ✓✓ 1·74	4·83 ~~5·37~~	YEAR'S TOTAL 23·55
*Days with ·01 in. or more.	21	7	16	16	10	11	10	13	13	15	11	29 ~~30~~	178
*Days with ·04 in. or more.	12	4	15	9	6	8	5	9	8	11	8	23 ~~2~~	118 ✓
40-9999	49·3	11·4	59·4	47·2	21·1	42.2	27·7	44·2	64·6	47·5	44·2	~~136·4~~ 122·7	

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 934

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Rothamsted A.P.

in the County of Herts.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground – ft 9 in.

,, Ground ,, Sea Level 420 ft.

dup.

Duration

24

Ten

109

max. reading to 2 places of dec[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6						0.50								6
7				·47										7
8														8
9										1·00				9
10														10
11	·24													11
12														12
13														13
14														14
15														15
16											0·65			16
17														17
18							0.61							18
19														19
20														20
21														21
22														22
23			·25											23
24		50												24
25														25
26												·35		26
27														27
28														28
29									0.67					29
30		×			·39			·59						30
31		×		×		×			×		×			31
TOTAL	·84	2·65	0·53	3·60	1·75	2·83	0·90	1·50	4·19	2·77	5·03	2·85 ✓	Year's Total 29·44	✓
*Days with ·01 in. or more.	13	15	7	21	9	18	4	9	18	16	23	19	172	
*Days with ·04 in. or more.	4	12	4	14	8	14	4	6	12	10	19	15	125	

40-9999 21

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 934

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ROTHAMSTED.
in the County of Hertfordshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground ft. 9 in.
,, Ground ,, Sea Level 420 ft.

Duration

24

JE

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·150	0·020	TRACE	–	–	0·051	0·063	–	0·008	0·020	0·217	–		1
2	TRACE	–	TRACE	0·028	–	–	–	–	0·020	0·209	0·051	–		2
3	–	0·197	0·079	0·035	–	0·122	–	0·012	0·335	0·327	0·130	0·008		3
4	–	–	TRACE	0·225	–	0·122	–	–	0·024	0·063	TRACE	0·051 (FROST)		4
5	–	0·445	0·035	0·111	–	0·039	TRACE	–	0·386	TRACE	0·016	TRACE		5
6	0·016	TRACE	–	0·319	–	0·496	–	–	–	0·008	TRACE	0·008		6
7	0·004	TRACE	–	0·457	–	0·032	–	–	–	0·107	1·137	0·126		7
8	TRACE	–	–	0·221	–	TRACE	–	0·055	–	0·271	0·197	0·111		8
9	TRACE	–	–	0·225	–	0·465	–	–	–	1·000	0·059	TRACE		9
10	TRACE	TRACE	–	0·343	–	0·008	–	–	–	–	0·188	0·028		10
11	0·236	–	–	0·002	–	0·067	–	–	–	DEW TRACE	0·319	TRACE		11
12	0·006	0·028	–	TRACE	–	0·264	–	0·051	0·016	DEW TRACE	0·343	–		12
13	0·122	0·158	–	0·246	0·150	0·004	–	–	TRACE	–	0·008	–		13
14	–	TRACE	–	0·020	0·213	0·016	–	–	TRACE	–	0·232	0·083		14
15	–	0·240	–	0·410	0·016	0·095	–	–	0·248	–	0·331	0·156		15
16	TRACE	0·079	0·055	0·020	–	0·343	–	–	0·232	0·028	0·652	0·116		16
17	TRACE	–	DEW TRACE	0·008	TRACE	0·158	–	–	0·010	–	0·457	(FROST) TRACE		17
18	–	–	–	0·414	0·394	0·146	0·615	TRACE	0·547	0·028	0·059	(FROST) TRACE		18
19	–	–	–	0·087	0·126	0·016	0·114	–	0·134	–	0·122	0·140		19
20	0·006	0·107	–	0·103	0·236	0·099	0·118	–	TRACE	–	0·039	–		20
21	0·006	0·244	0·012	0·028	–	TRACE	–	–	TRACE	0·024	0·134	–		21
22	–	0·020	0·103	0·035	–	–	–	0·292	0·468	TRACE	–	–		22
23	–	FROST TRACE	0·252	–	–	–	–	0·270	0·008	0·039	–	0·079		23
24	0·067	0·504	0·014	–	–	–	–	0·012	0·591	TRACE	TRACE	0·290		24
25	0·078	0·142	–	0·201	–	0·284	–	TRACE	–	TRACE	TRACE	0·141		25
26	0·047	0·087	–	–	–	–	–	0·197	0·122	TRACE	–	0·355		26
27	0·024	0·244	–	–	0·142	–	0·004	–	0·178	0·012	0·166	0·292		27
28	TRACE	0·138	–	–	0·083	–	–	0·032	0·190	0·043	0·008	0·072		28
29	0·012	✕	–	–	–	–	–	–	0·665	– 14	0·012	0·302		29
30	0·055	✕	TRACE	0·059	0·389	–	–	0·586	TRACE	0·074	0·186	0·309		30
31	–	✕	–	✕	TRACE	✕	–	–	✕	0·520	✕	0·181		31
TOTAL	~~·83~~	~~2·65~~	~~·55~~	~~3·60~~	~~1·75~~	~~2·83~~	~~·91~~	~~1·51~~	~~4·18~~	~~2·77~~	~~5·01~~	~~2·85~~	Year's Total	
	0·829	2·653	0·558	3·597	1·749	2·827	0·914	1·507	4·182	2·773	5·013	2·848	29·442	
* Days with .01 in. or more.	~~10~~ 13	15	7	~~20~~ 21	9	~~17~~ 18	4	9	~~16~~ 18	~~15~~ 16	~~21~~ 23	~~17~~ 19	~~160~~ 172	
* Days with .04 in. or more.	7	12	4	14	8	~~13~~ 14	4	6	12	~~9~~ 10	~~18~~ 19	16	~~123~~ 126	

accept M.W.R. figures

40-9999.

* See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(Signed) W. C. Game [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 934

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. D

Kept at Rothamsted (AP.)

in the County of Herts

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground - ft 9 in.

,, Ground ,, Sea Level 420 ft.

400

T.L.

mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				0·23										1
2														2
3														3
4														4
5														5
6								0·10						6
7							0·76							7
8														8
9														9
10														10
11											·82			11
12														12
13														13
14												·40		14
15														15
16														16
17		0·62												17
18														18
19														19
20									1·06					20
21						3·15								21
22					0·29									22
23														23
24														24
25			0·19											25
26														26
27														27
28	0·28													28
29														29
30		×												30
31		×		×		×			×	0·42	×			31
TOTAL	3·87	2·12	1·25	1·22	0·44	6·04	4·47	0·29	3·34	1·62	3·63	2·08	Year's Total. 30·37	
* Days with .01 in. or more.	21	15	14	12	8	19	22	7	19	15	17	22	191	
* Days with .04 in. or more.	19	13	12	9	3	14	16	3	14	10	12	13	138	
40-9999	98·3	53·8	31·8	31·0	11·2	153·4	113·5	7·4	84·8	41·1	92·7	51·8	771·3	

† Spare column, no entries required.

(Signed)

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 934

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ROTHAMSTED

in the County of Hertfordshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 9 ins

,, Ground ,, Sea Level 420 ft.

TL 400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·163	0·160	0·058	0·230	–	0·042	0·110	0·007	–	–	0·030	0·049		1
2	0·058	0·049	–	0·007	–	0·390	0·430	0·072	–	–	0·130	TRACE		2
3	TRACE	–	TRACE	0·039	0·012	0·008	TRACE	0·007	0·180	–	0·302	0·005		3
4	TRACE	–	0·117	–	–	0·090	–	–	0·290	–	0·080	0·073		4
5	0·089	–	0·043	–	–	–	–	0·018	0·358	–	0·009	SNOW ALL MELTED 0·065		5
6	0·191	–	–	–	0·012	0·248	–	0·103	0·115	(FROST) TRACE	0·098	0·010		6
7	0·243	–	0·054	–	–	–	0·760	–	0·010	0·007	0·012	TRACE		7
8	0·199	–	0·058	–	–	–	TRACE	–	0·013	–	0·410	0·153		8
9	0·379	–	0·127	–	0·005	–	0·410	–	0·122	0·033	–	(FOG) 0·008		9
10	0·129	–	TRACE	–	TRACE	–	0·049	0·015	0·025	0·040	–	–		10
11	–	–	–	0·110	–	–	0·038	–	–	–	0·820	–		11
12	–	–	–	0·099	–	0·460	0·312	–	0·165	–	0·792	0·138		12
13	–	–	–	0·122	–	0·390	–	–	(HEAVY DEW) TRACE	0·021	0·127	0·260		13
14	–	0·102	–	TRACE	–	0·050	0·680	–	0·101	0·030	TRACE	0·400		14
15	–	0·040	–	–	–	0·028	–	–	0·100	–	–	0·121		15
16	SNOW ALL MELTED 0·142	0·070	–	–	–	–	0·023	–	0·016	–	0·358	0·007		16
17	SNOW ALL MELTED 0·110	0·623	–	–	0·050	0·060	TRACE	–	–	–	0·220	0·150		17
18	–	0·074	–	–	–	0·302	0·132	–	–	0·125	0·007	0·022		18
19	0·368	0·055	TRACE	0·015	–	0·140	–	0·070	–	0·050	–	–		19
20	0·024	0·181	0·022	0·163	–	0·019	0·059	–	1·062	–	–	–		20
21	–	–	–	0·210	0·013	3·148	0·007	–	0·090	–	(FROST) TRACE	–		21
22	SNOW ALL MELTED 0·068	0·400	0·048	0·018	0·292	0·031	0·170	–	(DEW) TRACE	–	(FROST) 0·008	0·097		22
23	–	–	TRACE	0·058	–	–	0·195	–	–	0·095	TRACE	0·012		23
24	0·130	0·138	–	–	–	–	0·220	–	0·100	0·300	–	(FROST) TRACE		24
25	0·040	0·008	0·187	0·151	–	0·248	0·270	–	0·250	0·060	0·055	0·035		25
26	0·008	0·100	0·160	TRACE	–	TRACE	0·007	–	0·007	0·110	FOG TRACE	FOG 0·005		26
27	0·110	(FROST) TRACE	0·008	–	–	–	0·008	(HEAVY DEW) TRACE	0·280	0·061	–	–		27
28	0·700	(FROST) 0·006	0·102	–	–	0·025	0·506	(DEW) TRACE	0·040	–	(FROST) TRACE	0·095		28
29	0·130	SNOW ALL MELTED 0·169	0·100	–	–	0·122	0·007	–	–	0·032	0·170	0·089		29
30	0·069		TRACE	–	0·042	0·241	0·072	–	–	0·242	TRACE	0·007		30
31	0·522		0·158		0·018		·01 ~~0·110~~	–		0·425		0·275		31
TOTAL	3·87~~7~~	3 2·1~~2~~5	1·24~~2~~	1·22~~2~~	0·44~~4~~	6·04 6·~~102~~	4·47 ~~4·57~~	0·29~~2~~	3 3·3~~2~~4	1·631	3 3·6~~28~~	8 2·0~~76~~	Year's Total 2 ~~30·533~~	30·37.
* Days with .01 in. or more.	21	15	14	12	8	19	22	7	19	15	17	22	191	
* Days with .04 in. or more.	19	1~~2~~3	12	9	3	14	17	3	14	10	12	14	140	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) W. C. Game

[P.T.O.

FOR OFFICIAL USE.

934 109

Section **A** **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1937.

Kept at Rothamsted

in the County of Herts

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground – ft 9 in.

,, Ground ,, Sea Level 420 ft.

TL. 400

White

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1											·55		1
2													2
3													3
4												·62	4
5													5
6													6
7		·62											7
8													8
9													9
10			·52										10
11													11
12						·63							12
13								1·11					13
14													14
15							·56						15
16				·73									16
17									·61				17
18	·43												18
19													19
20													20
21													21
22													22
23										·65			23
24													24
25					·74								25
26													26
27													27
28													28
29		×											29
30		×											30
31		×		×		×			×		×		31
TOTAL	4·27	3·76	3·13	2·72	3·48	1·73	1·67	1·82	2·55	2·43	1·66	~~3·17~~ 2·87	YEAR'S TOTAL 0 32·39
Days with 0·2 mm. or more.	23	22	13	17	14	11	10	5	16	13	11	22	177
Days with 1·0 mm. or more.	17	16	13	13	12	7	9	4	12	9	8	10	130

(144w)

40-9999

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE ~~109~~

Section **A** for the entry of Daily Observations

Station No. 934

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1

REGISTER OF RAINFALL IN 1938

400

Kept at Rothamsted

in the County of Herts

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground - ft. 9 in.

,, Ground ,, Sea Level 420 ft.

T. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3										·78				3
4														4
5							·26							5
6														6
7														7
8														8
9												·76		9
10														10
11														11
12								·79						12
13														13
14														14
15														15
16	·41													16
17														17
18														18
19														19
20														20
21														21
22														22
23				·03										23
24														24
25											·65			25
26		·17	·09											26
27						·33			·58					27
28					·56									28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	3·07	·52	·26	·11	1·66	·77	1·14	2·30	1·70	3·10	3·39	3·22	Year's Total 21·24	✓
* Days with .01 in. or more.	21	11	5	5	12	9	14	12	18	19	19	22	167	✓
* Days with .04 in. or more.	17	5	3	0	10	5	7	9	9	14	14	12	105	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

·89

COPY FOR OFFICIAL USE ~~197~~

Section **A** for the entry of Daily Observations
Station No. 934
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Rothamsted
in the County of Herts
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground – ft. 9 in.
,, Ground ,, Sea Level 420 ft.

4OO

T.L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									·55					1
2														2
3												·27		3
4			·28											4
5														5
6														6
7														7
8												·27		8
9														9
10						·54								10
11														11
12														12
13										·83				13
14														14
15					·49									15
16														16
17														17
18														18
19														19
20														20
21			·28				·33	·42						21
22		·24												22
23											·67			23
24														24
25	·96													25
26	·19													26
27														27
28														28
29														29
30		✕		·68										30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	5·00	·78	1·69	2·73	1·67	1·96	2·02	3·01	1·31	4·37	4·28	1·34	30·16	✓
* Days with .01 in. or more.	24	14	16	16	7	12	19	14	11	22	22	18	195	✓
* Days with .04 in. or more.	18	6	10	12	6	9	14	12	8	17	19	8	139	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 109 934

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

400

Kept at Rothamsted

in the County of Herts

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground - ft. 9 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9								·13						9
10														10
11														11
12														12
13			·66	-							1·25			13
14														14
15														15
16							·49			·87				16
17														17
18		·39		·37										18
19														19
20														20
21														21
22						·37			·30					22
23														23
24														24
25														25
26	·90													26
27					·35									27
28														28
29												·32		29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL	3·40	1·59	2·58	1·78	1·98	·87	2·~~50~~ 30	·21	1·09	3·17	7·60	1·38	Year's Total ~~28·15~~ 7·9	
* Days with .01 in. or more.	12	19	15	17	13	6	16	3	9	19	24	16	169	
* Days with .04 in. or more.	8	12	10	11	9	3	~~13~~ 12	2	6	15	16	9	~~114~~ 3	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

935

935

Section **A** for the entry of Daily Observati

AIR MINISTRY.—METEOROLO

FORM 1090.

REGISTER OF

935

ROTHAMSTED 5"

1931 – 1940

780205

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION. 935

1931.

Kept at OTHAMSTED

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	TRACE	0.042	TRACE	0.095	0.015	—	0.020	—	0.083	—	—	—	1
2	0.089	0.057	TRACE	0.409	—	—	—	—	0.452	0.013	TRACE	0.062	2
3	0.049	TRACE	TRACE	0.080	0.445	—	—	0.024	0.575	—	0.128	0.204	3
4	0.005	0.017	TRACE	0.060	—	—	0.037	0.150	0.100	—	0.075	TRACE	4
5	0.005	—	TRACE	0.120	0.082	0.393	0.065	0.130	0.052	TRACE	0.008	0.420	5
6	—	0.123	—	0.070	—	—	—	—	—	0.262	0.331	—	6
7	—	0.003	—	—	TRACE	0.170	0.025	0.395	—	0.039	0.148	0.030	7
8	0.013	0.062	0.065	0.007	—	0.190	0.050	0.524	—	0.020	0.076	TRACE	8
9	—	0.090	0.006	0.028	—	TRACE	0.016	0.007	—	TRACE	0.438	0.011	9
10	0.020	0.065	—	—	TRACE	0.049	0.123	0.210	—	(DEW) TRACE	0.295	—	10
11	0.190	0.292	—	—	TRACE	TRACE	—	—	0.050	(DEW) TRACE	0.020	—	11
12	—	0.012	—	TRACE	—	—	0.010	0.020	0.270	(DEW) TRACE	—	TRACE	12
13	0.012	—	—	—	—	—	0.355	TRACE	—	(DEW) TRACE	TRACE	—	13
14	0.032	0.105	—	—	0.008	0.010	1.167	0.413	—	—	0.010	—	14
15	0.010	0.008	TRACE	0.157	0.110	—	0.110	0.582	—	—	0.005	0.021	15
16	—	0.215	—	0.137	0.262	0.030	—	0.158	0.306	—	TRACE	—	16
17	0.016	0.005	—	0.230	0.207	—	0.112	—	0.014	TRACE	—	—	17
18	0.068	0.080	—	0.256	—	0.130	0.003	0.322	—	—	0.603	TRACE	18
19	0.007	TRACE	—	0.453	—	0.303	0.140	0.006	0.035	—	TRACE	TRACE	19
20	TRACE	0.010	TRACE	0.080	—	—	0.075	0.229	TRACE	TRACE	—	(DEW) TRACE	20
21	0.018	TRACE	0.008	—	0.600	—	—	0.017	TRACE	—	TRACE	—	21
22	0.199	0.004	—	—	—	—	—	—	0.040	—	0.008	—	22
23	0.278	0.018	—	0.007	0.285	0.170	—	—	0.008	—	0.232	0.048	23
24	—	—	—	0.385	0.115	TRACE	0.160	—	TRACE	TRACE	—	0.014	24
25	0.012	—	—	0.390	0.090	—	0.260	—	—	TRACE	0.035	TRACE	25
26	—	0.026	TRACE	0.230	0.010	—	0.935	—	—	TRACE	0.172	—	26
27	0.150	0.385	—	0.048	0.140	—	—	—	—	—	0.495	—	27
28	0.070	0.120	—	0.050	—	—	—	—	—	0.013	TRACE	0.200	28
29	0.062	×	—	TRACE	0.017	—	0.118	—	—	0.259	0.006	0.008	29
30	0.099	×	—	—	0.010	—	TRACE	0.090	TRACE	—	—	—	30
31	0.262	×	—	×	TRACE	×	—	0.005	×	—	×	TRACE	31
TOTAL	1.666	1.739	0.079	3.292	2.396	1.445	3.781	3.292	1.985	0.596	3.085	1.018	YEAR'S TOTAL 24.374
*Days with ·01 in. or more.	19	17	1	18	14	9	18	14	11	6	14	9	150
*Days with ·04 in. or more.	11	12	1	17	10	7	13	11	9	2	11	5	109

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. C. Game.

[P.T.O.

935

Section **A** for the entry of Daily Observati

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 935

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at ROTHAMSTED

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	TRACE	0·042	TRACE	0·095	0·015	—	0·020	—	0·083	—	—	—	1
2	0·089	0·057	TRACE	0·409	—	—	—	—	0·452	0·013	TRACE	0·062	2
3	0·049	TRACE	TRACE	0·080	0·445	—	—	0·024	0·575	—	0·128	0·204	3
4	0·005	0·017	TRACE	0·060	—	—	0·037	0·150	0·100	—	0·075	TRACE	4
5	0·005	—	TRACE	0·120	0·082	0·393	0·065	0·130	0·052	TRACE	0·008	0·420	5
6	—	0·123	—	0·070	—	—	—	—	—	0·262	0·331	—	6
7	—	0·003	—	—	TRACE	0·170	0·025	0·395	—	0·039	0·148	0·030	7
8	0·013	0·062	0·065	0·007	—	0·190	0·050	0·524	—	0·020	0·076	TRACE	8
9	—	0·090	0·006	0·028	—	TRACE	0·016	0·007	—	TRACE	0·438	0·011	9
10	0·020	0·065	—	—	TRACE	0·049	0·123	0·210	—	(DEW) TRACE	0·295	—	10
11	0·190	0·292	—	—	TRACE	TRACE	—	—	0·050	(DEW) TRACE	0·020	—	11
12	—	0·012	—	TRACE	—	—	0·010	0·020	0·270	(DEW) TRACE	—	TRACE	12
13	0·012	—	—	—	—	—	0·355	TRACE	—	(DEW) TRACE	TRACE	—	13
14	0·032	0·105	—	—	0·008	0·010	1·167	0·413	—	—	0·010	—	14
15	0·010	0·008	TRACE	0·157	0·110	—	0·110	0·582	—	—	0·005	0·021	15
16	—	0·215	—	0·137	0·262	0·030	—	0·158	0·306	—	TRACE	—	16
17	0·016	0·005	—	0·230	0·207	—	0·112	—	0·014	TRACE	—	—	17
18	0·068	0·080	—	0·256	—	0·130	0·003	0·322	—	—	0·603	TRACE	18
19	0·007	TRACE	—	0·453	—	0·303	0·140	0·006	0·035	—	TRACE	TRACE	19
20	TRACE	0·010	TRACE	0·080	—	—	0·075	0·229	TRACE	TRACE	—	(DEW) TRACE	20
21	0·018	TRACE	0·008	—	0·600	—	—	0·017	TRACE	—	TRACE	—	21
22	0·199	0·004	—	—	—	—	—	—	0·040	—	0·008	—	22
23	0·278	0·018	—	0·007	0·285	0·170	—	—	0·008	—	0·232	0·048	23
24	—	—	—	0·385	0·115	TRACE	0·160	—	TRACE	TRACE	—	0·014	24
25	0·012	—	—	0·390	0·090	—	0·260	—	—	TRACE	0·035	TRACE	25
26	—	0·026	TRACE	0·230	0·010	—	0·935	—	—	TRACE	0·172	—	26
27	0·150	0·385	—	0·048	0·140	—	—	—	—	—	0·495	—	27
28	0·070	0·120	—	0·050	—	—	—	—	—	0·013	TRACE	0·200	28
29	0·062	×	—	TRACE	0·017	—	0·118	—	—	0·259	0·006	0·008	29
30	0·099	×	—	—	0·010	—	TRACE	0·090	TRACE	—	—	—	30
31	0·262	×	—	×	TRACE	×	—	0·005	×	—	×	TRACE	31
TOTAL	1·666	1·739	0·079	3·292	2·396	1·445	3·781	3·292	1·985	0·596	3·085	1·018	YEAR'S TOTAL 24·374
*Days with ·01 in. or more.	19	17	1	18	14	9	18	14	11	6	14	9	150
*Days with ·04 in. or more.	11	12	1	17	10	7	13	11	9	2	11	5	109

40-9999

(Signed) W. C. Game.

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 935

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at ROTHAMSTED

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 9 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·068	0·013	—	0·094	0·789	0·013	0·130	0·075	0·028	0·080	0·009	0·012	1
2	0·050	—	Trace	0·152	0·116	—	—	0·003	0·270	0·068	0·054	0·200	2
3	—	Trace	—	0·058	0·123	—	—	—	0·078	Trace	—	Trace	3
4	0·015	Trace	—	—	—	—	—	0·005	—	—	0·140	Trace	4
5	0·266	0·008	Trace	—	0·047	—	0·140	Trace	0·110	—	—	Trace	5
6	0·565	—	0·020	0·026	0·026	—	0·006	—	0·120	—	—	Trace	6
7	Trace	—	0·130	0·047	0·026	—	0·029	—	0·032	0·011	—	Trace	7
8	—	0·006	0·020	0·072	0·058	—	—	—	0·140	0·188	—	—	8
9	0·175	Trace	Trace	0·061	0·572	—	—	—	—	0·040	—	—	9
10	0·404	0·010	0·013	0·130	0·050	0·007	—	—	0·027	0·058	0·022	—	10
11	0·007	0·010	—	0·027	0·022	—	0·465	0·680	0·008	0·136	0·078	(FROST) Trace	11
12	0·118	—	—	0·012	0·087	—	—	0·029	0·025	0·303	0·012	(FROST + FOG) Trace	12
13	0·079	Trace	—	0·240	—	—	0·010	—	Trace	0·032	0·076	0·009	13
14	0·191	0·009	Trace	0·025	0·004	—	—	—	—	0·042	0·005	—	14
15	—	Trace	Trace	0·042	0·315	—	0·008	Trace	Trace	0·081	Trace	Trace	15
16	0·235	Trace	—	0·230	0·128	—	—	—	—	—	—	—	16
17	—	Trace	—	Trace	—	—	0·042	—	—	0·141	Trace	—	17
18	—	Trace	—	—	0·013	—	Trace	—	0·130	—	0·101	Trace	18
19	—	—	—	—	—	—	—	—	(Fog + Dew) Trace	0·225	0·006	Trace	19
20	(FOG + DEW) Trace	—	—	0·151	0·023	—	0·014	0·670	0·022	0·695	0·070	Trace	20
21	0·012	Trace	0·025	0·240	0·686	—	0·015	0·435	—	0·288	Trace	0·040	21
22	(WET FOG) Trace	Trace	0·380	0·006	0·021	—	0·205	—	0·452	0·125	0·368	—	22
23	—	0·090	—	—	(DEW) Trace	—	—	—	0·040	0·629	Trace	0·107	23
24	—	—	—	0·007	—	—	0·325	—	0·042	0·039	0·159	Trace	24
25	—	0·018	—	—	—	—	0·186	—	0·041	0·430	0·045	0·012	25
26	—	Trace	0·078	0·310	0·090	—	0·140	(Fog + Dew.) Trace	Trace	—	0·013	Trace	26
27	—	—	0·410	0·163	0·460	—	0·430	—	0·038	0·080	0·136	Trace	27
28	—	—	0·237	0·006	0·122	0·092	0·235	—	—	0·210	0·005	Trace	28
29	0·006	—	0·390	0·056	0·238	0·037	Trace	0·090	0·022	0·415	0·143	Trace	29
30	Trace	×	0·243	—	—	0·648	0·008	0·006	0·080	0·172	0·220	0·152	30
31	(Frost) Trace	×	Trace	×	Trace	×	0·060	—	×	Trace	×	0·080	31
TOTAL	2·191	0·164	1·946	2·155	4·016	0·797	2·448	1·993	1·705	4·488	1·662	0·612	YEAR'S TOTAL 24·177
*Days with ·01 in. or more.	~~12~~ 14	~~5~~ 7	11	22 ~~19~~	21	~~4~~ 5	~~15~~ 18	~~6~~ 8	~~18~~ 19	23	~~15~~ 18	~~7~~ 8	~~156~~ 174
*Days with ·04 in. or more.	10	1	7	15	16	2	11	5	11	20	12	5	115

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. C. Game

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 935

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at ROTHAMSTED.

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·082	0·179	0·089	—	0·160	—	—	—	—	—	0·020	—		1
2	0·425	(FROST) TRACE	0·389	—	0·088	—	—	—	—	—	—	—		2
3	TRACE	0·151	0·251	—	0·064	—	—	—	—	—	0·016	—		3
4	0·255	0·016	0·028	—	0·236	—	—	—	—	—	0·180	—		4
5	0·028	0·017	0·265	—	0·042	—	—	—	—	—	TRACE	—		5
6	—	0·088	0·046	—	0·295	—	—	—	—	0·090	0·055	0·005		6
7	0·130	0·047	0·017	—	TRACE	—	—	—	—	0·040	0·005	TRACE		7
8	0·055	TRACE	0·061	—	0·028	—	0·028	—	—	TRACE	—	—		8
9	(FROST) 0·008	—	—	—	0·070	—	0·179	—	—	0·062	0·100	—		9
10	—	0·235	—	—	0·018	0·060	0·350	TRACE	—	0·278	0·005	—		10
11	0·082	—	—	—	0·007	0·014	0·092	0·122	—	0·076	0·005	—		11
12	(FROST) TRACE	—	—	—	0·020	0·019	0·072	—	0·477	TRACE	TRACE	0·030		12
13	0·030	—	—	—	0·115	0·020	0·295	—	0·050	TRACE	0·108	—		13
14	TRACE	—	—	—	TRACE	—	TRACE	0·038	TRACE	0·050	0·525	0·019		14
15	(SNOW ALL MELTED) 0·472	—	0·115	—	—	0·013	0·075	0·080	TRACE	—	0·120	TRACE		15
16	(SNOW ALL MELTED) 0·013	0·010	0·650	—	0·005	0·189	0·012	—	TRACE	0·043	0·040	TRACE		16
17	(SNOW ALL MELTED) 0·024	(SNOW MELTED) 0·033	0·305	—	—	0·012	0·040	—	0·040	—	0·007	—		17
18	(SNOW ALL MELTED) 0·048	(SNOW MELTED) 0·072	0·185	—	TRACE	0·058	—	—	—	—	0·004	—		18
19	—	(SNOW MELTED) 0·030	0·254	0·020	—	0·131	0·012	—	0·281	—	0·007	TRACE		19
20	—	(SNOW MELTED) 0·007	0·040	0·071	—	0·092	—	0·025	—	—	0·008	—		20
21	—	(SNOW MELTED) 0·010	—	—	0·007	0·013	—	0·030	0·311	0·008	—	—		21
22	—	—	—	—	—	0·137	—	0·152	—	0·135	0·032	—		22
23	—	—	—	0·200	0·013	—	—	TRACE	0·319	TRACE	TRACE	—		23
24	—	(SNOW MELTED) 0·289	—	0·132	0·092	0·054	—	—	0·600	—	0·068	—		24
25	—	0·360	—	0·263	TRACE	—	—	—	0·028	0·008	0·022	0·085		25
26	—	0·402	—	0·028	—	0·172	—	—	0·140	0·114	TRACE	0·123		26
27	—	—	—	—	0·148	—	TRACE	—	0·008	0·070	TRACE	0·080		27
28	—	TRACE	—	—	0·104	—	—	—	0·007	0·298	—	0·035		28
29	0·078	X	—	0·180	—	—	0·200	—	—	0·097	TRACE	TRACE		29
30	0·150	X	0·072	TRACE	—	—	0·043	—	0·011	—	—	0·108		30
31	0·115	X	0·018	X	—	X	—	0·130	X	—	X	—		31
TOTAL	1·995	1·946	2·785	0·894	1·512	0·984	1·398	0·577	2·272	1·369	1·327	0·485	Year's Total 17·544	
*Days with ·01 in. or more.	15	15	16	7	15	14	12	7	10	12	12	7	142	
*Days with .04 in. or more.	11	9	13	5	11	8	9	3	8	12	8	4	101	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. C. Game.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 935

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at ROTHAMSTED,

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 18 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·058	—	(Frost) Trace	—	(Heavy Dew) Trace	—	—	0·180	0·209	(Heavy Dew) Trace	—	0·335		1
2	0·160	—	0·093	—	0·043	—	—	0·012	0·642	0·130	—	0·170		2
3	0·018	0·060	(Frost) Trace	0·135	—	—	—	—	—	0·644	—	0·012		3
4	0·098	Trace	0·046	0·010	0·021	—	—	—	—	0·130	0·062	0·380		4
5	(Frost) Trace	(Frost) Trace	0·054	—	0·028	—	—	0·028	—	(Heavy Dew) Trace	0·007	0·252		5
6	0·015	(Frost) Trace	0·114	Trace	0·477	0·209	—	0·091	—	0·135	0·002	0·450		6
7	(Drizzle & Frost) 0·073	(Frost) Trace	(Frost) Trace	—	—	0·055	—	0·090	—	0·042	0·002	0·275		7
8	—	(Frost) Trace	(Frost) Trace	—	0·057	—	—	0·032	0·088	—	0·215	0·012		8
9	0·014	—	0·040	—	—	—	—	Trace	(Heavy Dew & Mist) Trace	—	0·787	0·348		9
10	0·079	(Frost & Wet Fog) 0·003	0·220	0·098	—	—	—	Trace	(Heavy Dew & Mist) 0·005	(Heavy Dew) Trace	0·253	0·010		10
11	0·360	(Frost) Trace	0·267	0·033	—	—	—	0·009	—	—	(Heavy Dew) Trace	0·138		11
12	0·012	(Frost) Trace	(Snow all melted) 0·075	0·025	—	—	0·027	0·170	(Heavy Dew) Trace	—	(Heavy Dew) Trace	0·040		12
13	0·408	(Frost) Trace	0·112	0·007	—	—	0·218	0·062	Heavy Dew Trace	—	0·045	0·029		13
14	0·030	—	0·421	—	0·050	0·009	—	—	(Heavy Dew) Trace	0·077	0·229	0·312		14
15	0·080	(Frost) Trace	0·116	—	0·070	—	—	—	0·973	Trace	0·100	0·175		15
16	0·150	(Heavy Dew) Trace	0·280	—	0·047	—	—	—	(Heavy Dew) Trace	0·180	Trace	0·008		16
17	0·028	—	—	0·005	0·006	—	—	—	0·007	0·083	0·010	0·228		17
18	0·231	(Frost) 0·005	Trace	0·210	—	—	0·302	—	0·005	—	0·003	0·065		18
19	—	(Frost) Trace	0·195	Trace	—	0·036	—	Trace	0·069	Trace	0·004	0·055		19
20	(Frost) Trace	—	0·235	0·039	—	Trace	0·303	—	—	—	Trace	0·004		20
21	(Frost) Trace	(Frost) Trace	0·028	0·068	—	0·049	—	0·047	—	0·082	(Dew) Trace	0·009		21
22	(Frost) Trace	(Frost & Fog) Trace	0·005	—	—	—	0·045	0·090	0·304	—	(Heavy Dew) 0·006	0·006		22
23	(Frost) Trace	(Frost & Fog) Trace	—	0·245	0·032	0·213	0·010	(Dew) Trace	Trace	—	Dew Trace	0·108		23
24	(Frost & Fog) Trace	0·007	0·072	0·052	—	0·032	0·100	—	0·184	—	Trace	Trace		24
25	0·170	(Snow melted) 0·091	—	0·300	—	0·745	—	—	—	0·059	—	0·320		25
26	0·065	(Snow all melted) Trace	—	0·152	—	0·011	0·007	—	0·020	0·010	—	0·208		26
27	—	(Snow melted) 0·137	—	—	—	0·080	—	—	—	0·012	—	0·310		27
28	—	0·118	—	0·506	—	0·227	0·007	0·720	—	—	0·077	0·338		28
29	—		—	—	—	—	0·020	0·242	0·112	0·029	0·030	0·035		29
30	0·050	✕	—	(Heavy Dew) Trace	—	—	—	Trace	0·028	Trace	—	0·089		30
31	0·029	✕	—	✕	—	✕	—	(Heavy Dew) Trace	✕	0·253	✕	0·050		31
TOTAL	2·068	0·423	2·373	1·885	0·831	1·666	1·039	1·773	2·646	1·866	1·832	4·771	Year's Total. 23·173 ✓	
* Days with .01 in. or more.	20	4	16	13	9	10	8	12	10	14	10	26	152	
* Days with .04 in. or more.	12	4	15	9	6	7	5	9	8	11	8	21	115	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) W. C. Game (Met Observer) [P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 935

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ROTHAMSTED.

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft. 13 in.

„ Ground „ Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·151	0·019	TRACE	0·027	-	0·052	0·065	-	0·009	0·020	0·220	-		1
2	TRACE	-	TRACE	0·029	-	-	-	-	0·020	0·211	0·070	-		2
3	-	0·219	0·080	0·033	-	0·116	-	0·016	0·344	0·331	0·130	0·007		3
4	-	-	-	0·229	-	0·119	-	-	0·029	0·064	TRACE	0·049		4
5	-	0·462	0·038	0·100	-	0·038	TRACE	-	0·381	TRACE	0·014	(FROST) TRACE		5
6	0·020	TRACE	-	0·349	-	0·533	-	-	-	0·008	0·005	0·010		6
7	0·005	TRACE	-	0·464	-	0·032	-	-	-	0·108	1·140	0·130		7
8	TRACE	-	-	0·239	-	TRACE	-	0·053	-	0·280	0·205	0·105		8
9	TRACE	-	-	0·246	-	0·460	-	-	-	1·032	0·070	TRACE		9
10	TRACE	TRACE	-	0·349	-	0·007	-	-	-	-	0·010	0·040		10
11	0·250	-	-	TRACE	-	0·070	-	-	-	(DEW) TRACE	0·338	0·006		11
12	0·008	0·026	-	TRACE	-	0·278	-	0·050	0·017	(DEW) TRACE	0·350	-		12
13	0·129	0·158	-	0·250	0·150	0·005	-	-	-	-	0·007	-		13
14	-	TRACE	-	0·021	0·199	0·014	-	-	TRACE	TRACE	0·249	0·088		14
15	-	0·239	TRACE	0·462	0·015	0·090	-	-	0·251	-	0·332	0·159		15
16	TRACE	0·094	0·052	0·020	-	0·350	-	-	0·253	0·030	0·709	0·106		16
17	TRACE	-	-	0·008	TRACE	0·159	-	-	0·008	-	0·470	(FROST) TRACE		17
18	-	-	-	0·429	0·380	0·149	0·609	-	0·568	0·030	0·057	(FROST) TRACE		18
19	-	-	-	0·090	0·125	0·016	0·117	-	0·140	-	0·130	0·160		19
20	0·010	0·114	-	0·100	0·234	0·098	0·120	-	TRACE	-	0·048	-		20
21	0·005	0·255	0·016	0·028	-	TRACE	-	-	TRACE	0·025	0·150	-		21
22	-	0·019	0·100	0·034	-	-	-	0·300	0·465	TRACE	-	-		22
23	-	(FROST) TRACE	0·252	-	-	-	-	0·270	0·010	0·035	-	0·080		23
24	0·060	0·502	0·014	-	-	-	-	0·012	0·638	TRACE	(FROST) 0·006	0·300		24
25	0·085	0·145	-	0·195	-	0·278	-	TRACE	-	TRACE	TRACE	0·052		25
26	0·048	0·105	-	-	-	-	-	0·200	0·120	0·007	(FROST) TRACE	0·373		26
27	0·024	0·256	-	-	0·140	-	0·004	-	0·178	0·013	0·172	0·318		27
28	TRACE	0·137	-	-	0·080	-	-	0·030	0·190	0·039	0·017	0·080		28
29	0·012		-	-	-	-	-	-	0·690	-	0·013	0·318		29
30	0·050		TRACE	0·058	0·380	-	-	0·620	TRACE	0·075	0·200	0·328		30
31	-		-		TRACE		-	-		0·543		0·199		31
TOTAL	0·857	2·750	0·552	3·760	1·703	2·864	0·915	1·551	4·311	2·851	5·121	2·908	Year's Total 30·143	
* Days with .01 in. or more.	11	15	7	21	9	17	4	9	16	15	22	18	164	
* Days with .04 in. or more.	7	12	4	14	8	13	4	6	12	8	18	17	123	

40-9999.

† Spare column, no entries required.

(*Signed*) W. C. Game [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 935

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ROTHAMSTED.
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·168	0·160	0·061	0·240	–	0·050	0·115	0·008	–	–	0·032	0·050		1
2	0·059	0·051	–	0·008	–	0·400	0·428	0·075	–	–	0·135	TRACE		2
3	TRACE	–	TRACE	0·039	0·012	0·009	TRACE	0·005	0·181	–	0·308	0·005		3
4	TRACE	–	0·119	–	–	0·093	–	–	0·299	–	0·082	0·080		4
5	0·090	–	0·042	–	–	–	–	0·019	0·351	–	0·009	SNOW ALL MELTED 0·071		5
6	0·201	–	–	–	0·012	0·250	–	0·108	0·129	TRACE	0·056	0·015		6
7	0·250	–	0·048	–	–	–	0·802	–	0·010	0·007	0·012	FROST + FOG TRACE		7
8	0·218	–	0·062	–	–	–	TRACE	–	0·012	–	0·461	0·155		8
9	0·420	–	0·128	–	0·006	–	0·410	–	0·129	0·035	–	(FOG) 0·008		9
10	0·138	–	TRACE	–	TRACE	–	0·050	0·017	0·030	0·040	–	–		10
11	–	–	–	0·105	–	–	0·040	–	–	–	0·849	–		11
12	–	–	–	0·098	–	0·461	0·328	–	0·170	–	0·802	0·131		12
13	–	–	–	0·122	–	0·395	–	–	(HEAVY DEW) TRACE	0·022	0·127	0·270		13
14	–	0·108	–	TRACE	–	0·052	0·698	–	0·100	0·030	TRACE	0·418		14
15	–	0·040	–	–	–	0·028	–	–	0·100	–	–	0·150		15
16	SNOW MELTED 0·159	0·079	–	–	–	–	0·028	–	0·020	–	0·370	0·007		16
17	SNOW MELTED 0·100	0·651	–	–	0·050	0·061	TRACE	–	–	–	0·231	0·180		17
18	–	0·090	–	–	–	0·302	0·152	–	–	0·132	0·005	0·040		18
19	0·400	0·051	TRACE	0·015	–	0·151	–	0·079	–	0·055	–	–		19
20	0·029	0·040	0·022	0·168	–	0·021	0·062	–	1·070	–	–	–		20
21	–	–	–	0·240	0·013	3·088	0·007	–	0·095	–	(FROST) TRACE	–		21
22	SNOW MELTED 0·070	0·418	0·050	0·020	0·308	0·033	0·171	–	(DEW) TRACE	–	(FROST + FOG) 0·008	0·099		22
23	–	–	TRACE	0·061	–	–	0·210	–	–	0·098	(FROST + FOG) TRACE	0·018		23
24	0·150	0·148	–	–	–	–	0·220	–	0·100	0·341	–	TRACE		24
25	0·050	0·008	0·190	0·158	–	0·251	0·265	–	0·238	0·061	0·058	0·038		25
26	0·007	0·110	0·168	TRACE	–	TRACE	0·007	–	0·007	0·110	(FROST + FOG) TRACE	0·006		26
27	0·110	TRACE	0·008	–	–	–	0·008	(DEW) TRACE	0·280	0·068	–	–		27
28	0·700	TRACE	0·119	–	–	0·025	0·505	–	0·040	–	TRACE	0·107		28
29	0·140	SNOW ALL MELTED 0·161	0·112	–	–	0·122	0·010	–	–	0·037	0·175	0·089		29
30	0·080	✕	TRACE	–	0·050	0·250	0·078	–	–	0·242	TRACE	0·007		30
31	0·535	✕	0·152	✕	0·018	✕	0·111	–	✕	0·425	✕	0·275		31
TOTAL	4·074	2·115	1·281	1·274	0·469	6·042	4·705	0·311	3·361	1·703	3·720	3·127	Year's Total 32·482	
* Days with .01 in. or more.	21	14	14	12	8	19	22	7	19	15	17	22	190	
* Days with .04 in. or more.	19	13	12	9	3	14	17	3	14	12	12	15	143	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) W. C. Game [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 935

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ROTHAMSTED.

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. ... in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·240	Trace	Trace	0·010	–	–	–	–	0·022	–	0·549	0·409		1
2	0·008	0·172	0·010	0·428	–	–	–	–	0·108	–	DEW Trace	0·161		2
3	Trace	0·105	Trace	Trace	–	–	–	–	–	–	DEW Trace	0·136		3
4	0·078	0·336	Trace	0·070	–	–	–	–	–	–	–	0·639		4
5	0·207	0·018	0·142	–	–	–	0·039	–	–	–	Trace	0·018		5
6	0·018	–	0·309	0·008	0·130	–	0·190	–	–	–	0·040	Trace		6
7	–	0·662	0·048	0·128	Trace	–	Trace	–	0·021	–	–	–		7
8	Frost Trace	0·072	–	–	0·120	0·050	–	–	–	–	0·269	0·209		8
9	–	0·018	–	0·210	0·172	Trace	0·170	–	0·190	–	–	0·135		9
10	–	–	0·534	0·040	0·143	0·375	0·048		–	–	–	0·310		10
11	–	Trace	0·281	–	0·550	Trace	0·019	–	Trace	Trace	–	0·008		11
12	0·179	0·411	0·108	–	0·180	0·639	Trace	0·088	0·080	–	–	0·128		12
13	0·144	0·070	0·323	0·012	Trace	0·231	–	1·120	0·030	–	–	0·529		13
14	0·020	0·007	0·495	0·163	–	–	–	0·528	0·052	–	–	Trace		14
15	0·195	0·108	Trace	0·122	–	Trace	0·555	–	0·488	–	–	0·021		15
16	0·070	0·100	0·438	0·733	–	0·007	–	0·080	0·402	–	–	0·035		16
17	0·428	0·019	0·298	0·252	–	Trace	–	–	0·622	–	0·079	–		17
18	0·438	0·120	0·038	0·005	0·180	0·016	–	–	0·180	0·005	0·224	0·010		18
19	0·070	0·062	0·062	0·100	–	0·150	0·288	–	0·158	0·011	0·032	0·065		19
20	0·453	–	–	0·308	0·578	0·009	–	–	0·040	0·011	0·006	0·007		20
21	0·258	0·300	0·081	0·040	0·008	–	0·059	0·028	–	0·008	Trace	0·028		21
22	0·372	0·008	0·012	–	0·078	0·220	0·078	–	–	0·440	0·181	0·038		22
23	0·206	Trace	0·040	–	0·496	–	0·223	–	–	0·674	Trace	–		23
24	0·398	0·468	0·013	–	0·014	–	–	–	0·160	0·169	–	Trace		24
25	0·034	0·418	–	–	0·720	–	–	DEW. Trace	0·051	0·210	0·005	0·012		25
26	–	0·288	0·050	–	0·200	–	–	Trace	Trace	0·050	~~0·005~~	–		26
27	0·028	0·328	Trace	0·112	–	–	–	–	0·011	0·607	–	–		27
28	–	0·028	–	0·010	–	Trace	–	–	–	0·087	–	0·039		28
29	0·013		–	–	–	0·038	–	0·005	–	0·057	0·050	0·028		29
30	0·360	✕	–	–	–	–	–	–	–	–	0·257	Trace		30
31	0·259	✕	Trace	✕	–	✕	–	–	✕	0·170	✕	0·030		31
TOTAL	4·48 4·476	4·12 4·118	3·282	2·751	3·57 3·569	1·74 1·735	1·67 1·669	1·85 1·849	2·615	2·50 2·499	1·692	2·995	Year's Total 33·250	✓
* Days with .01 in. or more.	23	22	18	18	14	10	10	6	16	13	11	22	183	✓
* Days with .04 in. or more.	17	16	15	13	12	7	9	4	12	9	8	13	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) W. C. Game
Met Observer.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 935

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ROTHAMSTED.
in the County of Hertfordshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	0·008	—	—	0·082	0·007	—	0·034	0·007	—	0·022		1
2	0·092	0·012	—	0·019	0·070	0·008	0·011	—	—	0·235	—	0·016		2
3	—	DEW TRACE	—	—	0·047	—	0·011	—	0·039	0·828	0·060	—		3
4	0·082	—	FROST TRACE	—	—	0·018	—	—	—	0·113	—	0·140		4
5	—	FROST TRACE	—	—	—	—	0·263	—	—	0·083	DEW TRACE	FROST TRACE		5
6	0·088	—	—	—	—	—	0·042	—	—	0·060	—	DEW TRACE		6
7	0·020	[illegible]	FROST TRACE	—	—	TRACE	0·175	0·280	0·047	0·470	—	0·028		7
8	0·171	—	—	—	—	—	0·045	TRACE	0·022	0·222	—	FROST 0·005		8
9	0·090	0·009	—	—	—	TRACE	0·162	0·247	—	DEW TRACE	—	0·800		9
10	0·032	0·080	—	—	—	0·046	0·022	0·122	TRACE	DEW TRACE	—	0·028		10
11	0·341	—	—	—	—	—	—	—	—	DEW TRACE	0·172	0·016		11
12	0·250	0·043	—	—	0·023	—	—	0·782	TRACE	0·427	0·007	DEW TRACE		12
13	0·032	0·010	—	—	—	—	—	—	TRACE	TRACE	0·120	0·149		13
14	0·260	TRACE	—	—	0·051	—	0·033	—	0·093	DEW TRACE	Heavy DEW 0·007	0·015		14
15	0·093	TRACE	—	—	—	—	0·100	—	—	0·150	DEW TRACE	0·291		15
16	0·443	0·008	0·012	—	—	—	—	—	—	0·088	0·016	0·178		16
17	—	0·085	—	—	0·349	—	0·023	—	0·017	0·035	—	—		17
18	0·104	—	—	TRACE	0·100	—	—	0·013	0·109	0·007	0·453	—		18
19	—	TRACE	—	—	—	—	—	0·072	0·132	—	0·164	—		19
20	—	—	—	—	—	—	—	—	0·020	DEW TRACE	0·465	snow melted 0·029		20
21	0·019	—	—	TRACE	—	—	—	0·110	0·010	DEW TRACE	0·014	snow melted 0·554		21
22	—	—	—	—	—	0·005	—	0·012	DEW TRACE	—	0·247	snow melted 0·120		22
23	—	—	—	0·028	—	—	—	—	0·005	—	0·038	—		23
24	—	—	0·098	TRACE	0·007	—	—	—	0·352	—	0·067	—		24
25	0·090	0·014	0·070	—	0·060	—	0·013	0·130	DEW 0·008	0·020	0·672	snow melted 0·180		25
26	0·215	0·178	0·093	0·018	—	0·008	—	0·049	0·122	0·175	0·007	snow melted 0·158		26
27	0·090	0·057	—	—	0·059	0·328	0·242	DEW TRACE	0·590	0·080	0·415	—		27
28	0·187	0·026	—	—	0·568	0·115	—	0·460	0·032	—	0·070	0·042		28
29	0·260		—	0·011	0·315	—	—	DEW 0·006	0·005	TRACE	0·200	0·170		29
30	—	✕	—	0·034	TRACE	0·158	—	—	0·052	0·017	0·332	0·032		30
31	0·256	✕	—	✕	0·078	✕	—	—	✕	0·190	✕	0·340		31
TOTAL	3·215	0·520	0·281	0·110	2 1·7~~17~~	7 0·7~~68~~	5 1·1~~49~~	2·28~~3~~	9 1·6~~88~~	1 3·2~~07~~	3 3·52~~6~~	3·38~~8~~	Year's Total 5 21·8~~48~~	✓
* Days with .01 in. or more.	21	11	5	5	12	9	14	12	18	18	19	21	165	✓
* Days with .04 in. or more.	17	5	3	0	10	5	7	9	9	14	14	12	105	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. C. Game (Observer)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 935

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ROTHAMSTED

in the County of Hertfordshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft. 9 in.

„ Ground „ Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·03	–	–	0·35	0·29	–	0·03	0·05	0·57	–	[illegible]	0·03		1
2	melted 0·03	–	–	0·01	–	–	–	0·40	0·33	–	0·05	0·04		2
3	melted 0·39	–	–	0·18	–	–	–	0·36	–	0·07	0·28	0·28		3
4	0·01	–	0·31	0·10	–	–	0·03	0·20	–	0·38	0·01	0·01		4
5	–	0·01	TRACE	0·43	0·11	–	TRACE	0·32	–	0·10	0·39	0·19		5
6	0·69	0·01	–	0·03	–	–	0·31	0·05	–	–	0·19	0·01		6
7	0·09	0·03	–	–	–	–	–	TRACE	–	–	0·14	0·15		7
8	0·01	0·05	0·12	–	–	–	0·11	0·37	–	0·51	0·07	0·29		8
9	0·05	0·05	TRACE	–	–	–	–	0·06	–	0·27	0·01	0·18		9
10	0·23	–	–	–	–	0·54	–	0·22	0·01	0·04	0·01	–		10
11	–	–	0·19	–	TRACE	0·27	–	–	0·05	0·02	–	0·01		11
12	–	0·01	TRACE	–	0·01	0·02	–	–	0·05	–	–	–		12
13	TRACE	–	DEW 0·01	0·03	–	–	0·01	–	0·02	0·81	–	–		13
14	0·48	–	0·03	0·03	0·30	0·06	0·03	–	0·04	0·16	0·31	–		14
15	0·18	TRACE	–	–	0·50	0·30	0·23	–	0·07	0·80	0·09	0·01		15
16	0·36	–	0·16	0·07	0·11	0·22	0·13	–	–	0·01	0·32	–		16
17	0·30	0·01	0·01	0·05	0·33	–	0·09	–	–	0·01 ✓	0·04	–		17
18	0·17	0·02	0·07	–	–	0·18	0·16	TRACE	TRACE	0·15	0·40	–		18
19	0·18	TRACE	0·02	–	–	0·10	0·13	–	–	0·16	–	–		19
20	0·23	TRACE	TRACE	–	–	0·14	0·22	0·33	–	–	–	0·01		20
21	0·09	0·01	0·30	–	–	0·07	0·33	0·41	0·05	DEW 0·01	–	FROST 0·01		21
22	0·14	0·24	0·15	–	–	TRACE	0·07	TRACE	0·03	DEW TRACE	0·08	FROST 0·01		22
23	0·08	TRACE	–	0·09	–	–	0·01	–	–	0·04	0·68	FROST TRACE		23
24	snow melted 0·18	–	0·03	0·09	–	–	TRACE	–	–	0·12	DEW TRACE	–		24
25	snow melted 1·14	0·09	0·07	0·01	TRACE	–	0·03	0·15	–	0·05	0·57	0·01		25
26	snow melted 0·21	0·02	0·02	TRACE	–	–	–	0·03	–	0·20	0·29	0·07		26
27	0·01	0·07	0·13	0·07	–	–	–	0·01	–	0·13	0·20	–		27
28	0·01	0·18	0·10	–	–	0·02	0·07	–	–	0·35	0·18	snow melted 0·09		28
29	–		–	0·49	–	–	0·06	–	–	0·09	0·11	–		29
30	–	✕	–	0·74	–	0·03	–	–	–	–	0·13	0·01		30
31	–	✕	–	✕	–	✕	0·02	–	✕	–	✕	–		31
TOTAL	5·29	0·80	1·72	2·77	1·65	1·95	2·06	2·96	1·22	4·48	4·55	1·41	Year's Total 30·86 ✓	
* Days with .01 in. or more.	24	14	16	16	7	12	19	14	10	22	22	18	194 ✓	
* Days with .04 in. or more.	18	6	10	11	6	9	12	12	7	18	19	8	136 ✓	

† Spare column, no entries required.

(*Signed*) H. C. Game

[P.T.O.

* See Instruction 3 (f) on other side.

935

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — **Station No.** 954

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at ROTHAMSTED.

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ....ft....in.

,, Ground ,, Sea Level 420 ft.

Jan 30th adj. from nearby stns

Snow circ sent 7.4.41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	TRACE	·05 0·048	—	—	·03 0·028	—	—	—	—	—	0·100	TRACE		1
2	TRACE	·01 0·015	—	0·14	—	—	·06 0·059	—	—	·10 0·105	1·030	—		2
3	—	·05 0·048	—	·18 0·175	—	—	—	—	—	·14 0·140	·80 0·798	·01 0·008		3
4	—	·08 0·076	—	·18 0·173	—	—	—	—	—	·32 0·320	0·230	·04 0·037		4
5	—	·02 0·020	—	—	·01 0·005	—	·02 0·020	—	—	·11 0·115	·47 0·468	0·140		5
6	0·12	·14 0·139	—	—	·04 0·038	—	·39 0·392	—	—	·16 0·165	0·44	—		6
7	0·290	·13 0·130	—	·01 0·010	0·120	—	·01 0·012	—	·02 0·018	TRACE	TRACE	·01 0·008		7
8	—	—	—	·03 0·027	—	—	—	—	0·051	·18 0·180	·01 0·005	0·250		8
9	—	—	—	TRACE	—	0·120	TRACE	0·131	0·025	·05 0·050	0·120	0·065		9
10	—	—	—	—	—	TRACE	·32 0·320	·07 0·068	TRACE	·03 0·030	0·200	0·040		10
11	—	—	—	·03 0·029	—	0·340	·03 0·026	—	—	TRACE	0·870	0·040		11
12	—	·02 0·020	·05 0·050	—	—	—	·07 0·065	—	·16 0·158	TRACE	0·00	TRACE		12
13	—	·01 0·01	·67 0·668	0·023	—	TRACE	—	—	·08 0·085	TRACE	1·150	·01 0·00		13
14	—	—	·10 0·098	0·093	0·017	—	—	—	TRACE	·03 0·030	0·010	0·250		14
15	—	—	·01 0·015	TRACE	·29 0·286	·01 0·009	·15 0·155	—	0·015	·06 0·057	0·280	TRACE		15
16	·02 0·018	·11 0·110	·43 0·428	0·054	—	TRACE	·50 0·499	—	·18 0·178	·88 0·880	0·720	·01 0·009		16
17	—	—	·33 0·330	—	—	—	TRACE	—	—	·01 0·005	·48 0·477	TRACE		17
18	·01 0·008	·40 0·396	·18 0·176	0·370	—	—	·02 0·022	—	—	·13 0·125	0·070	0·170		18
19	—	·16 0·158	·09 0·092	0·140	—	—	·06 0·059	—	0·250	- 0·005	·16 0·158	0·020		19
20	—	·03 0·035	·02 0·020	·03 0·028	—	—	·06 0·062	·01 0·007	—	·04 0·040	·11 0·111	—		20
21	0·050	·01 0·008	·01 0·01	—	·23 0·228	—	·06 0·060	TRACE	TRACE	·03 0·033	0·440	—		21
22	·01 0·008	—	·04 0·040	·01 0·008	0·450	·36 0·358	—	—	·30 0·298	TRACE	TRACE	—		22
23	—	·05 0·05	·03 0·025	·10 0·099	0·043	·03 0·028	—	TRACE	—	·03 0·028	·01 0·015	TRACE		23
24	—	—	—	0·060	—	—	·15 0·150	—	—	—	0·00	·01 0·008		24
25	—	—	·37 0·372	—	0·030	—	·27 0·268	—	—	—	TRACE	—		25
26	0·890	·12 0·118	·15 0·150	—	0·23	—	—	—	—	—	TRACE	—		26
27	0·42	·23 0·235	—	0·28	0·35	—	·08 0·08	TRACE	—	TRACE	·01 0·011	—		27
28	0·350	·03 0·029	—	—	0·12	—	—	—	—	—	—	TRACE		28
29	0·34	·03 0·026	·10 0·10	—	—	TRACE	—	—	·01 0·005	TRACE	TRACE	0·350		29
30	('09) ~~0·900~~	✕	—	0·08	—	—	—	—	—	·15 0·145	TRACE	0·030		30
31	0·02	✕	—	✕	—	✕	—	—	✕	·84 0·840	✕	TRACE		31
TOTAL	2·61 ~~3·420~~	1·68 1·676	2·58 2·578	1·80 ~~1·798~~	1·95 ~~1·947~~	86 0·855	2·250	0·210	1·088	3·290	7·71 ~~6·787~~	1·430	Year's Total ~~27·329~~	27·45 ~~26·51~~
* Days with .01 in. or more.	12	19	15	17	13	5	16	3	10	~~19~~ 18	~~23~~ 21	~~16~~ 15	16~~8~~4	
* Days with .04 in. or more.	8	11	11	11	9	3	12	2	6	13	17	9	112	

† Spare column, no entries required.

(*Signed*) W. C. Game

[P.T.O.

* See Instruction 3 (f) on other side.

936

Section **A** for the entry of Daily Obse

AIR MINISTRY.—METEOF

RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER C 193/ .

936

ROTHAMSTED 1/1000 ACRE

1931 – 1940

780205

Kept at ROTHAMSTED

in the County of Hertfordshire

Diameter of Funnel of Gauge 1/1000th ~~in.~~ of an acre

Height of top of Gauge above Ground ——— ft ——— in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	(FROST) TRACE	0·052	—	0·103	0·017	TRACE	0·019	—	0·087	—	(HEAVY DEW) 0·007	—	1
2	0·091	0·064	TRACE	0·435	—	—	—	TRACE	0·472	0·020	0·005	0·065	2
3	0·050	TRACE	TRACE	0·095	0·498	—	—	0·037	0·580	TRACE	0·134	0·191	3
4	TRACE	0·017	TRACE	0·063	TRACE	—	0·046	0·163	0·111	—	0·082	TRACE	4
5	0·004	—	TRACE	0·128	0·086	0·413	0·067	0·142	0·067	TRACE	0·014	0·419	5
6	TRACE	0·134	—	0·079	—	—	—	—	—	0·267	0·346	—	6
7	TRACE	0·002	—	—	TRACE	0·181	0·028	0·406	—	0·046	0·152	0·033	7
8	0·012	0·061	0·056	0·008	—	0·193	0·050	0·551	—	0·023	0·886	0·010	8
9	—	0·086	0·026	0·028	—	TRACE	0·015	0·011	—	0·008	0·443	0·013	9
10	0·023	0·068	—	TRACE	TRACE	0·051	0·125	0·224	—	(DEW) TRACE	0·302	—	10
11	0·192	0·289	—	—	TRACE	TRACE	—	—	0·051	(DEW) TRACE	0·020	—	11
12	—	0·020	—	TRACE	—	—	0·010	0·023	0·285	(DEW) TRACE	—	TRACE	12
13	0·012	—	—	—	—	—	0·361	TRACE	—	(DEW) TRACE	TRACE	—	13
14	0·031	0·106	—	—	0·007	0·015	1·182	0·421	—	—	0·010	—	14
15	0·010	0·008	TRACE	0·160	0·011	—	0·144	0·593	(DEW) TRACE	—	0·015	0·023	15
16	TRACE	0·246	—	0·141	(ESTIMATED) (0·270)	0·032	—	0·158	0·213	—	TRACE	—	16
17	0·019	—	—	0·239	0·232	—	0·123	TRACE	0·014	0·008	—	—	17
18	0·071	0·080	—	0·260	—	0·139	0·005	0·334	—	—	0·615	TRACE	18
19	0·009	0·020	—	0·502	—	0·315	0·153	0·011	0·046	—	TRACE	TRACE	19
20	0·008	0·012	TRACE	0·083	—	—	0·088	0·235	0·006	0·011	TRACE	(DEW) TRACE	20
21	0·018	TRACE	0·009	—	0·616	—	—	0·021	0·009	TRACE	TRACE	—	21
22	0·196	0·008	—	—	—	—	—	—	0·064	—	0·008	—	22
23	0·282	0·028	—	0·012	0·301	0·179	—	—	0·015	—	0·234	0·044	23
24	—	TRACE	—	0·366	0·122	TRACE	0·166	—	0·008	TRACE	(DEW) TRACE	0·020	24
25	0·012	—	—	0·412	0·094	—	0·274	(DEW) TRACE	—	TRACE	0·024	0·003	25
26	—	0·0290	TRACE	0·224	0·011	—	0·962	—	—	TRACE	0·181	TRACE	26
27	0·159	0·425	—	0·050	0·146	TRACE	—	—	—	—	0·497	—	27
28	0·074	0·115	TRACE	0·062	—	—	—	—	—	0·016	0·007	0·262	28
29	0·064	×	—	TRACE	0·018	—	0·124	—	—	0·265	0·010	0·010	29
30	0·101	×	—	—	0·013	—	TRACE	0·105	TRACE	—	—	—	30
31	0·266	×	—	×	TRACE	×	—	0·010	×	TRACE	×	0·016	31
TOTAL	1·704	1·870	0·091	3·460	2·532	5 1·520	3·942	3·46 3·455	2·13 2·128	·67 0·664	3·202	1·11 1·109	YEAR'S TOTAL 8 25·677
*Days with ·01 in. or more.	19	18	2	19	13	8	18	17	12	7	17	12	162
*Days with ·04 in. or more.	11	13	1	17	9	7	14	10	10	4	12	5	113

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) W. C. Game.

P.T.O.

936

Section **A** for the entry of Daily Obse

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at ROTHAMSTED

in the County of Hertfordshire

Diameter of Funnel of Gauge 1/1000th ~~in.~~ of an acre

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	(FROST) TRACE	0·052	—	0·103	0·017	TRACE	0·019	—	0·087	—	(HEAVY DEW) 0·007	—	1
2	0·091	0·064	TRACE	0·435	—	—	—	TRACE	0·472	0·020	0·005	0·065	2
3	0·050	TRACE	TRACE	0·095	0·498	—	—	0·037	0·580	TRACE	0·134	0·191	3
4	TRACE	0·017	TRACE	0·063	TRACE	—	0·046	0·163	0·111	—	0·082	TRACE	4
5	0·004	—	TRACE	0·128	0·086	0·413	0·067	0·142	0·067	TRACE	0·014	0·419	5
6	TRACE	0·134	—	0·079	—	—	—	—	—	0·267	0·346	—	6
7	TRACE	0·002	—	—	TRACE	0·181	0·028	0·406	—	0·046	0·152	0·033	7
8	0·012	0·061	0·056	0·008	—	0·193	0·050	0·551	—	0·023	0·886	0·010	8
9	—	0·086	0·026	0·028	—	TRACE	0·015	0·011	—	0·008	0·463	0·013	9
10	0·023	0·068	—	TRACE	TRACE	0·051	0·125	0·224	—	(DEW) TRACE	0·302	—	10
11	0·192	0·289	—	—	TRACE	TRACE	—	—	0·051	(DEW) TRACE	0·020	—	11
12	—	0·020	—	TRACE	—	—	0·010	0·023	0·285	(DEW) TRACE	—	TRACE	12
13	0·012	—	—	—	—	—	0·361	TRACE	—	(DEW) TRACE	TRACE	—	13
14	0·031	0·106	—	—	0·007	0·015	1·182	0·431	—	—	0·010	—	14
15	0·010	0·008	TRACE	0·160	0·011	—	0·144	0·593	(DEW) TRACE	—	0·015	0·023	15
16	TRACE	0·246	—	0·141	(ESTIMATED) 0·270	0·032	—	0·158	0·313	—	TRACE	—	16
17	0·019	—	—	0·239	0·232	—	0·123	TRACE	0·014	0·008	—	—	17
18	0·071	0·080	—	0·260	—	0·139	0·005	0·334	—	—	0·615	TRACE	18
19	0·009	0·020	—	0·502	—	0·315	0·153	0·011	0·046	—	TRACE	TRACE	19
20	0·008	0·012	TRACE	0·083	—	—	0·088	0·235	0·006	0·011	TRACE	(DEW) TRACE	20
21	0·018	TRACE	0·009	—	0·616	—	—	0·021	0·009	TRACE	TRACE	—	21
22	0·196	0·008	—	—	—	—	—	—	0·064	—	0·008	—	22
23	0·282	0·028	—	0·012	0·301	0·179	—	—	0·015	—	0·234	0·044	23
24	—	TRACE	—	0·366	0·122	TRACE	0·166	—	0·008	TRACE	(DEW) TRACE	0·020	24
25	0·012	—	—	0·412	0·094	—	0·274	(DEW) TRACE	—	TRACE	0·024	0·003	25
26	—	0·0290	TRACE	0·234	0·011	—	0·962	—	—	TRACE	0·181	TRACE	26
27	0·159	0·425	—	0·050	0·146	TRACE	—	—	—	—	0·497	—	27
28	0·074	0·115	TRACE	0·062	—	—	—	—	—	0·016	0·007	0·262	28
29	0·064	✕	—	TRACE	0·018	—	0·124	—	—	0·265	0·010	0·010	29
30	0·101	✕	—	—	0·013	—	TRACE	0·105	TRACE	—	—	—	30
31	0·266	✕	—	✕	TRACE	✕	—	0·010	✕	TRACE	✕	0·016	31
TOTAL	1·704	1·870	0·091	3·460	2·532	5 1·520	3·942	3·46 3·455	2·13 2·128	·67 0·664	3·202	1·11 1·109	YEAR'S TOTAL 8 25·677
*Days with ·01 in. or more.	19	18	2	19	13	8	18	17	12	7	17	12	162
*Days with ·04 in. or more.	11	13	1	17	9	7	14	10	10	4	12	5	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. C. Game

P.T.O.

corrd. for inch.

936

Section A for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at ROTHAMSTED

in the County of Hertfordshire

Diameter of Funnel of Gauge 1/1000 ~~in.~~ part of acre

Height of top of Gauge above Ground — ft. 9 in.

" Ground " Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·056 ~~0·183~~	0·017	—	0·097	0·835	0·012	0·135	0·080	0·034	0·110	0·013	—	1
2	0·050	—	(FROST) Trace	0·170	0·142	—	—	0·004	0·287	0·077	0·059	(INCLUDING FROST FROM PREVIOUS DAY) 0·223	2
3	—	Trace	—	0·062	0·152	—	—	—	0·095	0·008	—	0·003	3
4	0·015	Trace	—	—	—	Trace	—	0·010	—	—	0·155	0·009	4
5	0·255	0·009	0·006	—	0·056	—	0·167	0·006	0·122	—	—	Trace	5
6	0·553	—	0·023	0·030	0·031	—	0·009	—	0·132	—	—	0·016	6
7	Trace	Trace	0·146	0·057	0·034	—	0·033	—	0·035	0·014	—	0·011	7
8	Trace	0·009	0·030	0·082	0·063	—	—	—	0·162	0·198	—	—	8
9	0·195	0·005	0·006	0·061	0·518	—	—	—	—	0·057	—	—	9
10	0·418	0·017	0·013	0·137	0·052	0·007	—	—	0·040	0·068	0·023	—	10
11	0·011	0·009	—	0·030	0·027	—	0·487	0·694	0·009	0·146	0·091	(FROST) 0·007	11
12	0·112	Trace	—	0·018	0·088	—	(DEW) Trace	0·039	0·028	0·310	0·018	Trace	12
13	0·088	0·009	(FROST) Trace	0·241	(DEW) Trace	—	0·014	Trace	0·008	0·044	0·086	0·012	13
14	0·194	0·007	(WET AIR) Trace	0·025	0·005	—	—	—	Trace	0·050	0·008	—	14
15	Trace	Trace	(FOG + MIST) Trace	0·052	0·333	—	0·011	0·009	Trace	0·090	Trace	Trace	15
16	0·231	Trace	—	0·276	0·133	—	—	Trace	Trace	—	—	—	16
17	—	Trace	—	0·009	Trace	—	0·053	—	—	0·141	Trace	—	17
18	—	Trace	—	—	0·013	—	0·006	—	0·150	—	0·109	0·010	18
19	Trace	—	—	—	—	—	—	—	Trace	0·239	0·008	0·013	19
20	Trace	—	—	0·157	0·031	—	0·017	0·694	0·029	0·734	0·076	0·010	20
21	0·012	0·004	0·028	0·253	0·720	—	0·019	0·454	—	0·303	0·006	0·043	21
22	Trace	Trace	0·392	0·009	0·084	—	0·218	—	0·500	0·140	0·373	—	22
23	—	0·102	Trace	Trace	(DEW) Trace	—	—	—	0·061	0·659	Trace	0·113	23
24	—	Trace	—	0·008	—	—	0·342	—	0·054	0·048	0·168	—	24
25	—	0·021	—	—	—	Trace	0·203	—	0·056	0·452	0·037	0·022	25
26	—	Trace	0·084	0·325	0·096	Trace	0·150	Trace	0·005	Trace	0·019	Trace	26
27	—	—	0·407	0·173	0·484	—	0·423	—	0·058	0·092	0·149	Trace	27
28	—	—	0·239	0·006	0·133	0·106	0·250	—	Trace	0·242	0·007	Trace	28
29	0·007	—	0·383	0·058	0·244	0·043	Trace	0·102	0·027	0·430	0·141	Trace	29
30	0·003	✕	0·245	—	Trace	0·682	0·010	0·010	0·093	0·190	0·237	0·159	30
31	(FROST) Trace	✕	Trace	✕	Trace	✕	0·072	—	✕	(FROST, FOG, DEW) Trace	✕	0·082	31
TOTAL	2·20 2·200	·21 0·209	2·00 2·002	2·34 2·336	4·27 4·274	·85 0·850	2·62 2·619	2·10 2·102	1·99 1·985	4·84 4·842	1·78 1·783	·73 0·733	25·935 YEAR'S TOTAL ~~26·062~~
*Days with ·01 in. or more.	13	4	11	19	21	4	17	8	18	23	16	12	166
*Days with ·04 in. or more.	10	1	7	15	16	3	11	5	13	22	11	4	118

40-9999

(Signed) H. C. Game

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at ROTHAMSTED.

in the County of Hertfordshire

Diameter of Funnel of Gauge 1/1000th ~~in.~~ part of an acre

Height of top of Gauge above Ground Ground ~~ft.~~ Level ~~in.~~

" Ground " Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·095	0·180	0·095	—	0·163	—	—	—	—	—	0·020	—		1
2	0·401	(FROST) 0·005	0·400	—	0·090	—	—	—	—	—	—	—		2
3	0·007	0·154	0·253	—	0·069	—	—	—	—	—	0·023	—		3
4	0·267	0·015	0·032	—	0·236	—	—	—	—	TRACE	0·203	—		4
5	0·025	0·014	0·270	—	0·049	—	—	—	—	—	0·006	—		5
6	TRACE	0·093	0·049	—	0·309	—	—	—	—	0·098	0·063	0·016		6
7	0·138	0·052	0·020	—	TRACE	—	—	—	—	0·042	0·010	0·008		7
8	0·063	TRACE	0·067	—	0·030	—	0·030	—	—	TRACE	—	—		8
9	0·010	—	—	—	0·074	—	0·183	—	—	0·066	0·107	—		9
10	—	0·253	—	—	0·024	0·066	0·345	TRACE	—	0·274	0·008	TRACE		10
11	0·098	—	0·007	—	0·010	0·016	0·093	0·142	—	0·085	0·006	TRACE		11
12	TRACE	—	—	—	0·025	0·021	0·074	—	0·528	TRACE	0·005	0·011		12
13	0·030	(FROST) TRACE	—	—	0·124	0·020	0·303	—	0·061	0·006	0·117	—		13
14	0·003	—	—	—	TRACE	—	TRACE	0·038	TRACE	0·065	0·532	0·028		14
15	(SNOW NOT ALL MELTED) 0·483	—	0·123	—	—	0·013	0·085	0·090	TRACE	0·006	0·128	TRACE		15
16	(SNOW NOT MELTED) 0·009	0·013	0·683	—	0·005	0·190	0·010	—	TRACE	0·054	0·050	0·005		16
17	(SNOW NOT MELTED) 0·022	(NO SNOW MELTED) 0·052	0·325	—	—	0·011	0·040	—	0·050	TRACE	0·009	—		17
18	0·047	(SNOW NOT ALL MELTED) 0·115	0·202	—	TRACE	0·058	—	—	—	—	0·010	—		18
19	—	(SNOW NOT ALL MELTED) 0·032	0·260	0·024	—	0·138	0·013	—	0·295	TRACE	0·009	TRACE		19
20	—	(SNOW NOT ALL MELTED) 0·013	0·037	0·072	—	0·102	—	0·028	—	—	0·013	—		20
21	—	(SNOW NOT ALL MELTED) 0·016	—	—	0·009	0·015	—	0·036	0·338	0·010	TRACE	—		21
22	—	—	—	—	—	0·143	—	0·171	0·005	0·146	0·038	—		22
23	—	—	—	0·200	0·015	—	—	0·005	0·348	TRACE	0·007	—		23
24	—	(SNOW NOT MELTED) 0·249	—	0·144	0·106	0·060	—	TRACE	0·613	TRACE	0·080	—		24
25	—	0·447	—	0·269	TRACE	—	—	—	0·028	0·014	0·027	0·084		25
26	—	(SNOW ALL MELTED) 0·443	TRACE	0·030	TRACE	0·180	—	—	0·152	0·115	TRACE	0·128		26
27	—	TRACE	—	—	0·150	—	TRACE	—	0·010	0·079	TRACE	0·088		27
28	—	0·005	TRACE	—	0·105	—	—	—	0·012	0·318	—	0·053		28
29	0·081	×	TRACE	0·186	—	—	0·204	—	—	0·106	TRACE	TRACE		29
30	0·070	×	0·079	TRACE	—	—	0·045	—	0·012	—	—	0·113		30
31	0·124	×	0·020	×	—	×	—	0·143	×	—	×	—		31
TOTAL	1·972	2·151	2·922	0·925	1·593	1·033	1·425	0·653	2·452	1·484	1·471	0·534	Year's Total 18·615	
*Days with ·01 in. or more.	15	16	16	7	16	14	12	7	12	14	15	8	152	
*Days with ·04 in. or more.	11	9	12	5	11	7	9	4	8	12	8	5	101	

† Spare column, no entries required.

(*Signed*) W. C. Game.

40-9999

*See Instruction 2 (*f*) on other side.

D

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at ROTHAMSTED.
in the County of Hertfordshire
Diameter of Funnel of Gauge 1/1000th part of an acre.
Height of top of Gauge above Ground At Ground Level
,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.058	—	—	—	(Heavy Dew) 0.005	—	—	0.196	0.225	(Heavy Dew) Trace	—	0.344		1
2	0.160	—	0.093	—	0.052	—	—	0.015	0.679	0.133	—	0.188		2
3	0.018	0.098	(Frost) Trace	0.149	—	—	—	—	—	0.670	—	0.015		3
4	0.106	Trace	0.050	0.015	0.024	—	—	—	(Heavy Dew) 0.007	0.140	0.078	0.390		4
5	(Frost) Trace	(Frost) Trace	0.060	—	0.028	—	—	0.036	—	(Heavy Dew) 0.006	0.006	0.266		5
6	0.018	(Frost) 0.007	0.126	0.004	0.494	0.224	—	0.094	(Heavy Dew) 0.005	0.154	0.006	0.470		6
7	(Drizzle + Frost) 0.015	(Frost) Trace	(Frost) Trace	—	—	0.062	—	0.104	—	0.052	0.006	0.280		7
8	(Frost) Trace	(Frost) Trace	(Frost) Trace	—	0.066	—	—	0.036	0.012	—	0.236	0.015		8
9	0.018	(Frost) Trace	0.037	—	—	—	—	Trace	(Heavy Dew + Mist) Trace	—	0.808	0.364		9
10	0.080	(Frost + Wet Fog) 0.006	0.233	0.118	—	—	—	0.006	(Heavy Dew + Mist) 0.007	(Heavy Dew) 0.006	0.270	0.012		10
11	0.363	(Frost) 0.008	0.280	0.036	—	—	—	0.013	—	(Heavy Dew) 0.006	(Heavy Dew) 0.005	0.148		11
12	0.011	(Frost) 0.007	0.077	0.026	—	—	0.027	0.181	(Heavy Dew) Trace	—	(Heavy Dew) Trace	0.050		12
13	0.400	(Frost) Trace	0.116	0.011	—	—	0.232	0.074	(Heavy Dew) Trace	—	0.054	0.300		13
14	0.036	(Dew) Trace	0.418	—	0.057	0.011	—	—	(Heavy Dew) Trace	0.082	0.249	0.324		14
15	0.084	(Frost) 0.006	0.116	—	0.075	—	—	—	0.975	0.009	0.117	0.194		15
16	0.153	Heavy Dew 0.008	0.285	—	0.052	—	—	—	(Heavy Dew) 0.006	0.193	Trace	0.014		16
17	0.023	—	—	0.008	0.008	—	—	—	0.012	0.102	0.011	0.250		17
18	0.233	(Frost) 0.008	0.006	0.219	—	—	0.328	—	0.010	—	0.008	0.078		18
19	—	(Frost) Trace	0.209	0.006	—	0.039	—	Trace	0.070	0.005	0.006	0.070		19
20	(Frost) Trace	—	0.246	0.038	—	Trace	0.318	—	—	—	Trace	0.006		20
21	(Frost) 0.006	(Fog + Frost) 0.007	0.032	0.074	—	0.061	—	0.055	—	0.090	(Dew) Trace	0.013		21
22	(Frost) Trace	(Fog + Frost) Trace	0.006	—	—	—	0.054	0.102	0.322	(Heavy Dew) 0.006	(Heavy Dew) 0.011	0.008		22
23	(Frost) Trace	(Fog + Frost) 0.005	—	0.247	0.034	0.225	0.010	(Dew) Trace	Trace	(Heavy Dew) Trace	(Dew) Trace	0.124		23
24	(Frost + Fog) 0.007	0.009	0.074	0.058	—	0.030	0.122	—	0.204	(Dew) Trace	Trace	Trace		24
25	0.167	Snow melted 0.105	—	0.317	—	0.759	—	—	—	0.070	—	0.329		25
26	0.077	Trace	—	0.162	—	0.011	0.010	—	0.030	0.013	—	0.220		26
27	—	0.185	—	—	—	0.089	—	—	—	0.012	—	0.326		27
28	—	0.174	—	0.538	—	0.239	0.007	0.746	—	(Frost + Dew) Trace	0.084	0.361		28
29	—		—	—	—	—	0.022	0.254	0.131	0.033	0.033	0.074		29
30	0.066	×	—	(Heavy Dew) Trace	—	—	—	0.002	0.032	Trace	—	0.100		30
31	0.037	×	—	×	—	×	—	(Heavy Dew) Trace	×	0.290	×	0.058		31
TOTAL	2.136	0.633	2.464	2.026	0.895	1.750	1.130	1.914	2.727	2.072	1.988	5.391	Year's Total 25.7~~76~~13	
* Days with .01 in. or more.	20	4	16	14	9	11	9	13	12	14	11	28	161	
* Days with .04 in. or more.	12	4	14	9	6	7	5	9	7	11	8	23	115	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) H. C. Game (Met Observer)

[P.T.O.

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations. Station No. 936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ROTHAMSTED.

in the County of Hertfordshire

Diameter of Funnel of Gauge 1/1000 TH PART OF AN ACRE in.

Height of top of Gauge above Ground GROUND LEVEL ft. in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·155	0·020	TRACE	0·030	–	0·063	0·072	–	0·013	0·024	0·226	–		1
2	TRACE	–	TRACE	0·031	–	–	–	–	0·025	0·217	0·068	–		2
3	–	0·244	0·093	0·035	–	0·126	–	0·016	0·341	0·342	0·138	0·020		3
4	–	–	FROST TRACE	0·255	–	0·129	–	–	0·040	0·065	TRACE	0·057		4
5	–	0·492	0·037	0·118	–	0·040	TRACE	–	0·398	0·002	0·019	TRACE		5
6	0·036	TRACE	–	0·365	–	0·537	–	–	–	0·008	0·008	(FROST) 0·014		6
7	0·007	TRACE	–	0·478	–	0·036	–	–	–	0·100	1·209	0·140		7
8	TRACE	–	–	0·249	–	TRACE	–	0·060	–	0·310	0·218	0·121		8
9	TRACE	0·003	TRACE	0·254	–	0·490	–	–	–	1·047	0·076	TRACE		9
10	TRACE	0·002	TRACE	0·342	–	0·008	–	–	–	–	0·024	0·044		10
11	0·266	–	FROST 0·002	0·010	–	0·076	–	–	–	(DEW) 0·007	0·346	0·011		11
12	0·007	0·032	FROST 0·006	TRACE	–	0·286	–	0·058	0·023	(DEW) TRACE	0·360	TRACE		12
13	0·149	0·174	TRACE	0·265	0·172	0·005	–	–	TRACE	TRACE	0·010	TRACE		13
14	–	0·005	TRACE	0·022	0·236	0·019	–	–	TRACE	TRACE	0·261	0·100		14
15	–	0·247	0·007	0·472	0·017	0·098	–	–	0·266	TRACE	0·341	0·175		15
16	TRACE	0·101	0·058	0·023	–	0·362	–	–	0·257	0·040	0·718	0·123		16
17	0·008	TRACE	DEW TRACE	0·011	TRACE	0·166	–	–	0·014	TRACE	0·510	(FROST) 0·007		17
18	–	–	–	0·436	0·422	0·152	0·635	DEW TRACE	0·572	0·026	0·069	TRACE		18
19	TRACE	–	–	0·092	0·140	0·016	0·123	–	0·149	TRACE	0·140	0·166		19
20	0·017	0·124	–	0·118	0·258	0·105	0·121	–	TRACE	TRACE	0·057	–		20
21	0·008	0·264	0·019	0·028	–	TRACE	–	–	TRACE	0·034	0·165	–		21
22	TRACE	0·023	0·119	0·035	–	–	–	0·313	0·483	TRACE	–	–		22
23	TRACE	FROST 0·007	0·280	–	–	–	–	0·290	0·013	0·040	(FROST) 0·007	0·093		23
24	0·073	0·516	0·013	–	–	–	–	0·014	0·631	TRACE	(FROST) 0·008	0·343		24
25	0·098	0·162	TRACE	0·219	–	0·290	–	TRACE	–	TRACE	TRACE	0·141		25
26	0·105	0·038	TRACE	–	–	–	–	0·208	0·131	0·007	–	0·370		26
27	0·054	0·317	TRACE	–	0·153	–	0·010	–	0·186	0·015	0·170	0·322		27
28	TRACE	0·146	TRACE	–	0·090	–	–	0·036	0·205	0·050	0·015	0·086		28
29	0·027	×	TRACE	–	–	–	–	–	0·720	–	0·014	0·326		29
30	0·062	×	TRACE	0·066	0·419	–	–	0·640	TRACE	0·084	0·207	0·330		30
31	–	×	–	×	TRACE	×	–	TRACE	×	0·568	×	0·206		31
TOTAL	1·072 3	2 2·911	0·631	3·951	1 1·907	3·004	0·961	4 1·635	7 4·467	9 2·986	5·384	3·20 3·196	Year's Total 2 32·116	
* Days with .01 in. or more.	11	15	7	23	9	17	5	9	18	15	23	20	172	
* Days with .04 in. or more.	8	11	4	14	8	14	4	6	13	11	18	17	128.	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) H. C. Game

P.T.O.

COPY FOR OFFICIAL USE.

X

Section A for the entry of Daily Observations.

Station No. 936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ROTHAMSTED

in the County of Hertfordshire

Diameter of Funnel of Gauge 1/1000TH PART OF AN ACRE

Height of top of Gauge above Ground LEVEL in.

„ Ground „ Sea Level 420 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·177	0·175	SNOW ALL MELTED 0·074	0·261	–	0·060	0·128	0·007	–	–	0·048	0·058		1
2	0·064	0·051	–	0·011	–	0·419	0·454	0·086	–	–	0·140	TRACE		2
3	TRACE	TRACE	TRACE	0·038	0·016	0·008	TRACE	0·010	0·184	–	0·328	0·005		3
4	TRACE	–	0·121	TRACE	TRACE	0·108	–	–	0·298	–	0·089	0·087		4
5	0·100	–	0·050	–	–	–	–	0·025	0·368	TRACE	0·014	0·101		5
6	0·208	–	–	–	0·019	0·261	–	0·124	0·141	(FROST) 0·009	0·118	0·016		6
7	0·256	–	0·054	–	–	–	0·803	TRACE	0·011	0·010	0·016	FROST + FOG TRACE		7
8	0·226	–	0·064	–	0·007	–	TRACE	–	0·019	–	0·466	0·155		8
9	0·409	–	0·134	–	0·015	–	0·436	–	0·140	0·040	TRACE	FOG 0·008		9
10	0·138	–	TRACE	–	TRACE	–	0·054	0·023	0·035	0·050	–	–		10
11	TRACE	–	–	0·122	TRACE	–	0·052	–	–	–	0·850	TRACE		11
12	–	–	–	0·102	–	0·482	0·356	–	0·175	–	0·830	0·141		12
13	–	–	–	TAP LEFT OPEN (ESTIMATED) 0·140	TRACE	0·428	–	–	TRACE	0·023	0·127	0·280		13
14	–	0·118	–	TRACE	–	0·062	0·751	–	0·104	0·036	TRACE	0·438		14
15	–	0·050	–	–	–	0·030	–	–	0·105	HEAVY DEW TRACE	–	0·142		15
16	0·171	0·071	TRACE	TRACE	–	–	0·032	–	0·016	–	0·394	0·012		16
17	0·132	0·648	TRACE	TRACE	0·058	0·068	TRACE	–	–	–	0·253	0·192		17
18	–	0·079	TRACE	–	–	0·323	0·153	–	–	0·140	0·008	0·052		18
19	0·443	0·055	0·009	0·019	–	0·156	–	0·079	–	0·064	–	–		19
20	0·027	0·136	0·017	0·186	–	0·020	0·065	–	1·182	–	–	–		20
21	–	–	–	0·248	0·015	(ESTIMATED) 3·200 ✓	0·007	–	0·116	–	FROST 0·006	–		21
22	SNOW MELTED 0·089	0·436	0·058	0·020	0·326	0·032	0·177	–	TRACE	–	FROST AND FOG 0·008	0·106		22
23	–	–	TRACE	0·070	–	–	0·226	–	–	0·108	FROST & FOG TRACE	FROST 0·012		23
24	0·138	0·160	–	–	–	–	0·221	–	0·112	0·356	(FROST & FOG) TRACE	FROST TRACE		24
25	0·041	0·010	0·204	0·168	–	0·264	0·273	–	0·274	0·060	0·057	0·039		25
26	0·014	0·118	0·178	TRACE	–	TRACE	0·008	–	0·007	0·116	FROST & FOG TRACE	TRACE		26
27	0·130	0·007	0·009	TRACE	–	–	0·008	TRACE	0·298	0·065	–	–		27
28	0·707	0·005	0·162	TRACE	–	0·026	0·527	TRACE	0·039	–	FROST TRACE	0·118		28
29	0·150	SNOW NOT MELTED 0·215	0·117	–	–	0·125	0·011	–	–	0·037	0·190	0·095		29
30	0·086	✕	TRACE	–	0·056	0·206	0·078	–	–	0·261	TRACE	0·013		30
31	0·548	✕	0·162	✕	0·018	✕	0·119	–	✕	0·459	✕	0·279		31
TOTAL	4·254	2·334	1·413	1·385	0·530	6·338	4·939	0·354	3·574	1·834	3·942	2·349	Year's Total 33·246 ✓	33·25
* Days with .01 in. or more.	21	16	15	12	9	19	22	7	19	16	18	21	195 ✓	
* Days with .04 in. or more.	19	13	12	9	3	14	17	3	15	13	13	15	146 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. C. Game

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ROTHAMSTED.

in the County of Hertfordshire

Diameter of Funnel of Gauge 1/1000th part of an acre

Height of top of Gauge above Ground Ground Level.

„ Ground „ Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.252	0.006	Trace	0.011	—	—	—	—	0.025	—	0.589	0.420		1
2	0.010	0.182	0.010	0.446	—	—	—	—	0.117	DEW Trace	FOG Trace	0.171		2
3	Trace	0.111	0.006	Trace	—	—	—	—	—	DEW Trace	FOG Trace	0.152		3
4	0.086	0.326	Trace	0.078	—	—	—	—	DEW Trace	—	—	0.679		4
5	0.233	0.058	0.164	—	—	—	0.039	Trace	—	DEW Trace	Trace	0.016		5
6	0.022	Trace	0.343	0.009	0.148	—	0.280	—	—	DEW Trace	0.040	—		6
7	—	0.668	0.031	0.135	0.006	—	Trace	—	0.020	—	—	—		7
8	Frost 0.008	0.077	—	—	0.121	0.058	—	—	—	—	0.290	0.246		8
9	—	0.017	—	0.235	0.182	Trace	0.186	—	0.208	FOG+DEW 0.005	—	0.147		9
10	—	Frost Trace	0.615	0.050	0.143	0.383	0.050	—	—	—	Trace	0.305		10
11	—	Trace	0.321	—	0.571	Trace	0.021	—	Trace	Trace	—	0.009		11
12	0.179	0.420	0.115	—	0.193	0.660	Trace	0.092	0.085	—	—	0.138		12
13	0.148	0.076	0.338	0.013	Trace	0.250	—	1.177	0.033	—	—	0.537		13
14	0.017	0.007	0.500	0.182	—	—	—	0.583	0.059	—	FROST Trace	FROST Trace		14
15	0.194	0.113	Trace	0.128	DEW Trace	0.007	0.591	—	0.510	—	—	0.029		15
16	0.072	0.103	0.447	0.773	—	0.007	—	0.094	0.412	—	Trace	0.032		16
17	0.446	0.017	0.308	0.300	—	Trace	—	—	0.663	FOG Trace	0.085	Trace		17
18	0.464	0.129	0.035	0.006	0.202	0.018	—	—	0.194	FOG 0.006	0.236	0.010		18
19	0.077	0.069	0.069	0.113	—	0.167	0.308	—	0.180	FOG 0.012	0.030	0.073		19
20	0.474	—	—	0.347	0.617	0.009	—	—	0.048	FOG 0.011	0.007	0.010		20
21	0.274	0.320	0.099	0.055	0.009	—	0.068	0.032	—	FOG 0.008	Trace	0.030		21
22	0.396	0.014	0.014	0.005	0.087	0.231	0.080	—	DEW Trace	0.451	0.192	0.037		22
23	0.224	0.005	0.046	—	0.512	—	0.296	—	DEW Trace	0.695	0.005	FROST Trace		23
24	0.415	0.474	0.020	—	0.012	—	—	—	0.168	0.182	0.006	WET FOG Trace		24
25	0.035	0.442	Frost Trace	—	0.767	—	—	Trace	0.052	0.227	0.008	0.015		25
26	—	0.309	0.076	—	0.207	—	—	Trace	Trace	0.058	—	—		26
27	0.030	0.306	Trace	0.127	—	—	—	—	0.012	0.656	—	—		27
28	—	0.034	Frost Trace	0.010	—	Trace	—	—	DEW Trace	0.098	FROST Trace	0.056		28
29	0.013		—	—	—	0.041	—	0.007	DEW Trace	0.063	0.050	0.038		29
30	0.375		—	—	—	—	—	—	DEW Trace	Trace	0.266	0.007		30
31	0.270		Trace		—		—	—		0.175		0.050		31
TOTAL	4.714	4.282	3.56 3.587	3.027	3.78 3.777	1.833	1.78 1.779	1.985	2.79 2.786	2.65 2.647	1.804	3.21 3.207	Year's Total 35.392	
* Days with .01 in. or more.	24	24	19	19	15	11	10	6	16	14	13 19	23	194	
* Days with .04 in. or more.	17	17	13	13	12	7	9	4	12	9	8	14	135.	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. C. Game
Met Observer.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ROTHAMSTED.

in the County of Hertfordshire

Diameter of Funnel of Gauge 1/1000th part of an acre in.

Height of top of Gauge above Ground Ground Level 0·9 in.

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	0·010	—	—	0·089	0·007	—	0·035	0·009	0·005	0·026		1
2	0·109	0·013	FROST TRACE	0·020	0·076	0·008	0·014	—	—	0·242	DEW TRACE	0·025		2
3	—	DEW TRACE	—	—	0·058	—	0·011	—	0·043	0·794	0·064	—		3
4	0·097	—	FROST TRACE	—	—	0·018	—	—	—	0·122	—	0·153		4
5	—	FROST TRACE	—	—	—	TRACE	0·259	TRACE	TRACE	0·098	DEW 0·005	FROST 0·005		5
6	0·081	—	FROST TRACE	—	—	—	0·039	—	TRACE	0·080	TRACE	DEW 0·007		6
7	0·022	—	FROST TRACE	—	—	TRACE	0·176	0·287	0·047	0·468	—	0·023		7
8	0·178	—	DEW TRACE	—	—	—	0·027	TRACE	0·021	0·217	DEW TRACE	FROST 0·007		8
9	0·096	0·012	—	—	—	TRACE	0·157	0·253	—	DEW TRACE	—	0·790		9
10	0·033	0·097	—	—	—	0·051	0·022	0·132	DEW 0·005	DEW TRACE	—	0·029		10
11	0·353	TRACE	—	—	—	—	—	DEW TRACE	—	DEW TRACE	0·174	0·021		11
12	0·247	0·057	—	—	0·022	—	—	0·809	DEW 0·005	0·427	0·006	DEW 0·007		12
13	0·041	0·016	—	—	—	—	—	—	DEW 0·005	TRACE	0·128	0·152		13
14	0·268	TRACE	—	—	0·065	—	0·034	DEW TRACE	0·101	DEW TRACE	Heavy DEW 0·0[illegible]1	0·016		14
15	0·090	TRACE	—	—	—	—	0·180	—	—	0·157	DEW 0·005	0·297		15
16	0·460	0·010	0·010	—	—	—	TRACE	—	—	0·096	0·019	0·190		16
17	—	0·094	—	—	0·365	—	0·024	—	0·024	0·038	—	—		17
18	0·110	—	—	TRACE	0·113	—	—	0·012	0·102	0·009	0·460	—		18
19	—	0·005	—	—	—	—	—	0·088	0·148	DEW TRACE	0·167	snow not melted —		19
20	—	—	—	—	—	—	—	—	0·024	DEW 0·008	0·465	0·039		20
21	0·012	—	—	TRACE	—	—	—	0·119	0·015	HEAVY DEW 0·009	0·017	0·683		21
22	—	—	—	—	—	0·005	—	0·020	DEW 0·005	—	0·235	0·245		22
23	—	—	—	0·032	—	—	—	—	0·007	—	0·035	—		23
24	—	—	0·104	TRACE	0·007	—	—	—	0·357	FOG TRACE	0·070	—		24
25	0·093	0·020	0·090	FROST TRACE	0·052	—	0·018	0·140	DEW 0·008	0·024	0·650	0·178		25
26	0·227	0·185	0·104	0·021	—	0·010	—	0·055	0·125	0·181	FROST 0·007	0·209		26
27	0·109	0·061	—	TRACE	0·059	0·347	0·250	DEW TRACE	0·594	0·088	0·412	—		27
28	0·203	0·022	—	TRACE	0·608	0·112	—	0·479	0·026	—	0·070	0·054		28
29	0·284		—	0·010	0·330	—	—	DEW 0·007	0·007	TRACE	0·199	0·196		29
30	0·005	✗	—	0·038	TRACE	0·164	—	—	0·056	0·021	0·338	0·035		30
31	0·254	✗	—	✗	0·085	✗	—	—	✗	0·185	✗	0·354	Year's Total	31
TOTAL	3·372	0·592	0·31~~8~~ 2	0·124	1·848	0·804	1·21~~8~~ 2	2·401	1·760	3·278	3·542	3·741	22·9~~8~~2 7	
* Days with .01 in. or more.	22	12	5	5	12	9	14	12	22	20	22	24	179	
* Days with .04 in. or more.	18	5	3	1	10	5	6	9	10	14	14	14	109	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. C. Game (Observer)

[P.T.O.

276540

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 936

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ROTHAMSTED

in the County of Hertfordshire

Diameter of Funnel of Gauge 1/1000 part of an acre

Height of top of Gauge above Ground GROUND LEVEL

,, Ground ,, Sea Level 420 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
39	·20 in.	49 in.	114 in.	215 in.	295 in.	365 in.	355 in.	275 in.	175 in.	85 in.	22 in.	12 in.	†	
1	0·03	— ~~0·03~~	TRACE	0·36	0·33	—	0·04	0·06	0·57	—	TRACE	0·02		1
2	0·04	— ~~0·01~~	—	0·01	—	—	—	0·42	0·34	—	0·05	0·06		2
3	0·47	— ~~0·17~~	—	0·18	—	—	—	0·41	—	0·07	0·28	0·29		3
4	0·01	— ~~0·02~~	0·30	0·10	—	—	0·03	0·22	DEW TRACE	0·37	0·01	0·01		4
5	—	0·01	0·01	0·46	0·13	—	TRACE	0·37	DEW TRACE	0·10	0·40	0·22		5
6	0·78	0·01	—	0·03	—	—	0·32	0·06	—	TRACE	0·21	0·01		6
7	0·09	0·04	—	—	—	—	TRACE	0·01	—	—	0·14	0·15		7
8	0·01	0·05	0·14	—	—	—	0·12	0·39	DEW TRACE	0·52	0·09	0·31		8
9	0·06	0·05	TRACE	—	—	—	—	0·07	DEW TRACE	0·28	0·01	0·18		9
10	0·24	—	—	—	—	0·55	—	0·24	0·01	0·04	DEW 0·01	DEW + FOG TRACE		10
11	—	—	0·20	—	0·01	0·28	—	—	0·07	0·02	—	0·01		11
12	—	0·01	FROST TRACE	—	0·01	0·02	—	—	0·06	—	—	—		12
13	FROST 0·01	—	DEW 0·01	0·03	—	—	0·01	—	0·03	0·83	DEW TRACE	—		13
14	0·48	—	0·03	0·04	0·33	0·06	0·04	—	0·05	0·17	0·32	TRACE		14
15	0·19	0·01	—	TRACE	0·54	0·32	0·23	—	0·09	0·86	0·08	0·01		15
16	0·36	—	0·17	0·08	0·13	0·26	0·12	—	—	0·01	0·32	—		16
17	0·31	0·02	0·01	0·06	0·35	—	0·09	TRACE	—	0·05	0·04	—		17
18	0·17	0·02	0·07	—	—	0·18	0·16	TRACE	0·01	0·15	0·41	—		18
19	0·18	0·01	0·02	—	—	0·10	0·12	TRACE	DEW TRACE	0·17	DEW 0·01	—		19
20	0·23	FROST TRACE	TRACE	—	—	0·14	0·23	0·34	—	—	DEW TRACE	0·01		20
21	0·09	0·01	0·28	—	—	0·09	0·34	0·43	0·07	DEW 0·01	DEW TRACE	FROST 0·01		21
22	0·14	0·26	0·15	—	—	0·01	0·07	DEW TRACE	0·13	DEW TRACE	0·09	FROST 0·01		22
23	0·09	FROST TRACE	FROST TRACE	0·09	—	TRACE	0·01	—	—	0·06	0·59	FROST TRACE		23
24	0·23	—	0·04	0·09	—	—	0·01	—	TRACE	0·14	DEW TRACE	FROST TRACE		24
25	1·23	0·10	0·06	0·01	TRACE	—	0·04	0·16	—	0·06	0·57	0·01		25
26	0·25	0·02	0·02	0·01	—	TRACE	—	0·04	—	0·25	0·29	0·09		26
27	0·01	0·07	0·13	0·08	—	—	—	0·01	—	0·15	0·16	—		27
28	0·01	0·18	0·10	—	—	0·02	0·08	—	—	0·38	0·18	Snow not melted 0·11		28
29	—	✕	FROST TRACE	0·51	—	—	0·07	—	—	0·10	0·10	—		29
30	—	✕	—	0·78	—	0·04	—	—	—	TRACE	0·13	0·01		30
31	—	✕	—	✕	—	✕	0·02	—	✕	—	✕	—		31
TOTAL	5·71	0·87	1·74	2·92	1·83	2·07	2·15	3·23	1·43	4·75	4·49	1·52	Year's Total 32·71	
* Days with .01 in. or more.	25	16	17	17	8	13	20	15	11	22	23	18	205	
* Days with .04 in. or more.	19	7	11	12	6	10	15	13	8	18	19	8	146	

† Spare column, no entries required.

(*Signed*) H. C. Game

* See Instruction 3 (f) on other side.

[P.T.O.

2768~~456~~ 40

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. ~~934~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at ROTHAMSTED.

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 1/1000TH PART OF AN ACRE ~~in.~~

Height of top of Gauge above Ground GROUND LEVEL ~~ft.~~ ~~in.~~

" Ground " Sea Level 420 ft.

Jan 30th adj. from nearby stns

Snow circ. sent 7-4-41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
40 E	20 in.	49 in.	114 in.	190 in.	345 in.	420 in.	385 in.	315 in.	190 in.	85 in.	22 in.	12 in.		
1	—	0·06	—	—	·03 ~~0·028~~	—	—	—	—	—	0·16	TRACE		1
2	—	0·01	—	0·14	—	—	·07 ~~0·066~~	—	—	0·12	1·02	—		2
3	—	0·06	—	0·17	—	—	—	—	—	·16 ~~0·159~~	0·80	0·01		3
4	—	·09 ~~0·086~~	—	0·17	—	—	TRACE	—	—	0·32	0·25	·04 ~~0·039~~		4
5	—	0·02	—	—	·01 ~~0·009~~	—	·02 ~~0·018~~	—	—	0·12	0·46	0·14		5
6	0·16	·16 ~~0·165~~	—	—	0·05	—	0·42	—	—	·17 ~~0·168~~	·46 ~~0·458~~	—		6
7	0·28	0·14	—	0·01	·13 ~~0·128~~	—	·02 ~~0·016~~	—	0·02	TRACE	TRACE	·02 ~~0·015~~		7
8	—	—	—	0·03	—	—	—	—	·06 ~~0·056~~	0·19	·01 ~~0·008~~	0·26		8
9	—	—	—	·001 ~~0·006~~	—	0·12	·011 ~~0·006~~	0·14	·03 ~~0·027~~	·06 ~~0·055~~	0·13	·07 ~~0·065~~		9
10	—	—	—	—	—	·01 ~~0·005~~	0·33	0·07	TRACE	0·04	·22 ~~0·216~~	0·05		10
11	—	—	—	0·03	—	0·33	·03 ~~0·028~~	—	—	0·00	0·85	0·05		11
12	—	0·02	0·05	—	—	—	0·07	—	0·16	·01 ~~0·005~~	TRACE	TRACE		12
13	—	·02 ~~0·016~~	0·77	0·02	—	TRACE	—	—	0·09	TRACE	1·26	0·00		13
14	—	—	·13 ~~0·128~~	0·09	0·01	—	—	—	·01 ~~0·009~~	0·03	TRACE	0·25		14
15	—	—	0·02	TRACE	0·29	0·01	0·17	—	0·01	·07 ~~0·069~~	·29 ~~0·288~~	TRACE		15
16	0·02	0·11	0·42	0·05	—	·01 ~~0·008~~	·51 ~~0·505~~	—	0·18	·89 ~~0·886~~	0·73	·01 ~~0·009~~		16
17	—	—	·32 ~~0·319~~	—	—	—	TRACE	—	—	·01 ~~0·008~~	0·48	TRACE		17
18	·01 ~~0·008~~	·47 ~~0·466~~	·18 ~~0·178~~	0·37	—	—	·03 ~~0·026~~	—	—	·14 ~~0·136~~	0·08	·18 ~~0·176~~		18
19	—	·17 ~~0·167~~	0·09	·14 ~~0·137~~	—	—	0·06	—	·27 ~~0·264~~	0·01	·15 ~~0·148~~	0·03		19
20	—	·05 ~~0·048~~	·02 ~~0·016~~	0·02	—	—	0·07	·01 ~~0·008~~	—	0·04	·03 ~~0·026~~	—		20
21	·06 ~~0·057~~	0·01	0·01	—	·24 ~~0·236~~	—	0·06	TRACE	TRACE	·04 ~~0·036~~	·43 ~~0·428~~	—		21
22	·01 ~~0·008~~	—	0·04	0·01	0·46	·39 ~~0·388~~	—	—	0·31	·01 ~~0·008~~	·01 ~~0·008~~	—		22
23	—	0·05	·03 ~~0·028~~	0·10	·05 ~~0·049~~	0·02	—	0·00	TRACE	0·03	0·02	0·00		23
24	—	—	—	·08 ~~0·076~~	—	—	0·16	—	—	TRACE	·01 ~~0·008~~	·011 ~~0·008~~		24
25	—	—	0·39	—	·03 ~~0·028~~	—	0·27	—	TRACE	—	TRACE	—		25
26	1·08 ~~1·078~~	0·12	0·17	—	0·23	—	—	—	—	TRACE	TRACE	—		26
27	·50 ~~0·499~~	·25 ~~0·245~~	—	0·28	0·35	—	0·09	TRACE	—	TRACE	0·01	—		27
28	·42 ~~0·416~~	0·03	—	TRACE	·13 ~~0·129~~	—	—	—	—	TRACE	—	·01 ~~0·006~~		28
29	·40 ~~0·396~~	0·02	0·11	—	—	TRACE	—	—	·02 ~~0·019~~	TRACE	TRACE	0·33		29
30	(·06) ~~1·062~~	✕	—	·08 0·078	—	—	—	—	TRACE	0·14	0·00	0·03		30
31	0·02	✕	—	✕	—	✕	—	—	✕	0·81	✕	TRACE		31
TOTAL	3·07 ~~1·017~~	1·86	2·75	1·80 ~~1·517~~	2·91 ~~2·006~~	0·89	2·39 ~~2·387~~	0·22	1·16 ~~1·159~~	3·41 ~~3·405~~	7·86	1·49	Year's Total ~~29·867~~	28·86
* Days with .01 in. or more.	12	19	15	18	13	7	17	43	11	~~22~~ 21	~~23~~ 22	~~18~~ 16	1794	
* Days with .04 in. or more.	8	12	11	11	9	3	12	2	6	15	16	9	114	

† Spare column, no entries required.

(Signed) H. C. Game

* See Instruction 3 (f) on other side.

[P.T.O.

937

Cu A.
N.42.

Section **A** for the entry of

AIR MINISTR

INFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGIS

931 (·part)

937

RINGSHALL END

HERTS

1931- 1937

78 02 05

Kept at Ringshall E

in the County of ~~Buck~~

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

ue estimated by near stations.

22/2/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.07	.15	–	–	.09	–	–	–	1
2					.14	–	.03	–		tr	–	.06	2
3					.40	–	–	.05		–	.12	.20	3
4					.10	–	.22			–	.24	.02	4
5					.02		.06			–	–	.38	5
6				1.00	–		–		1.48	.28	.26	–	6
7					–	.70	.43	2.06		.08	.18	.05	7
8					–		tr			.03	.12	.01	8
9					–	.01	.04			.02	.38	–	9
10					–	.03	.18			–	.37	–	10
11				–	–	tr		–		–	.01	–	11
12				.02	–	–	.15	.12	.33	–	–	–	12
13				–	–	–		.05	–	–	–	–	13
14				–	–	.08	1.35	.35	–	–	–	–	14
15				.16	.11	–	.23	.20	–	–	–	.07	15
16				.16	.21	.05	–	.98	.20	–	–	–	16
17				.47	.31	tr	.15	–	.12	.01	–	–	17
18				.23	–	.24	–	.30	–	–	.51	–	18
19				.66	–	.25	.26	.03	.05	–	–	–	19
20				.17	–	–	.09	.25	–	–	.01	–	20
21				–	.57	–	–	.04	.02	–	–	–	21
22				–	–	–	–	–	.05	–	–	–	22
23				.02	.35	.07	–	–	tr	–	.23	.05	23
24				.33	.22		.05	–	.02	–	tr		24
25				.36	.06	.02	.67	–	tr	–	.10		25
26				.12	–		.77	–	–	–	.32	.01	26
27				.01	.18	–	.05	–	–	tr	.21		27
28				.05	.08	–		–	–	.01	.01	.24	28
29				–	.03	–	.10	–	–	.31	–	.01	29
30		×		–	–	–		.05	.02	–	–	–	30
31		×		×	–	×	tr	.02	×	–	×	.02	31
TOTAL	(1.50)	(2.00)	(.10)	(3.76)	2.85	1.60	4.83	4.50	2.38	.74	3.07	1.12	YEAR'S TOTAL (28.45)
Days with .01 in. or more.					~~15~~					~~7~~	~~15~~		~~-~~
Days with .04 in. or more.					~~13~~					~~3~~	~~12~~		

40-9999

(Signed) H C Bradby [P.T.O.

Section **A** for the entry o

937

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. Cu A. N.42.

FORM 1090.

REGISTER OF RAINFALL IN 1931 (·part)

Kept at Ringshall End

in the County of ~~Bucks~~ Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 700 ft.

C 1930 (pt est)

Jan. Feb. March & early April estimated by near stations

Bturch 22/2/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·07	·15	–	–	·09	–	–	–	1
2					·14	–	·03	–		tr	–	·06	2
3					·40	–	–	·05		–	·12	·20	3
4					·10	–	·22			–	·24	·02	4
5					·02		·06			–	–	·38	5
6				1.00	–		–		1.48	·28	·26	–	6
7					–	·70	·43	2·06		·08	·18	·05	7
8					–		tr			·03	·12	·01	8
9					–	·01	·04			·02	·38	–	9
10					–	·03	·18			–	·37	–	10
11				–	–	tr		–		–	·01	–	11
12				·02	–	–	·15	·12	·33	–	–	–	12
13				–	–	–		·05	–	–	–	–	13
14				–	–	·08	1·35	·35	–	–	–	–	14
15				·16	·11	–	·23	·20	–	–	–	·07	15
16				·16	·21	·05	–	·98	·20	–	–	–	16
17				·47	·31	tr	·15	–	·12	·01	–	–	17
18				·23	–	·24	–	·30	—	–	·51	–	18
19				·66	–	·25	·26	·03	·05	–	–	–	19
20				·17	–	–	·09	·25	–	–	·01	–	20
21				–	·57	–	–	·04	·02	–	–	–	21
22				–	–	–	–	–	·05	–	–	–	22
23				·02	·35	·07	–	–	tr	–	·23	·05	23
24				·33	·22		·05	–	·02	–	tr		24
25				·36	·06	·02	·67	–	tr	–	·30		25
26				·12	–		·77	–	–	–	·32	·01	26
27				·01	·18	–	·05	–	–	tr	·21		27
28				·05	·08	–		–	–	·01	·01	·24	28
29				–	·03	–	·10	–	–	·31	–	·01	29
30		×		–	–	–		·05	·02	–	–	–	30
31		×		×	–	×	tr	·02	×	–	×	·02	31
TOTAL	(1·50)	(2·00)	(·10)	(3·76)	2·85	1·60	4·83	4·50	2·38	·74	3·07	1·12	YEAR'S TOTAL (28·45)
Days with ·01 in. or more.					~~15~~					~~7~~	~~15~~		-
Days with ·04 in. or more.					~~13~~					~~3~~	~~12~~		

40-9999

(Signed) H C Bradby [P.T.O.

937

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ringshall End. (Berkhamsted)

in the County of ~~Bucks~~ Herts

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

937. Station Number.

days

Aug 1st OK cf 896 897 accumulation allocated.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

too large

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·05	-	·08	·71	·02	·05	·83	↑	·24	-	-	1
2	·05		-	·16	·13	-	·	·02		·08	·03	·19	2
3	·01	}·04	-	·19		-	-	-	·50	·07	·09	-	3
4	·01		-	-		·	-	-		-		-	4
5	·24		·02	·01	}·27	·	·18	-		-		-	5
6	·53	·	·01	·03		·	·11	-	·18	-		-	6
7	·02	-	·13	·03	·01	·01	·03	-	·04	·01		-	7
8	-	·	·05	·09	·01	-	-	-	·66	·19	·47	-	8
9	·26	·03	·01	·04	·32	-	-	-	-			-	9
10	·38	·03	·04	·13	·05	·01	-	-	·02	}·13		-	10
11	-	·02	-	·01	·06	·13	·72	·18	-	·33		·02	11
12	·11	-	-	-	·14	-	-	·03	·03	·36		-	12
13	·08	-	-	·20	·01	-	·01	-	·01	·05		·02	13
14	·25	·02	-	·02	-	-	-	-	-	·03		-	14
15	tr	·02	-	·10	·56	-	·11		-	·08	-	·01	15
16	·22	-	-	·29	·13	-	-		-	-	-	-	16
17	·01	-	-	·02	-	-	·09		-	·16	-	-	17
18	tr	-	-	-	tr	-	-		·30	-	·07	-	18
19	-	·01	-	-	-	·01	-		·02	·20	·01	-	19
20	-	-	-	·13	·29	-	·01		·01	·69	·06	-	20
21	·01	-	·08	·24	1·45	-	·04		-	·39	-	·03	21
22	·02		·35	·01	·08	-	·21		·41	·13	·31	-	22
23	-		-	-	-	-	-		·08	·66	·02	·06	23
24	-	}·16	tr	-	-	-	·77		·02	·06	·10	-	24
25	-		-	-	-	·02	·14	2.08 ~~2·58~~	·15	·43	·01	tr	25
26	-	·01	·04	·40	·10	-			-	-	-	-	26
27	-	-	·44	·13	·45	-	}·40		·01	·07	·09	-	27
28	-	-	·11	·06	·22	·10	·25		-	·16	·03	-	28
29	-	-	·50	·10	·12	·04	·01		-	·32	·14	·03	29
30	-	×	·15	·08	-	·53	-		·18	·10	·39	·17	30
31	-	×	·01	×	-	×	·05		×	tr	×	·08	31
TOTAL	2·24	·36	1·94	2·55	5·11	·87	3·18	(3·14 ~~3·64~~)	2.62 ~~3·12~~	4·94	1·82	·61	YEAR'S TOTAL 29·38
*Days with ·01 in. or more.	16		14	23		9	prob ·18	up to	from	prob 24		9	
*Days with ·04 in. or more.	10		9	16		4	prob ·15	Left 5 incl	Left 6 incl	prob ·22		4	

40-9999

(Signed).......... [P.T.O.

*See Instruction 2 (f) on other side.

937

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 937

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ringshall End (Berkhamsted)
in the County of Bucks
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	.21	.41	-	.03	-	-	-	-	-	.02	-		1
2	.30	-		-	.05	-	-	-	-	-	-	-		2
3	.02	.17	.26	-	.22	-	-	-	-	-	-	-		3
4	.16	.01	.05	-		-	-	-	-	-	-	-		4
5	.01	.04	.28	-		-	-	-	-	-	-	-		5
6	.01	.08	.10	-		-	-	-	-	.09	.07	-		6
7	.14	.05	.11	-		-	-	-	-	.08	.02	.02		7
8	.08	.01	.06	-		-	.15	-	-	.04	-	-		8
9	-	-	-	-		-	.15	-	-	.11	.14	-		9
10	.01	.21	-	-		.07	.20	-	-	.30	.01	-		10
11	.16	-	-	-	1.03	.02	.07	.08		.14	-	-		11
12	.01	-	-	-		.21	.02	-		-	-	.01		12
13	.03	-	-	-		.11	.27	-		-	.08	-		13
14	tr	-	-	-		-	-	.02		.05	.46	-		14
15	.29	-	.06	-		-	.06	.17		.02	.28	-		15
16	.05	-	.80	-		.22	.21	-		.15	.04	-		16
17	.10	.03	.28	-	-	.07	.04	-		-	.02	-		17
18	.04	.09	.08	-	-	.06	-	-		-	.01	-		18
19	.02	.05	.26	-	-	.06	-	-	2.13	-	.02	-		19
20	-		.09	.11	-		-	tr		-	.02	-		20
21	-		-	-	-	.68	-	.24		.03	.01	-		21
22	-	.09	-	-	.01		-	.12		.24	.06	-		22
23	-		-	.20	.20	-	-	-		.01	.01	-		23
24	-	.22	-	.16	.12	.07	-	-		-	.08	-		24
25	-	.98	-	.31	-	-	-	-		.02	.02	.14		25
26	-	.42	-	.05	.02	.03	-	-		.12	-	.03		26
27	-	-	-	-	.21	-	-	-		.11	-	.09		27
28	-	-	-	-	.12	-	tr	-		.26	-	.06		28
29	.11	-	-	.30	-	-	.09	-		.10	-	.05		29
30	.17	×	.11	-	-	-	.05	-		-	-	.08		30
31	.09	×	.05	×	-	×	.01	.15	×	.01	×	-		31
TOTAL	2.00	2.66	3.00	1.13	2.01	1.60	1.32	.78	2.13	1.88	1.37	.48	Year's Total 20.36	
*Days with ·01 in. or more.	20			6			12	6		18		8		
*Days with .04 in. or more.	13			6			10	5		13		5		

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H C Brabby [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 937

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ringshall End

in the County of Bucks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 700 ft.

Allocat Sept. Oct & Nov.

Aug Sep & Oct allocated by [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in	
1	.06	-	-	-	-	-	-	.26				.38	1
2	.22	-	.07	-	.02	-	-	-				.26	2
3	.02	.13	-	.19	-	-	-	-				.02	3
4	.07	.02	.03	.15	.02	-	-	-			.16	.39	4
5	.01	-	.08	-	.02	-	-	.10				.30	5
6	.01	-	.15	.02	.40	.07	-	.02		~~[illegible]~~		.50	6
7	.03	-	-	-		.05	-	.20		(1.00)		.28	7
8	-	-	-	-		-	-	.04	(~~1.93~~)		.20	.04	8
9	.01	-	.03	-	.09	-	-	tr			1.00	.34	9
10	.03	-	.25	.18		-	-	.04			.11	.02	10
11	.43	.01	.20	.11		-	-	.01			-	.18	11
12	-	-	.23	.02	-	-	.03	.16		-	-	.04	12
13	.48	-		.03	-	-	.12	.10		.02	.07	.76	13
14	.04	-	.45	.01	.03	-	-	.01		.05	.35	.25	14
15	.09	-		-	.05	-	-	-		tr	.12	.22	15
16	.12	-	.18	-	.03	-	-	-		.14	.01	.01	16
17	.01	.01	-	-	-	-	-	-		.14	.05	.17	17
18	.16	-	-	.23	-	-	.25	-		-	-	.05	18
19	-	-	.22	.01	-	.02	-	-	.10	.02	-	.13	19
20	-	-	.20	.05	-	.09	.05	.01	.01	-	-	-	20
21	-	-	.06	.10	-		-	.13	-	.15	-	-	21
22	-	-	-	-	-	-	.02	.09	.24	-	-		22
23	-	-	-	.23	.03	.24	-		-	-	-	.12	23
24	-	.04	.11	.03	-	.04	.70		.13	-	-	-	24
25	.18	.06	-	.11	-		-			.10		.28	25
26	.02	-	.01	.08	-	.54	.01			.02	-	.06	26
27	.01	.03	-	-	-		-			.02	-	.32	27
28	-	.03	-	.61	-		.01		(.19)	-	-	.32	28
29	-	-	tr	-	-	-	-			-	.04	.10	29
30	.07	×	-	-	-	-	-			-	.03	.10	30
31	.03	×	-	×	-	×	.01	(1.00)	×	.42	×	.07	31
TOTAL	2.10	.33	2.27	2.21	.69	1.05	1.20	(2.17)	(1.60) ~~5.85~~	(2.08)	2.14	5.71	YEAR'S TOTAL 23.55
*Days with ·01 in. or more.	~~21~~	~~8~~		~~17~~			~~9~~					~~28~~	
*Days with .04 in. or more.	~~10~~	~~3~~		~~11~~			~~4~~					~~24~~	

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H C Bradby

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 937

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ringshall End

in the County of ~~Bucks~~ Herts

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ½ in.

„ Ground „ Sea Level 700 ft.

a/c

dry

Too many accumulations [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.18	-	-	.02	-	tr	.14	-	.03	.01	.18	-		1
2	-	-	-	tr	-	.06	-	-	.01	.22	.10	-		2
3	-	.24	.07	.15	-	.09	-	.01	3.16	.46	.16	.01		3
4	-	.50	-	.13	-	.02	-	-		.22	-	.13		4
5	-		.04	.06	-	.09	.02	-		-	.01	-		5
6	.01		-	.35	-	.56	-	-		-	-	-		6
7	.01		-	.42	-	.02	-	-		.07	.97	.14		7
8	-		-	.29	.47	-	-	-		.29	.16	.11		8
9	-	-	-	.44		.58	-	-		1.02	.09	.04		9
10	-	-	-	.19		.05	-	-		-	.28	.04		10
11	.35	-	-	-		.05	1.02	-		-		.01		11
12	-	.05	-	-		-	-	.05		-	.62	-		12
13	.14	.14	-	.30		.05	-	-		-		tr		13
14	-	-	-	.02		-	-	-		-		.11		14
15	-	.26	-	.42		.21	-	-		-		.12		15
16	-		.06	.08		.51	-	-		.09	.48	.08		16
17	-	-	-	.02		.11	-	-		-	.50	-		17
18	-	-	-	.44	.35	.10	.59	-		.03	.14	-		18
19	-	.01	-	.14		.02	.39	-		-	.14	.08		19
20	.04	.14	-	.18	.31	.12	-	-		-	.08	-		20
21	.02	.26	.01	.01	-	-	-	-		.01	.16	-		21
22	-	.02	.08	tr	-	-	-	.31		-	-	-		22
23	-	.02	.16	-	-	-	-	.56		.14	-	.32		23
24	.04	.36	.03	-	-	-	-	.03		-	-			24
25	.09	.26	-	.25	-	.39	-	-		-	-	.13		25
26	-	.06	-	-	-	-	-	.16		tr	-	.40		26
27	.01	.21	-	-	.11	.01	.03	-		.01	.18	.47		27
28	-	.13	-	-	.04	-	-	-	.26	.04	.03	.05		28
29	-	×	-	-	-	-	-	-	.98	-	tr	.35		29
30	.10	×	-	.10	.19	-	-	.59	.01	.04	.18	.42		30
31	-	×	-	×	-	×	-	.01	×	.70	×	.21	d	31
TOTAL	.99	2.66	.45	4.01	1.47	3.04	2.19	1.72	4.45	3.35	4.46	3.22	Year's Total 32.01	
* Days with .01 in. or more.	~~11~~		~~7~~	~~20~~		~~18~~	~~6~~	~~8~~		~~15~~				
* Days with .04 in. or more.	~~7~~		~~5~~	~~16~~		~~14~~	~~4~~	~~5~~		~~11~~				

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) H C Bradby

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 937

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Ringshall End Berkhamstd Herts

in the County of ~~Bucks~~ Herts

Acc

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level 700 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·22	·24	·18 sn	·37	-	·07	·09	-	-	-	·04	·13		1
2	·13	·07 sn	·02	·02	-	·42	1·06	·07	-	·02	·37	-		2
3	·01	·04 sn	-	·05	·02	·29	·03	·02	·15			-		3
4	-	-	·15	-	-	·16	1·56	-	·33		·08	·08		4
5	·17	-	·05	-	-	-		·03	·15		-	·06 sn		5
6	·26	-	-	-	·70 th	·18		·22	·21		·16	·07 sn		6
7	·24	-	·04	-	-	·01			·02		·03	-		7
8	·24	-	·11	-	-	-			·03	-	·32	·16		8
9	·40	-		-	·02	-			·16	·01	-	-		9
10	·14	-	-	-	-	-	·10		·10	-	·90	·01		10
11	-	-	-	·08	-	-	·10		-	-		-		11
12	-	-	-	·20	-	1·05	·38		·21	-	·50	·19		12
13	-	-	-	·01	-		·82		-	·11	·08	·15		13
14	-	-	-	-	-	·05			·19		-	·46		14
15	-	·11	-	-	-	-			·02	-	-	·13		15
16	·21 sn	·05	-	·02	-	1·23	-		-	-	·38	-		16
17	·14 sn	·68	-	-	·15 th		-		-	·01	·35	·18		17
18	-	·18	-	-	-		·17		-	·13	·01	·10		18
19	·30	-	·02	·03	-		-		-	·04	-	-		19
20	·02	·15	·02	·17	-		·10		·88	-	-	-		20
21	-	-	-	·24 sn	·09		-		·44	-	-	-		21
22	·12 sn	·52	·08	-	·36		·17		-	-	-	·12		22
23	-	·02	·02	·10	-	-	·17		-	·11	-	-		23
24	·13	·55	-	-	-	-	·03		·15	·28	-	-		24
25	·04		·17	·10	-	·06	·08		·30	·15	·05	~~·05~~		25
26	·01		·22	·08	-	·07	·03		·20		-	·04		26
27	·06		-	-	-	-	-		·01	·12	-	~~[illegible]~~		27
28	·64		·07	-	-	-	·24		-	-	-	·16		28
29	·29	·24 sn	·10	-	-	·06	·03	-	-	·03	·23	·06		29
30	·08	✕	-	-	·09	·40	·08	-	-	·26	-	-		30
31	·41	✕	·15	✕	-	✕	·11	-	✕	·51	✕	·23	'd'	31
TOTAL	4·26	2·85	1·40	1·47	1·43	4·05	5·35	·34	3·55	1·78	3·50	2·33	Year's Total 32·31	✓
* Days with .01 in. or more.	22			13	7				17			17	..	
* Days with .04 in. or more.	19			9	5				13			16	..	

† Spare column, no entries required.

(*Signed*) H C Brabby [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 737

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Ringshall End

in the County of ~~Bucks~~ Herts

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 700 ft.

Sn = Snow

Th = Thunder

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	-	-	-	-	-	-	-	✗	-	.48	.70		1
2	.02	.19	-	.45	-	-	-	-		-	-	.50		2
3	-	.10	-	-	-	-	-	-		-	-	.15		3
4	.13	.23	-	-	-	-	-	-		-	-	.46 Sn		4
5	.18	.04	.17 Sn	-	-	-	.03	-		-	-	-		5
6	.06	-	✗ .47 Sn	-	.16	-	.17	-		.02	.06	-		6
7	-	.67	✗	.14	-	-	-	-	✓	-	-	-		7
8	-	.05	-	-	.10	.03	-	-		-	.26	.39 Sn		8
9	-	✗	-	.19	.15	-	.09	-	✗	-	-	.34 Sn		9
10	-	.04	.74 Sn ✗	.15	✗	.22 Th	.05	-		-	-	.24		10
11	.02	-	✗	-		-	.03	.03		-	-	.02 Sn		11
12	.17	.27	.10	-		.42	.01	.02	2.17 ✗	-	-	.11		12
13	.17	.08	✗ .73 Sn	-	✓	.68	-	.53	✗	-	-	.29		13
14	.02	.01	✗	.21	✗82	-	-	.71		-	-	-		14
15	.18	.10	-	.13	✗	tr	.56	-	✗	-	-	-		15
16	-	.12	.49	1.09 Th	✗	.04	-	.12	✗	-	-	.06		16
17	.54	-	.21	.24	✗	✓	-	-	✗	-	.04	-		17
18	✗	.13	.02	.02	✓	✗	-	-	✗	-	.41	-		18
19	1.44	.05	.03	.13	.06	.30 ✗	.17 Th	-	✗	-	.04	.03 Sn		19
20	✗	.03	-	.40	.66	✓	-	-	✓	-	-	-		20
21	.23	.35	.10 Sn	.04	.05		.03	-		-	-	.11		21
22	.44	.01	.01 Sn	-	.17	.39	.05	-		.47	.24	.04		22
23	.18	-	.06 Sn	-	.96 Th	-	.19	-		.70	-	-		23
24	.34	.47	.02	-	-	-	-	-	.18	.37	.01	-		24
25	✗	.42	.03	-	.85 Th	-	-	-	.05	.26	-	-		25
26	.12 ✓	.32	.10	-	.18	-	-	-	-	.10	-	-		26
27	✓	✗	-	.20	-	-	-	-	.02	.73	-	-		27
28	-	.37 Sn ✗	-	.02	-	-	-	-	-	.06	-	.09		28
29	.03 Sn		-	-	-	.01	-	-	-	-	.05	.04		29
30	.40	✗	-	-	-	-	-	-	-	.03	.17	tr. Sn		30
31	.32	✗	-	✗	-	✗	-	-	✗	.28	✗	.07		31
TOTAL	4.89	4.05	3.28	3.41	4.16	2.09	1.38	1.41	2.42	3.02	1.76	3.64	Year's Total 35.51	✓
*Days with ·01 in. or more.	23	22 ✓	18	14	17	11	11	5	14	10	10	17	172	✓
*Days with ·04 in. or more.	18	19 ~~20~~	13	12	15	7	7	3	11	8	9	15	137	✓

Total 40-9999 8.94. 12.22. 15.63. 19.79. 21.88. 23-26. 24.67. 27.09. 30.11 31.87. 35.51

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H C Bradby

[P.T.O.

Section A for the entry of
AIR MINIST

Station No. ~~903/5~~ 937/8

RAINFALL ORGANIZATION

Form 1090

REGIS

193 8

937/8

NEW BARNET

1938 ONLY

480205

Kept at New Barnet 36

in the County of Hert

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Sea

Est totals
nearby stns.

THE MORNING MEASUR … **PREVIOUS DAY**

An observer who does not conform … *ry 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	–	–	–	–	·10	✗	–	–	✓	–	–		1
2	–	·01	–	·03	·11	–	✗	–	–	✗	·02	·01		2
3	·03	–	–	–	·13	–	–	–	·04	·94	–	–		3
4	–	–	–	–	–	–	✓	–	–	·18	–	·12		4
5	·04	–	–	–	–	–	✗	–	–	·15	–	Trace		5
6	–	–	–	–	–	–	✗	–	·03	·17	–	·05		6
7	·01	–	–	–	–	–	✗	·32	–	·25	–	–		7
8	·16	–	–	–	–	–	✗	–	·02	·31	–	–		8
9	·06	Trace	–	–	–	Trace	✓	·18	–	–	–	·60		9
10	·17	·30	–	–	–	·07	✓	·11	–	–	–	·02		10
11	·30	–	–	–	–	–	–	–	–	–	·20	·05		11
12	·34	–	–	–	·02	–	–	·41	–	·25	–	Trace		12
13	·09	–	–	–	–	–	–	–	–	·04	·15	·12		13
14	·21	·03	–	–	·16	–	Trace	–	·07	–	–	Trace		14
15	·20	–	–	–	–	–	·09	–	–	·31	–	·41		15
16	·40	–	·05	–	–	–	·02	–	–	–	–	·94		16
17	–	·09	–	–	·18	–	–	–	–	·13	–	Trace		17
18	·04	–	–	–	·05	–	–	Trace	·09	·02	·31	–		18
19	–	–	–	–	–	–	–	·10	·02	–	·22	–		19
20	–	–	–	–	–	–		·01	·01	–	·42	Trace		20
21	·02	–	–	–	–	–	–	·01	·04	–	·02	·68		21
22	–	–	–	~~0~~	–	✗ ·29	–	–	–	–	·20	·25		22
23	–	–	–	·01	–	–	–	–	–	–	·08	–		23
24	–	–	·20	–	–	–	–	–	·59	–	·07	·03		24
25	·11	·02	·09	·06	·13	–	·01	·01	·01	–	1·04	·17		25
26	·27	·20	·07	–	–	–	–	·01	·26	·23	–	·23		26
27	·15	·04	–	–	·03	✗	·29	·02	·60	·14	·33	–		27
28	·19	–	–	–	·60	✓	–	·23	✗	–	·02	·05		28
29	·35	–	–	–	·12	–	–	–	✗ ·40	–	·23	·25		29
30	·02	✕	–	·05	·10	✗	–	–	✓	·05	·15	·01		30
31	·17	✕	–	✕	·14	✕	–	Trace	✕	·17	✕	·34		31 d
TOTAL	3·49	·69	·41	·15	1·77	·52	1·35	1·41	1·98	3·54	3·48	4·33	Year's Total 23·10	
* Days with .01 in. or more.	22	7	4	4	12	6	13	11	15	17	15	18	(144)	
* Days with .04 in. or more.	18	4	4	2	10	5	8	6	9	15	12	14	(107)	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

937/8

Section **A** for the entry of Daily Observations

Station No. 903/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at New Barnet 36 Prospect Road

in the County of Hertford

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 335 ft.

June, July, Sept obs totals adjusted from nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	–	–	–	–	·10	✗	–	–	✓	–	–		1
2	–	·01	–	·03	·11	–	✗	–	–	✗	·02	·01		2
3	·03	–	–	–	·13	–	–	–	·04	·94	–	–		3
4	–	–	–	–	–	–	✓	–	–	·18	–	·12		4
5	·04	–	–	–	–	–	✗	–	–	·15	–	Trace		5
6	–	–	–	–	–	–	✗	–	·03	·17	–	·05		6
7	·01	–	–	–	–	–	✗	·32	–	·25	–	–		7
8	·16	–	–	–	–	–	✗	–	·02	·31	–	–		8
9	·06	Trace	–	–	–	Trace	✓	·18	–	–	–	·60		9
10	·17	·30	–	–	–	·07	✓	·11	–	–	–	·02		10
11	·30	–	–	–	–	–	–	–	–	–	·20	·05		11
12	·34	–	–	–	·02	–	–	·41	–	·25	–	Trace		12
13	·09	–	–	–	–	–	–	–	–	·04	·15	·12		13
14	·21	·03	–	–	·16	–	Trace	–	·07	–	–	Trace		14
15	·20	–	–	–	–	–	·09	–	–	·31	–	·41		15
16	·40	–	·05	–	–	–	·02	–	–	–	–	·94		16
17	–	·09	–	–	·18	–	–	–	–	·13	–	Trace		17
18	·04	–	–	–	·05	–	–	Trace	·09	·02	·31	–		18
19	–	–	–	–	–	–	–	·10	·02	–	·22	–		19
20	–	–	–	–	–	–		·01	·01	–	·42	Trace		20
21	·02	–	–	–	–	–	–	·01	·04	–	·07	·68		21
22	–	–	–	~~0~~	–	✗ 29	–	–	–	–	·20	·25		22
23	–	–	–	·01	–	–	–	–	–	–	·08	–		23
24	–	–	·20	–	–	–	–	–	·59	–	·07	·03		24
25	·11	·02	·09	·06	·13	–	·01	·01	·01	–	1·04	·17		25
26	·27	·20	·07	–	–	–	–	·01	·26	·23	–	·23		26
27	·15	·04	–	–	·03	✗	·29	·02	·60	·14	·32	–		27
28	·19	–	–	–	·60	✓	–	·23	✗	–	·02	·05		28
29	·35	–	–	–	·12	–	–	–	·60 ✗	–	·23	·25		29
30	·02	✕	–	·05	·10	✓	–	–	✓	·05	·15	·01		30
31	·17	✕	–	✕	·14	✕	–	Trace	✕	·17	✕	·34		31 d
TOTAL	3·49	·69	·41	·15	1·77	·57	1·35	1·41	1·98	3·54	3·46	4·33	Year's Total 23·80	
* Days with .01 in. or more.	22	7	4	4	12	6	13	11	15	17	15	18	(144)	
* Days with .04 in. or more.	18	4	4	2	10	5	8	6	9	15	12	14	(107)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

937/5

MARKYATE WATERWORKS
HERTS
1934 - 1940
78-02-05

0673/34

Section **A** for the entry of Daily … AIR MINISTRY.—M… …ALL ORGANIZATION. Station No. 937/5

VII Herts/2

c 1934

FORM 1090

REGISTE… 1934.

Kept at MARKYATE WATE… ~~surrounding~~

in the County of HERTFORDSH…

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground –

,, Ground ,, Sea Level

THE MORNING MEASUREME…

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·06	"TR"	–	–	–	–	–	·26	·11	"TR"	"TR"	·42		1
2	·21	"TR"	·08	–	·01	–	–	"TR"	·70	·09	–	·20		2
3	·02	·11	–	·08	–	"TR"	–	–	–	·52	–	·02		3
4	·07	·01	·05	·07	·04	–	–	–	–	·17	·09	·39		4
5	·01	–	·03	"TR"	·02	–	–	·01	–	"TR"	·07	·30		5
6	·01	–	·12	·01	·44	·16	–	·12	–	·21	–	·52		6
7	·03	"TR"	–	–	"TR"	·06	–	·14	–	·70	"TR"	·30		7
8	–	–	–	–	·07	–	–	·04	·06	–	·20	·02		8
9	·01	–	·05	–	–	–	–	"TR"	–	–	·83	·38		9
10	·03	"TR"	·34	·13	–	–	–	·03	–	–	·15	·01		10
11	·40	–	·30	·06	–	–	"TR"	·01	–	–	·01	·16		11
12	–	"TR"	·09	·01	–	–	·02	·19	–	–	–	·08		12
13	·46	–	·08	·02	–	–	·18	·06	–	–	·06	·45		13
14	·04	–	·42	·01	·02	·01	–	–	–	·09	·37	·27		14
15	·09	"TR"	·08	–	·10	–	–	–	·23	"TR"	·12	·23		15
16	·12	"TR"	·22	–	–	–	–	–	–	·21	–	·01		16
17	·01	–	"TR"	"TR"	·03	–	–	–	·08	·13	·04	·28		17
18	·14	–	"TR"	·24	–	–	·17	–	·01	–	"TR"	·05		18
19	–	–	·23	·02	·01	·09	–	–	·09	·01	–	·10		19
20	–	–	·24	·06	–	"TR"	·16	–	–	"TR"	–	–		20
21	–	–	·05	·08	–	·08	–	·07	–	·17	–	–		21
22	–	"TR"	"TR"	"TR"	–	"TR"	·11	·08	·27	·09	–	–		22
23	–	"TR"	–	·23	·01	·25	"TR"	·02	–	"TR"	–	·10		23
24		·02	·09	·06	–	·07	·17	–	·13	–	–	–		24
25	·16	·16	"TR"	·20	–	·38	–	–	"TR"	·12	–	·29		25
26	·02	"TR"	·02	·13	–	·01	·01	–	·04	"TR"	–	·10		26
27	·01	·06	–	"TR"	–	·16	–	–	–	·03	–	·28		27
28	–	·17	"TR"	·74	–	·15	"TR"	·83	–	–	·06	·34		28
29	–	X	–	"TR"	–	–	"TR"	·07	·16	–	·07	·04		29
30	·07	X	–	"TR"	–	–	"TR"	–	·03	"TR"	–	·12		30
31	·03	X	–	X	–	X	–	–	X	·36	X	·09		31
TOTAL	(2·00)	·53	2·49	2·15	·75	1·42	·82	1·93	1·91	2·90	2·07	5·55	Year's Total. ~~22·52~~	(24·52)
* Days with .01 in. or more.	(16)	6	17	17	10	11	7	14	12	14	12	27	3 147	(163)
* Days with .04 in. or more.	(11)	4	15	12	4	9	5	10	10	12	11	23	115	(126)

~~11 months only~~

V.G. print

N

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Thos: H: Lighbody

T. H. LIGHBODY, ESQ.

P.T.O.

2673/34

Section A for the entry of Daily ~~Observations.~~ Name of

Station No. 937/5

VII Herts/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1934.

Kept at MARKYATE WATERWORKS

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 11½ in.

,, Ground ,, Sea Level 538 ft.

January estimated by surrounding stations. Dhinck 3/6/35.

C 1934

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	x·06	"TR"	–	–	–	–	–	·26	·11	"TR"	"TR"	·42		1
2	x·21	"TR"	·08	–	·01	–	–	"TR"	·70	·09	–	·20		2
3	·02	·11	–	·08	–	"TR"	–	–	–	·52	–	·02		3
4	x·07	·01	·05	·07	·04	–	–	–	–	·17	·09	·39		4
5	·01	–	·03	"TR"	·02	–	–	·01	–	"TR"	·07	·30		5
6	·01	–	·12	·01	·44	·16	–	·12	–	·21	–	·52		6
7	x·03	"TR"	–	–	"TR"	·06	–	·14	–	·70	"TR"	·30		7
8	–	–	–	–	·07	–	–	·04	·06	–	·20	·02		8
9	✓·01	–	·05	–	–	–	–	"TR"	–	–	·83	·38		9
10	·03	"TR"	·34	·13	–	–	–	·03	–	–	·15	·01		10
11	x·40	–	·30	·06	–	–	"TR"	·01	–	–	·01	·16		11
12	–	"TR"	·09	·01	–	–	·02	·19	–	–	–	·08		12
13	x·46	–	·08	·02	–	–	·18	·06	–	–	·06	·45		13
14	x·04	–	·42	·01	·02	·01	–	–	–	·09	·37	·27		14
15	✓·09	"TR"	·08	–	·10	–	–	–	·23	"TR"	·12	·23		15
16	x·12	"TR"	·22	–	–	–	–	–	–	·21	–	·01		16
17	✓·01	–	"TR"	"TR"	·03	–	–	–	·08	·13	·04	·28		17
18	x·14	–	"TR"	·24	–	–	·17	–	·01	–	"TR"	·05		18
19	–	–	·23	·02	·01	·09	–	–	·09	·01	–	·10		19
20	–	–	·24	·06	–	"TR"	·16	–	–	"TR"	–	–		20
21	–	–	·05	·08	–	·08	–	·07	–	·17	–	–		21
22	–	"TR"	"TR"	"TR"	–	"TR"	·11	·08	·27	·09	–	–		22
23	–	"TR"	–	·23	·01	·25	"TR"	·02	–	"TR"	–	·10		23
24	–	·02	·09	·06	–	·07	·17	–	·13	–	–	–		24
25	·16	·16	"TR"	·20	–	·38	–	–	"TR"	·12	–	·29		25
26	·02	"TR"	·02	·13	–	·01	·01	–	·04	"TR"	–	·10		26
27	·01	·06	–	"TR"	–	·16	–	–	–	·03	–	·28		27
28	–	·17	"TR"	·74	–	·15	"TR"	·83	–	–	·06	·34		28
29	–	×	–	"TR"	–	–	"TR"	·07	·16	–	·07	·04		29
30	·07	×	–	"TR"	–	–	"TR"	–	·03	"TR"	–	·12		30
31	·03	×	–	×	–	×	–	–	×	·36	×	·09		31
TOTAL	(2·00)	·53	2·49	2·15	·75	1·42	·82	1·93	1·91	2·90	2·07	5·55	Year's Total. 22·52	(24·52)
* Days with .01 in. or more.	(16)	6	17	17	10	11	7	14	12	14	12	27	3 147	(163)
* Days with .04 in. or more.	(11)	4	15	12	4	9	5	10	10	12	11	23	115	(126)

No RECORD

~~11 Months only~~

V G prin[illegible]

40-9999

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(Signed) Thos: H: Lighbody

T. H. LIGHBODY, ESQ.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 937/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Markyate Waterworks
in the County of Hertford
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft 11½ in.
,, Ground ,, Sea Level 538 ft.

--R.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	·03	T	·04	T	·06	·08	–	·03	·02	·12	–		1
2	·02	–	T	·02	–	·01	–	T	·02	·21	·11	–		2
3	–	·25	·08	·10	–	T	–	·01	·33	·38	·13	·02		3
4	–	·02	·04	·19	–	·01	–	–	·26	·01	·02	·09		4
5	–	·58	–	·07	–	·07	·01	–	·31	·14	·01	–		5
6	·02	·01	–	·34	–	·56	–	–	–	·01	T	–		6
7	·01	–	–	·49	–	·02	–	–	–	·06	1·16	·16		7
8	·10	–	T	·28	T	–	–	–	–	·31	·13	·19		8
9	–	–	T	·34	–	·49	–	–	–	·98	·13	·06		9
10	–	·01	–	·20	–	·01	–	–	–	T	·03	·05		10
11	·29	–	–	·01	–	·06	·16	–	–	·02	·26	·01		11
12	–	·06	–	–	–	·36	–	·03	·02	T	·15	–		12
13	·16	·15	–	·33	·21	·07	–	–	T	T	·01	T		13
14	–	–	–	·06	·24	·08	–	–	T	–	·32	·11		14
15	–	·23	–	·45	·05	·16	–	–	·13	–	·34	·13		15
16	–	·09	·06	·10	T	·52	–	–	·38	·07	·53	·12		16
17	–	–	–	·02	–	·17	–	–	·02	·01	·60	–		17
18	T	T	–	·46	·08	·10	·41	–	·55	–	·09	T		18
19	T	·01	–	·09	·27	·03	·18	–	·13	·01	·12	·11		19
20	·03	·15	–	·07	·06	·11	·08	–	·01	–	·05	–		20
21	·02	·26	·01	·01	–	T	–	–	·04	·02	·16	–		21
22	–	·02	·23	·01	–	–	–	·21	·52	–	·01	–		22
23	T	·01	·23	–	–	–	–	·50	·01	·08	–	·03		23
24	·08	·36	–	–	–	–	–	·02	·51	–	–	·31		24
25	·10	·19	–	·23	–	·42	–	T	T	–	–	·12		25
26	·04	·02	–	–	–	·01	–	·16	·13	·01	–	·41		26
27	·03	·35	–	–	·12	T	–	–	·10	·01	·21	·42		27
28	–	·11	–	–	·06	–	–	·14	·28	·07	·03	·05		28
29	–	×	–	–	–	–	–	T	·82	·01	·02	·30		29
30	·09	×	–	·06	·39	–	–	·56	T	·06	·23	·39		30
31	–	×	–	×	T	×	–	·02	×	·64	×	·19		31
TOTAL	1·19	2·91	·65	3·97	1·48	3·32	·92	1·65	4·60	3·13	4·97	3·27	Year's Total. 32·086	
* Days with .01 in. or more.	14	20	6	23	9	20	6	9	20	21	25	20	193	
* Days with .04 in. or more.	8	12	5	18	9	14	5	5	14	11	18	17	136	

40-9999

† Spare column, no entries required.

(Signed) Thos: H: Lightbody.

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 937/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

FILE Nº 300673/34.

Kept at MARKYATE WATERWORKS

in the County of HERTFORDSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11½ in.

,, Ground ,, Sea Level 538 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·21	·21	·12	·31	–	·08	·06	·01	–	–	·03	·03		1
2	·05	·06	–	·01	–	·38	·74	·08	–	–	·04	T		2
3	·10	·02	T	·04	·02	·02	·02	·01	·32	–	·33	–		3
4	T	–	·18	T	·01	·17	·01	–	·24	–	·03	·03		4
5	·19	–	·06	–	–	·01	T	·01	·41	–	·05	·14		5
6	·19	–	–	–	·29	·17	T	·14	·18	–	·13	·01		6
7	·22	–	·05	–	T	T	1·09	–	·01	–	·01	·17		7
8	·23	–	·04	–	T	–	T	–	–	–	·32	·06		8
9	·43	–	·06	–	T	–	·34	·02	·03	·01	–	·02		9
10	·13	–	·01	T	–	–	·12	·05	·24	–	T	T		10
11	·01	–	–	·07	–	–	·06	·01	T	–	·72	T		11
12	–	–	–	·21	–	·43	·41	T	·23	–	·91	·16		12
13	–	–	–	·01	–	·91	·01	–	T	·06	·12	·32		13
14	–	·07	–	T	–	·08	·63	–	·14	·04	·01	·49		14
15	–	·05	–	–	–	·01	·01	–	·18	–	T	·19		15
16	·24	·05	–	–	–	–	T	–	T	–	·39	·01		16
17	·15	·70	–	–	·05	·03	T	–	–	–	·18	·19		17
18	T	·17	–	–	–	·18	·16	–	–	·11	·01	·14		18
19	·36	·06	·01	·04	–	·15	T	·09	–	·09	–	–		19
20	·06	·11	·02	·16	–	·02	·07	–	·87	–	–	–		20
21	T	–	–	·26	·03	1·04	–	–	·43	–	T	–		21
22	·12	·52	·01	T	·58	·02	·21	–	–	T	–	·11		22
23	–	·01	·05	·11	–	–	·14	–	T	·11	–	–		23
24	·11	·23	–	–	T	–	·03	–	·10	·41	T	·02		24
25	·04	·02	·19	·13	–	·18	·24	–	·24	·08	·06	·07		25
26	·01	·14	·22	·05	–	·01	·13	–	·03	·02	T	·02		26
27	·09	·02	·02	–	–	·02	·01	–	·29	·12	–	–		27
28	·64	T	·07	–	–	·04	·32	–	·01	·06	–	·14		28
29	·28	·21	·12	–	–	·30	·01	–	–	·05	·19	·06		29
30	·08	✕	–	–	·10	·24	·08	–	–	·22	·01	·01		30
31	·41	✕	·14	✕	·01	✕	·10	–	✕	·52	✕	·24		31
TOTAL	4·35	2·65	1·37	1·40	1·09	4·49	5·00	·42	3·95	1·90	3·54	2·63	Year's Total 32·79	✓
* Days with .01 in. or more.	23	17	17	12	8	22	24	9	17	14	18	22	203	✓
* Days with .04 in. or more.	21	13	12	10	4	14	17	4	13	12	12	14	146	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) H. E. Hancock

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 937/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at MARKYATE WATERWORKS

in the County of HERTFORDSHIRE

FILE No. 300673/34.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11½ in.

" Ground " Sea Level 538 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	T	·01	T	–	–	T	–	·04	–	·57	·79		1
2	·02	·20	·01	·43	–	–	–	–	–	–	T	·31		2
3	·01	·12	·03	T	–	–	–	–	–	–	T	·15		3
4	·12	·32	–	·14	–	–	–	–	–	–	–	·44		4
5	·19	·03	·15	–	–	–	·04	T	–	–	T	·12		5
6	·05	T	·36	–	·12	·04	·20	–	–	·01	·04	–		6
7	–	·65	·05	·14	T	T	·01	–	·03	–	–	–		7
8	–	·05	–	T	·10	–	–	–	–	–	·23	·18		8
9	–	·03	–	·19	·17	–	·13	–	·20	T	–	·31		9
10	–	T	·45	·18	·06	·32	·07	T	–	–	–	·24		10
11	T	–	·34	–	·63	·02	·02	–	T	·02	–	·02		11
12	·17	·36	·09	T	·19	·58	·01	·09	·10	T	–	·13		12
13	·15	·06	·24	·01	T	·44	–	·17	·04	–	–	·39		13
14	·06	·01	·54	·21	–	·01	–	·65	–	–	–	·02		14
15	·17	·09	T	·13	–	·09	·68	T	·14	–	–	·02		15
16	·06	·15	·49	·91	–	·03	–	·16	·42	–	T	·05		16
17	·41	·01	·14	·37	–	·02	–	–	·64	–	·01	T		17
18	·52	·13	T	·02	·13	·04	–	–	·05	·01	·34	·02		18
19	·08	·05	·04	·11	·01	·15	·29	T	·25	·01	·04	·06		19
20	·56	·02	T	·45	·67	·01	–	·03	·01	·01	–	–		20
21	·25	·34	·10	·05	·06	–	·04	–	–	·01	·01	·02		21
22	·41	·04	·02	·01	·12	·39	·05	–	–	·37	·14	·04		22
23	·23	T	·10	–	·52	T	·21	–	–	·61	–	·03		23
24	·44	·41	·02	–	T	–	–	–	·16	·25	–	T		24
25	·06	·36	·02	–	·79	–	–	–	·05	·78	–	·01		25
26	·01	·31	·08	–	·24	–	–	–	–	·09	–	–		26
27	·02	·12	T	·16	–	–	–	–	·01	·72	–	–		27
28	T	·28	T	·03	–	T	–	–	T	·08	–	·06		28
29	·07	✕	–	–	–	·13	–	–	–	·03	·05	·03		29
30	·40	✕	–	–	–	T	–	–	–	·01	·16	·01		30
31	·26	✕	–	✕	–	✕	–	·12	✕	·27	✕	·07		31
TOTAL	4·95	4·14	3·28	3·54	3·81	2·27	1·75	1·22	2·14	3·28	1·59	3·52	Year's Total 35·49	✓ ✓
* Days with .01 in. or more.	25	23	20	17	14	14	12	6	14	16	10	24	195	✓ ✓
* Days with .04 in. or more.	21	18	14	13	13	9	9	5	11	8	8	15	144	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) B. Ll. Stephenson [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 937/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Markyate Waterworks

in the County of Hertfordshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11½ in.

,, Ground ,, Sea Level 538 ft.

File No. 300673/34.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	T	.01	–	T	.07	–	–	.02	.01	–	.05		1
2	.14	.02	–	.03	.06	.02	T	–	–	.28	.01	.01		2
3	.01	–	–	–	.09	–	–	–	.03	.86	.17	–		3
4	.09	–	–	–	–	.02	–	–	–	.19	T	.17		4
5	.01	T	–	T	–	T	.11	–	–	.07	T	–		5
6	.06	–	–	–	–	T	.05	–	.13	.09	T	.01		6
7	.02	T	–	–	–	–	.58	.12	.02	–	–	.02		7
8	.14	–	–	–	–	–	.24	.07	.04	.16	–	.01		8
9	.10	.01	–	–	–	–	.09	.10	–	T	–	.71		9
10	.04	.04	T	–	–	–	.06	.16	–	–	–	.02		10
11	.31	.01	–	–	–	T	T	.29	–	–	.11	.02		11
12	.25	.04	–	–	.01	–	–	.38	–	.38	.02	T		12
13	.02	.03	–	–	T	–	–	–	–	.01	.16	.14		13
14	.20	T	–	–	.05	–	.02	–	.08	–	T	.02		14
15	.04	T	T	–	–	–	.08	–	–	.14	T	.17		15
16	.43	.02	–	–	T	–	.01	T	–	.04	.04	.13		16
17	–	.06	–	–	.24	–	.03	–	.02	.06	–	–		17
18	.08	T	–	–	.12	–	–	T	.06	.08	.32	.01		18
19	–	–	–	–	.01	–	T	.15	.15	–	.14	T		19
20	T	.01	–	–	.01	–	–	–	–	–	.47	.19		20
21	.02	T	–	–	–	–	–	.11	–	–	T	.94		21
22	T	–	–	T	–	T	–	T	–	.01	.25	.33		22
23	.01	–	–	.01	–	–	–	–	–	–	.03	–		23
24	T	–	.15	T	.01	–	–	–	.26	–	.04	–		24
25	.10	.04	.09	–	.07	–	–	.10	.02	.02	.68	.09		25
26	.25	.22	.10	–	–	T	.02	–	.11	.26	–	.24		26
27	.10	.04	.01	.01	.03	.24	.28	T	.48	.09	.43	T		27
28	.16	.02	–	–	.83	.12	.24	.50	.01	–	.02	.08		28
29	.29	X	–	.04	.26	–	–	.01	.02	–	.17	.19		29
30	.01	X	–	.05	.01	.07	–	–	.05	.01	.28	.06		30
31	.30	X	–	X	.15	X	–	–	X	.20	X	.27		31
TOTAL	3.20	.56	.36	.14	1.95	.54	1.81	1.99	1.50	2.96	3.34	3.88	Year's Total 22.23	✓
* Days with .01 in. or more.	26	13	5	5	15	6	13	11	16	19	17	23	169	✓
* Days with .04 in. or more.	18	6	3	2	9	4	9	10	9	14	13	15	112	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) B H Stephenson

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 937/15

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at MARKYATE WATERWORKS

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11½ in.

,, Ground ,, Sea Level 538 ft.

FILE Nº 300673/34

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	—	·01	·35	·32	—	·04	·05	·17	—	—	·02		1
2	·03	—	—	T	T	—	—	·33	·71	T	·04	·03		2
3	·36	—	—	·12	—	—	—	·50	—	·04	·19	·25		3
4	·03	—	·30	·13	T	—	·03	·18	—	·08	·04	·04		4
5	—	—	·02	·28	·11	—	·01	·67	—	·32	·36	·35		5
6	·58	—	·14	·08	·01	—	·36	·04	—	·01	·13	·02		6
7	·07	·03	·01	—	—	—	·09	·02	—	·02	·12	·13		7
8	·02	·05	—	—	—	—	—	·24	—	·37	·25	·43		8
9	·03	·06	—	—	—	—	—	·13	—	·32	·01	·15		9
10	·24	—	—	—	—	·41	—	·20	·01	·01	T	T		10
11	—	—	·22	—	T	·16	—	—	·05	·03	T	·01		11
12	—	·01	·01	—	·02	·02	—	—	·05	—	—	—		12
13	T	—	·02	·01	—	T	·01	—	·03	·73	T	T		13
14	·46	—	·02	·02	·31	·03	·07	—	·01	·12	·25	T		14
15	·43	·01	—	T	·72	·32	·01	—	·13	·72	·06	·01		15
16	·27	—	·15	·07	·16	·31	·12	—	·01	·01	·35	—		16
17	·21	T	·04	·08	·13	—	·05	—	—	·02	·02	T		17
18	·17	·03	·07	—	—	·27	·07	—	·01	·09	·41	T		18
19	·23	·01	·03	—	—	·26	·37	—	—	·26	·01	T		19
20	·13	—	·01	—	T	·34	·19	·10	—	—	—	·03		20
21	·14	·06	·32	T	—	·18	·02	·48	·08	T	—	—		21
22	·12	·25	·19	T	—	·01	·06	T	·09	—	·12	T		22
23	·06	—	·01	·17	—	·02	·11	T	—	·06	·83	—		23
24	·17	—	·02	·13	—	T	·03	T	·01	·19	·57	—		24
25	1·41	·09	·16	·01	—	—	·02	·03	—	—	·46	T		25
26	·41	·04	·04	·09	—	·04	—	·06	—	·31	·12	·13		26
27	·02	·02	·14	·10	T	—	T	·01	—	·80	·16	—		27
28	·02	·18	·08	—	—	T	T	—	—	·17	·23	·10		28
29	—	×	—	·58	—	—	·26	—	—	·23	·07	T		29
30	—	×	—	·93	—	·28	·01	—	—	—	·12	—		30
31	—	×	—	×	—	×	·14	—	×	—	×	T		31
													Year's Total	
TOTAL	5·64	·84	2·01	3·15	1·78	2·65	2·07	3·04	1·36	4·91	4·92	1·70	34·07	✓
* Days with .01 in. or more.	24	13	22	16	8	14	21	15	13	22	23	14	205	✓
* Days with .04 in. or more.	17	7	12	13	6	10	13	12	7	16	20	8	141	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) B. Leslie Stephenson

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 937/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at MARKYATE WATERWORKS

in the County of HERTFORD

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 11½ in.

,, Ground ,, Sea Level 538 ft.

FILE No 300673/37

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·02	–	–	·04	–	·05	–	–	–	·13	–		1
2	–	·09	–	·14	–	–	–	–	–	·05	·99	–		2
3	–	·18	–	·19	–	–	–	–	–	·22	·69	·03		3
4	–	·09	–	·17	–	–	·03	–	–	·26	·36	–		4
5	–	·01	–	–	–	–	–	–	–	·06	·58	·18		5
6	·16	·14	–	–	·05	–	·27	–	–	·21	·62	·01		6
7	·24	·26	–	–	·08	–	·02	–	·06	–	·01	–		7
8	T	·01	–	·05	–	–	–	–	–	·17	T	·27		8
9	–	–	–	·01	–	·28	·01	·01	·02	–	·11	·08		9
10	–	–	–	–	–	–	·72	·03	–	·05	·23	·06		10
11	–	–	–	·04	0	–	·01	–	–	–	·82	·04		11
12	–	·03	·05	–	–	–	·08	–	·04	T	·01	–		12
13	–	·02	·61	·04	–	·08	–	–	·09	–	1·29	–		13
14	–	·01	·12	·09	·02	–	–	–	·03	·09	–	·20		14
15	–	–	·04	T	·21	–	·07	–	·02	·07	·27	·01		15
16	·04	·11	·18	·01	–	·02	·56	–	·15	·91	·78	T		16
17	–	·01	·54	–	–	–	·01	–	–	·01	·43	–		17
18	–	·40	·28	·32	–	–	·04	·01	–	·06	·10	·16		18
19	–	·14	·06	·27	–	–	·08	–	·10	·01	·15	·05		19
20	–	·02	·04	·02	–	T	·07	·02	–	–	·09	·01		20
21	·15	–	·01	–	·21	–	·06	–	·54	T	·43	–		21
22	·02	·01	·03	–	·39	·37	T	T	–	T	–	–		22
23	T	·09	·02	·08	·23	·12	T	·03	–	–	·02	·02		23
24	–	–	–	·09	–	–	·13	–	–	–	T	–		24
25	–	–	·23	–	·01	–	·48	–	–	·01	·01	–		25
26	·06	·12	·16	–	·24	–	–	–	–	–	–	–		26
27	·42	·22	T	·53	·24	–	·02	–	–	·16	–	–		27
28	·61	·04	–	·01	·04	–	T	–	–	–	–	–		28
29	–	·02	·13	–	·14	–	–	–	–	–	–	·38		29
30	·16	✕	–	·06	–	–	–	–	–	·14	–	·04		30
31	·04	✕	–	✕	–	✕	–	–	✕	·81	✕	–		31
													Year's Total	
TOTAL	2·80	2·04	2·50	2·12	1·90	·87	2·71	·10	1·05	3·29	8·12	1·54	29·04	✓
* Days with .01 in. or more.	10	22	15	17	13	5	18	5	9	17	21	15	167	✓
* Days with .04 in. or more.	9	12	12	13	11	4	12	–	6	14	17	10	120	✓

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

* See Instruction 3 (f) on other side.